



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT053-R2-v7.2 APP (WL)

Olympic Data Feed

ODF Weightlifting Data Dictionary

22 Jun 2012
Technology Department
© International Olympic Committee



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic Games and/or (ii) to develop similar standards for other events than the Olympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



TABLE OF CONTENT

1	Introduction	5
1.1	This document.....	5
1.2	Objective	5
1.3	Main Audience.....	5
1.4	Glossary	5
1.5	Related Documents.....	6
2	Overall Perspective	7
2.1	Objective	7
2.2	End to End data flow	7
3	Codes	8
4	Weightlifting Data Extension.....	10
4.1	General Issues	10
4.1.1	ODF header	10
4.1.2	Attributes Definition.....	10
5	Point in Time.....	11
5.1	Point in Time Applicable Messages	11
5.1.1	List of participants by discipline/ List of participants by discipline update	13
5.1.1.1	Description.....	13
5.1.1.2	Header Values.....	13
5.1.1.3	Trigger and Frequency	13
5.1.1.4	Message Structure	13
5.1.1.5	Message Values	13
5.1.1.6	Message sort	14
5.1.2	Start List.....	15
5.1.2.1	Description.....	15
5.1.2.2	Header Values.....	15
5.1.2.3	Trigger and Frequency	15
5.1.2.4	Message Structure	15
5.1.2.5	Message Values	15
5.1.2.6	Message sort	17
5.1.3	Event Unit Results	18
5.1.3.1	Description.....	18
5.1.3.2	Header Values.....	18
5.1.3.3	Trigger and Frequency	18
5.1.3.4	Message Structure	18
5.1.3.5	Message Values	18
5.1.3.6	Message sort	21
5.1.4	Records	22
5.1.4.1	Description.....	22
5.1.4.2	Header Values.....	22
5.1.4.3	Trigger and Frequency	22
5.1.4.4	Message Structure	22
5.1.4.5	Message Values	22
5.1.4.6	Message sort	22



5.1.5	Event Final Ranking.....	23
5.1.5.1	Description.....	23
5.1.5.2	Header Values.....	23
5.1.5.3	Trigger and Frequency	23
5.1.5.4	Message Structure	23
5.1.5.5	Message Values	23
5.1.5.6	Message sort	25
5.1.6	Event's Medallists	26
5.1.6.1	Description.....	26
5.1.6.2	Header Values.....	26
5.1.6.3	Trigger and Frequency	26
5.1.6.4	Message Structure	26
5.1.6.5	Message Values	26
5.1.6.6	Message sort	26
5.1.7	Discipline/venue good morning.....	27
5.1.7.1	Description.....	27
5.1.7.2	Header Values.....	27
5.1.7.3	Trigger and Frequency	27
5.1.7.4	Message Structure	27
5.1.7.5	Message Values	27
5.1.7.6	Message sort	27
5.1.8	Discipline/venue good night.....	28
5.1.8.1	Description.....	28
5.1.8.2	Header Values.....	28
5.1.8.3	Trigger and Frequency	28
5.1.8.4	Message Structure	28
5.1.8.5	Message Values	28
5.1.8.6	Message sort	28
5.1.9	Discipline configuration.....	29
5.1.9.1	Description.....	29
5.1.9.2	Header Values.....	29
5.1.9.3	Trigger and Frequency	29
5.1.9.4	Message Structure	29
5.1.9.5	Message Values	29
5.1.9.6	Message sort	29
6	Real time	30
6.1	Real Time Applicable Messages	30
6.1.1	RT Event Unit Results	31
6.1.1.1	Description.....	31
6.1.1.2	Header Values.....	31
6.1.1.3	Trigger and Frequency	31
6.1.1.4	Message Structure	31
6.1.1.5	Message Values	31
6.1.1.6	Message sort	35
	DOCUMENT CONTROL	37



1 Introduction

1.1 This document

This document includes the ODF Weightlifting Data Dictionary. This Data Dictionary refines the messages described in the ODF Central Messages Interface Document and ODF Sport Messages Interface Document specifically for Weightlifting, as well as defines the codes used in these messages.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Weightlifting Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Weightlifting competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document

- **IF** – International Federation
- **IOC** – International Olympic Committee
- **NOC** – National Olympic Committee
- **ODF** – Olympic Data Feed
- **ODF-RT** – Olympic Data Feed Real Time
- **RSC** – Results System Codes
- **WL** – Weightlifting
- **WNPA** – World News Press Agencies



1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/INT001	ODF Message Transmission Document	This document describes the technical standards to be used to transfer ODF messages between the message generators and the final ODF users
ODF/COD001	ODF Common Codes Document	This document describes the ODF codes used across the rest of the ODF documents
ODF/INT003	ODF Central Messages Interface Document	This document describes the ODF central messages
ODF/INT004	ODF Sport Messages Interface Document	This document describes the ODF sport messages, generated independently by each sport



2 Overall Perspective

2.1 Objective

The objective of this document is to focus on the formal definition of the ODF Weightlifting Data Dictionary.

2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF Central Messages Interface Document and ODF Sport Messages Interface Document, since this ODF Weightlifting Data Dictionary is a particularization of those documents.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Weightlifting.

Any ODF Weightlifting message should follow all the previous definitions in order to be considered as an ODF compliant message.



3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise. Please refer to ODF Sport Messages Interface Document to know the format of these codes.

Code Entity	Code Entity Set of Values	
CC @Category	Code	Description
	056	Men's 56 kg
	062	Men's 62 kg
	069	Men's 69 kg
	077	Men's 77 kg
	085	Men's 85 kg
	094	Men's 94 kg
	005	Men's 105 kg
	025	Men's +105 kg
	048	Women's 48 kg
	053	Women's 53 kg
	058	Women's 58 kg
	063	Women's 63 kg
	069	Women's 69 kg
	075	Women's 75 kg
026	Women's +75 kg	
CC @Group	Code	Description
	A	Group A
	B	Group B
	C	Group C
CC @IRM	Code	Description
	DSQ	Disqualified
	DNS	Did not start
	DNF	Did not finish
CC @PosCategory	Code	Description
	1	Men's 56 kg
	2	Men's 62 kg
	3	Men's 69 kg
	4	Men's 77 kg
	5	Men's 85 kg
	6	Men's 94 kg
	7	Men's 105 kg
8	Men's +105 kg	



	9	Women's 48 kg
	10	Women's 53 kg
	11	Women's 58 kg
	12	Women's 63 kg
	13	Women's 69 kg
	14	Women's 75 kg
	15	Women's +75 kg
CC @RecordCode	Defined in ODF Common Codes Document See entity Record Code <ul style="list-style-type: none"> The entity's attribute to be used is Code 	
CC @RecordType	Defined in ODF Common Codes Document See entity Record Type <ul style="list-style-type: none"> The entity's attribute to be used is Code It will be related to Discipline 	
CC @ResultType	Code	Description
	WEIGHT	Weight
	IRM	Invalid Result Mark



4 Weightlifting Data Extension

4.1 General Issues

The following sections extend and complete the information to be sent in each of the messages for this particular discipline, if some particularization is needed. If there are special considerations for any of the message types that have to be sent for this discipline, then they should be considered in the following sections. If nothing is mentioned for a particular message type, then the general rules, as defined either in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document, should be respected for the messages described in the chapter 4 of this document.

4.1.1 ODF header

Regarding to the ODF header values, you should also follow the description in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document. However, the following attributes could be refined for each message type regarding to the header values:

- ODF Header: DocumentCode.

4.1.2 Attributes Definition

The attributes types are explained in the section “5.1.2. Attributes Definition” of the ODF Central Messages Interface Document. Please, refer to that document for further information



5 Point in Time

5.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Weightlifting, as well as the category of each message, which identifies if the message structure definition can be found either in the ODF Sport Messages Interface Document or ODF Central Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message documented” indicates the document where you should go to have the general definition for a particular Message type
- The column “Message used in this sport” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended in this document” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

Message Type	Message name	Message documented	Message used in this sport	Message extended in this document
DT_SCHEDULE	Competition schedule	Central	X	
DT_SCHEDULE_UPDATE	Competition schedule update	Central	X	
DT_PARTIC	List of participants by discipline	Central	X	X
DT_PARTIC_UPDATE	List of participants by discipline update	Central	X	X
DT_PARTIC_TEAMS	List of teams	Central		
DT_PARTIC_TEAMS_UPDATE	List of teams update	Central		
DT_PARTIC_HORSES	List of equestrian horses	Central		
DT_PARTIC_HORSES_UPDATE	List of horses update	Central		
DT_MEDALS	Medal standings	Central	Global	
DT_MEDALLISTS_DAY	Medallists of the day	Central	Global	
DT_HISTORIC_RECORD	Historical records	Central	X	
DT_HIST_REC_UPDATE	Historical records update	Central	X	



DT_GLOBAL_GM	Global good morning	Central	Global	
DT_GLOBAL_GN	Global good night	Central	Global	
DT_START_LIST	Start List	Sports	X	X
DT_RESULT	Event Unit Results	Sports	X	X
DT_PHASE_RESULT	Phase Results	Sports		
DT_CUMULATIVE_RESULT	Cumulative Results	Sports		
DT_POOL_STANDING	Pool Standings of group in a team competition	Sports		
DT_RANKING	Event Final ranking	Sports	X	X
DT_STATS	Statistics table	Sports		
DT_MEDALLISTS	Medallists of one event	Sports	X	X
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	Sports	X	
DT_RECORD	Records	Sports	X	X
DT_COMMUNICATION	Official Communication	Sports	X	
DT_BRACKETS	Brackets	Sports		
DT_GM	Discipline/venue good morning	Sports	X	X
DT_GN	Discipline/venue good night	Sports	X	X
DT_FED_RANKING	Federation Ranking	Sports		
DT_CONFIG	Discipline Configuration	Sports	X	X
DT_WEATHER	Event Unit Weather conditions	Sports		
DT_SERIAL	List of Current PiT Serial	Sports	X	



5.1.1 List of participants by discipline/ List of participants by discipline update

5.1.1.1 Description

This message is the List of participants by discipline (an the update) as described in the ODF Central Messages Interface Document.

5.1.1.2 Header Values

The definition in the ODF Central Messages Interface Document is valid

5.1.1.3 Trigger and Frequency

The definition in the ODF Central Messages Interface Document is valid.

5.1.1.4 Message Structure

The optional elements defined for this message in the ODF Central Messages Interface Document that should be included in the case of Weightlifting are:

- EventEntry

In the next section (message values), there is a more detailed definition.

5.1.1.5 Message Values

The following table lists the “List of participants by discipline/ update” optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case Weightlifting, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Competition /Participant	Height	O	N(3) 999	It will be included if this information is available.
	BirthDate	O	YYYYMMDD	Date of birth for the athlete
Competition /Participant /Discipline /RegisteredEvent	Bib	O	String	Shirt number. Although this attribute is optional, it will be updated and informed as soon as this information is known. Example: 8, 10 ...

The following table describes in more detail the EventEntry element in the case of Weightlifting.

Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry			
Type	Code	Value	Description
E_ENTRY	E_ENTRY_TOT	N(3) 990	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Send proposed Value

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
E_ENTRY /E_ENTRY TOT	Entry Total	Always



5.1.1.6 Message sort

Please, follow the general definition.



5.1.2 Start List

5.1.2.1 Description

This message is the Start List message as described in the ODF Sport Messages Interface Document.

5.1.2.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.2.3 Trigger and Frequency

Please, follow the general definition.

5.1.2.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Weightlifting are:

- Competition /UnitInfos and its child element UnitInfo
- Officials and its child element Official
- Start /Competitor /Composition /Athlete /EventUnitEntry

In the next section (message values), there is a more detailed definition.

5.1.2.5 Message Values

The following table lists the Start List optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Weightlifting, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Officials /Official	Function	M	CC @Function	Send according to the codes, the referee, the umpires and the commissioner
	Order	M	Numeric	Send by Order as on official score sheet
Start	StartOrder	M	Numeric	Number based in the first attempt
	SortOrder	M	Numeric	Same @StartOrder
Start /Competitor /Composition /Athlete	Bib	M	String	Shirt number
	Order	M	N(3) 990	Send order according to Start number

The following table describes in more detail the Competition /UnitInfos /UnitInfo element in the case of Weightlifting.

Element: Competition /UnitInfos /UnitInfo				
Type	Code	Pos	Value	Description
UI_WL	WL_WEIGH-IN		Date	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Value: Weigh-in Start Time



For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
UI_WL/ WL_WEIGH_IN	Weigh-in Start Time	Always

The following table describes in more detail the Competitor /Composition /Athlete /EventUnitEntry element in the case of Weightlifting.

Element: Competitor /Composition /Athlete /EventUnitEntry			
Type	Code	Value	Description
EUE_WL	WL_LOT	N(3) 990	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Lot No
	WL_GROUP	CC @Group	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Group
	WL_BODYWEIGHT	N(3).N(2) 990.00	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Bodyweight value
	WL_SNATCH_ATTEMPT	N(3) 900	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: First Snatch attempt declared
	WL_CLEAN_ATTEMPT	N(3) 900	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: First Clean & Jerk attempt declared
	WL_IRM	CC @IRM	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Indicator as supplied by OVR for DNS or other possible results before the race.

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
EUE_WL /WL_LOT	Lot Number	Always
EUE_WL /WL_GROUP	Group	Always



EUE_WL / WL_BODYWEIGHT	Bodyweight	Always
EUE_WL WL_SNATCH_ATTEMPT	/First Snatch attempt declared	Always
EUE_WL / WL_CLEAN_ATTEMPT	First Clean & Jerk attempt declared	Always
EUE_WL / WL_IRM	Invalid result mark supplied by OVR before the race.	When applies

5.1.2.6 Message sort

Please, follow the general definition.



5.1.3 Event Unit Results

5.1.3.1 Description

This message is the Event Unit Results message as described in the ODF Sport Messages Interface Document.

5.1.3.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

This message is sent by event, including all the results available for all the groups.

5.1.3.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following

- After each group
 - ResultStatus in the headers will have the value "INTERIM"
- After last group
 - ResultStatus in the headers will have the value "OFFICIAL" or "UNOFFICIAL"

5.1.3.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Weightlifting are:

- UnitDateTime (following the general rules for this element)
- UnitInfo
- RecordIndicators and its child element RecordIndicator
- Competitor /Composition /Athlete /ExtendedResults /ExtendedResult

5.1.3.5 Message Values

The following table lists the Event Unit Results optional and/or extended attributes (defined in the ODF Sport Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	Numeric	Rank of the competitor in the corresponding event. This attribute is optional.
	RankEqual	O	S(1)	Send 'Y' if the Rank is equalled.
	ResultType	M	CC @ResultType	Result type.
	IRM	O	CC @IRM	IRM for the event. Send just in the case @ResultType is IRM (see codes section)



	Result	O	N(3) 990 Or ..	Result for the particular event.
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the overall rank, but it should be used to sort out rank ties as well as results without rank (because there is a IRM or it is an intermediate result).

The following table describes in more detail the RecordIndicator element in the case of Weightlifting.

Element	Attribute	M/O	Value	Comments
Result /RecordIndicators /RecordIndicator	Order	M	Numeric	Deprecated: For London, Order is always '1' for records broken/equalled in this Event Unit.
	Code	M	CC @RecordCode	Code which describes the record broken by the result value (e.g. "WLM056000").
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "OR").

The following table describes in more detail the UnitInfo element in the case of Weightlifting.

Type	Code	Pos	Value	Description
UI_RESULTS	WL_AFTER		CC @Group	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything. For @Value: Send the proposed code
	WL_GROUP		CC @Group	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything. For @Value: Send the proposed code

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
UI_RESULTS /WL_AFTER	Code that indicates the finished group	When a Group is finished.
UI_RESULTS /WL_GROUP	Code that indicates the current group	Always



The following table describes in more detail the Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element.

Type	Code	Extension Code	Pos	Value	Description		
ER_WL	WL_SNATCH WL_CLEAN	WL_RESULT		N(3) 900	For @Type: Send proposed type		
				Or	For @Code: Send proposed code		
				'.'	For @Pos: Do not send anything.		
					For @Value: Total Result		
		WL_IRM		WL_IRM		CC@IRM	For @Type: Send proposed type
							For @Code: Send proposed code
							For @Pos: Do not send anything
							For @Value: IRM
		WL_IDX		WL_IDX		N(2) 90	For @Type: Send proposed type
							For @Code: Send proposed code
							For @Pos: Do not send anything
							For @Value: Result's order
		WL_ATTEMPT_1		WL_ATTEMPT_1		N(3) 900	For @Type: Send proposed type
						Or	For @Code: Send proposed code
						'.'	For @Pos: Do not send anything.
							For @Value: Result of attempt 1
		WL_ATTEMPT_2		WL_ATTEMPT_2		N(3) 900	For @Type: Send proposed type
						Or	For @Code: Send proposed code
						'.'	For @Pos: Do not send anything.
							For @Value: Result of attempt 2
		WL_ATTEMPT_3		WL_ATTEMPT_3		N(3) 900	For @Type: Send proposed type
						Or	For @Code: Send proposed code
						'.'	For @Pos: Do not send anything.
							For @Value: Result of attempt 3
		WL_ATTEMPT_1_I INVALID		WL_ATTEMPT_1_I INVALID		S(1) Y/N	For @Type: Send proposed type
							For @Code: Send proposed code
							For @Pos: Do not send anything.
							For @Value:



Type	Code	Extension Code	Pos	Value	Description
					Send 'Y' if the attempt 1 is invalid.
		WL_ATTEMPT_2_I NVALID		S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything.
					For @Value: Send 'Y' if the attempt 2 is invalid.
		WL_ATTEMPT_3_I NVALID		S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything.
					For @Value: Send 'Y' if the attempt 3 is invalid.

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_WL/WL_SNATCH	Snatch results	When available
ER_WL/WL_CLEAN	Clean&Jerk results	When available

5.1.3.6 Message sort

Please, follow the general definition.



5.1.4 Records

5.1.4.1 Description

This message is the Records message as described in the ODF Sport Messages Interface Document.

5.1.4.2 Header Values

Please, follow the general definition.

5.1.4.3 Trigger and Frequency

Please, follow the general definition.

5.1.4.4 Message Structure

Please, follow the general definition.

5.1.4.5 Message Values

The following table lists the Records optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Weightlifting, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
RecordEntry /RecordData	ResultType	M	CC @ResultType	It will be a result categorization, to indicate whether the result that is for the record is a distance, a time, etc.
	Result	M	N(3) 900	The result of the competitor for the record
/Competitor /RecordData	Country	M	CC @Country	Country code where the record was broken
	Place	M	S(40)	The place (town or city) where the record was broken
	Date	M	YYYYMMDD	The date where the record was broken.
	Time	M	MillisTime	Time when was broken the record. Mandatory for the current records.
	Event	M	S(40)	Send in the case Historical='Y'. Send the text of the event name where the record was broken (example: "World Championships", "Olympic Games", etc.).

5.1.4.6 Message sort

Please, follow the general definition.



5.1.5 Event Final Ranking

5.1.5.1 Description

This message is the Event Final Ranking message as described in the ODF Sport Messages Interface Document.

In the case of Weightlifting, the message has to be sent for all the competition events, as listed in the header values section.

5.1.5.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.5.3 Trigger and Frequency

Please, follow the general definition.

5.1.5.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Weightlifting are:

- Eventinfo (only for NOCs ranking)
- Competitor /ExtendedResults and its child element ExtendedResult (only for NOCs ranking)

5.1.5.5 Message Values

The following table lists the Event Final Ranking optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Weightlifting, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	Text	Rank of the competitor in the result. It is optional because the participant can be disqualified
	RankEqual	O	S(1)	Send 'Y' if the Rank is equalled.
	IRM	O	CC @IRM	Send just if the participant has been disqualified
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the competitors at the end of the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out disqualified participants.

The following table describes in more detail the Eventinfo element

Element: Eventinfo					
Type	Code	Extension Code	Pos	Value	Description
EI_WL	WL_PARTIC_TOT			N(2) 90	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send the total number of participants.



	WL_CATEGORY		CC @Pos Categ ory	CC @Category	For @Type: Send proposed type	
					For @Code: Send proposed code	
					For @Pos: Send CC @PosCategory	
					For @Value: Send the category code	
	WL_PARTICIPANTS		N(2) 90			For @Type: Send proposed type
						For @Code: Send proposed code
						For @Pos: Do not send anything
						For @Value: Send the total number of participants for a category

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
EI_WL /WL_PARTIC_TOT	Total number of participants	Always, if available
EI_WL /WL_CATEGORY	Category code	Always, if available
WL_CATEGORY / WL_PARTICIPANTS	Total number of participants by category	Always, if available

The following table describes in more detail the Competitor /ExtendedResults /ExtendedResult element

Element: Competitor /ExtendedResults /ExtendedResult						
Type	Code	Extended Code	Pos	Value	Description	
ER_WL	WL_PTS_TOT	WL_POINTS		N(2) 90	For @Type: Send proposed type	
					For @Code: Send proposed code	
					For @Pos: Do not send anything	
					For @Value: Send the total points	
	WL_PARTICIPANTS		N(2) 90			For @Type: Send proposed type
						For @Code: Send proposed code
WL_CATEGORY			CC @Pos Categ ory	CC @Category	For @Type: Send proposed type	
					For @Code: Send proposed code	
					For @Pos: Send CC @PosCategory	



					For @Value: Send the category code
		WL_POINTS		N(2) 90	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send the points achieved in this category
		WL_PARTICIPANTS		N(2) 90	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send the number of participants in this category

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_WL /WL_PTS_TOT/ WL_POINTS	Number of total points achieved for the NOC	Always, if available
ER_WL /WL_PTS_TOT/ WL_PARTICIPANTS	Number of participants for all categories for the NOC	Always, if available
ER_WL /WL_CATEGORY	Category code	Always, if available
WL_CATEGORY/ WL_POINTS	Number of points achieved for the NOC in a category	Always, if available
WL_CATEGORY/ WL_PARTICIPANTS	Number of participants for the NOC in a category	Always, if available

5.1.5.6 Message sort

Please, follow the general definition.



5.1.6 Event's Medallists

5.1.6.1 Description

This message is the Event's Medallists message as described in the ODF Sport Messages Interface Document.

In the case of Weightlifting, the message has to be sent for all the competition events, as listed in the header values section.

5.1.6.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.6.3 Trigger and Frequency

Please, follow the general definition.

5.1.6.4 Message Structure

Please, follow the general definition.

5.1.6.5 Message Values

Please, follow the general definition.

5.1.6.6 Message sort

Please, follow the general definition.



5.1.7 Discipline/venue good morning

5.1.7.1 Description

This message is the Discipline/venue good morning message as described in the ODF Sport Messages Interface Document.

5.1.7.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.7.3 Trigger and Frequency

Please, follow the general definition.

5.1.7.4 Message Structure

Please, follow the general definition.

5.1.7.5 Message Values

Please, follow the general definition.

5.1.7.6 Message sort

Please, follow the general definition.



5.1.8 Discipline/venue good night

5.1.8.1 Description

This message is the Discipline/venue good night message as described in the ODF Sport Messages Interface Document.

5.1.8.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.8.3 Trigger and Frequency

Please, follow the general definition.

5.1.8.4 Message Structure

Please, follow the general definition.

5.1.8.5 Message Values

Please, follow the general definition.

5.1.8.6 Message sort

Please, follow the general definition.



5.1.9 Discipline configuration

5.1.9.1 Description

This message is the Discipline configuration message as described in the ODF Sport Messages Interface Document.

5.1.9.2 Header Values

Please, follow the general definition.

5.1.9.3 Trigger and Frequency

Please, follow the general definition.

5.1.9.4 Message Structure

Please, follow the general definition.

5.1.9.5 Message Values

Send the attributes and codes according to the tables described in this section.

The following table describes in more detail the Competition /Configs /Config element.

Type	Code	Pos	Value	Description
CFG_WL	WL_GROUP		CC @Group	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos: Do not send anything
				For @Value: Send the proposed code

For the table above, we have the following additional/summary information

Type /Code	Description	Expected
CFG_WL/WL_GROUP	Group	Always

5.1.9.6 Message sort

Please, follow the general definition.



6 Real time

The following chapter describes the ODF-RT part of Weightlifting.

6.1 Real Time Applicable Messages

The next table is a full list of all ODF-RT messages and describes the list of messages used in Weightlifting the same way as it is done in the table of chapter 4.

Message Type	Message name	Message documented	Message used in this sport	Message extended in this document
DT_RT_GM	RT Discipline/Venue good morning	Sports	X	
DT_RT_GN	RT Discipline/venue good night	Sports	X	
DT_RT_KA	RT Discipline/venue keep alive	Sports	X	
DT_RT_RESULT	RT Event Unit Results	Sports	X	X



6.1.1 RT Event Unit Results

6.1.1.1 Description

This message is the RT Event Unit Results message as described in the ODF Sport Messages Interface Document.

6.1.1.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

6.1.1.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger after each attempt
- ResultStatus="LIVE_FULL"
 - This value should be suggested and sent in the DT_RT_GM message after further testing
- For other ResultStatus follow the general definition.

6.1.1.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Weightlifting are:

Please, follow the general considerations for all ResultStatus.

In the next section (message values), there is a more detailed definition.

6.1.1.5 Message Values

The following table lists the RT Event Unit Results optional and/or extended attributes (defined in the ODF Sport Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments	LIVE_UPDATE RT trigger expected
Result	Rank	O	Numeric	Rank of the competitor in the corresponding event. This attribute is optional.	T1
	RankEqual	O	S(1)	Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore.	T1
	ResultType	M	CC @ResultType	Result type, either points or IRM with points for the corresponding event unit	T1
	IRM	O	CC @IRM	IRM of the competitor for the particular event Send just in the case @ResultType both Points and IRM (see codes section)	T1



Element	Attribute	M/O	Value	Comments	LIVE_UPDATE RT trigger expected
	Result	O	N(3) 990 Or ..	Result of the competitor for the particular event unit.	T1
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the overall rank, but it should be used to sort out rank ties as well as results without rank (because there is a IRM or it is an intermediate result).	T1

The following table describes in more detail the RecordIndicator element in the case of Weightlifting.

Element	Attribute	M/O	Value	Comments	
Result /RecordIndicators /RecordIndicator	Order	M	Numeric	Deprecated: For London, Order is always '1' for records broken/equalled in this Event Unit.	T1
	Code	M	CC @RecordCode	Code which describes the record broken by the result value (e.g. "WLM056000").	T1
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "OR").	T1

The following table describes in more detail the UnitInfo element in the case of Weightlifting.

Type	Code	Pos	Value	Description
UI_RESULTS	WL_INFO		text	For @Type: Send proposed type
				For @Code: Send proposed code
For @Pos: Do not send anything.				
For @Value: Send the information on current lift				
	WL_GROUP		CC @Group	For @Type: Send proposed type
For @Code: Send proposed code				
For @Pos: Do not send anything.				
For @Value: Send the proposed code				

For the table above, we have the following additional/summary information:



Type /Code	Description	LIVE_UPDATE trigger expected	RT
ER_WL/WL_INFO	Information on current lift	T1	
ER_WL/WL_GROUP	Group of the results	T1	

The following table describes in more detail the Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element.

Type	Code	Extension Code	Pos	Value	Description
ER_WL	WL_CURRENT(*)		N(2)	S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Attempt number: 1, 2, 3 for Snatch 11, 12, 13 for Clean & Jerk
					For @Value: Send Y if the competitor is the current or "N" if it is not more.
	WL_LAST_FINISHED		N(2)	S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Attempt number: 1, 2, 3 for Snatch 11, 12, 13 for Clean & Jerk
					For @Value: Send Y if the sathlete is the last finished or "N" if it is not more.
	WL_LIFT_ORDER			N(2) 90	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything.
					For @Value: Lift Order
WL_SNATCH WL_CLEAN	WL_RESULT		N(3) 990	For @Type: Send proposed type	
				For @Code: Send proposed code	
				For @Pos: Do not send anything.	
				For @Value: Total Result	
	WL_IRM			CC@IRM	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: IRM
WL_IDX			N(2) 90	For @Type: Send proposed type	
				For @Code: Send proposed code	
				For @Pos: Do not send anything	
				For @Value:	



Type	Code	Extension Code	Pos	Value	Description
					Result's order
		WL_ATTEMPT_1	N(1)	N(3) 900	For @Type: Send proposed type
				Or	For @Code: Send proposed code
				.	For @Pos: Send 1 if is a declared attempt, otherwise do not send anything
					For @Value: Result of attempt 1
		WL_ATTEMPT_2	N(1)	N(3) 900	For @Type: Send proposed type
				Or	For @Code: Send proposed code
				.	For @Pos: Send 1 if is a declared attempt, otherwise do not send anything
					For @Value: Result of attempt 2
		WL_ATTEMPT_3	N(1)	N(3) 900	For @Type: Send proposed type
				Or	For @Code: Send proposed code
				.	For @Pos: Send 1 if is a declared attempt, otherwise do not send anything
					For @Value: Result of attempt 3
		WL_ATTEMPT_1_I NVALID		S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send Y if the attempt 1 is invalid or "N" if it is valid.
		WL_ATTEMPT_2_I NVALID		S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send Y if the attempt 2 is invalid or "N" if it is valid.
		WL_ATTEMPT_3_I NVALID		S(1) Y/N	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Send Y if the attempt 3 is invalid or "N" if it is valid.

For the table above, we have the following additional/summary information:

Type /Code	Description	LIVE_UPDATE trigger expected	RT
ER_WL/WL_CURRENT	Current athlete flag	T1	



	Send in Pos the attempt number: 1, 2, 3 for Snatch 11, 12, 13 for Clean & Jerk	
ER_WLWL_LAST_FINISHED	Last finished athlete flag Send in Pos the attempt number: 1, 2, 3 for Snatch 11, 12, 13 for Clean & Jerk	T1
ER_WLWL_LIFT_ORDER	Lift order for the remaining athletes, send '-' for finished athletes.	T1
ER_WLWL_SNATCH	Snatch results	T1
ER_WLWL_CLEAN	Clean&Jerk results	T1

6.1.1.6 Message sort

Please, follow the general definition.





DOCUMENT CONTROL

Version history

Version	Date	Comments
R2 1.0	3 Jul 2009	Submitted for review version
R2 2.0	31 Jul 2009	Submitted for approval version
R2 3.0	28 Aug 2009	Approved version
R2 3.1	12 Mar 2010	Approved version
R2 4.0	24 Jan 2011	Changes after the ORIS meeting
R2 4.1	6 May 2011	Minor changes
R2 4.2	2 Dec 2011	Defects 43429, 44761, 46519
R2 5.0	9 Jan 2012	IR0101, Defects 53890, 55351
R2 6.0	10 Feb 2012	CR005943 and defect 55412
R2 7.0	13 Apr 2012	CR007516
R2 7.1	25 May 2012	Minor changes
R2 7.2	22 Jun 2012	Defect 75428

File reference: ODF/INT053-R2-v7.2 APP (WL)



Change Log

Version	Status	Changes on version
R2 1.0	SFR	<ul style="list-style-type: none">• First version
R2 2.0	SFA	<ul style="list-style-type: none">• General: Revised a few typos• List of participants: Added BirthDate element• Start List: Added trigger• Start List: StartOrder definition changed• Results /RT Results: Added elements WL_ATTEMPT_1_INVALID, WL_ATTEMPT_2_INVALID, WL_ATTEMPT_3_INVALID• RT results: Added RecordIndicator/Code attribute, removed WL_RECORD element• Added Records message
R2 3.0	APP	No changes
R2 3.1	APP	<ul style="list-style-type: none">• Start List: Added WL_GROUP element.• EU Results / RT EU Results: Removed WL_GROUP element.• RT EU Results: Added WL_IRM element
R2 4.0	APP	<ul style="list-style-type: none">• General: Update the Y/N values• Merge EU Results and RT EU Results data.• RT EU Results: added Rank attribute.• IR03:<ul style="list-style-type: none">▪ The Bib should be String.▪ EU Results / RT EU Results / Final Ranking: added RankEqual attribute.• IR04:<ul style="list-style-type: none">▪ EU Results / RT EU Results: added RecordIndicator/@Order attribute.• IR022 Changes after the WNPA meeting:<ul style="list-style-type: none">▪ Change the triggers and frequency as the revision of WNPA meeting▪ Codes: add a format column to Section 3 of the Data Dictionaries
R2 4.1	APP	<ul style="list-style-type: none">• Codes: renamed CC @Record to CC @RecordType• RT EU Results: updated SortOrder attribute description• RT EU Results: added '-' to values for WL_ATTEMPT_1, WL_ATTEMPT_2 and WL_ATTEMPT_3• RT EU Results: added Pos attribute to WL_CURRENT and WL_LAST_FINISHED• RT EU Results: removed WL_PREVIOUS• EU Results / RT EU Results: added WL_IDX ExtensionCode for results order in WL_SNATCH and WL_CLEAN Codes• Codes: updated CC @Category codes and added CC @PosCategory• Event Final Ranking: updated description• Event Final Ranking: replaced WL_PARTIC_@Category by Extended WL_CATEGORY / WL_PARTICIPANTS• Event Final Ranking: replaced WL_PTS_@Category by WL_CATEGORY
R2 4.2	APP	<ul style="list-style-type: none">• Defect 43429: Event Final Ranking: corrected Eventinfo element name and Extension Code name• Defect 44761: Codes: corrected CC @Category and CC @PosCategory description for Women's 69 kg• Defect 46519: Event Final Ranking: message should be sent only at event unit level, not gender level• EU Results / RT EU Results / Event Final Ranking: updated RankEqual attribute description• RT EU Results: updated comments about ResultStatus• Moved Document Control section to the end of the document
R2 5.0	APP	<ul style="list-style-type: none">• IR0101: Add DT_SERIAL message in the PIT messages• Defect 53890: EU Results / RT EU Results: allow "-" as final result:• Defect 55351: Start List: removed "Start /Competitor /EventUnitEntry"



Change Log

Version	Status	Changes on version
R2 6.0	APP	<ul style="list-style-type: none">• CR005943: Start List: added WL_IRM• Defect 55412: RT EU Results: added Pos attribute to WL_ATTEMPT_1
R2 7.0	APP	<ul style="list-style-type: none">• CR007516:<ul style="list-style-type: none">▪ Codes: added CC @RecordCode▪ The Subcode attribute will be added to indicate the WRC (in case of WRC record) in the DT_RECORD, DT_HISTORIC_RECORDS and DT_HIST_REC_UPDATE messages▪ Clarify the meaning of RecordIndicator@Order, use CC @RecordCode for attribute RecordIndicator@Code, add an attribute called RecordIndicator@RecordType for CC @RecordType in the DT_RESULT, and DT_RT_RESULT messages.▪ DT_RESULT and DT_RT_RESULT: removed WL_RECORD Extension code.
R2 7.1	APP	<ul style="list-style-type: none">• EU Results, RT EU Results: Order attribute for RecordIndicator is deprecated. For London it should be send always '1' for records broken/equallled.
R2 7.2	APP	<ul style="list-style-type: none">• Defect 75428: DT_RECORD, DT_HISTORIC_RECORDS and DT_HIST_REC_UPDATE: removed WRC from message values because is not valid for WL



This page has been intentionally left blank