



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT074-R2 v3.1 APP (CT)

## Olympic Data Feed

### **ODF Paralympic Cycling Track Data Dictionary**

17 Aug 2012  
Technology Department  
© International Olympic Committee



## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



## TABLE OF CONTENT

<b>1</b>	<b>Introduction .....</b>	<b>5</b>
1.1	This document.....	5
1.2	Objective .....	5
1.3	Main Audience.....	5
1.4	Glossary .....	5
1.5	Related Documents.....	6
<b>2</b>	<b>Overall Perspective .....</b>	<b>7</b>
2.1	Objective .....	7
2.2	End to End data flow .....	7
<b>3</b>	<b>Codes .....</b>	<b>8</b>
<b>4</b>	<b>Paralympic Cycling Track Data Extension.....</b>	<b>9</b>
4.1	General Issues .....	9
4.1.1	ODF header .....	9
4.1.2	Attributes Definition.....	9
<b>5</b>	<b>Point in Time.....</b>	<b>10</b>
5.1	Point in Time Applicable Messages .....	10
5.1.1	List of participants by discipline /List of participants by discipline update .....	11
5.1.1.1	Description.....	11
5.1.1.2	Header Values.....	11
5.1.1.3	Trigger and Frequency .....	11
5.1.1.4	Message Structure .....	11
5.1.1.5	Message Values .....	11
5.1.1.6	Message sort .....	12
5.1.2	List of teams /List of teams update .....	13
5.1.3	Historical records .....	13
5.1.4	<b>Start List</b> .....	14
5.1.4.1	Description.....	14
5.1.4.2	Header Values.....	14
5.1.4.3	Trigger and Frequency .....	14
5.1.4.4	Message Structure .....	14
5.1.4.5	<b>Message Values</b> .....	14
5.1.4.6	Message sort .....	14
5.1.5	Event Unit Results .....	15
5.1.5.1	Description.....	15
5.1.5.2	Header Values.....	15
5.1.5.3	Trigger and Frequency .....	15
5.1.5.4	Message Structure .....	15
5.1.5.5	Message Values .....	15
5.1.5.6	Message sort .....	16
5.1.6	Phase Results.....	17
5.1.7	Cumulative Results.....	17
5.1.8	Event Final Ranking.....	17
5.1.9	Records.....	17



- 5.1.10 Event's Medallists ..... 17
- 5.1.11 Discipline/venue good morning..... 17
- 5.1.12 Discipline/venue good night..... 17
- 5.1.13 Discipline configuration..... 18
  - 5.1.13.1 Description ..... 18
  - 5.1.13.2 Header Values ..... 18
  - 5.1.13.3 Trigger and Frequency ..... 18
  - 5.1.13.4 Message Structure ..... 18
  - 5.1.13.5 Message Values..... 18
  - 5.1.13.6 Message sort..... 18
- 6 Real time ..... 19**
- 6.1 Real Time Applicable Messages ..... 19
  - 6.1.1 RT Event Unit Results ..... 20
    - 6.1.1.1 Description..... 20
    - 6.1.1.2 Header Values ..... 20
    - 6.1.1.3 Trigger and Frequency ..... 20
    - 6.1.1.4 Message Structure ..... 20
    - 6.1.1.5 Message Values ..... 20
    - 6.1.1.6 Message sort ..... 21
  - 6.1.2 RT Cumulative Results ..... 21
- DOCUMENT CONTROL ..... 22**



# 1 Introduction

## 1.1 This document

This document includes the ODF Paralympic Cycling Track Data Dictionary. This Data Dictionary refines the messages described in the ODF Central Messages Interface Document and ODF Sport Messages Interface Document specifically for Paralympic Cycling Track, as well as defines the codes used in these messages.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Paralympic Cycling Track Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Paralympic Cycling Track competition is run.

## 1.3 Main Audience

The main audience of this document is the IPC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document

- **CT** – Paralympic Cycling Track
- **IOC** – International Olympic Committee
- **IPC** – International Paralympic Committee
- **IPSF** – International Paralympic Sport Federation
- **NOC** – National Olympic Committee
- **NPC** - National Paralympic Committee
- **ODF** – Olympic Data Feed
- **ODF-RT** – Olympic Data Feed Real Time
- **RSC** – Results System Codes
- **UCI** – Union Cycliste Internationale
- **WNPA** – World News Press Agencies



## 1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/INT001	ODF Message Transmission Document	This document describes the technical standards to be used to transfer ODF messages between the message generators and the final ODF users
ODF/COD001	ODF Common Codes Document	This document describes the ODF codes used across the rest of the ODF documents
ODF/INT003	ODF Central Messages Interface Document	This document describes the ODF central messages
ODF/INT004	ODF Sport Messages Interface Document	This document describes the ODF sport messages, generated independently by each sport
ODF/INT031	ODF Cycling Track Data Dictionary	This document describes the ODF Cycling Track messages



## 2 Overall Perspective

### 2.1 Objective

The objective of this document is to focus on the formal definition of the ODF Paralympic Cycling Track Data Dictionary.

### 2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF Central Messages Interface Document, ODF Sport Messages Interface Document and and ODF Cycling Track Data Dictionary, since this ODF Paralympic Cycling Track Data Dictionary is a particularization of those documents.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Paralympic Cycling Track.

Any ODF Paralympic Cycling Track message should follow all the previous definitions in order to be considered as an ODF compliant message.



### 3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

*CC @CodeEntity*

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities specific for Paralympics used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise.

Code Entity	Code Entity Set of Values
CC @SportClass	Defined in ODF Common Codes Document  See entity Sports Class - Paralympic. The code to be used is found in the Class column.

Please follow ODF Cycling Track Data Dictionary definition for the rest of the codes entities defined in the document.





## 4 Paralympic Cycling Track Data Extension

### 4.1 General Issues

The following sections extend and complete the information to be sent in each of the messages for this particular discipline, if some particularization is needed. If there are special considerations for any of the message types that have to be sent for this discipline, then they should be considered in the following sections. If nothing is mentioned for a particular message type, then the general rules, as defined either in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document, should be respected for the messages described in the chapter 4 of this document.

#### 4.1.1 ODF header

Regarding to the ODF header values, you should also follow the description in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document. However, the following attributes could be refined for each message type regarding to the header values:

- ODF Header: DocumentCode.

#### 4.1.2 Attributes Definition

The attributes types are explained in the section “5.1.2. Attributes Definition” of the ODF Central Messages Interface Document. Please, refer to that document for further information



## 5 Point in Time

### 5.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Paralympic Cycling Track, as well as the category of each message, which identifies if the message structure definition can be found either in the ODF Sport Messages Interface Document or ODF Central Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message documented” indicates the document where you should go to have the general definition for a particular Message type
- The column “Message used” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

Message Type	Message name	Message documented	Message used in this sport	Message extended in this document
DT_SCHEDULE	Competition schedule	Central	X	
DT_SCHEDULE_UPDATE	Competition schedule update	Central	X	
DT_PARTIC	List of participants by discipline	Central	X	X
DT_PARTIC_UPDATE	List of participants by discipline update	Central	X	X
DT_PARTIC_TEAMS	List of teams	Central	X	X
DT_PARTIC_TEAMS_UPDATE	List of teams update	Central	X	X
DT_PARTIC_HORSES	List of equestrian horses	Central		
DT_PARTIC_HORSES_UPDATE	List of equestrian horses update	Central		
DT_MEDALS	Medal standings	Central	Global	
DT_MEDALLISTS_DAY	Medallists of the day	Central	Global	
DT_HISTORIC_RECORD	Historical records	Central	X	X
DT_HIST_REC_UPDATE	Historical records update	Central	X	X
DT_GLOBAL_GM	Global good morning	Central	Global	



DT_GLOBAL_GN	Global good night	Central	Global	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	Sports	X	
DT_START_LIST	Start List	Sports	X	X
DT_RESULT	Event Unit Results	Sports	X	X
DT_PHASE_RESULT	Phase Results	Sports	X	X
DT_CUMULATIVE_RESULT	Cumulative Results	Sports	X	X
DT_POOL_STANDING	Pool Standings of group in a team competition	Sports		
DT_RANKING	Event Final ranking	Sports	X	X
DT_STATS	Statistics table	Sports		
DT_MEDALLISTS	Medallists of one event	Sports	X	X
DT_RECORD	Records	Sports	X	X
DT_COMMUNICATION	Official Communication	Sports	X	
DT_BRACKETS	Brackets	Sports		
DT_GM	Discipline/venue good morning	Sports	X	X
DT_GN	Discipline/venue good night	Sports	X	X
DT_FED_RANKING	Federation Ranking	Sports		
DT_CONFIG	Discipline Configuration	Sports	X	X
DT_WEATHER	Event Unit Weather conditions	Sports		
DT_SERIAL	List of Current PiT Serial	Sports	X	

### 5.1.1 List of participants by discipline /List of participants by discipline update

#### 5.1.1.1 Description

This message is the List of participants (athletes and officials) by discipline (and the update) as described in the ODF Central Messages Interface Document.

#### 5.1.1.2 Header Values

Please follow ODF Cycling Track Data Dictionary definition.

#### 5.1.1.3 Trigger and Frequency

Please follow ODF Cycling Track Data Dictionary definition.

#### 5.1.1.4 Message Structure

Please follow ODF Cycling Track Data Dictionary definition.

#### 5.1.1.5 Message Values

The following table lists only extra optional attributes (defined in the ODF Central Messages Interface Document) that are used in the case of Paralympic Cycling Track, as well as the attributes that have an extended definition, for the rest of normal attributes please, follow ODF Cycling Track Data Dictionary definition

Element	Attribute	M/O	Value	Comments
---------	-----------	-----	-------	----------



Element	Attribute	M/O	Value	Comments
RegisteredEvent	Class	O	CC @SportClass	Code to identify the Sport class for the athlete.
	Guide	O	S(20) with no leading zeroes	ID to identify the official acting of pilot in the case of events with handicapped athletes

#### 5.1.1.6 Message sort

Please follow ODF Cycling Track Data Dictionary definition.



**5.1.2 List of teams /List of teams update**

Please follow ODF Cycling Track Data Dictionary definition.

**5.1.3 Historical records**

Please follow ODF Cycling Track Data Dictionary definition.



## 5.1.4 Start List

### 5.1.4.1 Description

This message is the Start List message as described in the ODF Sport Messages Interface Document.

### 5.1.4.2 Header Values

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.4.3 Trigger and Frequency

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.4.4 Message Structure

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.4.5 Message Values

The following table lists only redefined elements for Competitor /Composition /Athlete /ExtendedResults /ExtendedResult that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Description	Expected
EUE_CT /CT_HEAT_NUMBER	Heat number for individuals	Send for Individual Pursuit, Individual Time Trial and Mixed Team Sprint Qualification
EUE_CT /CT_ORDER_HEAT	Send the order of the racer at the heat	Send for Individual Pursuit, Individual Time Trial and Mixed Team Sprint Qualification

### 5.1.4.6 Message sort

Please follow ODF Cycling Track Data Dictionary definition.



## 5.1.5 Event Unit Results

### 5.1.5.1 Description

This message is the Event Unit Results message as described in the ODF Sport Messages Interface Document.

### 5.1.5.2 Header Values

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.5.3 Trigger and Frequency

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.5.4 Message Structure

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.5.5 Message Values

The following table lists only redefined elements for Competition /UnitInfos /UnitInfo that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Description	Expected
UI_CT /CT_LAST_HEAT	Send the heat/race number of the last finished competitor	Just for Individual Pursuit and Time Trial

The following table lists only redefined elements for Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Description	Expected
ER_CT /CT_INTERMEDIATE	Intermediate point time (from the start to this point).  @Pos 1..4 (1000m, 2000m, 3000m and 4000m) for Men's Individual Pursuit C4, C5, B  @Pos 1..3 (1000m, 2000m and 3000m) for Men's Individual Pursuit C1, C2, C3 and Women's Individual Pursuit.  @Pos 1..4 (250m, 500m, 750m and 1000m) for Women's Time Trial B	For Individual Pursuit and Time Trial but does not applies for Kilo and 500m for Factored events
ER_CT /CT_SECTION	Time for that section. A section is placed between two intermediate points, or between the start and the first intermediate point.  @Pos 1..3 (1 <sup>st</sup> Race, 2 <sup>nd</sup> Race, Decider) for Individual Sprint  @Pos 1..4 (1000m, 1000-2000m, 2000-3000m and 3000-4000m) for Men's Individual Pursuit C4, C5, B.  @Pos 1..3 (1000m, 1000-2000m,	For Individual Sprint (Quarterfinals, Semi-finals and Finals), Individual Pursuit and Time Trial but does not applies for Kilo and 500m for Factored events



	2000-3000m) for Men's Individual Pursuit C1, C2, C3 and Women's Individual Pursuit.  @Pos 1..4 (250m, 250-500m, 500-750m, 750-1000m) for Women's Time Trial B.	
ER_CT /CT_BEHIND_LEADER	Time behind the leader of the event unit	For Individual Sprint Qualifying, and Individual Pursuit
ER_CT /CT_AVG_SPEED	Average speed in km/h at the race	For Individual Sprint –Qualifying, and Race for 5 <sup>th</sup> -8 <sup>th</sup> Places --, Individual Pursuit and Time Trial
ER_CT /CT_FACTOR	Factor of that athlete	Only apply for Factored events
ER_CT /CT_FACT_TIME	Factored time	Only apply for Factored events

#### 5.1.5.6 Message sort

Please follow ODF Cycling Track Data Dictionary definition.





- 5.1.6 Phase Results**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.7 Cumulative Results**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.8 Event Final Ranking**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.9 Records**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.10 Event's Medallists**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.11 Discipline/venue good morning**  
Please follow ODF Cycling Track Data Dictionary definition.
- 5.1.12 Discipline/venue good night**  
Please follow ODF Cycling Track Data Dictionary definition.



## 5.1.13 Discipline configuration

### 5.1.13.1 Description

This message is the Discipline Configuration message as described in the ODF Sport Messages Interface Document.

### 5.1.13.2 Header Values

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.13.3 Trigger and Frequency

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.13.4 Message Structure

Please follow ODF Cycling Track Data Dictionary definition.

### 5.1.13.5 Message Values

The following table lists only redefined elements for Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Description	Expected
EC_CT /CT_INTERMEDIATE	Distance in meters from the beginning to the intermediate point.  Men's Individual Pursuit C4, C5, B @Pos 1..4 @Value 1000, 2000, 3000, 4000  Men's Individual Pursuit C1, C2, C3 and Women's Individual Pursuit @Pos 1..3 @Value 1000, 2000, 3000  Men's Time Trial and Women's Time Trial B @Pos 1..4 @Value 250, 500, 750, 1000  Women's Time Trial C1-3, C4-5 @Pos 1..2 @Value 250, 500	Send for Individual Pursuit and Time Trial

### 5.1.13.6 Message sort

Please follow ODF Cycling Track Data Dictionary definition.



## 6 Real time

The following chapter describes the ODF-RT part of Paralympic Cycling Track.

### 6.1 Real Time Applicable Messages

The next table is a full list of all ODF-RT messages and describes the list of messages used in Paralympic Cycling Track the same way as it is done in the table of chapter 4.

Message Type	Message name	Message documented	Message used in this sport	Message extended in this document
DT_RT_GM	RT Discipline/Venue good morning	Sports	X	
DT_RT_GN	RT Discipline/venue good night	Sports	X	
DT_RT_KA	RT Discipline/venue keep alive	Sports	X	
DT_RT_RESULT	RT Event Unit Results	Sports	X	X
DT_RT_CUMULATIVE_RESULT	RT Cumulative Results	Sports	X	X



## 6.1.1 RT Event Unit Results

### 6.1.1.1 Description

This message is the RT Event Unit Results message as described in the ODF Sport Messages Interface Document.

### 6.1.1.2 Header Values

Please follow ODF Cycling Track Data Dictionary definition.

### 6.1.1.3 Trigger and Frequency

Please follow ODF Cycling Track Data Dictionary definition.

### 6.1.1.4 Message Structure

Please follow ODF Cycling Track Data Dictionary definition.

### 6.1.1.5 Message Values

The following table lists only redefined elements for Competition /UnitInfos /UnitInfo that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Description	LIVE_UPDATE RT trigger expected
UI_CT /CT_CURRENT_HEAT (for Individual Pursuit and Time Trial)	Send the current heat/race number	T2
UI_CT /CT_LAST_HEAT (for Individual Pursuit and Time Trial)	Send the heat/race number of the last finished competitor	T8

The following table lists only redefined elements for Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult that are used in the case of Paralympic Cycling Track, for the rest please follow ODF Cycling Track Data Dictionary definition.

Type /Code	Extension Code	Description	LIVE_UPDATE RT trigger expected
ER_CT /CT_INTERMEDIATE (does not apply for Kilo and 500m for Factored events)		Intermediate point time (from the start to this point).  @Pos 1..4 (1000m, 2000m, 3000m and 4000m) for Men's Individual Pursuit C4, C5, B  @Pos 1..3 (1000m, 2000m and 3000m) for Men's Individual Pursuit C1, C2, C3 and Women's Individual Pursuit.  @Pos 1..4 (250m, 500m, 750m and 1000m) for Women's Time Trial B	T3
ER_CT /CT_SECTION (does not apply for Kilo and 500m for Factored events)		Time for that section. A section is placed between two intermediate points, or between the start and the first intermediate point.	T3



		<p>@Pos 1..3 (1<sup>st</sup> Race, 2<sup>nd</sup> Race, Decider) for Individual Sprint</p> <p>@Pos 1..4 (1000m, 1000-2000m, 2000-3000m and 3000-4000m) for Men's Individual Pursuit C4, C5, B.</p> <p>@Pos 1..3 (1000m, 1000-2000m, 2000-3000m) for Men's Individual Pursuit C1, C2, C3 and Women's Individual Pursuit.</p> <p>@Pos 1..4 (250m, 250-500m, 500-750m, 750-1000m) for Women's Time Trial B.</p>	
ER_CT /CT_BEHIND_LEADER (for Individual Sprint Qualifying, Individual Pursuit, Time Trial)		Time behind the leader of the event unit	T3 or T8 (Individual Sprint)
ER_CT /CT_AVG_SPEED (for Individual Sprint – Qualifying and Race for 5 <sup>th</sup> -8 <sup>th</sup> Places--, Individual Pursuit and Time Trial)		Average competitor speed in km/h at the race	T8
ER_CT /CT_CURRENT_COMP (for Individual Sprint Qualifying, Individual Pursuit and Time Trial)		Send Y in case of this is the current competitor, N if the racer finished the race	T7 or T8
ER_CT /CT_FACTOR (only for Factored events)		Factor of that athlete	T2
ER_CT /CT_FACT_TIME (only for Factored events)		Factored time	T8

**6.1.1.6 Message sort**

Please follow ODF Cycling Track Data Dictionary definition.

**6.1.2 RT Cumulative Results**

Please follow ODF Cycling Track Data Dictionary definition



# DOCUMENT CONTROL

## Version history

Version	Date	Comments
R2.v1.0	1 July 2011	Submitted for review version
R2 v1.0	26 August 2011	Submitted for approval
R2 v1.0	9 September 2011	Approved version
R2 v2.0	10 February 2012	IR0101 and defect 60337
R2 v3.0	13 April 2012	CR007917 and defect 66621
<b>R2 v3.1</b>	<b>17 Aug 2012</b>	<b>Defects 67512 and 79344</b>

**File reference:** ODF/INT074-R2 v3.1 APP (CT)

## Change Log

Version	Status	Changes on version
R2 v1.0	SFR	<ul style="list-style-type: none"><li>• First version</li></ul>
R2 v1.0	SFA	<ul style="list-style-type: none"><li>• No changes</li></ul>
R2 v1.0	APP	<ul style="list-style-type: none"><li>• No changes</li></ul>
R2 v2.0	APP	<ul style="list-style-type: none"><li>• IR0101: Add DT_SERIAL message in the PiT messages</li><li>• Defect 60337: EU Results / EU RT Results: added CT_LAST_HEAT for Individual Pursuit and Time Trial</li></ul>
R2 v3.0	APP	<ul style="list-style-type: none"><li>• CR007917: EU Results / EU RT Results:<ul style="list-style-type: none"><li>- Added CT_FACTOR and CT_FACT_TIME ExtendedResults, only for factored events.</li><li>- CT_INTERMEDIATE and CT_SECTION do not apply in Kilo and 500m for factored events</li></ul></li><li>• Defect 66621: Codes: updated CC @SportClass description</li></ul>
<b>R2 v3.1</b>	<b>APP</b>	<ul style="list-style-type: none"><li>• <b>Defects 67512,79344 : DT_START_LIST: added CT_HEAT_NUMBER and CT_ORDER_HEAT for Mixed Team Sprint Qualification</b></li></ul>



*This page has been intentionally left blank*