



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT311 R2 v1.3 APP (DV)

Olympic Data Feed

ODF Diving Data Dictionary

4 July 2014
Technology Department
© International Olympic Committee



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic Games and/or (ii) to develop similar standards for other events than the Olympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.

**TABLE OF CONTENT**

1	Introduction	4
1.1	This document.....	4
1.2	Objective	4
1.3	Main Audience.....	4
1.4	Glossary	4
1.5	Related Documents.....	4
2	Overall Perspective	6
2.1	Objective	6
2.2	End to End data flow	6
3	Codes	7
4	Point in Time.....	8
4.1	Point in Time Applicable Messages	8
4.1.1	List of participants by discipline	9
4.1.1.1	Description.....	9
4.1.1.2	Header Values.....	9
4.1.1.3	Trigger and Frequency	9
4.1.1.4	Message Structure	9
4.1.1.5	Message Values	9
4.1.1.6	Message sort	9
4.1.2	Start List.....	10
4.1.2.1	Description.....	10
4.1.2.2	Header Values.....	10
4.1.2.3	Trigger and Frequency	10
4.1.2.4	Message Structure	10
4.1.2.5	Message Values	10
4.1.2.6	Message sort	14
4.1.3	Event Unit Results	15
4.1.3.1	Description.....	15
4.1.3.2	Header Values.....	15
4.1.3.3	Trigger and Frequency	15
4.1.3.4	Message Structure	15
4.1.3.5	Message Values	15
4.1.3.6	Message sort	19
4.1.4	Event Final Ranking.....	20
4.1.4.1	Description.....	20
4.1.4.2	Header Values.....	20
4.1.4.3	Trigger and Frequency	20
4.1.4.4	Message Structure	20
4.1.4.5	Message Values	20
4.1.4.6	Message sort	20
	DOCUMENT CONTROL	21



1 Introduction

1.1 This document

This document includes the ODF Diving Data Dictionary for Nanjing 2014 Youth Olympics. This Data Dictionary refines the messages described in the ODF General Messages Interface Document and ODF General Messages Interface Document specifically for Diving, as well as defines the codes used in these messages.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Diving Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Diving competition for Nanjing 2014 Youth Olympics is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document

Acronym	Description
IF or International Federation	The international governing body of an Olympic Sport as recognized by the IOC
IOC	International Olympic Committee
IPC	International Paralympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
ODF-PiT	Olympic Data Feed Point in Time, messages that are generated at certain point during competition
RSC	Results System Codes, determine uniquely one unit of the competition, specifying the discipline, gender, event, phase and unit.
Sport	is administered by an international federation and can be composed of one or more disciplines
WNPA	World News Press Agencies

1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/COD001	ODF Common Codes Document	This document describes the ODF codes used across the rest of the ODF documents



ODF/INT300	ODF General Messages Interface Document	This document describes the ODF General messages
------------	---	--



2 Overall Perspective

2.1 Objective

The objective of this document is to focus on the formal definition of the ODF Diving Data Dictionary.

2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF General Messages Interface Document, since this ODF Diving Data Dictionary is a particularization of those documents.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Diving.

Any ODF Diving message should follow all the previous definitions in order to be considered as an ODF compliant message.



3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise. Please refer to ODF General Messages Interface Document to know the format of these codes.

Code Entity	Code Entity Set of Values	
CC @DivePositions	Code	Description
	A	Straight
	B	Pike
	C	Tuck
	D	Free
CC @Function	Defined in ODF Common Codes Document See entity Function <ul style="list-style-type: none"> The entity's attribute to be used is Code 	
CC @IRM	Code	Description
	DNS	Did not start
	DSQ	Disqualified
CC @PanelType (Individual: A and B; Team: EX an SYN)	Code	Description
	A	Panel A
	B	Panel B
	EX	Execution
	SYN	Synchronisation
CC @QualificationMark	Code	Description
	Q	Qualified for next phase
	R	Qualified who reserve for next phase
CC @ResultsFunction	Defined in ODF Common Codes - Results Functions by Sport Document. <ul style="list-style-type: none"> The Attribute to be used is ID 	
CC @ResultType	Code	Description
	IRM	IRM status
	POINTS	Points



4 Point in Time

4.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Diving, as well as the category of each message, which identifies if the message structure definition can be found either in the ODF General Messages Interface Document or ODF General Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message used in this sport” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended in this document” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

Message Type	Message name	Message used in this sport	Message extended in this document
DT_SCHEDULE	Competition schedule	X	
DT_SCHEDULE_UPDATE	Competition schedule update	X	
DT_PARTIC	List of participants by discipline	X	X
DT_PARTIC_TEAMS	List of teams	X	
DT_START_LIST	Start List	X	X
DT_RESULT	Event Unit Results	X	X
DT_PHASE_RESULT	Phase Results		
DT_CUMULATIVE_RESULT	Cumulative Results		
DT_POOL_STANDING	Pool Standings		
DT_RANKING	Event Final ranking	X	X
DT_BRACKETS	Brackets		
DT_MEDALLISTS	Medallists of one event	X	



4.1.1 List of participants by discipline

4.1.1.1 Description

This message is the List of participants by discipline, for that discipline it is the list of athletes, as described in the ODF General Messages Interface Document.

4.1.1.2 Header Values

The definition in the ODF General Messages Interface Document is valid

4.1.1.3 Trigger and Frequency

The definition in the ODF General Messages Interface Document is valid And in the case when the venue results becomes owner of data.

4.1.1.4 Message Structure

Please, follow the general definition.

4.1.1.5 Message Values

The following table lists the "List of participants by discipline" optional attributes (defined in the ODF General Messages Interface Document) that are used in the case Diving, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Participant	GivenName	M	S(25)	Given name in WNPA format (mixed case)
	BirthDate	O	YYYYMMDD	Date of birth for the athlete
	Nationality	M	CC @Country	Official's nationality.
	Height	O	N(3) 999	Height in centimetres for the athlete Send when this information is available
	Weight	O	N(3) 999	Weight in kilograms for the athlete Send when this information is available
	MainFunctionId	M	CC @Function	Main function

4.1.1.6 Message sort

Please, follow the general definition.



4.1.2 Start List

4.1.2.1 Description

This message is the Start List message as described in the ODF General Messages Interface Document.

4.1.2.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

4.1.2.3 Trigger and Frequency

Please, follow the general definition.

4.1.2.4 Message Structure

The optional elements defined for this message in the ODF General Messages Interface Document that should be included in the case of Diving are:

- UnitDateTime (following the general rules for this element)
- UnitInfo
- Officials /Official
- Official /ExtOfficial
- Start /Competitor /EventUnitEntry
- Start /Competitor /Composition /Athlete /EventUnitEntry.

4.1.2.5 Message Values

The following table lists the Start List optional attributes (defined in the ODF General Messages Interface Document) that are used in the case of Diving, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
---------	-----------	-----	-------	----------



Element	Attribute	M/O	Value	Comments
Officials /Official	Function	M	CC @ResultsFunction	Send according to the codes. For all phases of the individual events there is only one panel of judges and eight judges in this panel. There are two panels (Execution and Synchronisation) for Finals of Synchronised events and six judges in each panel. RE Referee AR Assistant Referee A1 Judge 1 of the Panel A A7 Judge 7 of the Panel A B1 Judge 1 of the Panel B B7 Judge 7 of the Panel B J1 Judge 1 without panel J7 Judge 7 without panel E1 Execution judge 1 ... E6 Execution judge 6 S1 Synchronisation judge 1 ... S5 Synchronisation judge 5 ALT_JDG Alternate Judge
	Order	M	Numeric	Send by order for each official in each function, example: judge 1, judge 2, judge 3, ...
Start	StartOrder	M/O	Numeric	Start order of the competitor in the start list. Optional only case of reserve divers.
	SortOrder	M	Numeric	

The following table describes in more detail the UnitInfo element in the case of Diving.

Element: UnitInfo					
Type	Code	Extension Code	Pos	Value	Description
UI_DV	DV_PANEL_y Where y=CC @PanelType (By event unit)			S(1)	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything. For @Value: Sent "Y" if the event unit has that panel. Where y=CC @PanelType

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
UI_DV /DV_PANEL_y	Judges' Panels and theirs rounds.	when it is available

The following table describes in more detail the Official /ExtOfficial element in the case of Diving.

Element: Official /ExtOfficial



Type	Code	Value	Description
EO_DV	DV_TDC	S(1)	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Send "Y" if the official is member of FINA Technical Diving Committee.
	DV_RESERVE	S(1)	For @Type: Send proposed type
			For @Code: Send proposed type
			For @Value: Send "Y" if the official it's an alternate judge. Send only for judge.
	DV_PANEL_y Where y=CC @PanelType	S(1)	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Send "Y" if the judge it is in that panel. Only send for the Judges. Where y=CC @PanelType
	DV_INDEX	N(1)	For @Type: Send proposed type
			For @Code: Send proposed code
			For @Value: Display Order for the Judges in the RT according with each event.

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
EO_DV /DV_TDC	For know if the official is member of FINA Technical Diving Committee.	As soon as it is known
EO_DV /DV_RESERVE	For know if the judge it's a reserve.	As soon as it is known
EO_DV /DV_PANEL_y	For know in which panel will be the judge. Where y=CC @PanelType	As soon as it is known This should be send according with the Official@Function, except for Referee, Assistant Referee. E.g <u>For all phases of the individual events:</u> Official@Function=J1 send DV_PANEL_A@Value=Y ... Official@Function=ALT_JDG send DV_PANEL_A@Value=Y <u>For Finals of Synchronised events:</u> Official@Function=E1 send DV_PANEL_EX@Value=Y ... Official@Function=S1 send DV_PANEL_SYN@Value=Y ...
EO_DV /DV_INDEX	Index for the Judges in the RT. E.g: <u>For all phases of the individual events:</u> @Value= "1" for @Function=J1 @Value= "7" for @Function=J7 @Value= "8" for @Function= ALT_JDG <u>For Finals of Synchronised events:</u>	As soon as it is known Only apply for Judges (included alternate judge)



	@Value=1, 2, ...6 (judges 1-6, for Execution judges) @Value=1, 2, ...6 (judges 1-5 and alternate judge, for Synchronized judges)	
--	---	--

The following table describes in more detail the Start /Competitor /EventUnitEntry element in the case of Diving.

Element: Start /Competitor /EventUnitEntry				
Start /Competitor /Composition /Athlete /EventUnitEntry				
Type	Code	Pos	Value	Description
EUE_DIVE	DV_ORDER	N(1) 0	S(3)	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos: Round number
				For @Value: Dive Order Format:"n-P" or "n-S". n=1-6. Ex." 1-S"
	DV_NUMBER	N(1) 0	S(5)	For @Type: Send proposed type
			For @Code: Send proposed code	
			For @Pos: Round number	
			For @Value: Dive number Ex." 6241B"	
EUE_DV	DV_DD	N(1) 0	N(1).N(1) 9.0	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos: Round number
				For @Value: Degree of difficulty.
EUE_DV	DV_DESCRIPTION	N(1) 0	String	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos: Round number
				For @Value: Dive's description.
EUE_DV	DV_POSITION	N(1) 0	CC @DivePositions	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos: Round number
				For @Value: Dive positions (see codes description)
EUE_DV	DV_IRM		CC @IRM	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Value: Indicator as supplied by OVR for DNS or other possible results before the race.



Element: Start /Competitor /EventUnitEntry Start /Competitor /Composition /Athlete /EventUnitEntry				
Type	Code	Pos	Value	Description
	DV_RESERVE		S(1)	For @Type: Send proposed type
				For @Code: Send proposed type
				For @Pos: Do not send anything
				For @Value: Send Y if the competitor it's a reserve. Only for diver
	DV_RSV_NUMB		N(1) 0	For @Type: Send proposed type
				For @Code: Send proposed type
				For @Pos: Do not send anything
				For @Value: Send the reserve's number. Only for diver

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
EUE_DIVE/DV_ORDER EUE_DIVE /DV_NUMBER EUE_DIVE /DV_DD EUE_DIVE /DV_DESCRIPTION EUE_DIVE /DV_POSITION	Dive order (Only for Mixed Team event) Dive number, degree of difficulty, dive's description and the dive position for the team.	As soon as it is known.
EUE_DV /DV_IRM	Invalid result mark supplied by OVR before the race.	As soon as this information is available.
EUE_DV /DV_RESERVE EUE_DV /DV_RSV_NUMB	Reserve number.	Before the start of the session. Only send for individual semifinal and final event by diver. If apply.

4.1.2.6 Message sort

Please, follow the general definition.



4.1.3 Event Unit Results

4.1.3.1 Description

This message is the Event Unit Results message as described in the ODF General Messages Interface Document.

4.1.3.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

4.1.3.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following

- Intermediate:
 - After all competitors have finish a dive
- Unofficial/Official:
 - After last dive

4.1.3.4 Message Structure

The optional elements defined for this message in the ODF General Messages Interface Document that should be included in the case of Diving are:

- UnitDateTime
- Competitor /Composition /Athlete /ExtendedResults /ExtendedResult
- Competitor /ExtendedResults /ExtendedResult

4.1.3.5 Message Values

The following table lists the Event Unit Results optional and/or extended attributes (defined in the ODF General Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	String	Rank of the competitor in the corresponding event unit. This attribute is optional because the competitor could be has an IRM status.
	RankEqual	O	S(1)	Y in the case of equalled rank
	ResultType	O	CC @ResultType	Result type (see codes section)
	IRM	O	CC @IRM	IRM for the particular event unit. Send just in the case @ResultType is IRM. (see codes section)
	QualificationMark	O	CC @QualificationMark	Indicates whether the athlete qualification for next round is confirmed Don't send for the final. Only for individual event. (see codes section)
	Result	O	N(3).N(2) 999.90	Result (total Points based on all dives) for the particular event unit.
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.



Send UnitDateTime including also the @EndDate attribute

The following table describes in more detail the UnitInfo element in the case of Diving.

Element: UnitInfo			
Type	Code	Value	Description
UI_DV	DV_LAST_QUAL	S(20) with no leading zeroes	For @Type: Send proposed type For @Code: Send proposed code For @Value: Send the last qualifying place ID (in pre-finals) In the situation where insufficient divers have participated to show the last qualifying position then show the current last place Send only for individual event.
	DV_ROUND	N(2) 90	For @Type: Send proposed type For @Code: Send proposed code For @Value: Send the current round.

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
UI_DV /DV_LAST_QUAL	Send the last qualifying place ID (in pre-finals)	As soon as it is known
UI_DV / DV_ROUND	Current Round	As soon as it is known

The following table describes in more detail the Competitor /ExtendedResults /ExtendedResult element.

Element: Competitor /ExtendedResults /ExtendedResult Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_RESULTS	DV_SCR		N(1) 0	N(3).N(2) 999.99	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Send the number that identifies the round number, from 1 to n. Where n is the total numbers of rounds. For @Value: Total points after that round
		DV_RANK		String	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Rank after that round
		DV_ERANK		S(1)	For @Type: Send proposed type



Element: Competitor /ExtendedResults /ExtendedResult					
Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Y in the case of equalled rank
		DV_DIFF		N(2).N(2) 99.99	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Points behind after that round.
		DV_IDX		N(3) 990	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Sequential number with competitor Rank Order.
	DV_DIVE		N(1) 0	N(3).N(2) 999.99	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Send the number that identifies the dive.
					For @Value: Dive points.
		DV_RANK		String	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Rank for that dive.
		DV_ERANK		S(1)	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Y in the case of equalled rank
		DV_IND		S(1)	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything.
					For @Value: Penalty indicator. Send "Y" if is the points have a penalty
		DV_JUDGE	N(1)	CC	For @Type:



Element: Competitor /ExtendedResults /ExtendedResult Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
			0	@ResultsFunction	Send proposed type For @Code: Send proposed code. For @Pos: Judge's sequential number. For @Value: Send according to the codes - For Synchro events: E1, ..., E6, S1, ..., S5 - For Ind. Events: J1,.. J7
		DV_SCORE_J	N(1) 0	N(2).N(1) 99.9	For @Type: Send proposed type For @Code: Send proposed code. For @Pos: Judge's sequential number For @Value: Score awarded given by that judge for that dive.
		DV_ELIMINATED	N(1) 0	S(1)	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Judge's sequential number For @Value: Send "Y" if the judge score does not contribute to total score. Send N if it is not more.
		DV_PTY		N(1)N(1) 9.9	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything. For @Value: Send the points for penalty.
		DV_AVR_J		N(2).N(1) 90.0	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything. For @Value: Average score. Based on the scores have not been eliminated

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_RESULTS /DV_SCR	Results (Total points) after each round	Always
DV_SCR /DV_RANK DV_SCR /DV_ERANK	Rank after that round DV_ERANK identify if a rank has been equalled.	When was available
DV_SCR /DV_DIFF	Points behind after that round	When was available
DV_SCR /DV_IDX	Sequential number with athlete Rank Order.	When was available
ER_RESULTS /DV_DIVE	Results for each dive where the competitor has taken place	Always



DV_DIVE /DV_RANK DV_DIVE /DV_ERANK	Rank for that dive DV_ERANK identify if a rank has been equalled	When was available
DV_DIVE /DV_IND	Penalty indicator	If apply
DV_DIVE /DV_JUGE DV_DIVE /DV_SCORE_J	Score awarded given by that judge for that dive.	When was available
DV_DIVE /DV_ELIMINATED	Send "Y" if the judge score does not contribute to total score.	If apply
DV_DIVE /DV_PTY	Send the points for penalty.	When was available
DV_DIVE /DV_AVR_J	Average score. Based on the scores have not been eliminated	If apply

4.1.3.6 Message sort

Please, follow the general definition.



4.1.4 Event Final Ranking

4.1.4.1 Description

This message is the Event Final Ranking message as described in the ODF General Messages Interface Document.

In the case of Diving, the message has to be sent for all the competition events, as listed in the header values section.

4.1.4.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

4.1.4.3 Trigger and Frequency

Please, follow the general definition.

4.1.4.4 Message Structure

Please, follow the general definition

4.1.4.5 Message Values

The following table lists the Event Final Ranking optional attributes (defined in the ODF General Messages Interface Document) that are used in the case of Diving, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	String	Final rank of the competitor in the corresponding event.
	RankEqual	O	S(1)	It must send always that the attribute Rank is send, it identify if a rank has been equalled.
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the competitors at the end of the event.

4.1.4.6 Message sort

Please, follow the general definition.



DOCUMENT CONTROL

Version history

Version	Date	Comments
R2 v1.0	20 December 2013	Submitted for review version
R2 v1.1	11 February 2014	Submitted for approval version
R2 v1.2	28 February 2014	Approved version
R2 v1.3	4 July 2014	DT_MEDALLIST added to the list of applicable messages

File reference: ODF/INT311 R2 v1.3 APP (DV)

Change Log

Version	Status	Changes on version
R2 v1.0	SFR	<ul style="list-style-type: none">First version
R2 v1.1	SFR	<ul style="list-style-type: none">DT_PARTIC_HORSES removed from 4.1 messages table
R2 v1.2	APP	<ul style="list-style-type: none">Approved versionAdd the DT_SCHEDULE_UPDATE message
R2 v1.3	APP	<ul style="list-style-type: none">DT_MEDALLIST added to the list of applicable messages



This page has been intentionally left blank