

# **Olympic Data Feed**

## **ODF Weather Messages Interface Document**

12 December 2013 © International Olympic Committee



#### License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic Games and/or (ii) to develop similar standards for other events than the Olympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sublicenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- 4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.





## **DOCUMENT CONTROL**

## **Version history**

| Version | Date             | Comments  |
|---------|------------------|---|
| R3 v1.0 | 9 August 2013    | First Sochi version; No changes since London 2012 |
| R3 v1.1 | 12 December 2013 | APP version. No changes                           |

File reference: ODF/INT060-R3 v1.1 APP

## **Change Log**

| Version | Status | Changes on version                                |
|---------|--------|---|
| R3 v1.0 | SFR    | First Sochi version; No changes since London 2012 |
| R3 v1.1 | APP    | APP version. No changes                           |



## **TABLE OF CONTENT**

| 1.    | Introduction              | <del>6</del> |
|-------|---------------------------|--------------|
| 1.1.  | This document             | 6            |
| 1.2.  | Objective                 | 6            |
| 1.3.  | Main Audience             | 6            |
| 1.4.  | Glossary                  | 6            |
| 1.5.  | Related Documents         | 6            |
| 2.    | Overall Perspective       | 8            |
| 2.1.  | Objective                 | 8            |
| 2.2.  | End to End data flow      | 8            |
| 3.    | Codes                     | 9            |
| 4.    | General Issues            | 11           |
| 4.1.  |                           |              |
| 5.    | Point in Time             | 12           |
| 5.1.  | List of Messages          | 12           |
| 5.2.  | _                         |              |
| 5.2.  |                           |              |
| 5.2.2 | ·                         |              |
| 5.2.3 | .3. Trigger and Frequency | 13           |
| 5.2.4 |                           |              |
| 5.2.  | 5. Message Values         | 14           |
| 5.2.6 | .6. Message sort          | 14           |
| 5.3.  | Venue Condition           | 15           |
| 5.3.  | 1. Description            | 15           |
| 5.3.2 | 2. Header Values          | 15           |
| 5.3.3 | .3. Trigger and Frequency | 15           |
| 5.3.4 | 4. Message Structure      | 17           |
| 5.3.  | 5. Message Values         | 18           |
| 5.3.6 | .6. Message sort          | 20           |
| 5.4.  | Weather alert             | 21           |
| 5.4.  | 1. Description            | 21           |
| 5.4.2 | 2. Header Values          | 21           |
| 5.4.3 | 3. Trigger and Frequency  | 21           |
| 5.4.4 | 4. Message Structure      | 22           |
| 5.4.  | 5. Message Values         | 22           |
| 5.4.6 | 6. Message sort           | 22           |



## 1. Introduction

### 1.1. This document

This document describes the ODF weather messages. These messages apply to places or venues condition.

## 1.2. Objective

The objective of this document is to provide a complete and formal definition of the ODF weather messages, with the intention that the information message producer and the message consumer can successfully interchange the information provided by these messages.

### 1.3. Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4. Glossary

The following abbreviations are used in this document

- IOC International Olympic Committee
- ODF Olympic Data Feed
- RSC Results System Codes
- WNPA World News Press Agencies

### 1.5. Related Documents

| Document Reference | Document Title                                | Document Description   |
|--------------------|---|--|
| ODF/INT001         | ODF Message<br>Transmission<br>Document       | This document describes the technical standards to be used to transfer ODF messages between the message generators and the final ODF users |
| ODF/COD001         | ODF Common Codes<br>Document                  | This document describes the ODF codes used across the rest of the ODF documents  |
| ODF/INT004         | ODF General<br>Messages Interface<br>Document | This document describes the ODF General messages   |





## 2. Overall Perspective

## 2.1. Objective

The objective of this document is to focus on the formal definition of the ODF weather Messages in a general way.

#### 2.2. End to End data flow

The general rules as described in the documents referenced in the chapter 1.5 will have to be considered for a complete and formal definition. In the following chapters, for each ODF weather message it will be defined the description, header values, triggers and frequency, structure, values and sort of the message. The message structure and the values to be included in the entire message attributes, including ODF header, as well as the sort of the message according to certain ODF attributes.

Any ODF message should follow all the previous definitions in order to be considered as an ODF compliant message.



## 3. Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes' entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise.

| Code Entity             | Code Entity Set of Values   |                     |  |  |  |  |
|-------------------------|---|---------------------|--|--|--|--|
| CC @Competition         | Defined in ODF Common Codes   |                     |  |  |  |  |
|                         |   |                     |  |  |  |  |
|                         | See entity Competition; The entity's attribute to be used is Id.      |                     |  |  |  |  |
| CC @PeriodCode          | Code  | Description         |  |  |  |  |
|                         | НО  | Hourly              |  |  |  |  |
|                         | MD  | Midday              |  |  |  |  |
|                         | TN  | Tonight             |  |  |  |  |
| CC @PlaceCode           | Defined in ODF Common   | Codes               |  |  |  |  |
|                         | See entity Weather Region; The entity's attribute to be used is Id.   |                     |  |  |  |  |
| CC @PrecType            | Code  | Description         |  |  |  |  |
|                         | R   | Rain                |  |  |  |  |
|                         | S   | Snow                |  |  |  |  |
| CC @UnitPrec            | Code  | Description         |  |  |  |  |
|                         | С   | Centimetres         |  |  |  |  |
|                         | M   | Millimetres         |  |  |  |  |
|                         | I   | Inches              |  |  |  |  |
| CC @UnitPres            | Code  | Description         |  |  |  |  |
|                         | HPA   | Hectopascal         |  |  |  |  |
| CC @UnitTemp            | Code  | Description         |  |  |  |  |
|                         | С   | Celsius             |  |  |  |  |
|                         | F   | Fahrenheit          |  |  |  |  |
| CC @UnitWind            | Code  | Description         |  |  |  |  |
|                         | MPH   | Miles per hour      |  |  |  |  |
|                         | KMH   | Kilometres per hour |  |  |  |  |
|                         | MS  | Metres per second   |  |  |  |  |
| CC<br>@WeatherCondition | Defined in ODF Common Codes Document                                  |                     |  |  |  |  |
|                         | See entity Weather Condition; The entity's attribute to be used is Id |                     |  |  |  |  |
| CC @VenueCode           | Defined in ODF Common Codes Document                                  |                     |  |  |  |  |
|                         | See entity Venue; The entity's attribute to be used is Id             |                     |  |  |  |  |
| CC @WeatherPoints       | Code Description  |                     |  |  |  |  |



|                   | С  | Common information on all venue |  |  |
|-------------------|--|---------------------------------|--|--|
| CC @WindDirection | Defined in ODF Common Codes Document                               |                                 |  |  |
|                   | See entity Wind Direction; The entity's attribute to be used is Id |                                 |  |  |



## 4. General Issues

## 4.1. ODF header

ODF Weather Messages will follow the general ODF message structure the same way it is described in the ODF General Messages Interface Document, chapter "4.1.2. ODF header". Please, refer to that document for further information.



## 5. Point in Time

## 5.1. List of Messages

The following table lists the ODF weather messages, with their types and their names.

| Message Type | Message name     |
|--------------|------------------|
| DT_PLA_COND  | Place Conditions |
| DT_VEN_COND  | Venue Conditions |
| DT_WEA_ALERT | Weather Alerts   |



## 5.2. Place Condition

## 5.2.1. Description

The Place condition is a message containing the forecast conditions of a place.

### 5.2.2. Header Values

The following table describes the ODF header attributes

| Attribute       | Value  | Comment  |
|-----------------|--|--|
| DocumentCode    | RSC according to the correct combination of: GL 0 CC @PlaceCode 0 00 | This is a general identifier   |
| DocumentType    | DT_PLA_COND  | Place Condition message  |
| Version         | 1V   | Version number associated to the message's content. Ascendant number |
| FeedFlag        | "P"-Production "T"-Test  | Please, refer to the ODF header definition                           |
| Date            | Date   | Please, refer to the ODF header definition                           |
| Time            | MillisTime   | Please, refer to the ODF header definition                           |
| LogicalDate     | Date   | Please, refer to the ODF header definition                           |
| DocumentSubtype | CC @PlaceCode  | Place code   |
| Venue           | PDC  | Code by default  |
| Serial          | Numeric  | Please, refer to the ODF header definition                           |

## 5.2.3. Trigger and Frequency

• Each hour: For that place the weather provider will send the message with all the data for this hour.

## 5.2.4. Message Structure

In this chapter it will be described the message structure from the OdfBody element for this message.

Competition



| Code  |               |                  |           |       |  |
|-------|---------------|------------------|-----------|-------|--|
| Place |               |                  |           |       |  |
|       | Code          |                  |           |       |  |
|       | DateTime (1N) |                  |           |       |  |
|       |               | Date             |           |       |  |
|       |               | Time             |           |       |  |
|       |               | Conditions       |           |       |  |
|       |               |                  | Condition |       |  |
|       |               |                  |           | Code  |  |
|       |               |                  |           | Value |  |
|       |               | Description (0N) |           |       |  |
|       |               |                  | Period    |       |  |
|       |               |                  | Language  |       |  |
|       |               |                  | -         |       |  |

#### **Message Values** 5.2.5.

| Element                  | Attribute | M/O | Value                | Comments   |
|--------------------------|-----------|-----|----------------------|--|
| Competition              | Code      | М   | CC @Competition      | Unique ID for competition  |
| Place                    | Code      | M   | CC@PlaceCode         | Unique ID of the Place   |
|                          | Date      | М   | YYYYMMDD             | Date for the forecast  |
| Place/DateTime           | Time      | M   | HHMMSSmmm            | Time of the conditions Where HH(hour) – 0023, MM(minutes) – 00, SS(seconds) – 00, mmm(miliseconds) – 000 |
| Place/DateTime/Conditio  | Code      | М   | SKY                  | Weather conditions type  |
| ns/Condition             | Value     | M   | CC@WeatherCondi tion | Codes that describe the Weather Condition, they depend on the @Code                                      |
| Place/DateTime/Descripti | Period    | M   | НО                   | Code that say this Description is sent hourly  |
| on                       | Language  | М   | CC@Language          | Language   |
|                          | -         | М   | Free text1           | Description of the weather in a Place  |

#### 5.2.6. Message sort

There is not any special sort order requirement for this message. Usually, DateTime will be the attribute used to sort the conditions.

Olympic Data Feed - © IOC Place Condition

<sup>&</sup>lt;sup>1</sup> The length of the information provided should be codified in UTF-8, and not more than 4000 characters



### 5.3. Venue Condition

## 5.3.1. Description

The weather condition is a message containing the forecast and current conditions of the venue for today and several days.

### 5.3.2. Header Values

The following table describes the ODF header attributes

| Attribute       | Value  | Comment  |
|-----------------|--|--|
| DocumentCode    | RSC according to the correct combination of: GL 0 CC @VenueCode 0 00 | This is a general identifier   |
| DocumentType    | DT_VEN_COND  | Venue weather conditions message                                     |
| Version         | 1V   | Version number associated to the message's content. Ascendant number |
| FeedFlag        | "P"-Production "T"-Test  | Please, refer to the ODF header definition                           |
| Date            | Date   | Please, refer to the ODF header definition                           |
| Time            | MillisTime   | Please, refer to the ODF header definition                           |
| LogicalDate     | Date   | Please, refer to the ODF header definition                           |
| DocumentSubtype | CC @VenueCode  | Venue code   |
| Venue           | PDC  | Code by default  |
| Serial          | Numeric  | Please, refer to the ODF header definition                           |

## 5.3.3. Trigger and Frequency

This message should be sent each hour the conditions and the forecast information that contain (for the day and for the next days), thisforecast information will be defined bellow:

#### For Summer Games

• The first message of the day will be a <u>forecast</u> message must be provided at 6:00 h. and must update all the information of the current day and the two days



after. It  $\underline{\text{must}}$  include the hours depicted in the table below plus hourly the weather provider must send day, night and global data for Current day, Current day + 1, Current day + 2, Current day + 3, Current day + 4 and Current day + 5.

| First/Current day |      |      | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
|-------------------|------|------|------|------|-------|-------|-------|-------|
| Current day + 1   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 2   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |

There will be an <u>update</u> message at 11:00 h. It <u>must</u> include information for the hours shown in the table below plus hourly the weather provider must send day, night and global data for Current day, Current day + 1, Current day + 2, Current day + 3, Current day + 4 and Current day + 5.

| First/Current day |      |      |      |      | 12:00 | 15:00 | 18:00 | 21:00 |
|-------------------|------|------|------|------|-------|-------|-------|-------|
| Current day + 1   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 2   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |

 There will be another <u>forecast</u> message at 17:00 h. It <u>must</u> include information for the hours shown in the table below plus hourly the weather provider must send day, night and global data for Current day, Current day + 1, Current day + 2, Current day + 3, Current day + 4 and Current day + 5..

| First/Current day |      |      |      |      |       |       | 18:00 | 21:00 |
|-------------------|------|------|------|------|-------|-------|-------|-------|
| Current day + 1   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 2   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 3   | 0:00 | 3:00 | 6:00 |      |       |       |       |       |

• Finally, there will be an update message at 23:00 h. It <u>must</u> include information for the next days (not for the current day), including the following hours plus hourly the weather provider must send day, night and global data for Current day + 1, Current day + 2, Current day + 3, Current day + 4 and Current day + 5..

| First/Current day |      |      |      |      |       |       |       |       |
|-------------------|------|------|------|------|-------|-------|-------|-------|
| Current day + 1   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 2   | 0:00 | 3:00 | 6:00 | 9:00 | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 3   | 0:00 | 3:00 | 6:00 |      |       |       |       |       |

#### For Winter Games

The message should contain data for the current day and the two following days.
 It must always include all the hours specified in the table below plus hourly the weather provider must send day, night and global data for Current day, Current day + 1, Current day + 2, Current day + 3, Current day + 4 and Current day + 5.



| First/Current day | 6:00  | 7:00  | 8:00  | 9:00  | 10:00 | 11:00 | 12:00 | 13:00 |
|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                   | 14:00 | 15:00 | 16:00 | 17:00 | 18:00 | 19:00 | 20:00 | 21:00 |
| Current day + 1   | 0:00  | 3:00  | 6:00  | 9:00  | 12:00 | 15:00 | 18:00 | 21:00 |
| Current day + 2   | 0:00  | 3:00  | 6:00  | 9:00  | 12:00 | 15:00 | 18:00 |       |

- Messages should be sent on an hourly basis, from 6:00 to 21:00 at least, as close as possible to the top of the hour. Past/Current hours should be updated with real data, not forecast.
- An additional message is required every day before 00:15. This should be considered the first message of the day.

## 5.3.4. Message Structure

In this chapter it will be described the message structure from the OdfBody element for this message.

| ompetition |       |               |                  |                                    |       |
|------------|-------|---------------|------------------|------------------------------------|-------|
|            | Code  |               |                  |                                    |       |
|            | Venue |               |                  |                                    |       |
|            |       | Code          |                  |                                    |       |
|            |       | DateTime (1N) |                  |                                    |       |
|            |       | ì             | Date             |                                    |       |
|            |       |               | Code             |                                    |       |
|            |       |               | Time             |                                    |       |
|            |       |               | Conditions       |                                    |       |
|            |       |               |                  | Code                               |       |
|            |       |               |                  | Humidity                           |       |
|            |       |               |                  | Wind_Direction                     |       |
|            |       |               |                  | Wind_Degree                        |       |
|            |       |               |                  | Prec Type                          |       |
|            |       |               |                  | Prec_Type Condition (1,2)          |       |
|            |       |               |                  | , , ,                              | Code  |
|            |       |               |                  |                                    | Value |
|            |       |               |                  | Precipitation (0, N <sup>2</sup> ) |       |
|            |       |               |                  | (0,11)                             | Unit  |
|            |       |               |                  |                                    | Value |
|            |       |               |                  | Pressure (0, N <sup>3</sup> )      |       |
|            |       |               |                  | 1 1000010 (0,14 )                  | Unit  |
|            |       |               |                  |                                    | Value |
|            |       |               |                  | Tomporeture (4 NI4)                | Value |
|            |       |               |                  | Temperature (1,N <sup>4</sup> )    | Carla |
|            |       |               |                  |                                    | Code  |
|            |       |               |                  |                                    | Unit  |
|            |       |               |                  |                                    | Value |
|            |       |               |                  |                                    | Туре  |
|            |       |               |                  | Wind (1, N <sup>5</sup> )          |       |
|            |       |               |                  |                                    | Code  |
|            |       |               |                  |                                    | Unit  |
|            |       |               |                  |                                    | Value |
|            |       |               | Description (0N) |                                    |       |
|            |       |               |                  | Period                             |       |
|            |       |               |                  | Language                           |       |

<sup>&</sup>lt;sup>2</sup> N depends on the @Unit

Olympic Data Feed - © IOC Information and Technology Department / 12 December 2013

<sup>&</sup>lt;sup>3</sup> N depends on the @Unit

<sup>&</sup>lt;sup>4</sup> N depends on the @Code+@Unit+@Type

<sup>&</sup>lt;sup>5</sup> N depends on the @Code+@Unit



|                            |                                  | -         |      |
|----------------------------|----------------------------------|-----------|------|
| AccumulatedSnowf all (0,1) |                                  |           |      |
|                            | Prec_Type                        |           |      |
|                            | Precipitation (1N <sup>6</sup> ) |           |      |
|                            | ·                                | Unit      |      |
|                            |                                  | Value     |      |
|                            | SnowfallFrom                     |           |      |
|                            |                                  | ValidFrom |      |
|                            |                                  |           | Date |
|                            |                                  |           | Time |
|                            |                                  | DateTime  |      |
|                            |                                  |           | Date |
|                            |                                  |           | Time |
|                            | SnowfallTo                       |           |      |
|                            |                                  | ValidTo   |      |
|                            |                                  |           | Date |
|                            |                                  |           | Time |
|                            |                                  | DateTime  |      |
|                            |                                  |           | Date |
|                            |                                  |           | Time |

## 5.3.5. Message Values

| Element                   | Attribute      | M/O | Value            | Comments                             |
|---------------------------|----------------|-----|------------------|--------------------------------------|
| Competition               | Code           | M   | CC @Competition  | Unique ID for competition            |
| Venue                     | Code           | M   | CC @VenueCode    | Unique ID of the Venue               |
|                           | Date           | M   | YYYYMMDD         | Date of the conditions               |
|                           | Code           | M   | TIME, DAY,       | TIME is the hourly forecast          |
|                           |                |     | NIGHT, GLOBAL    | DAY is the forecast for the morning  |
|                           |                |     |                  | data of the day,                     |
|                           |                |     |                  | NIGHT is the forecast for the night  |
|                           |                |     |                  | data of the day,                     |
| Venue/DateTime            |                |     |                  | GLOBAL is the forecast for the data  |
|                           | <b>T'</b>      |     | 1 !! !! 41 40 0  | of the day                           |
|                           | Time           | 0   | HHMMSSmmm        | Time of the conditions               |
|                           |                |     |                  | only required for @Code=TIME Where   |
|                           |                |     |                  | HH(hour) – 0023, MM(minutes) –       |
|                           |                |     |                  | 00, SS(seconds) – 00,                |
|                           |                |     |                  | mmm(miliseconds) – 000               |
| Venue/DateTime/Conditio   | Code           | М   | CC@WeatherPoint  | Weather Points                       |
| ns                        |                |     | s                |                                      |
|                           | Humidity       | M   | N(3)             | Humidity in %                        |
|                           | Wind_Direction | М   | CC               | Wind direction                       |
|                           |                |     | @WindDirection   |                                      |
|                           | Wind_Degree    | M   | Numeric          | Wind Degree (direction)              |
|                           | Prec_Type      | 0   | CC @PrecType     | Precipitation type                   |
| Venue/DateTime/Conditio   | Code           | M   | SKY or SNOW      | Weather conditions type              |
| ns/Condition              |                |     |                  | Use SNOW only for Winter.            |
|                           | Value          | M   | CC               | Codes that describe the Weather      |
| Send twice in the case of |                |     | @WeatherConditio | Condition, they depend on the        |
| Winter conditions         |                |     | n                | @Code                                |
| Venue/DateTime/Conditio   | Unit           | М   | CC @UnitPrec     | Metric system unit for precipitation |
| ns/Precipitation          | Value          | М   | N(4).N(1)        | Precipitation quantity               |
|                           |                |     | 9990.0           |                                      |

 $<sup>^{\</sup>rm 6}$  N depends on the @Unit



| Element  | Attribute | M/O | Value                  | Comments   |
|--|-----------|-----|------------------------|--|
| Venue/DateTime/Conditio                                    | Unit      | М   | CC @UnitPres           | Metric system unit for pressure  |
| ns/Pressure  | Value     | М   | N(4)<br>9990           | Air pressure   |
| Venue/DateTime/Conditions/Temperature                      | Code      | M   | AIR, SNOW, WIND        | Air, Snow or Wind Chill temperature<br>Snow and Wind Chill temperature<br>only Mandatory in Winter                                 |
| Send with three different                                  | Unit      | M   | CC @UnitTemp           | Metric system unit for temperature   |
| @Code in the case of Winter conditions                     | Value     | M   | ±N(3).N(1)<br>±990.0   | Temperature of the @Code   |
|  | Type      | 0   | MAX, MIN, NOR          | Maximum, Minimum or Normal temperature Maximum and Minimum only required for @Code=AIR (and only for Time = DAY, NIGHT and GLOBAL) |
| Venue/DateTime/Conditions/Wind                             | Code      | M   | SPEED, GUSTS           | Wind Speed and Wind Gusts Gusts is only Mandatory in Winter  |
| Send with twice different                                  | Unit      | M   | CC @UnitWind           | Metric system unit for Wind  |
| @Code in the case of Winter conditions                     | Value     | M   | N(3).N(2)<br>990.00    | Wind@Code  |
| Venue/DateTime/Descript                                    | Period    | М   | CC @PeriodCode         | Only use at Midday and at Tonight  |
| ion  | Language  | М   | CC @Language           | Language   |
| This description has sense send only at 12:00 and at 21:00 | -         | M   | Free text <sup>7</sup> | Description of the weather in a Venue  |
| Venue/AccumulatedSnow fall                                 | Prec_Type | М   | CC @PrecType           | Precipitation type   |
| Venue/AccumulatedSnow                                      | Unit      | М   | CC @UnitPrec           | Metric system unit for precipitation   |
| fall/ Precipitation  | Value     | М   | N(4).N(1)<br>9990.0    | Precipitation quantity   |
| Venue/AccumulatedSnow fall/SnowfallFrom/ValidFr            | Date      | М   | YYYYMMDD               | Date Start date of validity period   |
| om   | Time      | M   | HHMMSSmmm              | Time Start time of validity period Where HH(hour) – 0023, MM(minutes) – 00, SS(seconds) – 00, mmm(miliseconds) – 000               |
| Venue/AccumulatedSnow fall/SnowfallFrom/DateTi             | Date      | М   | YYYYMMDD               | Start Date accumulated snowfall  |
| me   | Time      | M   | HHMMSSmmm              | Start Time accumulated snowfall Where HH(hour) – 0023, MM(minutes) – 00, SS(seconds) – 00, mmm(miliseconds) – 000                  |
| Venue/AccumulatedSnow fall/SnowfallTo/ValidTo              | Date      | М   | YYYYMMDD               | Date End date of validity period   |
|  | Time      | M   | HHMMSSmmm              | Time End time of validity period Where HH(hour) – 0023, MM(minutes) – 00, SS(seconds) – 00, mmm(miliseconds) – 000                 |

 $<sup>^{7}</sup>$  The length of the information provided should be codified in UTF-8, and not more than 4000 characters

Olympic Data Feed - © IOC Venue Condition Page 19/23



| Element  | Attribute | M/O | Value     | Comments  |
|--|-----------|-----|-----------|---|
| Venue/AccumulatedSnow fall/SnowfallTo/DateTime | Date      | М   | YYYYMMDD  | End Date accumulated snowfall   |
|  | Time      | M   | HHMMSSmmm | End Time accumulated snowfall Where HH(hour) – 0023, MM(minutes) – 00, SS(seconds) – 00, mmm(miliseconds) – 000 |

## 5.3.6. Message sort

There is not any special sort order requirement for this message. Usually, Venue Date and Time will be the attribute used to sort the conditions.



## 5.4. Weather alert

## 5.4.1. Description

The weather alert is a message containing the current alerts for the Regions that has associated a Venue (Summer Games) or for the Venues (in Winter Games). When there is a weather situation that makes it necessary to alert the audience, one message has to be provided. Region/Venue Alert Messages are produced only in exceptional conditions.

#### 5.4.2. Header Values

The following table describes the ODF header attributes

| Attribute       | Value   | Comment  |
|-----------------|---|--|
| DocumentCode    | RSC according to the correct combination of: GL 0 CC @ PlaceCode 0 00 | This is a general identifier   |
| DocumentType    | DT_WEA_ALERT  | Weather alert message  |
| Version         | 1V  | Version number associated to the message's content. Ascendant number |
| FeedFlag        | "P"-Production<br>"T"-Test  | Please, refer to the ODF header definition                           |
| Date            | Date  | Please, refer to the ODF header definition                           |
| Time            | MillisTime  | Please, refer to the ODF header definition                           |
| LogicalDate     | Date  | Please, refer to the ODF header definition                           |
| DocumentSubtype | CC @PlaceCode   | Place code   |
| Venue           | PDC   | Code by default  |
| Serial          | Numeric   | Please, refer to the ODF header definition                           |

## 5.4.3. Trigger and Frequency

• Whenever there is a weather situation that makes it necessary to alert the audience.



## 5.4.4. Message Structure

In this chapter it will be described the message structure from the OdfBody element for this message.

| Competition |       |            |             |          |  |
|-------------|-------|------------|-------------|----------|--|
|             | Code  |            |             |          |  |
|             | Place |            |             |          |  |
|             |       | Code       |             |          |  |
|             |       | Alerts(1N) |             |          |  |
|             |       |            | Code        |          |  |
|             |       |            | ValidFrom   |          |  |
|             |       |            |             | Date     |  |
|             |       |            |             | Time     |  |
|             |       |            | ValidTo     |          |  |
|             |       |            |             | Date     |  |
|             |       |            |             | Time     |  |
|             |       |            | Description |          |  |
|             |       |            |             | Language |  |
|             |       |            |             | -        |  |

## 5.4.5. Message Values

| Element                 | Attribute | M/O | Value                  | Comments                             |
|-------------------------|-----------|-----|------------------------|--------------------------------------|
| Competition             | Code      | М   | CC @Competition        | Unique ID for competition            |
| Place                   | Code      | М   | CC@PlaceCode           | Unique ID of the Place (it can be a  |
|                         |           |     |                        | Region for Summer Games or a         |
|                         |           |     |                        | Venue for Winter Games)              |
| Alert                   | Code      | М   | Numeric                | Sequencial Number                    |
| Place/Alerts/ValidFrom  | Date      | М   | YYYYMMDD               | Date Start date of validity          |
|                         | Time      | М   | HHMMSSmmm              | Time Start date of validity          |
|                         |           |     |                        | Where HH(hour) – 0023, MM(minutes)   |
|                         |           |     |                        | - 00, SS(seconds) - 00,              |
|                         |           |     |                        | mmm(miliseconds) – 000               |
| Place/Alerts/ValidTo    | Date      | M   | YYYYMMDD               | Date End date of validity            |
|                         | Time      | М   | HHMMSSmmm              | Time End date of validity Where      |
|                         |           |     |                        | HH(hour) - 0023, MM(minutes) - 00,   |
|                         |           |     |                        | SS(seconds) - 00, mmm(miliseconds) - |
|                         |           |     |                        | 000                                  |
| Region/DateTime/Descrip | Language  | М   | CC @Language           | Language                             |
| tion                    | -         | М   | Free text <sup>8</sup> | Description of the Alert in a Place  |

## 5.4.6. Message sort

There is not any special sort order requirement for this message.

Olympic Data Feed - © IOC

<sup>&</sup>lt;sup>8</sup> The length of the information provided should be codified in UTF-8, and not more than 4000 characters



This page has been intentionally left blank