

OLYMPIC DATA FEED

ODF Triathlon Data Dictionary

Tokyo 2020 - Games of the XXXII Olympiad

Technology and Information Department

© International Olympic Committee

ODF R-SOG-2020-TRI V1.7 APP

20 February 2018

License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.

1 Introduction

1.1 This document

This document includes the ODF Triathlon Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Triathlon.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Triathlon Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Triathlon competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

| Acronym | Description |
|---------|---------------------------------|
| IF | International Federation |
| IOC | International Olympic Committee |
| NOC | National Olympic Committee |
| ODF | Olympic Data Feed |
| RSC | Results System Codes |
| WNPA | World News Press Agencies |

1.5 Related Documents

| Document Title | Document Description |
|---|--|
| ODF General Principles Document | The document explains the environment and general principles for ODF. |
| ODF General Messages Interface Document | The document describes the ODF General Messages |
| ODF Common Codes | The document describes the ODF Common codes used across all ODF documents. |
| ODF Sport Codes | The document describes the ODF Sport codes used across all ODF documents |
| ODF Header Values | The document details the header values which show which RSCs are used in which messages. |

2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Triathlon.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

| Message Type | Message Name | Message extended |
|--|--|------------------|
| DT_SCHEDULE / DT_SCHEDULE_UPDATE | Competition schedule / Competition schedule update | |
| DT_PARTIC / DT_PARTIC_UPDATE | List of participants by discipline / List of participants by discipline update | X |
| DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE | List of teams / update | X |
| DT_MEDALS | Medal standings | |
| DT_MEDALLISTS_DAY | Medallists of the day | |
| DT_GLOBAL_GM | Global good morning | |
| DT_GLOBAL_GN | Global good night | |
| DT_RESULT | Event Unit Start List and Results | X |
| DT_PLAY_BY_PLAY | Play by Play | X |
| DT_IMAGE | Image | X |
| DT_PRESSPHOTOFINISH_LK | Press Photofinish | |
| DT_RANKING | Event Final Ranking | X |
| DT_COMMUNICATION | Official Communication | |
| DT_CONFIG | Configuration | X |
| DT_WEATHER | Event Unit Weather conditions | X |
| DT_MEDALLISTS | Event's Medallists | |
| DT_MEDALLISTS_DISCIPLINE | Medallists by discipline | |
| DT_LOCAL_OFF | Discipline/venue stop transmission | |
| DT_LOCAL_ON | Discipline/venue start transmission | |
| DT_KA | Keep Alive | |

2.2 Messages

2.2.1 List of participants by discipline / List of participants by discipline update

2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.2.1.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|-------------------------------|--|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC (discipline level) | RSC at the discipline level |
| DocumentType | DT_PARTIC DT_PARTIC_UPDATE | List of participants by discipline message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |

| Attribute | Value | Comment |
|-------------|----------------------------|---|
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.2.1.4 Message Values

| Element: Participant (1,N) | | | |
|----------------------------|-----|------------------------------|--|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | <p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p> |
| Parent | M | S(20) with no leading zeroes | <p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p> |
| Status | O | CC @ParticStatus | <p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p> |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |

| Element: Participant (1,N) | | | |
|----------------------------|-----|---------------------|---|
| Attribute | M/O | Value | Description |
| PassportGivenName | O | S(25) | Passport Given Name (Uppercase) |
| PassportFamilyName | O | S(25) | Passport Family Name (Uppercase) |
| PrintName | M | S(35) | Print name (family name in upper case + given name in mixed case) |
| PrintInitialName | M | S(18) | Print Initial name (for the given name it is sent just the initial, without dot) |
| TVName | M | S(35) | TV name |
| TVInitialName | M | S(18) | TV initial name |
| Gender | M | CC @PersonGender | Participant's gender |
| Organisation | M | CC @Organisation | Organisation ID |
| BirthDate | O | YYYY-MM-DD | Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates |
| Height | O | S(3) | Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available. |
| Weight | O | S(3) | Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available. |
| PlaceofBirth | O | S(75) | Place of Birth |
| CountryofBirth | O | CC @Country | Country ID of Birth |
| PlaceofResidence | O | S(75) | Place of Residence |
| CountryofResidence | O | CC @Country | Country ID of Residence |
| Nationality | O | CC @Country | Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent. |
| MainFunctionId | O | CC @ResultsFunction | Main function In the Case of Current="true" this attribute is Mandatory. |
| Current | M | boolean | It defines if a participant is participating in the games (true) or is a Historical participant (false). |
| OlympicSolidarity | O | Y or N | Flag to indicating if the participant participates in the Olympic Scholarship program. |

| Element: Participant (1,N) | | | |
|--|-----|----------------|---|
| Attribute | M/O | Value | Description |
| ModificationIndicator | M | S(1) | 'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used. |
| Element: Participant /Discipline (1,1) | | | |
| All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines. | | | |
| Attribute | M/O | Value | Description |
| Code | M | CC @Discipline | It is the discipline code used to fill the OdfBody @DocumentCode attribute. |
| IFld | O | S(16) | IF code (competitor's federation number for the discipline). |
| Element: Participant /Discipline /RegisteredEvent (0,N) | | | |
| All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event. | | | |
| Attribute | M/O | Value | Description |
| Event | M | CC @Event | Full RSC of the Event |
| Bib | O | S(4) | Bib number (race number). Although this attribute is optional, it will be updated and informed as soon as this information is known. Example: 8, 10,..Send only in the Case of Current="true". |
| Class | O | CC @SportClass | Code to identify the Class in the event. This attribute is mandatory for athletes in Para-Triathlon |

| Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N) Send if there are specific athlete's event entries. | | | |
|--|------------------|---------------------|---|
| Type | Code | Pos | Description |
| ENTRY | QUAL_RANK | N/A | Element Expected: Always when available |
| | Attribute | M/O | Value |
| | Value | M | S(4) Qualification List Rank |
| ENTRY | QUAL_TYPE | N/A | Element Expected: Always when available |
| | Attribute | M/O | Value |
| | Value | M | SC @QualifyingType Qualification Type |
| ENTRY | GUIDE | Numeric 0 | Element Expected: If a guide exists in Para-Triathlon Pos: Send 1 and 2 (2 only if there is a second guide) |
| | Attribute | M/O | Value |
| | Value | M | S(20) with no leading zeroes ID to identify the official acting of guide in the case of events with guides |
| Element: Participant /OfficialFunction (0,N) Send if the official has optional functions. Do not send, otherwise. | | | |
| Attribute | M/O | Value | Description |
| FunctionId | M | CC @ResultsFunction | Additional officials' function code |

2.2.1.5 Message Sort

The message is sorted by Participant @Code

2.2.2 List of teams / List of teams update

2.2.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.2.2.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|---|---|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC (discipline level) | RSC at the discipline level |
| DocumentType | DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE | List of participant teams message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |

| Attribute | Value | Comment |
|-------------|------------|---|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

2.2.2.4 Message Values

| Element: Team (1,N) | | | |
|-----------------------|-----|------------------------------|--|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Team's ID When the Team is an historical one, then this ID starts with "T". |
| Organisation | M | CC @Organisation | Team organisation's ID |
| Number | O | Numeric #0 | Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams. |
| Name | O | S(73) | Team's name. |
| TVTeamName | O | S(21) | TV Team Name |
| Gender | M | CC @DisciplineGender | Discipline Gender Code of the Team Char(1) |
| Current | M | boolean | It defines if a team is participating in the games (true) or it is a Historical team (false) |
| ModificationIndicator | M | N, U, D | Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams |

| Element: Team /Composition /Athlete (0,N) | | | |
|---|-----|------------------------------|--|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition. |
| Order | O | Numeric | Team member order |

Element: Team /Discipline (0,1)
Discipline is expected unless ModificationIndicator="D"

| Attribute | M/O | Value | Description |
|-----------|-----|----------------|----------------------------|
| Code | M | CC @Discipline | Full RSC of the discipline |

Element: Team /Discipline /RegisteredEvent (0,1)
Each current team is assigned to one event. Historical teams will not be registered to any event.

| Attribute | M/O | Value | Description |
|-----------|-----|-----------|-----------------------|
| Event | M | CC @Event | Full RSC of the event |

Sample (General)

```
<Team Code="TRIXTEAM4-----CAN01" Organisation="CAN" Number="1" Name="Canada" Gender="X"
Current="true">
  <Composition>
    <Athlete Code="1063192" Order="1"/>
    <Athlete Code="1063249" Order="2"/>
    <Athlete Code="1067349" Order="3"/>
  ....
</Composition>
<Discipline Code="TRI-----" >
  <RegisteredEvent Event="TRIXTEAM4-----" />
</Discipline>
</Team>
```

2.2.2.5 Message Sort

The message is sorted by Team @Code.

2.2.3 Event Unit Start List and Results

2.2.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

When an athlete receives an IRM, the Rank should be removed and SortOrder updated in the same message in which the IRM is sent.

This is always a full message and all applicable elements and attributes are always sent.

2.2.3.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|--|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | The DocumentCode will be sent according to the ODF Common Codes (header values) |
| DocumentType | DT_RESULT | Event Unit Start List and Results message |
| DocumentSubtype | Not used | Not used |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | It indicates whether the result is official or unofficial (or intermediate etc). START_LIST OFFICIAL UNCONFIRMED UNOFFICIAL INTERMEDIATE (used after the competition has started and is not finished but not currently live) LIVE (used during the competition when nothing else applies). |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |

| Attribute | Value | Comment |
|-------------|------------|---|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.3.3 Trigger and Frequency

- As soon as the start list is available for each unit and any changes [inc. IRMs] (START_LIST)
- As soon as the race starts. (LIVE)
- When the competition starts and all changes/additions in data included in the message (LIVE). This is generally as each athlete reaches an intermediate point or completes a segment. (LIVE)
- After the race is over: in the case of pending photo finish (UNCONFIRMED)
- After the unit is over, UNOFFICIAL / OFFICIAL as appropriate and all changes in the results
- Trigger also after any change.

2.2.3.4 Message Values

| Element: ExtendedInfos /UnitDateTime (0,1) | | | |
|--|-----|----------|---|
| Attribute | M/O | Value | Description |
| StartDate | O | DateTime | Actual start date-time. Do not include until unit starts. |

| Element: ExtendedInfos /ExtendedInfo (0,N) | | | | |
|---|--|----------------|---|---|
| Type | Code | Pos | Description | |
| DISPLAY | INT_x_y (x = @Segment Code y = Intermediate point in the segment) | Numeric #0 | Pos Description: Send a unique number for each competitor included (that is if two competitors updated send 1 & 2) Element Expected: When available in individual events and only when the unit is LIVE | |
| | Attribute | M/O | Value | Description |
| | Value | M | S(20) without leading zeroes | Send the competitor ID of the last competitor(s) to reach the intermediate point (including F). |
| UI | STARTERS | N/A | Element Expected: When was available | |
| | Attribute | M/O | Value | Description |
| | Value | M | Numeric ##0 | Sent the number of competitors on the start list |
| Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When it is available | | | | |
| | Attribute | Value | Description | |
| | Code | COMPLETE | | |
| | Pos | Numeric 0 | For individual events: Send the segment @Pos (from DT_CONFIG) for each segment except transitions and last segment. Do not send for overall complete. For team event: Send the leg number (1-3 only) | |
| | Value | Numeric ##0 | Send the number of competitors whose event unit is completed (of if @Pos is used the number completed that segment/leg) (includes IRMs) | |
| Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When it is available | | | | |
| | Attribute | Value | Description | |
| | Code | ORG | | |
| | Pos | N/A | N/A | |
| | Value | Numeric ##0 | Send the number of organisations in the unit | |
| Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When it is available | | | | |
| | Attribute | Value | Description | |

| Element: ExtendedInfos /ExtendedInfo (0,N) | | | | |
|---|---------------------------|--|--|--|
| Type | Code | Pos | Description | |
| Code | y Where y=CC@IRM | | Send if any competitors have this IRM | |
| Pos | N/A | N/A | | |
| Value | Numeric ##0 | | Send number of competitors who have an IRM. | |
| UI | WET_SUIT | N/A | Element Expected: When available | |
| Attribute | M/O | Value | Description | |
| Value | O | S(1) | Send Y if wet suits are allowed, N if not allowed. | |
| LEADER | CURRENT | N/A | Element Expected: When it is available | |
| Attribute | M/O | Value | Description | |
| Value | O | SC @Segment or S(1) | Individual: Send @Segment for current segment for the leader (or last if not passed an intermediate in the current segment). Team: Send the current leg for the leader. | |
| Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When it is available | | | | |
| Attribute | Value | Description | | |
| Code | INTERMEDIATE | | | |
| Pos | N/A | N/A | | |
| Value | SC @Segment or S(2) | Individual: Send the most recent intermediate point passed within the segment for the leader. Team: Send @Segment for current segment for the leader. | | |

Sample

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-11T12:30:00+01:00" />
  <ExtendedInfo Type="UI" Code="STARTERS" Value="55" />
    <Extension Code="COMPLETE" Pos="1" Value="55" />
    <Extension Code="COMPLETE" Pos="3" Value="55" />
    <Extension Code="ORG" Value="35" />
  </ExtendedInfo>
  <ExtendedInfo Type="UI" Code="WET_SUIT" Value="N" />
  <ExtendedInfo Type="LEADER" Code="CURRENT" Value="RUN" >
    <Extension Code="INTERMEDIATE" Value="2" />
  </ExtendedInfo>
</ExtendedInfos>
```

| Element: ExtendedInfos /SportDescription (0,1) Sport Descriptions in Text | | | |
|--|-----|-------------------------|---|
| Attribute | M/O | Value | Description |
| DisciplineName | M | S(40) | Discipline name (not code) from Common Codes |
| EventName | M | S(40) | Event name (not code) from Common Codes |
| Gender | M | CC @DisciplineGender | Gender code for the event unit |
| SubEventName | M | S(40) | EventUnit short name (not code) from Common Codes |
| Element: ExtendedInfos /VenueDescription (0,1) Venue Names in Text. | | | |
| Attribute | M/O | Value | Description |
| Venue | M | CC @VenueCode | Venue Code |
| VenueName | M | S(25) | Venue short name (not code) from Common Codes |
| Location | M | CC @Location | Location code |
| LocationName | M | S(30) | Location short name (not code) from Common Codes |
| Element: Result (1,N) For each Event Unit Results message, there must be at least one competitor with a result element in the event unit. | | | |
| Attribute | M/O | Value | Description |
| Rank | O | Text | Rank of the competitor in the corresponding event unit. |
| RankEqual | O | S(1) | Identifies if a rank has been equalled. Only send if applicable |
| Result | O | h:mm:ss | The result of the competitor in the event unit. Do not include h if it is zero. |
| IRM | O | SC @IRM | IRM for the particular event unit. Send just in the case @ResultType is IRM. |
| SortOrder | M | Numeric | Used to sort all the results of an event unit This attribute is a sequential number with the order of the results for the particular event unit Before the race start content is the same than StartSortOrder. After the first split data arrives, Results are sorted by split rank. For those athletes without rank (first split) then the sort is the same as before the race, but following athletes with split rank. At the end Results are sorted by Rank. The rank sort is, all those athletes at the forward most split are ranked 1 - x, adding those athletes that have not arrived to this split, which are sorted according position in previous split etc. back through each split (or start order). Resort as each new data item arrives. Athletes who are disqualified or are notified as DNF etc. during the race must be dropped to the bottom with no rank. |
| StartOrder | O | S(4) | Start Position, send unless IRM before the start. |

| Element: Result (1,N) | | | | | | | | | | | | |
|---|--------------|------------------------------|--|-----------|-----|-------|-------------|-------|---|---------|---|-----------|
| For each Event Unit Results message, there must be at least one competitor with a result element in the event unit. | | | | | | | | | | | | |
| Attribute | M/O | Value | Description | | | | | | | | | |
| StartSortOrder | M | Numeric | Order as in the Start_list. Used to sort all start list competitors in an event unit. | | | | | | | | | |
| ResultType | O | SC @ResultType | Type of the @Result attribute. | | | | | | | | | |
| Diff | O | +m:ss or 0:00 for the leader | Time behind at finish only (for leader is +0:00) | | | | | | | | | |
| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | | | | | | | | | | |
| Type | Code | Pos | Description | | | | | | | | | |
| ER | PENALTY | N/A | Element Expected: Only for competitors who receive penalties. In team event this is the total team penalties. | | | | | | | | | |
| | | | <table border="1"> <thead> <tr> <th>Attribute</th> <th>M/O</th> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Value</td> <td>M</td> <td>S(2)</td> <td>Send number of penalties given (eg. 1P)</td> </tr> </tbody> </table> | Attribute | M/O | Value | Description | Value | M | S(2) | Send number of penalties given (eg. 1P) | |
| Attribute | M/O | Value | Description | | | | | | | | | |
| Value | M | S(2) | Send number of penalties given (eg. 1P) | | | | | | | | | |
| ER | PHOTO | N/A | Element Expected: At the end of the race. Only send for applicable competitors. | | | | | | | | | |
| | | | <table border="1"> <thead> <tr> <th>Attribute</th> <th>M/O</th> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Value</td> <td>M</td> <td>S(1)</td> <td>To know if the competitor's final result is awaiting a photo. Send P for Pending Status. Otherwise do not send. If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7</td> </tr> </tbody> </table> | Attribute | M/O | Value | Description | Value | M | S(1) | To know if the competitor's final result is awaiting a photo. Send P for Pending Status. Otherwise do not send. If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7 | |
| Attribute | M/O | Value | Description | | | | | | | | | |
| Value | M | S(1) | To know if the competitor's final result is awaiting a photo. Send P for Pending Status. Otherwise do not send. If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7 | | | | | | | | | |
| CC @Segment | INTERMEDIATE | Numeric #0 | Pos Description: Intermediate point in the segment as defined in DT_CONFIG (1,2..F) | | | | | | | | | |
| | | | Element Expected: When it is available in team and individual events | | | | | | | | | |
| | | | <table border="1"> <thead> <tr> <th>Attribute</th> <th>M/O</th> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Value</td> <td>O</td> <td>h:mm:ss</td> <td>Overall cumulative time at the intermediate point. Do not send leading zeros (includes compensation if applicable in Para Triathlon).</td> </tr> <tr> <td>ValueType</td> <td>O</td> <td>SC @ResultType</td> <td>ValueType should be used to describe the type of data @Value</td> </tr> </tbody> </table> | Attribute | M/O | Value | Description | Value | O | h:mm:ss | Overall cumulative time at the intermediate point. Do not send leading zeros (includes compensation if applicable in Para Triathlon). | ValueType |
| Attribute | M/O | Value | Description | | | | | | | | | |
| Value | O | h:mm:ss | Overall cumulative time at the intermediate point. Do not send leading zeros (includes compensation if applicable in Para Triathlon). | | | | | | | | | |
| ValueType | O | SC @ResultType | ValueType should be used to describe the type of data @Value | | | | | | | | | |

| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | | |
|--|------------------|------------------------------|--|--|
| Type | Code | Pos | Description | |
| Rank | O | S(3) | Send the cumulative rank of the competitor at the intermediate point. Do not send if no value. | |
| RankEqual | O | S(1) | Send 'Y' if rank is equalled, otherwise do not send. | |
| SortOrder | M | Numeric | Index based on whole list (with the ones who have not reached the end of the intermediate point as well - after the ones who have, but before the IRMs. Sorted by the intermediate passed most recently and by order there (if none, then by start order). | |
| Diff | O | +m:ss or 0:00 for the leader | Send the time behind the fastest at the intermediate point. (Format +m:ss or 0:00 for the leader) | |
| Move | O | Numeric +##0 or -##0 or 0 | Change in rank compared to the previous Intermediate Point. For example if one competitor is moving from rank =9 to rank =15 then Move is -6. | |
| CC @Segment | SECTION | Numeric #0 | Pos Description: Intermediate no. as defined in DT_CONFIG. Element Expected: Only send if the number of intermediates in a segment is bigger than the number of laps in this sector in individual events | |
| | Attribute | M/O | Value | Description |
| | Value | O | m:ss | Time elapsed from the last (overall) intermediate point to this intermediate point. |
| | ValueType | O | SC @ResultType | ValueType should be used to describe the type of data @Value |
| | Rank | O | S(3) | Rank of the competitor in the section. |
| | RankEqual | O | S(1) | Send 'Y' if rank is equalled, otherwise do not send. |
| | SortOrder | M | Numeric | Index based on whole list (with the ones who have not reached the end of the intermediate point as well - after the ones who have, but before the IRMs. Sorted by the intermediate passed most recently and by order there (if none, then by start order). |
| | Diff | O | +m:ss or 0:00 for the leader | Send the time behind the fastest at the corresponding intermediate point. (Format +m:ss or 0:00 for the leader. Do not send h if it is zero) |

| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | | |
|--|------------------|---------------|---|--|
| Type | Code | Pos | Description | |
| CC @Segment | LAP | Numeric #0 | Pos Description: Intermediate no. as defined in DT_CONFIG. Element Expected: Only if there is more than one lap in the segment in individual events. | |
| | Attribute | M/O | Value | Description |
| | Value | O | m:ss | Time for this lap |
| | ValueType | O | SC @ResultType | Send CC @ResultType |
| | Rank | O | S(3) | Send the rank of the competitor in the lap |
| | RankEqual | O | S(1) | Send "Y" if rank is equalled, otherwise do not send. |
| | Diff | O | +m:ss or 0:00 for the leader | Send the time behind the fastest at the current lap. (Format +m:ss or 0:00 for the leader. Do not send h if it is zero) |
| | Move | O | Numeric +##0 or -##0 or 0 | Change in rank compared to the previous Lap. For example if one competitor is moving from rank =9 to rank =15 then Move is -6. |
| CC @Segment | SECTOR | Numeric #0 | Pos Description: Intermediate no. as defined in DT_CONFIG. Element Expected: Always when available in individual events | |
| | Attribute | M/O | Value | Description |
| | Value | O | h:mm:ss | Time elapsed from the start of the current segment to the current intermediate point. Do not send leading h if zero. |
| | ValueType | O | SC @ResultType | Send CC @ResultType |
| | Rank | O | S(3) | Send the rank of the competitor in the sector |
| | RankEqual | O | S(1) | Send "Y" if rank is equalled, otherwise do not send. |
| | SortOrder | M | Numeric | Index based on whole list (with the ones who have not reached the end of the current sector as well - after the ones who have, but before the IRMs. Sorted by the intermediate passed most recently in current sector and by order there (if none, then by start order). |
| | Diff | O | +m:ss or 0:00 for the leader | Send the time behind the fastest at the current sector. (Format +m:ss or 0:00 for the leader. Do not send h if it is zero) |

| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | | |
|--|------------------|---------------|--------------|---|
| Type | | Code | Pos | Description |
| ER | | REAL_TIME | N/A | Element Expected: In Para-Triathlon where athletes start at different times. |
| | Attribute | M/O | Value | Description |
| | Value | M | h:mm:ss | Send competitor real overall swim+bike+run time without the starting delay. Note that all <u>other</u> times in the messages are the times compared to the first start time. |
| ER | | COMPENSATION | N/A | Element Expected: In Para-Triathlon where athletes start at different times. |
| | Attribute | M/O | Value | Description |
| | Value | M | +m:ss | Compensation time. |
| ER | | DRAFT_PENALTY | N/A | Element Expected: In Para-Triathlon Only for competitors who receive a drafting penalty. |
| | Attribute | M/O | Value | Description |
| | Value | M | S(1) | Send Y if competitor receives a drafting penalty |

Sample (Individual)

```
<ExtendedResults>
  <ExtendedResult Type="ER" Code="PENALTY" Value="1P" />
  <ExtendedResult Type="SWIM" Code="INTERMEDIATE" Pos="1" Value="9:00" ValueType="TIME" Rank="30"
SortOrder="30" Diff="+1:07" />
  <ExtendedResult Type="SWIM" Code="LAP" Pos="1" Value="9:00" ValueType="TIME" Rank="30" Diff="+1:07" />
  <ExtendedResult Type="SWIM" Code="SECTOR" Pos="1" Value="9:00" ValueType="TIME" Rank="30"
SortOrder="30" Diff="+1:07" />
  <ExtendedResult Type="SWIM" Code="INTERMEDIATE" Pos="2" Value="17:56" ValueType="TIME" Rank="28"
SortOrder="28" Diff="+1:22" />
  <ExtendedResult Type="SWIM" Code="LAP" Pos="2" Value="8:56" ValueType="TIME" Rank="14" Diff="+0:15" />
  <ExtendedResult Type="SWIM" Code="SECTOR" Pos="2" Value="17:56" ValueType="TIME" Rank="28"
SortOrder="28" Diff="+1:22" />
  <ExtendedResult Type="TRANS1" Code="INTERMEDIATE" Pos="1" Value="18:18" ValueType="TIME" Rank="27"
SortOrder="27" Diff="+1:02" />
  <ExtendedResult Type="TRANS1" Code="SECTOR" Pos="1" Value="0:22" ValueType="TIME" Rank="9"
SortOrder="9" Diff="+0:04" />
  <ExtendedResult Type="BIKE" Code="INTERMEDIATE" Pos="1" Value="28:31" ValueType="TIME" Rank="29"
SortOrder="29" Diff="+1:02" />
  <ExtendedResult Type="BIKE" Code="LAP" Pos="1" Value="10:13" ValueType="TIME" Rank="26" Diff="+0:22" />
  <ExtendedResult Type="BIKE" Code="SECTOR" Pos="1" Value="10:13" ValueType="TIME" Rank="26"
SortOrder="26" Diff="+0:22" />
  <ExtendedResult Type="BIKE" Code="INTERMEDIATE" Pos="2" Value="38:17" ValueType="TIME" Rank="27"
SortOrder="27" Diff="+1:03" />
  <ExtendedResult Type="BIKE" Code="LAP" Pos="2" Value="9:46" ValueType="TIME" Rank="9" Diff="+0:07" />
  <ExtendedResult Type="BIKE" Code="SECTOR" Pos="2" Value="19:59" ValueType="TIME" Rank="9"
SortOrder="9" Diff="+0:29" />
</ExtendedResults>
```

Element: Result /Competitor (1,1)
Competitor related to the result of one event unit.

| Attribute | M/O | Value | Description |
|--------------|-----|------------------------------|---------------------------|
| Code | M | S(20) with no leading zeroes | Competitor's ID |
| Type | M | S(1) | A for athlete, T for Team |
| Bib | O | S(4) | Bib of the Team (Type=T) |
| Organisation | O | CC @Organisation | Competitor's organisation |

Element: Result /Competitor /Description (0,1)
Used in Team event

| Attribute | M/O | Value | Description |
|-----------|-----|-------|------------------|
| TeamName | M | S(73) | Name of the team |

| Element: Result /Competitor /Composition /Athlete (1,N) | | | |
|--|-----|------------------------------|---|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID. Can belong to a team member or an individual athlete. |
| Order | M | Numeric 0 | 1 if Competitor @Type="A". 1-4 for team event (race order) |
| StartOrder | O | S(1) | In team relay provide the leg code (A, B..) |
| Bib | O | S(4) | Bib number (race number) |
| Element: Result /Competitor /Composition /Athlete /Description (1,1) Athletes extended information. | | | |
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the athlete |
| Organisation | M | CC @Organisation | Athletes' organisation |
| BirthDate | O | Date | Birth date (example: YYYY-MM-DD). Must include if the data is available |
| IFId | O | S(16) | International Federation ID |
| Class | O | CC @SportClass | Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). |
| GuideID | O | S(20) without leading zeros | ID of the Guide |
| GuideFamilyName | O | S(25) | Family Name of the athlete's guide (mixed case) |
| GuideGivenName | O | S(25) | Given Name of the athlete's guide (mixed case) |

| Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) Individual athletes entry information. | | | |
|---|------------------|------------|--|
| Type | Code | Pos | Description |
| EUE | RANK | N/A | Element Expected: Always when available |
| | Attribute | M/O | Value |
| | Value | M | Numeric ###0 |
| EUE | START_TIME | N/A | Element Expected: If athletes start at different times (usually only Para Triathlon) |
| | Attribute | M/O | Value |
| | Value | M | hh:mm:ss |
| | | | Send competitor start time |

Sample (Sample)

```
....
<Competitor Code="1106825" Type="A" Organisation="NOC" Bib="4">
  <Composition>
    <Athlete Code="1106825" Order="1">
      <Description GivenName="Jay" FamilyName="Sab" Gender="M" Organisation="SUI" BirthDate="1996-12-12" />
      <EventUnitEntry Type="EUE" Code="RANK" Value="9" />
    </Athlete>
  </Composition>
</Competitor>
....
```

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)
Only for use in the team event

| Type | Code | Pos | Description |
|-------------|------------------|------------|---|
| ER | PENALTY | N/A | Element Expected: Only for athletes in team event who receive penalties. |
| | Attribute | M/O | Value |
| | Value | M | S(2) |
| | | | Description Send number of penalties given (eg. 1P) |
| SC @Segment | INTERMEDIATE | N/A | Pos Description: N/A Element Expected: When it is available in team events |
| | Attribute | M/O | Value |
| | Value | O | m:ss |
| | ValueType | O | SC @ResultType |
| | | | Description ValueType should be used to describe the type of data @Value |
| | Rank | O | S(3) |
| | | | Description Send the cumulative rank of the competitor at the intermediate point. Do not send if no value. |
| | RankEqual | O | S(1) |
| | | | Description Send 'Y' if rank is equalled, otherwise do not send. |
| | SortOrder | M | Numeric |
| | | | Description Index based on whole list (with the ones who have not reached the end of the intermediate point as well – after the ones who have, but before the IRMs. Sorted by the intermediate passed most recently and by order there (if none, then by start order). |
| | Diff | O | +m:ss or 0:00 for the leader |
| | | | Description Send the time behind the fastest at the intermediate point. (Format +m:ss or 0:00 for the leader) |

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)
Only for use in the team event

| Type | Code | Pos | Description | |
|-------------|------------------|------------|--|--|
| CC @Segment | SECTION | N/A | Pos Description: N/A Element Expected: In team events when the data is available. | |
| | Attribute | M/O | Value | Description |
| | Value | O | m:ss | Time elapsed in current segment. |
| | ValueType | O | SC @ResultType | ValueType should be used to describe the type of data @Value |
| | Rank | O | S(3) | Rank of the competitor in the section. |
| | RankEqual | O | S(1) | Send 'Y' if rank is equaled, otherwise do not send. |

2.2.3.5 Message Sort

Sort by Result @SortOrder

2.2.4 Play by Play

2.2.4.1 Description

The Play by Play is a message containing official raw data from the results provider.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

2.2.4.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|--|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | Full RSC of the unit |
| DocumentSubcode | Not used for CM. | Not used for CM. |
| DocumentType | DT_PLAY_BY_PLAY | Play by Play message |
| DocumentSubtype | INCIDENT | |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) UNOFFICIAL OFFICIAL (when results official) |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it |

| Attribute | Value | Comment |
|-----------|------------|---|
| | | will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced. |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.4.3 Trigger and Frequency

Messages will be generated with this frequency and status

* After every race incident (LIVE)(UNOFFICIAL if any new incident after race and before results be official)

* After the race (unit) (OFFICIAL).

2.2.4.4 Message Values

| Element: ExtendedInfos /SportDescription (0,1) Sport Descriptions in Text. | | | |
|---|-----|-------------------------|---|
| Attribute | M/O | Value | Description |
| DisciplineName | M | S(40) | Discipline name (not code) from Common Codes |
| EventName | M | S(40) | Event name (not code) from Common Codes |
| SubEventName | O | S(40) | EventUnit short name (not code) from Common Codes |
| Gender | M | CC @DisciplineGender | Gender code for the event unit |
| Element: ExtendedInfos /VenueDescription (0,1) Venue Names in Text. | | | |
| Attribute | M/O | Value | Description |
| Venue | M | CC @VenueCode | Venue Code |
| VenueName | M | S(25) | Venue short name (not code) from Common Codes |
| Location | M | CC @Location | Location code |
| LocationName | M | S(30) | Location short name (not code) from Common Codes |
| Element: Actions /Action (1,N) | | | |
| Attribute | M/O | Value | Description |
| Id | M | S(36) | Unique identifier for the action within the message |
| Period | M | CC @Segment | Send the segment in which the incident occurred. |
| When | O | S(10) | Send the lap information when available (if laps applicable) |
| Order | M | Numeric | Unique sequential number for all the incidents in the race, from 1 to n |
| ActionDesc | O | S(200) | Action/Incident description |

| Element : Actions /Action /ExtendedAction (0,N) | | | |
|--|-----|------------------------------|--|
| Code | | Pos | Description |
| LEG | | N/A | Element Expected: Always when available in Teams Event |
| Attribute | M/O | Value | Description |
| Value | M | S(1) | Send the applicable leg number |
| Element: Actions /Action /Competitor (0,N) Competitor participating in the UnitAction. Used when the UnitAction is related to a competitor. | | | |
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Competitor's ID |
| Type | M | A | A for athlete |
| Order | M | Numeric | Order in which the competitor should appear for the action, if there is more than one competitor. Send 1 if only 1 competitor. |
| Organisation | M | CC @Organisation | Competitors' organisation |
| Element: Actions /Action /Competitor /Composition /Athlete (1,N) | | | |
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID (individual athlete or team member) related to the action |
| Order | M | Numeric | Order of the athletes. Used to order the athletes when there are more than one athlete related to the action. Send 1 if only 1 competitor. |
| Bib | O | S(4) | Bib number (race number) |
| Element: Actions /Action /Competitor /Composition /Athlete /Description (1,1) Athletes extended information | | | |
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the athlete |
| Organisation | M | CC @Organisation | Athletes' organisation |
| BirthDate | O | Date | Birth date (example: YYYY-MM-DD). Must include if the data is available |
| IFId | O | S(16) | International Federation ID |
| Class | O | CC @SportClass | Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). |

| | | | |
|-----------------|---|-----------------------------|---|
| GuideID | O | S(20) without leading zeros | ID of the Guide |
| GuideFamilyName | O | S(25) | Family Name of the athlete's guide (mixed case) |
| GuideGivenName | O | S(25) | Given Name of the athlete's guide (mixed case) |

Sample (Sample)

```
....
<ExtendedInfos>
  <SportDescription DisciplineName="Triathlon" EventName="Women's Triathlon" SubEventName="Women's
Triathlon" Gender="W" />
  <VenueDescription Venue="HLL" VenueName="The Hill" Location="MLL" LocationName="The Hill"/>
</ExtendedInfos>
<UnitActions>
....
<UnitAction Id="123456" Period="Ride" When="1st" Order="3" ActionDesc="Competitors 56 and 58 involved in minor
crash at 22 km. No serious injuries.">
  <Competitor Code="1008743" Type="A" Organisation="SUI" Order="1">
    <Composition>
      <Athlete Code="1008743" Order="1" >
        <Description GivenName="Jane" FamilyName="Smits" Gender="W" Organisation="SUI"
BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
  <Competitor Code="1008223" Type="A" Organisation="SUI" Order="1">
    <Composition>
      <Athlete Code="1008223" Order="1" >
        <Description GivenName="Mary" FamilyName="Jones" Gender="W" Organisation="FRA"
BirthDate="1992-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
....
```

2.2.4.5 Message Sort

Actions /Action @Order

2.2.5 Image

2.2.5.1 Description

The 'Image message' is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

2.2.5.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|---|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | |
| DocumentSubcode | S(10) | Picture number |
| DocumentType | DT_IMAGE | Image message |
| DocumentSubtype | S(20) | Send PHOTOFINISH |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | Only applicable status is OFFICIAL |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.5.3 Trigger and Frequency

Trigger when image available and after any change.

2.2.5.4 Message Values

| Element: Competition /Image (1,N) | | | |
|---|-----|------------|--|
| Attribute | M/O | Value | Description |
| Pos | M | Numeric #0 | Used as differentiator if there are multiple images in the message. |
| Version | M | Numeric #0 | Document Version |
| Revision | M | Numeric #0 | Document Revision |
| ImageType | M | S(3) | Image type extension, jpg or png |
| Element: Competition /Image /Result (0,N) | | | |
| Attribute | M/O | Value | Description |
| Result | O | S(20) | Result of the competitor in the image. Formatted in the same was as associated DT_RESULT. Use IRM code if appropriate. |
| Rank | O | Text | Rank of the competitor |
| StartOrder | O | S(4) | Start or lane position |
| SortOrder | M | Numeric | This attribute is a sequential number with the order of the competitors in the image. |

| Element: Competition /Image /Result /Competitor (1,1) | | | |
|---|-----|------------------------------|---|
| Attribute | M/O | Value | Description |
| Code | O | S(20) with no leading zeroes | Competitor's ID (Team or individual) If it is possible to send the ID it should be included. |
| Type | O | S(1) | A for athlete or T for team. If it is possible to send the type it should be included. |
| Organisation | O | CC @Organisation | Competitor's organisation |

| Element: Competition /Image /Result /Competitor /Description (0,1) | | | |
|--|-----|-------|------------------|
| Attribute | M/O | Value | Description |
| TeamName | O | S(73) | Name of the team |

| Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N) Only sent in the case of individual events. Team members are not sent in team events. | | | |
|--|-----|------------------------------|---|
| Attribute | M/O | Value | Description |
| Code | O | S(20) with no leading zeroes | Athlete's ID. If it is possible to send the ID it should be included. |
| Order | M | Numeric ##0 | Order attribute used to sort team members in a team. Before the competition this will be the same as the StartSortOrder and is used as the primary sort. During competition any sort order change from the initial start list order for any competitor will be provided in this attribute. |
| Bib | O | S(4) | Bib (race number) |

| Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1) | | | |
|--|-----|-----------|---|
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name (Photofinish Name) |
| FamilyName | M | S(25) | Family name (Photofinish Name) |
| Element: Competition /Image /ImageData (1,1) | | | |
| Attribute | M/O | Value | Description |
| - | M | Free Text | The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file) |

Sample

```
<Image Pos="1" Version="1" Revision="0" ImageType="jpg" >
  <Result Result="3:26.23" Rank="1" StartOrder="5" SortOrder="1" >
    <Competitor Code="1234567" Type="T" Organisation="GBR" >
      <Description TeamName="Great Britain"/>
    </Result>
    <Result Result="3:26.26" Rank="2" StartOrder="3" SortOrder="2" >
      <Competitor Code="1234444" Type="T" Organisation="ESP" >
        <Description TeamName="Spain"/>
      </Result>
      <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC //2Q==</ImageData>
    </Image>
```

2.2.5.5 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.

2.2.6 Event Final Ranking

2.2.6.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.2.6.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|---|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC of the Event | |
| DocumentType | DT_RANKING | Event Final ranking message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |

| Attribute | Value | Comment |
|-------------|------------|---|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.6.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.
Trigger also after any change.

2.2.6.4 Message Values

| Element: ExtendedInfos /SportDescription (0,1) | | | |
|--|-----|----------------------|---|
| Sport Description in text | | | |
| Attribute | M/O | Value | Description |
| DisciplineName | M | S(40) | Discipline name (not code) from Common Codes |
| EventName | M | S(40) | Event name (not code) from Common Codes. Must be included if it is a single event |
| Gender | M | CC @DisciplineGender | Gender code for the event unit. Must be included if it is a single gender |

| Element: ExtendedInfos /VenueDescription (0,1) | | | |
|--|-----|---------------|---|
| Attribute | M/O | Value | Description |
| Venue | M | CC @VenueCode | Venue code |
| VenueName | M | S(25) | Venue short name (not code) from Common Codes |

| Element: Result (1,N) | | | |
|---|------------|--------------|--|
| For any event final ranking message, there should be at least one competitor being awarded a result for the event. | | | |
| Attribute | M/O | Value | Description |
| Rank | O | Text | Final rank of the competitor in the corresponding event. |
| RankEqual | O | S(1) | Identifies if a rank has been equaled. Send Y if applicable |
| IRM | O | SC @IRM | The invalid rank mark, send if applicable. |
| SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. |

| Element: Result /Competitor (1,1) | | | |
|--|------------|-------------------------------|---|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes. | Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM. |
| Type | M | S(1) | A for athlete |
| Organisation | O | CC @Organisation | Competitors' organisation if known |

| Element: Result /Competitor /Composition /Athlete (1,N) | | | |
|--|------------|------------------------------|---|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID |
| Order | M | Numeric | Order attribute. Send 1 when Competitor @Type="A". |
| Bib | O | S(4) | Bib (race number) |

| Element: Result /Competitor /Composition /Athlete /Description (1,1) | | | |
|--|-----|------------------|---|
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the athlete |
| Organisation | M | CC @Organisation | Athletes' organisation |
| BirthDate | O | Date | Birth date (example: YYYY-MM-DD). Must include if the data is available |
| IFId | O | S(16) | International Federation ID |
| Class | O | CC @SportClass | Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). |

2.2.6.5 Message Sort

Sort by Result @SortOrder

2.2.7 Configuration

2.2.7.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit in separate messages.

2.2.7.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|--|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | Sent this message for each Unit. |
| DocumentType | DT_CONFIG | Configuration message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced. |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.7.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration for one particular event unit must be provided before the start list.

2.2.7.4 Message Values

| Element: Configs /Config (1,N) | | | |
|--|--------------|---|---|
| Attribute | M/O | Value | Description |
| Unit | M | CC @Unit | Full RSC of the Unit. |
| Element: Configs /Config /ExtendedConfig (1,N) | | | |
| Type | Code | Pos | Description |
| COURSE | CC @Segment | Numeric 0 | Element Expected: Always Pos Description: Send the segment number from the start. The normal order is swim (Pos#1), transition1, bike, transition2 and finally run with Pos#5 In case of duathlon the order is run (Pos #1), transition1, bike, transition2, run(Pos #5). For the team event this is for each leg. |
| Attribute | M/O | Value | Description |
| Value | 0 | Numeric ##0.0## | The distance in km of the segment, do not send for transitions. |
| Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: In team Relay only | | | |
| Attribute | Value | Description | |
| Code | LEG | | |
| Pos | Numeric 0 | Leg order in the team event, 1.. | |
| Value | S(1) | Send the letter associated to the leg | |
| Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always when applicable | | | |
| Attribute | Value | Description | |
| Code | INTERMEDIATE | | |
| Pos | S(2) | Each intermediate point in the segment where results are taken starting at 1 in each segment and F for the last in the segment. | |

| Element: Configs /Config /ExtendedConfig (1,N) | | | |
|--|--------------------|--------------------|--|
| Type | Code | Pos | Description |
| Value | Numeric ##0.0## | | Send distance in km at this intermediate point from the start of the segment. |
| Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always if laps | | | |
| Attribute | Value | Description | |
| Code | LAP | | |
| Pos | Numeric 0 | | Lap number |
| Value | Numeric #0 | | Send the number of the intermediate point corresponding with this lap within the segment |
| Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always when applicable | | | |
| Attribute | Value | Description | |
| Code | LAP_DISTANCE | | |
| Pos | N/A | | N/A |
| Value | Numeric ##0.0## | | Send the distance in km for each lap within the segment. |
| Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: When laps | | | |
| Attribute | Value | Description | |
| Code | LAPS | | |
| Pos | N/A | | N/A |
| Value | Numeric #0 | | Number of laps in the segment |
| EC | FED_RANKING_DATE | N/A | Element Expected: If information is available |
| Attribute | M/O | Value | |
| Value | M | YYYY-MM-DD | |

Sample (with 2 intermediates per lap in run)

```
<Configs>
  <Config>
    <ExtendedConfig Type="EC" Code="FED_RANKING_DATE" Value="2020-07-15" />
    <ExtendedConfig Type="COURSE" Code="SWIM" Pos="1" Value="1.5" >
      <ExtendedConfigItem Code="LAP_DISTANCE" Value="0.5" />
      <ExtendedConfigItem Code="LAPS" Value="3" />
      <ExtendedConfigItem Code="LAP" Pos="1" Value="1" />
      ...
    </ExtendedConfig>
    <ExtendedConfig Type="COURSE" Code="TRANS1" Pos="2" />
    <ExtendedConfig Type="COURSE" Code="BIKE" Pos="3" Value="40.0" >
      <ExtendedConfigItem Code="LAP_DISTANCE" Value="10.0" />
      <ExtendedConfigItem Code="LAPS" Value="4" />
      <ExtendedConfigItem Code="LAP" Pos="1" Value="1" />
      ...
    </ExtendedConfig>
    <ExtendedConfig Type="COURSE" Code="TRANS2" Pos="4" />
    <ExtendedConfig Type="COURSE" Code="RUN" Pos="5" Value="10.0" >
      <ExtendedConfigItem Code="LAP_DISTANCE" Value="2.5" />
      <ExtendedConfigItem Code="LAPS" Value="4" />
      <ExtendedConfigItem Code="LAP" Pos="1" Value="2" />
      <ExtendedConfigItem Code="LAP" Pos="2" Value="4" />
      <ExtendedConfigItem Code="LAP" Pos="3" Value="6" />
      <ExtendedConfigItem Code="LAP" Pos="4" Value="8" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="1" Value="1.25" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="2" Value="2.5" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="3" Value="3.75" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="4" Value="5.0" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="5" Value="6.25" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="6" Value="7.5" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="7" Value="8.75" />
      <ExtendedConfigItem Code="INTERMEDIATE" Pos="F" Value="10.0" />
    </ExtendedConfig>
  </Config>
```

Sample (Teams)

```
<ExtendedConfig Type="COURSE" Code="SWIM" Pos="1" Value="0.25" >
  <ExtendedConfigItem Code="LEG" Pos="1" Value="A" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="TRANS1" Pos="2">
  <ExtendedConfigItem Code="LEG" Pos="1" Value="A" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="BIKE" Pos="3" Value="7.0" >
  <ExtendedConfigItem Code="LEG" Pos="1" Value="A" />
  <ExtendedConfigItem Code="LAP_DISTANCE" Value="3.5" />
  <ExtendedConfigItem Code="LAPS" Value="2" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="TRANS2" Pos="4">
  <ExtendedConfigItem Code="LEG" Pos="1" Value="A" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="RUN" Pos="5" Value="1.5" >
  <ExtendedConfigItem Code="LEG" Pos="1" Value="A" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="SWIM" Pos="6" Value="0.25" >
  <ExtendedConfigItem Code="LEG" Pos="1" Value="B" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="TRANS1" Pos="7">
  <ExtendedConfigItem Code="LEG" Pos="1" Value="B" />
</ExtendedConfig>
<ExtendedConfig Type="COURSE" Code="BIKE" Pos="8" Value="7.0" >
  <ExtendedConfigItem Code="LEG" Pos="1" Value="B" />
  <ExtendedConfigItem Code="LAP_DISTANCE" Value="3.5" />
  <ExtendedConfigItem Code="LAPS" Value="2" />
...

```

2.2.7.5 Message Sort

There is no message sorting rule.

2.2.8 Event Unit Weather conditions

2.2.8.1 Description

The 'Event Unit Weather Conditions' is a message containing the weather conditions in the Event Unit.

2.2.8.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|---|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | |
| DocumentType | DT_WEATHER | Weather conditions in the match message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.8.3 Trigger and Frequency

The message is sent once for the unit unless there is a large change in the conditions.

2.2.8.4 Message Values

| Element: Weather /Conditions (1,N) | | | |
|--|-----|---------------------------|--|
| Attribute | M/O | Value | Description |
| Code | M | GEN | GEN for general, because this information will only be measured once. |
| Humidity | O | Numeric ##0 | Humidity in % |
| Wind_Direction | O | CC @WindDirection | Wind direction |
| Element: Weather /Conditions /Condition (0,3) Send three times in the case of Winter conditions. | | | |
| Attribute | M/O | Value | Description |
| Code | M | SKY | Weather conditions type |
| Value | M | CC @WeatherConditions | Codes that describe the Weather Conditions. |
| Element: Weather /Conditions /Temperature (0,N) Send with three different @Code in the case of Winter conditions. | | | |
| Attribute | M/O | Value | Description |
| Code | M | AIR, WAT | Air and water temperature |
| Unit | M | SC @TemperatureUnit | Metric system unit for temperature |
| Value | M | Numeric ##0.0 or -#0.0 | Temperature in centigrade degrees (in case of positive temperature, do not send '+') |

2.2.8.5 Message Sort

There is no special sort order requirement for this message. Usually, Conditions@code is the attribute used to sort the conditions.

3 Document Control

| Version history | | |
|-----------------|------------------|---------------|
| Version | Date | Comments |
| v1.0 | 15 October 2016 | First version |
| V1.1 | 9 January 2017 | Change to SFA |
| V1.2 | 2 March 2017 | Updated |
| V1.3 | 17 May 2017 | Updated |
| V1.4 | 21 June 2017 | Updated |
| V1.5 | 8 October 2017 | Updated |
| V1.6 | 25 October 2017 | Updated |
| V1.7 | 20 February 2018 | Updated |

File Reference: ODF R-SOG-2020-TRI V1.7 APP

| Change Log | | |
|------------|--------|--|
| Version | Status | Changes on version |
| v1.0 | SFR | First version |
| V1.1 | SFA | Status change only |
| V1.2 | APP | DT_RESULT: Remove StartListMod in the header DT_IMAGE: Added elements and attributes. |
| V1.3 | APP | DT_RESULT: Update extensions in ExtendedResults and EventUnitEntry for Para Triathlon for consistency with other sports |
| V1.4 | APP | DT_RESULT: START_TIME should be with hours also (typographical error). DT_RESULT: In ExtendedResults add COMPENSATION (for Para Triathlon) |
| V1.5 | APP | DT_RESULT: Correct typographical error in one sample |
| V1.6 | APP | DT_RESULT: Add leg letter for team relay. Corrected typo for INTERMEDIATE under athlete DT_CONFIG: Add leg association to the course segments and corrected typos in the sample |
| V1.7 | APP | DT_CONFIG: Added sample for Teams Typographical corrections DT_PARTIC: Updated to add Passport names (CR15219) Removed reference to 2018 Commonwealth Games |