



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP

# Olympic Data Feed



**ODF Short Track Data Dictionary**  
**PyeongChang – XXIII Olympic Winter Games**  
Technology and Information Department  
© International Olympic Committee

ODF/INT425 R-WOG-2018-STK-v2.3 APP  
2 October 2017



## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



## Table of Contents

1 Introduction.....	6
1.1 This document.....	6
1.2 Objective.....	6
1.3 Main Audience.....	6
1.4 Glossary.....	6
1.5 Related Documents.....	6
2 Messages.....	8
2.1 Applicable Messages.....	8
2.2 Messages.....	10
2.2.1 List of participants by discipline / List of participants by discipline update.....	10
2.2.1.1 Description.....	10
2.2.1.2 Header Values.....	10
2.2.1.3 Trigger and Frequency.....	11
2.2.1.4 Message Structure.....	12
2.2.1.5 Message Values.....	13
2.2.1.6 Message Sort.....	16
2.2.2 List of teams / List of teams update.....	18
2.2.2.1 Description.....	18
2.2.2.2 Header Values.....	18
2.2.2.3 Trigger and Frequency.....	19
2.2.2.4 Message Structure.....	19
2.2.2.5 Message Values.....	20
2.2.2.6 Message Sort.....	22
2.2.3 Event Unit Start List and Results.....	23
2.2.3.1 Description.....	23
2.2.3.2 Header Values.....	23
2.2.3.3 Trigger and Frequency.....	24
2.2.3.4 Message Structure.....	24
2.2.3.5 Message Values.....	27
2.2.3.6 Message Sort.....	35
2.2.4 Image.....	36
2.2.4.1 Description.....	36
2.2.4.2 Header Values.....	36
2.2.4.3 Trigger and Frequency.....	37
2.2.4.4 Message Structure.....	37
2.2.4.5 Message Values.....	38
2.2.4.6 Message Sort.....	39



2.2.5Phase Results.....	<u>40</u>
2.2.5.1Description.....	<u>40</u>
2.2.5.2Header Values.....	<u>40</u>
2.2.5.3Trigger and Frequency.....	<u>41</u>
2.2.5.4Message Structure.....	<u>41</u>
2.2.5.5Message Values.....	<u>43</u>
2.2.5.6Message Sort.....	<u>46</u>
2.2.6Records.....	<u>47</u>
2.2.6.1Description.....	<u>47</u>
2.2.6.2Header Values.....	<u>47</u>
2.2.6.3Trigger and Frequency.....	<u>48</u>
2.2.6.4Message Structure.....	<u>48</u>
2.2.6.5Message Values.....	<u>50</u>
2.2.6.6Message Sort.....	<u>53</u>
2.2.7Event Final Ranking.....	<u>54</u>
2.2.7.1Description.....	<u>54</u>
2.2.7.2Header Values.....	<u>54</u>
2.2.7.3Trigger and Frequency.....	<u>55</u>
2.2.7.4Message Structure.....	<u>55</u>
2.2.7.5Message Values.....	<u>57</u>
2.2.7.6Message Sort.....	<u>63</u>
2.2.8Configuration.....	<u>64</u>
2.2.8.1Description.....	<u>64</u>
2.2.8.2Header Values.....	<u>64</u>
2.2.8.3Trigger and Frequency.....	<u>65</u>
2.2.8.4Message Structure.....	<u>65</u>
2.2.8.5Message Values.....	<u>65</u>
2.2.8.6Message Sort.....	<u>67</u>
2.2.9Event Unit Weather conditions.....	<u>68</u>
2.2.9.1Description.....	<u>68</u>
2.2.9.2Header Values.....	<u>68</u>
2.2.9.3Trigger and Frequency.....	<u>69</u>
2.2.9.4Message Structure.....	<u>69</u>
2.2.9.5Message Values.....	<u>69</u>
2.2.9.6Message Sort.....	<u>70</u>
3Message Timeline.....	<u>71</u>
3.1Preparation Phase.....	<u>71</u>
3.2Before, During, After .....	<u>71</u>
3.3At the end of the event.....	<u>73</u>
4Document Control.....	<u>74</u>



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP



# 1 Introduction

## 1.1 This document

This document includes the ODF Short Track Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Short Track.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Short Track Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Short Track competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/INT400	ODF Foundation Principles	The document explains the environment and general principles for ODF
ODF/INT401	ODF General Messages Interface Document	The document describes the ODF General Messages
ODF/COD404	Common Codes	The document describes the ODF Common codes used across all ODF documents.



<b>Document Reference</b>	<b>Document Title</b>	<b>Document Description</b>
ODF/COD405	ODF Sport Codes	This document describes the ODF specific codes used in this sport
ODF/COD406	ODF Header Values	The document details the header values which shows which RSCs are used in which messages.



## 2 Messages

### 2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Short Track.

- The column “Message type“ indicates the DocumentType that identifies a message
- The column “Message name“ is the message name identified by the message type
- The column “Message extended“ indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	/ Competition schedule / Competition schedule update	
DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline / List of participants by discipline update	<a href="#">X</a>
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	/ List of teams / List of teams update	<a href="#">X</a>
DT_MEDALS	Medal standings	
DT_MEDALLISTS_DAY	Medallists of the day	
DT_GLOBAL_GM	Global good morning	
DT_GLOBAL_GN	Global good night	
DT_RESULT	Event Unit Start List and Results	<a href="#">X</a>
DT_IMAGE	Image	<a href="#">X</a>
DT_PRESSPHOTOFINISH_LK	Press Photofinish	
DT_PHASE_RESULT	Phase Results	<a href="#">X</a>
DT_RECORD	Records	<a href="#">X</a>
DT_RANKING	Event Final Ranking	<a href="#">X</a>
DT_COMMUNICATION	Communication	
DT_CONFIG	Configuration	<a href="#">X</a>





DT_WEATHER	Event Unit Weather conditions	<a href="#">X</a>
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_KA	Keep Alive	



## 2.2 Messages

### 2.2.1 List of participants by discipline / List of participants by discipline update

#### 2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.2.1.2 Header Values

The following table describes the message header attributes.



Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.1.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.



### 2.2.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0,1)</a>					
	<a href="#">Participant (1,N)</a>				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			
		BirthDate			
		Height			
		Weight			
		PlaceofBirth			
		CountryofBirth			
		PlaceofResidence			
		CountryofResidence			
		Nationality			
		MainFunctionId			
		Current			
		OlympicSolidarity			
		ModificationIndicator			
		<a href="#">Discipline (1,1)</a>			
			Code		



	IFId <a href="#">RegisteredEvent (0,N)</a> Event Bib Substitute <a href="#">EventEntry (0,N)</a> Code Type Pos Value
--	---

### 2.2.1.5 Message Values

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p>



			<p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	<a href="#">CC @ParticStatus</a>	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender
Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees.



			"-" may be used where the data is not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	<a href="#">CC @Country</a>	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	<a href="#">CC @Country</a>	Country ID of Residence
Nationality	O	<a href="#">CC @Country</a>	Participant's nationality.  Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	<a href="#">CC @ResultsFunction</a>	Main function  In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	'Y' or 'N' Flag to indicating if the participant participates in the Olympic Scholarship program.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only  N-New participant (in the case that this information comes as a late entry) U-Update participant  If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants  If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants  To delete a participant, a specific value of the Status attribute is used.

**Element: Participant /Discipline (1,1)**

**All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.**



Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline
IFId	O	S(16)	Competitor's federation number for the corresponding discipline (include if the discipline assigns international federation codes to athletes).

**Element: Participant /Discipline /RegisteredEvent (0,N)**  
 All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event
Bib	O	S(5)	Bib number.  Bib number is in fact a special Event Entry. However, since it is very meaningful in the sports that make use of this attribute, it has been considered as an attribute, although it was part of EventEntry in the previous versions.  Send only in the Case of Current="true".
Substitute	O	S(1)	Send Y if the athlete is a substitute else do not send.

**Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N)**  
 Send if there are specific athlete's event entries.

Type	Code	Pos	Description
ENTRY	RANK_WLD	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	S(4)
	<b>Description</b>	World Rank of the athlete	
ENTRY	RANK_ASSIGN	N/A	Element Expected: When available. Only in DT_PARTIC_UPDATE
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	S(4)
	<b>Description</b>	Rank assigned to the athlete in case of no World Rank exists.	

### 2.2.1.6 Message Sort

The message is sorted by Participant @Code





INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP



## 2.2.2 List of teams / List of teams update

### 2.2.2.1 Description

The List of teams message contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. Pairs (tennis, figure skating, etc.) are also defined as team of two competitors. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams.

A historical team is defined as a group of athletes (team members) competing in the past in a competition event for an organisation. The historical team members appearing in this message will be listed in the list of historical athletes' messages. The list of historical teams just associates historical team members with the corresponding historical teams. Historical teams will not be registered to any event.

For equestrian one athlete and one horse are not considered a team, the horse is an attribute of the athlete.

List of teams (DT\_PARTIC\_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT\_PARTIC\_TEAMS\_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

### 2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UP DATE	List of participant teams message
Version	1..V	Version number associated to the message's content. Ascendant number



FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.2.3 Trigger and Frequency


The DT\_PARTIC\_TEAMS message is sent as a bulk message approximately one month before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_TEAMS\_UPDATE messages are sent.

The DT\_PARTIC\_TEAMS\_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

### 2.2.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0,1)</a>					
	<a href="#">Team (1,N)</a>				
		Code			
		Organisation			



### 2.2.2.5 Message Values

Element: Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID (example ATHM4X400M--ESP01, 393553) When the Team is an historical one, then this ID starts with "T".
Organisation	M	<a href="#">CC @Organisation</a>	Team organisation's ID
Number	O	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc.



			Required in the case of current teams.
Name	O	S(73)	Team's name.  It will apply to some of the disciplines. If there is not any special rule for that discipline, send the Description of the code CC@Organisation. It is Optional in the case of List of Team Update when the @ModificationIndicator=D
TVTeamName	O	S(21)	Team's TV Name. In head-to-head pairs competitions this should be in the format SMITH/JONES [max char(10) per name] else it is the organisation name unless special rules apply.
Gender	M	<a href="#">CC @DisciplineGender</a>	Discipline Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only  N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team  If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams  If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams  If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

**Element: Team /Composition /Athlete (0,N)**

In the case of current teams the number of athletes is 2 or more.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID of the listed team's member.  Therefore, he/she makes part of the team's composition.
Order	O	Numeric	Team member order

**Element: Team /Discipline (0,1)**



**Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"**

Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline
IFId	O	S(16)	Federation number for the corresponding discipline (include if the discipline assigns international federation codes to teams)

**Element: Team /Discipline /RegisteredEvent (0,1)**  
**Each current team is assigned to one event. Historical teams will not be registered to any event.**

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event

**Element: Team /Discipline /RegisteredEvent /EventEntry (0,N)**  
**Send if there are specific team's event entries.**

Type	Code	Pos	Description
ENTRY	RANK_WLD	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	S(4)
			<b>Description</b>
			World Rank of the team

### 2.2.2.6 Message Sort

The message is sorted by Team @Code.



## 2.2.3 Event Unit Start List and Results

### 2.2.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

### 2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values) with one message per race.
DocumentSubcode	N/A	Not used in STK
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	Not used in STK
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST (as soon as the start list is available and any changes [inc. IRMs]) LIVE (when the unit starts and after every update (lap)) UNCONFIRMED (used after the competition is completed and before either UNOFFICIAL or OFFICIAL. It may be sent multiple times if modifications are required and the status has not changed) UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.3.3 Trigger and Frequency

This message is sent:

- \* As soon as the start list is available and any changes [inc. IRMs] (START\_LIST)
- \* When the unit starts and after every update (lap) (LIVE)
- \* After the race is finished
  - UNCONFIRMED: Until the last photofinish time is available
  - UNOFFICIAL: After the last photofinish time is available but results are not approved
  - OFFICIAL: Results are approved
- \* After any change

### 2.2.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0,1)</a>						
	<a href="#">ExtendedInfos (0,1)</a>					
		<a href="#">UnitDateTime (0,1)</a>				
			StartDate			
		<a href="#">ExtendedInfo (0,N)</a>				
			Type			
			Code			





		Pos	
		Value	
	<u>SportDescription (0,1)</u>		
		DisciplineName	
		EventName	
		Gender	
		SubEventName	
		UnitNum	
	<u>VenueDescription (0,1)</u>		
		Venue	
		VenueName	
		Location	
		LocationName	
		Attendance	
	<u>Officials (0,1)</u>		
	<u>Official (1,N)</u>		
		Code	
		Function	
		Order	
		<u>Description (1,1)</u>	
			GivenName
			FamilyName
			Gender
			Organisation
			IFId
	<u>Result (1,N)</u>		
		Rank	
		RankEqual	
		Result	
		IRM	
		QualificationMark	
		SortOrder	



StartOrder			
StartSortOrder			
ResultType			
Diff			
<u>ExtendedResults (0,1)</u>			
	<u>ExtendedResult (1,N)</u>		
		Type	
		Code	
		Pos	
		Value	
		ValueType	
		Rank	
		RankEqual	
		SortOrder	
		Diff	
<u>RecordIndicators (0,1)</u>			
	<u>RecordIndicator (1,N)</u>		
		Order	
		Code	
		RecordType	
		Equalled	
<u>Competitor (1,1)</u>			
	Code		
	Type		
	Organisation		
	<u>Description (0,1)</u>		
		TeamName	
		IFId	
	<u>Composition (0,1)</u>		
		<u>Athlete (1,N)</u>	
			Code
			Order



	Bib
	<a href="#">Description (1,1)</a>
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFId
	<a href="#">EventUnitEntry (0,N)</a>
	Type
	Code
	Pos
	Value

### 2.2.3.5 Message Values

Element: ExtendedInfos /UnitDateTime (0,1)			
Actual start date and time / end date and time. (do not include until unit starts)			
Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date and time. Do not include until unit has started.

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
UI	LEADER	S(2)	Pos Description: Send the intermediate number (1, 2...F)  Element Expected: When available for each intermediate	
	Attribute	M/O	Value	Description
	Value	O	S(20) with no leading zeroes	Send the ID of the leading competitor at each intermediate.
DISPLAY	LAST_INTERMEDIATE	N/A	Element Expected: When LIVE after the first intermediate	
	Attribute	M/O	Value	Description
	Value	O	S(2)	Send the intermediate number most



				recently passed by the leader (1, 2...F)
DISPLAY		LEADER_SPEED	N/A	Element Expected: When available for each intermediate
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0.0	Leader speed in the last completed lap in km/h.
DISPLAY		LAPS_TO_GO	N/A	Element Expected: When available for each intermediate
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Remaining laps. Value updated once the leader completes a lap.

**Sample (ExtendedInfo)**

```

...
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T11:01:00+01:00" />
  <ExtendedInfo Type="UI" Code="LEADER" Pos="1" Value="123456" />
  <ExtendedInfo Type="UI" Code="LEADER" Pos="2" Value="123456" />
  <ExtendedInfo Type="DISPLAY" Code="LEADER_SPEED" Value="43.1" />
  <ExtendedInfo Type="DISPLAY" Code="LAPS_TO_GO" Value="12" />
...

```

**Element: ExtendedInfos /SportDescription (0,1)**

**Sport Descriptions in Text.**

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes
UnitNum	M	S(6)	Race number

**Element: ExtendedInfos /VenueDescription (0,1)**

**Venue Names in Text.**

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes



Attendance	O	#####0	Total attendance (do not send if unknown)
------------	---	--------	---

<b>Element: Officials /Official (1,N)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Code	M	S(20) with no leading zeroes	Official's code
Function	M	<a href="#">CC @ResultsFunction</a>	Official's function (example: referee, etc.).  Can be different from the function sent in the DT_PARTIC message.
Order	O	Numeric	Order of officials.

<b>Element: Officials /Official /Description (1,1)</b>			
<b>Officials extended information.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the official
Organisation	M	<a href="#">CC @Organisation</a>	Officials' organisation
IFId	O	S(16)	International Federation ID

<b>Element: Result (1,N)</b>			
<b>For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Rank	O	String	Rank of the competitor in the event unit (not cumulative).
RankEqual	O	Y	Identifies if a rank has been equalled. Only send if applicable
Result	O	m:ss.fff	Result for the particular event unit. Send just in the case @ResultType is TIME  May be empty in the case of a referee decision to suppress time.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned
QualificationMark	O	<a href="#">SC @QualificationMark</a>	Send just in the case the competitor has qualified.
SortOrder	M	Numeric	This attribute is a sequential number with the order of



			the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. Updated during the race with the current order,
StartOrder	O	Numeric	The start order of the unit.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute.
Diff	O	+ m:ss.fff or 0.0	Send the time behind the leader in the unit at the point. Do not send minutes if zero.

<b>Element: Result /ExtendedResults /ExtendedResult (1,N)</b>				
<b>Type</b>	<b>Code</b>	<b>Pos</b>	<b>Description</b>	
PROGRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F).  Element Expected: When data is available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	m:ss.fff	Cumulative time at the intermediate point in the current run. Do not send minutes if zero.
	ValueType	O	<a href="#">SC @ResultType</a>	ValueType should be used to describe the type of data @Value
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point
	RankEqual	O	Y	Send Y where Rank at this specific ExtendResult is equalled else not sent.
	SortOrder	O	Numeric #0	Send the order of the competitor at the intermediate point
	Diff	O	+ m:ss.fff or 0.0	Send the time behind the leader in the unit at the point. Do not send minutes if zero.
PROGRESS	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (1, 2...F). For example 1 is the section from the start to 1.	



				Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	s.fff	Time for the section ending at the intermediate point @Pos.
PROGRESS		REMAINING	N/A	Element Expected: Always when LIVE
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric ##0	Number of laps remaining for this athlete
ER		PHOTO	N/A	Element Expected: If applicable
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	S(1)	Send the Photo Finish status: Y in case of Evaluated P in case of Pending else do not send  If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7

**Element: Result /RecordIndicators /RecordIndicator (1,N)**

**Result's record indicator.**

Attribute	M/O	Value	Description
Order	M	Numeric	This will usually always be 1 unless there is both a WR and OR in which case WR=1 and OR=2.
Code	M	<a href="#">CC @RecordCode</a>	Code which describes the record broken by the result value.
RecordType	M	<a href="#">CC @RecordType</a>	Code which specifies the level at which the record is broken (e.g. "WR" or "OR").
Equalled	O	S(1)	Send "Y" in the case that the record has been equalled else do not send.

**Element: Result /Competitor (1,1)**

**Competitor related to the result of one event unit.**

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



Code	M	S(20) with no leading zeroes or TBD or NOCOMP	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available  NOCOMP is sent when there is no competitor (and will not come later)
Type	M	T,A	T for team A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Result /Competitor /Description (0,1)**

**Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team.
IFId	O	S(16)	International Federation ID

**Element: Result /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID. Can belong to a team member or an individual athlete.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") on the results or 1 if Competitor @Type="A".
Bib	O	S(5)	Helmet number. Should always be available

**Element: Result /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)**





<b>Individual athletes entry information.</b>				
<b>Type</b>		<b>Code</b>	<b>Pos</b>	<b>Description</b>
EUE		YC	N/A	Element Expected: When the athlete has already received a yellow card in one of the previous events he/she has already competed
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	S(1)	Yellow card received in one of the previous events indicator.  "Y" if exists otherwise do not send

**Sample (ExtendeResults)**



```
...
<Result SortOrder="1" Rank="1" ResultType="TIME" Result="1:24.787" Diff="0.0" QualificationMark="Q"
StartOrder="3" StartSortOrder="3" >
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="12.49"
Diff="0.0" ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="21.93"
Diff="0.0" ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" Value="31.07"
Diff="0.0" ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="4" Value="40.08"
Diff="0.0" ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="5" Value="48.95"
Diff="0.0" ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="6" Value="57.79"
Diff="0.0" ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="7" Value="1:06.64"
Diff="0.0" ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="8" Value="1:15.62"
Diff="0.0" ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="1" Value="12.49"
ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="9.44"
ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="3" Value="9.14"
ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="4" Value="9.01"
ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="5" Value="8.87"
ValueType="TIME" Rank="2" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="6" Value="8.84"
ValueType="TIME" Rank="3" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="7" Value="8.84"
ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="8" Value="8.98"
ValueType="TIME" Rank="1" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="9.16"
ValueType="TIME" Rank="2" />
  </ExtendedResults>
  <Competitor Type="A" Code="2012264" Organisation="GER">>
    <Composition>
      <Athlete Code="2012264" Order="1" Bib="203" >
        <Description GivenName="John" FamilyName="Smith" Gender="M"
Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...
```



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP

### **2.2.3.6 Message Sort**

Sort by Result @SortOrder



## 2.2.4 Image

### 2.2.4.1 Description

The 'Image message' is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

The message allows for multiple images but it is assumed the images are related (could be different resolutions, different states of a competition or different places in photofinish photos). Unrelated images should be sent separately.

### 2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Unit level RSC.
DocumentSubcode	S(10)	Picture number.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	PHOTOFINISH
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Only applicable status is OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.



		For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.  Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.4.3 Trigger and Frequency

Triggered as soon as image available.

### 2.2.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	<a href="#">Image (1,N)</a>						
		Pos					
		Version					
		Revision					
		ImageType					
		<a href="#">Result (0,N)</a>					
			Result				
			Rank				
			StartOrder				
			SortOrder				
			<a href="#">Competitor (1,1)</a>				
				Code			
				Type			
				Organisation			
				<a href="#">Description (0,1)</a>			
					TeamName		
				<a href="#">Composition (0,1)</a>			
					<a href="#">Athlete (1,N)</a>		
						Code	
						Order	



	Bib <a href="#">Description (1,1)</a> GivenName FamilyName
<a href="#">ImageData (1,1)</a> -	

### 2.2.4.5 Message Values

Element: Competition /Image (1,N)			
Attribute	M/O	Value	Description
Pos	M	Numeric #0	Used as differentiator if there are multiple images in the message.
Version	M	Numeric #0	Document Version
Revision	M	Numeric #0	Document Revision
ImageType	M	S(3)	Image type extension, jpg or png

Element: Competition /Image /Result (0,N)			
Attribute	M/O	Value	Description
Result	O	S(20)	Result of the competitor in the image. Formatted as appropriate in the event. Use IRM code if appropriate.
Rank	O	S(10)	Rank of the competitor
StartOrder	O	S(4)	Start or lane position
SortOrder	M	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.

Element: Competition /Image /Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	O	S(20) with no leading zeroes	Competitor's ID (Team or individual) If it is possible to send the ID it should be included.
Type	O	S(1)	A for athlete or T for team. If it is possible to send the type it should be included.
Organisation	O	CC @Organisation	Competitor's organisation



<b>Element: Competition /Image /Result /Competitor /Description (0,1)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
TeamName	O	S(73)	Name of the Team

<b>Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N)</b>			
<b>Only sent in the case of individual events. Team members are not sent in team events.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Code	O	S(20) with no leading zeroes	Athlete's ID. If it is possible to send the ID it should be included.
Order	M	Numeric ##0	Order attribute used to sort team members in a team. Send 1 for individuals. 1 will always be sent in PyeongChang
Bib	O	S(4)	Bib number

<b>Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
GivenName	O	S(25)	Given name (Photofinish Name)
FamilyName	M	S(25)	Family name (Photofinish Name)

<b>Element: Competition /Image /ImageData (1,1)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)

### 2.2.4.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



## 2.2.5 Phase Results

### 2.2.5.1 Description

The Phase Results is a message containing the results for the competitors in a particular phase.

The phase message is used to compare competitors from different units within a phase where the competitors usually participate once in the phase.

The message is used to send an intermediate summary of results (including rank) part way through a phase. In this case, the DocumentSubtype is used to specify the last event unit that contributed results to the message.

### 2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values) though it is expected in all phases where there is more than one unit.
DocumentSubcode	N/A	Not used in STK
DocumentType	DT_PHASE_RESULT	Phase Results message
DocumentSubtype	N/A	Not used in STK
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	It indicates whether the result is official or unofficial. INTERMEDIATE (used after each unit in the phase) LIVE OFFICIAL UNOFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after





		<p>midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.5.3 Trigger and Frequency

Send as follows:

- \* Send after each unit in the phase (INTERMEDIATE). Do not send data for units which have not started.
- \* Send as OFFICIAL when all units are complete.

### 2.2.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0,1)</a>						
	<a href="#">ExtendedInfos (0,1)</a>					
		<a href="#">ExtendedInfo (0,N)</a>				
			Type			
			Code			
			Pos			
			Value			
		<a href="#">SportDescription (0,1)</a>				
			DisciplineName			
			EventName			
			SubEventName			
			Gender			
		<a href="#">VenueDescription (0,1)</a>				



	Venue
	VenueName
	Location
	LocationName
<u>Result (1,N)</u>	
	Rank
	RankEqual
	ResultType
	Result
	IRM
	QualificationMark
	SortOrder
	<u>ExtendedResults (0,1)</u>
	<u>ExtendedResult (1,N)</u>
	Type
	Code
	Pos
	Value
	<u>RecordIndicators (0,1)</u>
	<u>RecordIndicator (1,N)</u>
	Order
	Code
	RecordType
	Equalled
	<u>Competitor (1,1)</u>
	Code
	Type
	Organisation
	<u>Description (0,1)</u>
	TeamName
	IFId
	<u>Composition (0,1)</u>



	<p><a href="#">Athlete (1,N)</a></p> <p>Code</p> <p>Order</p> <p>Bib</p> <p><a href="#">Description (1,1)</a></p> <p>GivenName</p> <p>FamilyName</p> <p>Gender</p> <p>Organisation</p> <p>BirthDate</p> <p>IFId</p>
--	---

### 2.2.5.5 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
EI	LAST_UNIT	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	O	S(34)	Full RSC of the first unit (if not started) or most recent unit information included in the message

Element: ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	M	S(40)	Phase level short name (not code) from Common Codes
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text.			
Attribute	M/O	Value	Description



Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

**Element: Result (1,N)**

For any Phase Results message, there should be at least one competitor being awarded a result for the phase.

Attribute	M/O	Value	Description
Rank	O	S(2)	Rank of the competitor in the corresponding unit within the phase. This attribute is optional because the competitor could get an invalid rank mark.
RankEqual	O	Y	Identifies if a rank has been equalled. Only send if applicable
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute
Result	O	m:ss.ff	Result for the particular phase
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned
QualificationMark	O	<a href="#">SC @QualificationMark</a>	The code which gives an indication on the qualification of the competitor for the next round of the competition
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular phase, if they were to be presented. In principle the sort of unit followed by rank.

**Element: Result /ExtendedResults /ExtendedResult (1,N)**

Type	Code	Pos	Description
ER	UNIT_NUM	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	S(2)
	<b>Description</b>		Send the heat number/letter
ER	UNIT_STARTORDE R	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	Numeric #0
	<b>Description</b>		Send the starting order for the competitor in the unit.
ER	RACE_NUM	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	<b>Description</b>		



	Value	O	Numeric ##0	Send the race number.
--	-------	---	----------------	-----------------------

**Element: Result /RecordIndicators /RecordIndicator (1,N)**

**Phase result's record indicator.**

Attribute	M/O	Value	Description
Order	M	Numeric	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @RecordType for reference).
Code	M	<a href="#">CC @RecordCode</a>	Code which describes the record broken by the result value.
RecordType	M	<a href="#">CC @RecordType</a>	Code which specifies the level at which the record is broken (e.g. "OR"). If more than one then send the highest level
Equalled	O	S(1)	Send "Y" in the case that the record has been equalled else do not send.

**Element: Result /Competitor (1,1)**

**Competitor related to one phase result.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	T,A	T for team A for athlete
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Result /Competitor /Description (0,1)**

**Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups. Not usually for pairs (figure skating & beach volleyball are the exceptions).
IFId	O	S(16)	International Federation ID

**Element: Result /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or a single athlete



Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
Bib	O	S(5)	Athlete's helmet number

**Element: Result /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Sample (ExtendeResults)**

```

...
<Result SortOrder="1" Rank="1" ResultType="TIME" Result="2:21.483" QualificationMark="QA">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="UNIT_NUM" Value="1" />
    <ExtendedResult Type="ER" Code="UNIT_STARTORDER" Value="3" />
    <ExtendedResult Type="ER" Code="RACE_NUM" Value="12" />
  </ExtendedResults>
  <Competitor Type=... >
    <Composition>
...

```

**2.2.5.6 Message Sort**

Sort by Result @SortOrder. SortOrder is determined by grouping <Result> elements by Event Unit - Heat - and then by Rank within the Heat.



## 2.2.6 Records

### 2.2.6.1 Description

This message applies for all records depending on the sport.

The message contains the list of all records from the start of the Games (events depending on header).

Special Situations - Not Established Records:

There are some situations where there are no records for a particular event. This can happen, for example, when the sport rules change (different weights or distances) or new events are introduced. If this occurs then the NotEstablished flag is used to indicate this situation.

If a record is established for this event in the current competition then the NotEstablished flag and description will not be sent when a new record is established.

### 2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC of the Discipline
DocumentSubcode	CC @RecordCode	If the message is sent as a result of a record being modified (broken, equalled or re-instated) then this attribute will be included and is the Record Event for the modification.
DocumentType	DT_RECORD	Records message
DocumentSubtype	FULL, PARTIAL	Send "FULL" if all records included. Send "PARTIAL" if only one record code is included.
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages



		<p>produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.6.3 Trigger and Frequency

The DT\_RECORD (without DocumentSubcode) message is sent as a bulk message (all records in a discipline) prior to the competition. Any new version of the DT\_RECORD message should replace all previous record information, either for the RecordCode specified in DocumentSubcode or all if no DocumentSubcode is specified.

After competition start it will be triggered with each new record set or equalled.

### 2.2.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
<a href="#">Competition (0,1)</a>								
	<a href="#">ExtendedInfos (0,1)</a>							
		<a href="#">SportDescription (0,1)</a>						
			DisciplineName					
	<a href="#">Record (1,N)</a>							
		Code						
		<a href="#">Description (1,1)</a>						
			Name					
		<a href="#">RecordType (1,N)</a>						
			Order					
			RecordType					
			Shared					
			<a href="#">RecordData (0,N)</a>					





Order
ResultType
Result
Unit
Country
Place
Date
Time
Equalled
Unconfirmed
Competition
Historical
Current
ModificationIndicator
<u>Competitor (0,1)</u>
Code
Type
Organisation
<u>Description (0,1)</u>
TeamName
IFId
<u>Composition (0,1)</u>
<u>Athlete (1,N)</u>
Code
Order
<u>Description (0,1)</u>
GivenName
FamilyName
Gender
Organisation



	BirthDate
	IFId

### 2.2.6.5 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes

Element: Record (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">CC @RecordCode</a>	Record code. Send all record codes in the bulk message else this must match the DocumentSubcode, that is, only one per message.

Element: Record /Description (1,1)			
Attribute	M/O	Value	Description
Name	M	S(40)	Record description (not code) from Common Codes

Element: Record /RecordType (1,N)			
It is possible to have more than one element with the same type (as in the case of National Records).			
Attribute	M/O	Value	Description
Order	M	Numeric #0	The hierarchy (priority) for types of records from 1 to n. (Can use the Order column from CC @RecordType for reference). Short Track does not have a hierarchy as the records are different but this is still required.
RecordType	M	<a href="#">CC @RecordType</a>	Record type.
Shared	M	S(1)	Y-There is more than one competitor sharing the record N-There is just one competitor holding the record

Element: Record /RecordType /RecordData (0,N)			
RecordData is not sent for NotEstablished Records unless a "standard" applies			
Attribute	M/O	Value	Description
Order	M	Numeric #0	In the case that a record (RecordType) is provided several times in the message, then Order is the chronological order for the records (1,N). 1 will be



			usually the historical record and for each record broken during the competition a new order value will be provided. Usually first time the record is broken will have Order="2", second time Order="3" etc. Send 1 for records (RecordType) not shared (historical records)
ResultType	M	<a href="#">SC @ResultType</a>	TIME
Result	O	m:ss:fff	The performance of the competitor for the record. Do not send leading zeros.
Unit	O	<a href="#">CC @Unit</a>	Include the event unit in the current competition where the record was broken.  It is the full RSC  Send always (Mandatory) in the case Historical="N".
Country	O	<a href="#">CC @Country</a>	Send always unless the record is not established. Country code where the record was broken
Place	O	S(40)	Send always unless the record is not established. Place (town or city) where the record was broken (example: "Salt Lake City").
Date	O	YYYY-MM-DD	Send always unless the record is not established. Date when the record was broken (for the current competition, the date will be assumed to be the date scheduled for the @Unit attribute)
Time	O	Time	Time the record was set. Send always (Mandatory) in the case of Historical="N".
Equalled	O	S(1)	Send "Y" if the existing record is equalled. Do not send if the record is not equalled.
Unconfirmed	O	S(1)	Send only in the case that Historical="Y" and if it is required in the specific discipline, since some historical records / record types may not be confirmed. Send "Y" if the record is Unconfirmed else do not send. The normal situation is do not send.
Competition	O	S(40)	Send the text of the competition name where the record was broken (example: "2013 World Championships", "2012 Olympic Games", etc.).
Historical	M	S(1)	Send "Y" if the record for competitor was not achieved during the current competition.  Send "N" if the record for the competitor was achieved during the current competition.
Current	O	S(1)	Send "Y" in the case that this is the current record else



			do not send (may be multiple in the case of a shared record).
ModificationIndicator	O	S(1)	The possible values are: "N" = New broken record (not provided in a previous message) "R" = This record is re-instated/re-established as the current record in this message (following an invalidation or similar). Do not send this attribute for other records included in the message (not broken or not re-instated)

**Element: Record /RecordType /RecordData /Competitor (0,1)**

Competitor to whom the record is assigned.  
Athlete's or team's information should be in DT\_PARTIC (Historic) if Competitor @Type="A" or DT\_PARTIC\_TEAMS (Historic) if Competitor @Type="T".

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	"T" for team "A" for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitors' organisation if known

**Element: Record /RecordType /RecordData /Competitor /Description (0,1)**

Competitors extended information.

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.
IFId	O	S(16)	Team IF number, send if available.

**Element: Record /RecordType /RecordData /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric #0	Order attribute used to sort team members in a team if Competitor @Type="T" or 1 if Competitor @Type="A".

**Element: Record /RecordType /RecordData /Competitor /Composition /Athlete /Description (0,1)**

Athletes extended information.

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Sample (Records)**

```

...
<Record Code="STKM500M-----">
  <RecordType Order="1" RecordType="WR" Shared="N">
    <RecordData Order="1" ResultType="TIME" Result="40.770" Country="CAN"
Place="Vancouver, BC" Date="2010-02-26" Competition="Olympic Games" Historical="Y" Current="Y" >
      <Competitor Code="1098720" Type="A" Organisation="NZL" >
        <Composition>
          <Athlete Code="1098720" Order="1">
            <Description FamilyName="John" GivenName="Smith"
Gender="M" Organisation="NZL" BirthDate="1989-12-15" />
          </Athlete>
        </Composition>
      </Competitor>
    </RecordData>
  </RecordType>
  <RecordType Order="2" RecordType="OR" Shared="N">
    <RecordData ...
...

```

**2.2.6.6 Message Sort**

The following order applies:

- Record @Code
- RecordType @Order
- RecordData @Order



## 2.2.7 Event Final Ranking

### 2.2.7.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

### 2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC of the Event	Sent for all the competition events according to the ODF Common Codes document (header values). One message is sent for each event.
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.



		For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.  Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.


### 2.2.7.3 Trigger and Frequency

The message is expected only at the end of each Event.

### 2.2.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">SportDescription (0,1)</a>					
			DisciplineName				
			EventName				
			Gender				
		<a href="#">VenueDescription (0,1)</a>					
			Venue				
			VenueName				
	<a href="#">Result (1,N)</a>						
		Rank					
		RankEqual					
		ResultType					
		Result					
		IRM					
		SortOrder					
		<a href="#">ExtendedResults (0,1)</a>					
				<a href="#">ExtendedResult (1,N)</a>			
					Type		
					Code		
					Pos		







### 2.2.7.5 Message Values

<b>Element: ExtendedInfos /SportDescription (0,1)</b>			
<b>Sport Description in text</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit. Must be included if it is a single gender

<b>Element: ExtendedInfos /VenueDescription (0,1)</b>			
<b>Venue Names in text</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

<b>Element: Result (1,N)</b>			
<b>For any event final ranking message, there should be at least one competitor being awarded a result for the event.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Rank	O	String	Final rank of the competitor in the corresponding event. This attribute is optional because the competitor could get an empty rank in the case of a red card, for example.
RankEqual	O	Y	Identifies if a rank has been equalled. Only send if applicable
ResultType	O	<a href="#">SC @ResultType</a>	Result type, for the corresponding event, mandatory if Result or IRM is included.
Result	O	m:ss.fff	Best time for the competitor regardless of phase.  May be empty in the case of a referee decision to suppress time.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.



<b>Element: Result /ExtendedResults /ExtendedResult (1,N)</b>				
<b>Type</b>		<b>Code</b>	<b>Pos</b>	<b>Description</b>
ER		RECORD	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	<a href="#">CC @RecordType</a>	Indicates if the result of the competitor is a record (highest only)
ER		ROUND	Numeric 0	Pos Description: Send the order of the rounds in which this competitor participated, with Final A last (highest value) if applicable. Each round has the same @Pos value for all participants.  Element Expected: For each round where the competitor participated.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	<a href="#">SC @ResultPhase</a>	Code of the round
<b>Sub Element: Result /ExtendedResults /ExtendedResult /Extension</b> <b>Expected: If the competitor received an IRM in this round</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	IRM		
	Pos	N/A		
	Value	<a href="#">SC @IRM</a>	IRM of the competitor if applicable in this round.	
<b>Sub Element: Result /ExtendedResults /ExtendedResult /Extension</b> <b>Expected: If available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	RANK		
	Pos	N/A		
	Value	S(2)	The rank of the competitor in this round	
UNIT_LAST		PHASE	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	<a href="#">SC @ResultPhase</a>	Last Phase reached by the competitor
UNIT_LAST		RANK	N/A	Element Expected: If available



Attribute	M/O	Value	Description
Value	O	S(2)	The rank of the competitor in the last phase reached
UNIT_LAST	IRM	N/A	Element Expected: If the competitor received an IRM in the last race
Attribute	M/O	Value	Description
Value	O	<a href="#">SC @IRM</a>	IRM of the competitor if applicable in the last round reached.

**Element: Result /Competitor (1,1)**

Competitor related to one final event result.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes, NOC ID	Competitor's ID. If NOC or NPC, the value will be NOC ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	T,A	T for team A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known
Bib	O	Defined by Discipline	Competitor Bib

**Element: Result /Competitor /Description (0,1)**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.
IFId	O	S(16)	Team IF number, send if available

**Element: Result /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member.  Team members should be participating in the event.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
Bib	O	Defined by Discipline	Athlete Bib



<b>Element: Result /Competitor /Composition /Athlete /Description (1,1)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

<b>Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)</b>			
<b>Team member's or individual athlete's extended result, depending on whether Competitor @Type="T" or Competitor @Type="A" according to competitors' rules.</b>			
<b>Type</b>	<b>Code</b>	<b>Pos</b>	<b>Description</b>
PHASE	SC @ResultPhase	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	S(1)
			<b>Description</b>
			Send 'Y' if the athlete raced in the phase indicated by @Code or 'N' if they did not race.

**Sample (Individual)**



```
...
<Result SortOrder="1" Rank="1" ResultType="TIME" Result="2:14.480">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="ROUND" Value="HEAT" >
      <Extension Code="RANK" Value="2" />
    </ExtendedResult>
    <ExtendedResult Type="ER" Code="ROUND" Value="QFNL" >
      <Extension Code="RANK" Value="3" />
    </ExtendedResult>
    <ExtendedResult Type="UNIT_LAST" Code="PHASE" Value="FNL" />
    <ExtendedResult Type="UNIT_LAST" Code="RANK" Value="1" />
  </ExtendedResults>
  <Competitor Type="A" Code="2012272" Organisation="GER" >
    <Composition>
      <Athlete Code="2012272" Order="1">
        <Description GivenName="John" FamilyName="Smith" Gender="M"
Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...
<Result SortOrder="36">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="ROUND" Value="HEAT" >
      <Extension Code="RANK" Value="2" />
    </ExtendedResult>
    <ExtendedResult Type="ER" Code="ROUND" Value="QFNL" >
      <Extension Code="RANK" Value="4" />
    </ExtendedResult>
    <ExtendedResult Type="UNIT_LAST" Code="PHASE" Value="HEAT" />
    <ExtendedResult Type="UNIT_LAST" Code="IRM" Value="PEN" />
  </ExtendedResults>
  <Competitor Type="A" Code="2000137" Organisation="SWE" >
    <Composition>
      <Athlete Code="2000137" Order="1">
        <Description GivenName="James" FamilyName="Smith" Gender="M"
Organisation="SWE" BirthDate="1994-12-14" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...
```

### Sample (Team)



```
...
<Result SortOrder="1" Rank="1" ResultType="TIME" Result="6:42.100">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="RECORD" Value="OR" />
    <ExtendedResult Type="ER" Code="ROUND" Value="HEAT" >
      <Extension Code="RANK" Value="1" />
    </ExtendedResult>
    <ExtendedResult Type="ER" Code="ROUND" Value="FNLA" >
      <Extension Code="RANK" Value="1" />
    </ExtendedResult>
    <ExtendedResult Type="UNIT_LAST" Code="PHASE" Value="FNL" />
    <ExtendedResult Type="UNIT_LAST" Code="RANK" Value="1" />
  </ExtendedResults>
  <Competitor Type="T" Code="STKMTeam4---RUS01" Organisation="RUS" >
    <Description TeamName="Russia" />
    <Composition>
      <Athlete Code="2000940" Order="1" >
        <Description GivenName="John" FamilyName="Smith" Gender="M"
Organisation="RUS" BirthDate="1994-12-15" />
        <ExtendedResults>
          <ExtendedResult Type="PHASE" Code="HEAT" Value="Y" />
          <ExtendedResult Type="PHASE" Code="F" Value="Y" />
        </ExtendedResults>
      </Athlete>
      <Athlete Code="2000943" Order="2" >
        <Description GivenName="John" FamilyName="Brown" Gender="M"
Organisation="RUS" BirthDate="1994-12-14" />
        <ExtendedResults>
          <ExtendedResult Type="PHASE" Code="HEAT" Value="N" />
          <ExtendedResult Type="PHASE" Code="F" Value="Y" />
        </ExtendedResults>
      </Athlete>
      <Athlete Code="2000946" Order="3" >
        <Description GivenName="John" FamilyName="White" Gender="M"
Organisation="RUS" BirthDate="1993-12-13" />
        <ExtendedResults>
          <ExtendedResult Type="PHASE" Code="HEAT" Value="Y" />
          <ExtendedResult Type="PHASE" Code="FNL" Value="Y" />
        </ExtendedResults>
      </Athlete>
      <Athlete Code="2000964" Order="4" >
        ...
      </Athlete>
      <Athlete Code="2000967" Order="5" >
        ...
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...
```



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP

### **2.2.7.6 Message Sort**

Sort by Result @SortOrder



## 2.2.8 Configuration

### 2.2.8.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition. However it may be possible that the configuration for one particular event, phase or event unit is not known in advance. In that case send the unknown attributes blank (Value="").

### 2.2.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC of the Event	Send one message per event and include the all phases within the event message.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the</p>





		message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.8.3 Trigger and Frequency

The message is sent prior to any ODF Sports message.

Trigger also after any major change, but considering that, if possible, the configuration for one particular event, phase or event unit must be provided before the start list.

If a DT\_CONFIG message is sent after a DT\_RESULT in a related unit then the next version of DT\_RESULT must be sent immediately.

### 2.2.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>	<a href="#">Configs (1,1)</a>	<a href="#">Config (1,N)</a>	Unit <a href="#">ExtendedConfig (1,N)</a>	Type Code Pos Value

### 2.2.8.5 Message Values

Element: Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	O	<a href="#">CC @Unit</a>	Full RSC of the Unit at phase level.

Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
EC	INTERMEDIATE	S(2)	Pos Description: Send the value that identifies the intermediate point, 1 to n for



				intermediates along the course and F for the finish point. Do not consider start.  Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Send the number of laps remaining at this point.
EC		INTERMEDIATES_NUM	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Send the total number of intermediate points where the time is recorded including F.
QUALIFICATION		FROM_RANK	S(1)	Pos Description: Send A or B if this rule is applying for Final A or Final B. If a single final then do not send.  Element Expected: When applicable
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Send the qualifying rank to indicate first rank to qualify
QUALIFICATION		TO_RANK	S(1)	Pos Description: Send A or B if this rule is applying for Final A or Final B. If a single final then do not send.  Element Expected: When applicable
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Send the qualifying rank to indicate last rank to qualify
QUALIFICATION		QUAL_BT	N/A	Element Expected: When some competitors qualify by time.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0	Send the number of athletes who will qualify by time.
QUALIFICATION		QUAL_RULE	N/A	Element Expected: When applicable pre-finals



Attribute	M/O	Value	Description
Value	O	String	Text description of the qualification rule for next phase.

**Sample (Configuration)**

```

...
<Confgs>
  <Config Unit="STKM1500M-----SFNL-----">
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="13" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="12" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="11" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="4" Value="10" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="5" Value="9" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="6" Value="8" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="7" Value="7" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="8" Value="6" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="9" Value="5" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="10" Value="4" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="11" Value="3" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="12" Value="2" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="13" Value="1" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="0" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="14" />
    <ExtendedConfig Type="QUALIFICATION" Code="QUAL_RULE" Value="The first and second
placed skaters from each race qualify for Final A, the third and fourth placed skaters from each race qualify for Final
B." />
    <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Pos="A" Value="1" />
    <ExtendedConfig Type="QUALIFICATION" Code="TO_RANK" Pos="A" Value="2" />
    <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Pos="B" Value="3" />
    <ExtendedConfig Type="QUALIFICATION" Code="TO_RANK" Pos="B" Value="4" />
  </Config>
...

```

**2.2.8.6 Message Sort**

There is no general message sorting rule.



## 2.2.9 Event Unit Weather conditions

### 2.2.9.1 Description

The Event Unit Weather Conditions is a message containing the weather conditions in the Event Unit.

### 2.2.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	
DocumentType	DT_WEATHER	Weather conditions in the match message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.



### 2.2.9.3 Trigger and Frequency

Trigger approximately one hour before the start of the session and again if there is a significant change in the conditions.

### 2.2.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>				
	<a href="#">Weather (1,1)</a>			
		<a href="#">Conditions (1,N)</a>		
			Code	
			Humidity	
			<a href="#">Condition (0,3)</a>	
				Code
				Value
			<a href="#">Pressure (0,N)</a>	
				Unit
				Value
			<a href="#">Temperature (0,N)</a>	
				Code
				Unit
				Value

### 2.2.9.5 Message Values

Element: Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @WeatherPoint</a>	Weather points, send GEN only
Humidity	O	Numeric ##0	Humidity in %

Element: Weather /Conditions /Condition (0,3)			
Send three times in the case of Winter conditions.			
Attribute	M/O	Value	Description



Code	M	S(3)	Weather condition type, send ICE only
Value	M	<a href="#">CC @SnowConditions</a>	Use CC @SnowConditions for ICE

Element: Weather /Conditions /Pressure (0,N)			
Attribute	M/O	Value	Description
Unit	M	S(2)	Send "Pa", Metric system unit for Pressure
Value	M	Numeric ###0	Air pressure

Element: Weather /Conditions /Temperature (0,N)			
Send with three different @Code in the case of Winter conditions.			
Attribute	M/O	Value	Description
Code	M	S(4)	Temperature type, send AIR, ICE
Unit	M	<a href="#">SC @TemperatureUnit</a>	Unit for temperature, send both
Value	M	Numeric -##0.0 or ##0.0	Temperature of the @Code. Negative is applicable

**Sample (Weather Conditions)**

```

...
<Weather>
  <Conditions Code="GEN" Humidity="31" >
    <Condition Code="ICE" Value="nor" />
    <Pressure Unit="Pa" Value="1005" />
    <Temperature Code="AIR" Unit="C" Value="15.3" />
    <Temperature Code="AIR" Unit="F" Value="59.5" />
    <Temperature Code="ICE" Unit="C" Value="-5.8" />
    <Temperature Code="ICE" Unit="F" Value="21.6" />
  </Conditions>
</Weather>
...

```

**2.2.9.6 Message Sort**

There is no special sort order requirement for this message. Usually, Conditions@code is the attribute used to sort the conditions.



### 3 Message Timeline

#### 3.1 Preparation Phase

Trigger	Message	Status	D	E	P	S	U
OVR gets Initial data	DT_CODES		X				
	DT_SCHEDULE		X				o
	DT_PARTIC		X				
OVR sends	DT_CONFIG			X	o		
	<a href="#">DT_PDF C08 Schedule</a>		X				
After changes of athlete data	DT_PARTIC_UPDATE		X				
After changes of team data	DT_PARTIC_TEAM_UPDATE		X				
When athlete data is confirmed	<a href="#">DT_PDF C32A, C32E2 Entry List</a>			X			
	<a href="#">DT_PDF C35 Competition Officials</a>			X			

#### 3.2 Before, During, After ...

Trigger	Message	Status	D	E	P	S	U
Start List is known (Day before)	DT_RESULT	START_LIST					X
	<a href="#">DT_PDF C51X Start List</a>				X		
At scheduled start time (0')	DT_SCHEDULE_UPDATE	GETTING_READY	X				o
	DT_RESULT	LIVE					X
Start	DT_SCHEDULE_UPDATE	RUNNING	X				o
Split time	DT_RESULT						X
Finish	DT_SCHEDULE_UPDATE	FINISHED	X				o
	DT_RESULT	UNOFFICIAL					X
	DT_RESULT	OFFICIAL					X



Trigger	Message	Status	D	E	P	S	U
Last heat in a round	DT_PHASE_RESULT	OFFICIAL			X		
	<a href="#">DT_PDF C73X Results</a>				X		
Seeding for next round is confirmed	DT_RESULT	START_LIST					X
	<a href="#">DT_PDF C51X Start List</a>				X		





### 3.3 At the end of the event

Trigger	Message	Status	D	E	P	S	U
After last event unit is official	DT_MEDALLIST	OFFICIAL		X			
	DT_RANKING	OFFICIAL		X			
	DT_MEDALLIST_DISCIPLINE		X				
	DT_PDF C74X Distance classification			X			
	DT_PDF C92X Medallist			X			
	DT_PDF C93 Medallists by Event		X				

Legend:

**D** Discipline    **E** Event    **P** Phase    **S** Session    **U** Unit    **X** Sent on that level    **o** Includes info from that level



## 4 Document Control

Version history		
Version	Date	Comments
v1.0	26 Feb 2015	First Version
v1.1	12 Mar 2015	Updated with Omega comments
v1.2	7 Jul 2015	Updated code system
v1.3	9 Sep 2015	Updated
v1.4	4 Jan 2016	Status Change
v1.5	24 Mar 2016	Updated
v1.6	24 Jun 2016	Updated
v1.7	10 Nov 2016	Updated
v1.8	22 Dec 2016	Minor update
v1.9	23 Feb 2017	CR14627
v2.0	2 Mar 2017	First version as a full document
v2.1	20 Apr 2017	CR14725, CR14738
v2.2	20 Jul 2017	CR15149. CR15289 after Homologation Test
v2.3	2 Oct 2017	Minor update

### File Reference: ODF/INT425 R-WOG-2018-STK-v2.3 APP

Change Log		
Version	Status	Changes on version
v1.0	Draft	First Version
v1.1	SFR	Omega review
v1.2	SFR	Updated to new codes. Changed @ResultPhase codes to match new RSCs
v1.3	SFR	For consistency, updated to send intermediate point at finish as in speed skating.
v1.4	SFA	Status Change
v1.5	SFA	Corrected sample in DT_CONFIG Add flag for photo in DT_RESULT Add last intermediate passed in DT_RESULT CR8928, DT_PARTIC add 'Substitute' at Discipline/RegisteredEvent and remove extension CR8930 - Change header in phase results message
v1.6	APP	Correct typographical error in DT_RECORD in the sample
v1.7	APP	In message timeline updated DT_RANKING to after each round



v1.8	APP	Added clarification in DT_RANKING Trigger
v1.9	APP	DT_IMAGE: CR14627 - Add Result Element to include competitors in the message
v2.0	APP	First version as a full document
v2.1	APP	<p>CR14725:            - DT_RANKING: Remove UNIT_ALL ExtendedResult and add ROUND ExtendedResult</p> <p>CR14738:            - DT_PARTIC_UPDATE: RANK_ASSIGN@EventUnitEntry added            - DT_RESULT: LEADER_SPEED@Display/ExtendedInfo added            - DT_RESULT: Triggering: Clarification added on UNCONFIRMED, UNOFFICIAL, OFFICIAL</p> <p>- Timeline: DT_RANKING added at the end of the event            - Timeline: marks in Session column removed            - DT_PHASE_RESULT: added clarification in Message Sort</p>
v2.2	APP	<p>CR15149:            - DT_RESULT: Add Result/Competitor/Composition/Athlete/EventUnitEntry (Type=EUE, Code=YC) extension to indicate that an athlete has received a yellow card in one of the previous event he/she participated</p> <p>CR15289 - After Homologation Test            Ref HT issue #150061            - DT_RANKING: Triggers: Send only at the end of each Event</p> <p>Ref HT issue #150071            - DT_PHASE_RESULT: Updated trigger at the end of the Phase. Send only when OFFICIAL. Not after UNCONFIRMED or UNOFFICIAL</p> <p>Ref HT issue #150073            - DT_CONFIG: /Config /ExtendedConfig (Type=EC, Code=INTERMEDIATES_NUM). Description updated to include F in the count</p> <p>Ref HT issue #150074            - DT_RESULT: /ExtendedInfo (Type=UI, Code=LEADER). Pos data type updated from Numeric #0 to S(2) in order to accept "F" for the last intermediate</p> <p>- DT_RESULT: /ExtendedInfo (Type=DISPLAY, Code=LAST_INTERMEDIATE). Value data type updated from Numeric #0 to S(2) in order to accept "F" for the last intermediate</p> <p>Ref HT issue #150077, #150132            - DT_RESULT:              /Result@Diff added with "+" sign inclusive.              /Result/ExtendedResults/ExtendedResult (Type=PROGRESS, Code=INTERMEDIATE): Diff attribute added</p> <p>Ref HT issue #150033 - Add LAPS TO GO in ExtendedInfos            - DT_RESULT: Laps to go information added in /ExtendedInfo (Type=DISPLAY, Code=LAPS_TO_GO).</p>
v2.3	APP	DT_RESULT:



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT425 R-WOG-2018-STK-v2.3 APP

		ExtendedInfos /UnitDateTime@StartDate added
--	--	---