



Olympic Data Feed



ODF Curling Data Dictionary
PyeongChang – XXIII Olympic Winter Games
Technology and Information Department
© International Olympic Committee

ODF/INT414 R-WOG-2018-CUR-v2.3 APP
2 October 2017



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction.....	6
1.1 This document.....	6
1.2 Objective.....	6
1.3 Main Audience.....	6
1.4 Glossary.....	6
1.5 Related Documents.....	6
2 Messages.....	8
2.1 Applicable Messages.....	8
2.2 Messages.....	10
2.2.1 Competition schedule / Competition schedule update.....	10
2.2.1.1 Description.....	10
2.2.1.2 Header Values.....	11
2.2.1.3 Trigger and Frequency.....	12
2.2.1.4 Message Structure.....	12
2.2.1.5 Message Values.....	14
2.2.1.6 Message Sort.....	17
2.2.2 List of participants by discipline / List of participants by discipline update.....	18
2.2.2.1 Description.....	18
2.2.2.2 Header Values.....	18
2.2.2.3 Trigger and Frequency.....	19
2.2.2.4 Message Structure.....	19
2.2.2.5 Message Values.....	21
2.2.2.6 Message Sort.....	24
2.2.3 List of teams / List of teams update.....	25
2.2.3.1 Description.....	25
2.2.3.2 Header Values.....	25
2.2.3.3 Trigger and Frequency.....	26
2.2.3.4 Message Structure.....	26
2.2.3.5 Message Values.....	27
2.2.3.6 Message Sort.....	29
2.2.4 Event Unit Start List and Results.....	31
2.2.4.1 Description.....	31
2.2.4.2 Header Values.....	31
2.2.4.3 Trigger and Frequency.....	32
2.2.4.4 Message Structure.....	32
2.2.4.5 Message Values.....	36
2.2.4.6 Message Sort.....	50



2.2.5 Play by Play.....	<u>51</u>
2.2.5.1 Description.....	<u>51</u>
2.2.5.2 Header Values.....	<u>51</u>
2.2.5.3 Trigger and Frequency.....	<u>52</u>
2.2.5.4 Message Structure.....	<u>52</u>
2.2.5.5 Message Values.....	<u>54</u>
2.2.5.6 Message Sort.....	<u>57</u>
2.2.6 Current Information.....	<u>58</u>
2.2.6.1 Description.....	<u>58</u>
2.2.6.2 Header Values.....	<u>58</u>
2.2.6.3 Trigger and Frequency.....	<u>59</u>
2.2.6.4 Message Structure.....	<u>59</u>
2.2.6.5 Message Values.....	<u>60</u>
2.2.6.6 Message Sort.....	<u>66</u>
2.2.7 Pool Standings.....	<u>67</u>
2.2.7.1 Description.....	<u>67</u>
2.2.7.2 Header Values.....	<u>67</u>
2.2.7.3 Trigger and Frequency.....	<u>68</u>
2.2.7.4 Message Structure.....	<u>68</u>
2.2.7.5 Message Values.....	<u>70</u>
2.2.7.6 Message Sort.....	<u>74</u>
2.2.8 Brackets.....	<u>75</u>
2.2.8.1 Description.....	<u>75</u>
2.2.8.2 Header Values.....	<u>75</u>
2.2.8.3 Trigger and Frequency.....	<u>76</u>
2.2.8.4 Message Structure.....	<u>76</u>
2.2.8.5 Message Values.....	<u>78</u>
2.2.8.6 Message Sort.....	<u>81</u>
2.2.9 Statistics.....	<u>83</u>
2.2.9.1 Description.....	<u>83</u>
2.2.9.2 Header Values.....	<u>83</u>
2.2.9.3 Trigger and Frequency.....	<u>84</u>
2.2.9.4 Message Structure.....	<u>84</u>
2.2.9.5 Message Values.....	<u>87</u>
2.2.9.6 Message Sort.....	<u>109</u>
2.2.10 Event Final Ranking.....	<u>110</u>
2.2.10.1 Description.....	<u>110</u>
2.2.10.2 Header Values.....	<u>110</u>
2.2.10.3 Trigger and Frequency.....	<u>111</u>
2.2.10.4 Message Structure.....	<u>111</u>
2.2.10.5 Message Values.....	<u>112</u>



2.2.10.6	Message Sort	114
2.2.11	Configuration	115
2.2.11.1	Description	115
2.2.11.2	Header Values	115
2.2.11.3	Trigger and Frequency	116
2.2.11.4	Message Structure	116
2.2.11.5	Message Values	116
2.2.11.6	Message Sort	120
2.2.12	Event Unit Weather conditions	121
2.2.12.1	Description	121
2.2.12.2	Header Values	121
2.2.12.3	Trigger and Frequency	122
2.2.12.4	Message Structure	122
2.2.12.5	Message Values	122
2.2.12.6	Message Sort	123
3	Message Timeline	125
3.1	Preparation Phase	125
3.2	Before each Session	125
3.3	During each Session – for each Game	126
3.4	After last Game of a Session	127
3.5	After the last Round Robin or Tie-breaker Session	127
3.6	After the Bronze Medal Game	128
3.7	After the Gold Medal Game	128
4	Document Control	128



1 Introduction

1.1 This document

This document includes the ODF Curling Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Curling.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Curling Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Curling competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/INT400	ODF Foundation Principles	The document explains the environment and general principles for ODF
ODF/INT401	ODF General Messages Interface Document	The document describes the ODF General Messages
ODF/COD404	Common Codes	The document describes the ODF Common codes used across all ODF documents.



Document Reference	Document Title	Document Description
ODF/COD405	ODF Sport Codes	This document describes the ODF specific codes used in this sport
ODF/COD406	ODF Header Values	The document details the header values which shows which RSCs are used in which messages.



2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Curling.

- The column “Message type“ indicates the DocumentType that identifies a message
- The column “Message name“ is the message name identified by the message type
- The column “Message extended“ indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	/ Competition schedule / Competition schedule update	<u>X</u>
DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline / List of participants by discipline update	<u>X</u>
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	/ List of teams / List of teams update	<u>X</u>
DT_MEDALS	Medal standings	
DT_MEDALLISTS_DAY	Medallists of the day	
DT_GLOBAL_GM	Global good morning	
DT_GLOBAL_GN	Global good night	
DT_RESULT	Event Unit Start List and Results	<u>X</u>
DT_PLAY_BY_PLAY	Play by Play	<u>X</u>
DT_CURRENT	Current Information	<u>X</u>
DT_POOL_STANDING	Pool Standings	<u>X</u>
DT_BRACKETS	Brackets	<u>X</u>
DT_STATS	Statistics	<u>X</u>
DT_RANKING	Event Final Ranking	<u>X</u>
DT_COMMUNICATION	Communication	



DT_CONFIG	Configuration	X
DT_WEATHER	Event Unit Weather conditions	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_KA	Keep Alive	



2.2 Messages

2.2.1 Competition schedule / Competition schedule update

2.2.1.1 Description

The Competition schedule is a bulk message provided for one particular discipline. As a general rule, it contains the complete schedule information for all event units needed to run a competition and excludes event units for activities such as unofficial training and press conferences.

This message contains the competition timetable for a complete discipline as well as status for each competition unit and is updated from OVR via the schedule update message.

All event units in codes which have the 'schedule' flag set to 'Y' are included in schedule messages (and have status UNSCHEDULED or SCHEDULED).

The arrival of the competition schedule message resets all the previous schedule information for one particular discipline.

The StartList component of the message is only included once the competitors are known.

To ensure there are no incorrectly ordered units then the start time must not be updated to the actual start time (there is an actual start time field to cater for this).

Advice for end users - how to sort event units and use DT_SCHEDULE:

- When displaying the schedule users must use the following sort order to display as intended:

1. By day (or filter by day)
2. By location if applicable (in a small number of sports)
3. By Time (regardless if HideStartDate='Y')
4. By Order

- The Order is sent for all units where HideStartDate='Y' else not sent. Start with 1 each new session each day

- End users should display StartText if HideStartDate='Y'

Competition schedule update:

Competition schedule update is an update message. It is not a complete schedule information message, but only the schedule data being modified.



The arrival of this message updates the previous schedule information for one particular event unit, but does not notify any other change for the rest of the event units except for those contained in the message.

The key of the information updated is Unit @Code. Therefore, any new unit, deleted unit or updated unit will be identified by all this attribute.

It has to be understood that if one DT_SCHEDULE message arrives, then all previous DT_SCHEDULE_UPDATE messages should be discarded.

When message is sent from Competition Schedule application in advance of the Games the element ExtendedInfos/EntendedInfo will contain following information:

- Type=CS, Code=VERSION, the attribute Value will indicate the version details from the competition schedule application
- Type=CS, Code=STATUS the attribute Value will indicate the status details from the competition schedule application

2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<u>CC @Competition</u>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_SCHEDULE / DT_SCHEDULE_UPDAT E	Competition schedule bulk / update
Version	1...V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Refer to the ODF header definition
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at



		<p>21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.1.3 Trigger and Frequency

The competition schedule will be sent as a bulk message (DocumentType="DT_SCHEDULE") when available before the Games and then sent multiple times until a date to be confirmed after which only update messages will be sent (DocumentType="DT_SCHEDULE_UPDATE") by OVR. There is no automatic triggering and this (DT_SCHEDULE) message must not be sent after the transfer of control to OVR.

The competition schedule update message should be triggered at any time there has been a competition schedule modification for any previously sent competition schedule bulk message or update message including the addition of start list details (H2H).

Generally start list details for H2H should be sent immediately when known and usually soon after the preceding unit changes to Official.

The triggers for status changes are described in each sport data dictionary where differences are needed.

If any text descriptions change in a message (as opposed to the code) then this message is not resent to correct previous messages however the new data is to be used in future messages.

2.2.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Session (0,N)					
		SessionCode				
		StartDate				
		EndDate				



	Venue	
	VenueName	
	<u>SessionName (1,N)</u>	
		Language
		Value
<u>Unit (0,N)</u>		
	Code	
	PhaseType	
	ScheduleStatus	
	StartDate	
	EndDate	
	ActualStartDate	
	ActualEndDate	
	Order	
	Medal	
	Venue	
	Location	
	SessionCode	
	ModificationIndicator	
	<u>ItemName (1,N)</u>	
		Language
		Value
	<u>VenueDescription (1,1)</u>	
		VenueName
		LocationName
	<u>StartList (0,1)</u>	
		<u>Start (1,N)</u>
		SortOrder
		PreviousWLT
		PreviousUnit
		<u>Competitor (1,1)</u>
		Code



	Type	
	Description (0,1)	
		TeamName

2.2.1.5 Message Values

Element: Competition /Session (0,N)			
Attribute	M/O	Value	Description
SessionCode	M	S(5)	Code of the session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
StartDate	M	DateTime	Start date. Example: 2006-02-26T10:00:00+01:00
EndDate	M	DateTime	End date. Example: 2006-02-26T10:00:00+01:00
Venue	M	CC @VenueCode	Venue where the session takes place
VenueName	M	S(25)	Name of venue

Element: Competition /Session /SessionName (1,N)			
Attribute	M/O	Value	Description
Language	M	CC @Language	Language of the Session Description
Value	O	S(40)	Name of the session

Element: Competition /Unit (0,N)			
Attribute	M/O	Value	Description
Code	M	Full RSC for the unit	
PhaseType	M	CC @PhaseType	Phase type for the unit
ScheduleStatus	M	CC @ScheduleStatus	Unit Status
StartDate	O	DateTime	Start date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED. For other statuses the StartDate is expected otherwise ordering is display is incorrert (including CANCELLED and POSTPONED. This is the scheduled Start date and time and will not



			<p>be updated when an event unit starts (updated only with RESCHEDULED status)</p> <p>Where HideStartDate="Y" then this should be filled with the session start time or the start time of a group of units for all similar units and Order used for sorting. This method is not used in team sports where HideStartDate="Y" is only used temporarily to remove times.</p> <p>Example: 2006-02-26T10:00:00+01:00</p>
EndDate	O	DateTime	<p>End date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED, POSTPONED or CANCELLED.</p> <p>Example: 2006-02-26T10:00:00+01:00</p>
ActualStartDate	O	DateTime	<p>This attribute is expected once the event unit has started.</p> <p>Example: 2006-02-26T10:03:22+01:00</p>
ActualEndDate	O	DateTime	<p>This attribute is expected once the event unit has finished.</p> <p>Example: 2006-02-26T12:43:51+01:00</p>
Order	O	Numeric ###0	<p>Order of the units when displayed. This field is considered in following situation:</p> <p>If some units start at the same time and a particular order of the units is expected.</p>
Medal	O	SC @UnitMedalType	<p>Gold medal event unit or bronze medal event unit. Do not send if not a medal event unit</p>
Venue	M	CC @VenueCode	<p>Venue where the unit takes place Use TBD if the Venue is not known yet (CC).</p>
Location	M	CC @Location	<p>Location where the unit takes place Use TBD if the Location is not known yet (CC) or a generic code for the discipline.</p>
SessionCode	O	S(5)	<p>Code of the session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.</p>
ModificationIndicator	O	N, U	<p>Attribute is mandatory in the DT_SCHEDULE_UPDATE message only</p> <p>N-New event unit U-Update event unit</p>



			<p>If ModificationIndicator='N', then include new event unit. It will be rarely used as most added units were available in "UNSCHEDULED" status.</p> <p>If ModificationIndicator="U", then update the event unit.</p>
--	--	--	---

Element: Competition /Unit /ItemName (1,N)			
Attribute	M/O	Value	Description
Language	M	CC @Language	Code Language of the @Value
Value	M	S(40)	<p>Item Name / Unit Description.</p> <p>For competition units show the short unit description from common codes which matches the RSC. As in all messages with a description only the ENG description is expected.</p> <p>For non-competition schedules (where the item description is not in common codes) then add the description.</p>

Element: Competition /Unit /VenueDescription (1,1)			
Attribute	M/O	Value	Description
VenueName	M	S(25)	Venue name in first language. This is the CC value from unit/venue
LocationName	M	S(30)	Location name in first language. This is the CC value from unit/location.

Element: Competition /Unit /StartList /Start (1,N)			
StartList information is only sent in the case that the Unit type is one of HATH, HCOUP, HNOC or HTEAM and at least one of the competitors are known. (Sent as soon as known for applicable units)			
Attribute	M/O	Value	Description
SortOrder	M	Numeric	Used to sort competitors in an event unit (for example, if there is no StartOrder). It is mainly used for display purposes.
PreviousWLT	O	S(1)	Winner or Loser of the Unit specified at PreviousUnit.
PreviousUnit	O	S(34)	The full RSC of the Unit from the previous competition phase that fulfill the specified position in the match up.



			<p>To add only when the Unit from previous competition phase to give the competitor is 100% confirmed as participating at this time and not subject to change due to TV times or any other reason.</p> <p>To remove when the actual competitors are known.</p>
--	--	--	--

Element: Competition /Unit /StartList /Start /Competitor (1,1)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes, TBD or NOCOMP.	Competitor's ID, TBD in case that the competitor is not known at this time AND the other competitor is known. NOCOMP is sent when there is no competitor (and will not come later)
Type	M	T	T for team

Element: Competition /Unit /StartList /Start /Competitor /Description (0,1)

Attribute	M/O	Value	Description
TeamName	M	S(73)	Team Name where known, must send when available

2.2.1.6 Message Sort

Sort by Session @SessionCode.

The message is sorted by Unit@StartDate then by Unit@Order then Unit@Code.

In case of event unit with no Unit@StartDate defined (example, they are in an event unit status such as UNSCHEDULED), they will be listed at the end in Unit@Code order.



2.2.2 List of participants by discipline / List of participants by discipline update

2.2.2.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC	/ List of participants by discipline message



	DT_PARTIC_UPDATE	
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.2.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.2.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					



Participant (1,N)

- Code
- Parent
- Status
- GivenName
- FamilyName
- PrintName
- PrintInitialName
- TVName
- TVInitialName
- LocalFamilyName
- LocalGivenName
- Gender
- Organisation
- BirthDate
- Height
- Weight
- PlaceofBirth
- CountryofBirth
- PlaceofResidence
- CountryofResidence
- Nationality
- MainFunctionId
- Current
- OlympicSolidarity
- ModificationIndicator

Discipline (1,1)

Code

RegisteredEvent (0,N)

Event

Status

EventEntry (0,N)



	Code
	Type
	Pos
	Value

2.2.2.5 Message Values

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>



Status	O	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false". To delete a participant, a specific value of the Status attribute is used.
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional



			situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	'Y' or 'N' Flag to indicating if the participant participates in the Olympic Scholarship program.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline

Element: Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event



Status	O	SC @AthleteStatus	Participant's status in the team. Only send if applicable, do not send empty.
--------	---	-----------------------------------	---

Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N)

Send if there are specific athlete's event entries.

Type	Code	Pos	Description
ENTRY	POSITION	N/A	Element Expected: As soon as it is known (this information can be sent in both messages).
Attribute	M/O	Value	Description
Value	O	CC @Position	Position Code for the player
ENTRY	HAND	N/A	Element Expected: As soon it is known (this information can be sent in both messages).
Attribute	M/O	Value	Description
Value	O	SC @Hand	Hand
ENTRY	ROLE	N/A	Element Expected: If applicable (this information can be sent in update message).
Attribute	M/O	Value	Description
Value	O	SC @Role	Athlete's role in the team. Only send if applicable, do not send empty.

Sample (Sample)

```
<Discipline Code="CUR-----" IFId="203258" >
  <RegisteredEvent Event="CURMTEAM4-----" >
    <EventEntry Type="ENTRY" Code="POSITION" Value="3" />
    <EventEntry Type="ENTRY" Code="HAND" Value="L" />
    <EventEntry Type="ENTRY" Code="ROLE" Value="V" />
  </RegisteredEvent>
</Discipline>
```

2.2.2.6 Message Sort

The message is sorted by Participant @Code



2.2.3 List of teams / List of teams update

2.2.3.1 Description

The List of teams message contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. Pairs (tennis, figure skating, etc.) are also defined as team of two competitors. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.



		<p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.3.3 Trigger and Frequency


The DT_PARTIC_TEAMS message is sent as a bulk message approximately one month before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

2.2.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Team (1,N)				
		Code			
		Organisation			
		Number			
		Name			
		TVTeamName			
		Gender			
		Current			
		ModificationIndicator			
		Composition (0,1)			
			Athlete (0,N)		



2.2.3.5 Message Values

Element: Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID (example ATHM4X400M--ESP01, 393553) When the Team is an historical one, then this ID starts with "T".
Organisation	M	CC @Organisation	Team organisation's ID
Number	O	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.
Name	O	S(73)	Team's name.
TVTeamName	O	S(21)	Team's TV Name. In head-to-head pairs competitions this should be in the



			format SMITH/JONES [max char(10) per name] else it is the organisation name unless special rules apply.
Gender	M	CC @DisciplineGender	Discipline Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
ModificationIndicator	M	N, U, D	<p>Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only</p> <p>N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team</p> <p>If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams</p> <p>If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams</p> <p>If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams</p>

Element: Team /Composition /Athlete (0,N)

In the case of current teams the number of athletes is 2 or more.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition.
Order	O	Numeric	Team member order.

Element: Team /TeamOfficials /Official (1,N)

Send if there are specific officials for the team. Does not apply to historical teams.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's ID of the listed team's official. Therefore, he/she makes part of the team's officials.
Function	M	CC @ResultsFunction	Official's function for the team.

Element: Team /Discipline (0,1)



Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline

Element: Team /Discipline /RegisteredEvent (0,1)
Each current team is assigned to one event. Historical teams will not be registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event

Element: Team /Discipline /RegisteredEvent /EventEntry (0,N)
Send if there are specific team's event entries.

Type	Code	Pos	Description
ENTRY	GROUP	N/A	Element Expected: As soon as this information is known (it can be sent in both messages)
	Attribute	M/O	Value
	Value	O	S(1)
			Description
			Pool of the team in the preliminaries

Sample (Sample)

```
<Team Code="CURMTEAM4----CHN01" Organisation="CHN" Number="1" Name="China" Gender="M"
Current="true" ModificationIndicator="U">
  <Composition>
    <Athlete Code="2005035" Order="1" />
    <Athlete Code="2005037" Order="2" />
    <Athlete Code="2005038" Order="3" />
    <Athlete Code="2005040" Order="4" />
    <Athlete Code="2005047" Order="5" />
  </Composition>
  <TeamOfficials>
    <Official Code="2005094" Function="COACH" />
    <Official Code="2456788" Function="TM_MGR" />
  </TeamOfficials>
  <Discipline Code="CUR-----" >
    <RegisteredEvent Event="CURMTEAM4-----" />
    <EventEntry Type="ENTRY" Code="GROUP" Value="A" />
  </RegisteredEvent>
</Discipline>
</Team>
```

2.2.3.6 Message Sort

The message is sorted by Team @Code.



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT414 R-WOG-2018-CUR-v2.3 APP



2.2.4 Event Unit Start List and Results

2.2.4.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

This is always a full message and all applicable elements and attributes are always sent.

2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values).
DocumentSubcode	N/A	Not used in CUR
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	Not used in CUR
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	START_LIST, LIVE, INTERMEDIATE, UNOFFICIAL or OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m.



		For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.


2.2.4.3 Trigger and Frequency


- START_LIST: As soon as the team/teams are known, before the match begins.
- START_LIST: As soon as any of the line-up or starters are known and any change/addition to these only before the start of the match.
- START_LIST: As soon as Last Stone Draw information is available (after warm-up period of each team)
- LIVE: After the beginning of each end until the completion of the end.
- LIVE: After every change in any data during the end [scores etc.].
- INTERMEDIATE: After the result of each end has been confirmed by the teams.
- LIVE: Mixed Doubles only: Before the beginning of an end in case of powerplay situations announced to the umpires.
- UNOFFICIAL: As soon as the match is finished including last actions without further corrections, unless OFFICIAL messages are imminent.
- OFFICIAL: After the unit is official.


2.2.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	ExtendedInfos (0,1)						
		UnitDateTime (0,1)					
		ExtendedInfo (0,N)					
			Type				
			Code				
			Pos				
			Value				
		SportDescription (0,1)					
			DisciplineName				
			EventName				









	Pos
	Value
	StatsItems (0,1)
	StatsItem (1,N)
	Type
	Code
	Pos
	Value

2.2.4.5 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type		Code	Pos	Description
UI		PERIOD	N/A	Element Expected: Send when LIVE or INTERMEDIATE
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Send current end
UI		EE	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send "Y" is the game has extra ends else do not send
UI		TB	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send "Y" if the game is a tie-break game else do not send.
UI		LRRS	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send "Y" if the game is in the last round robin session else do not send.
UI		SITUATION	N/A	Element Expected: When available
	Attribute	M/O	Value	Description



	Value	O	String	Send the description of the overall game situation.
DISPLAY		LAST_COMP_HOM E	N/A	Element Expected: When available at the end of each end
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send Y if the Home team was the last team to score or in case of a blank end (0:0) or no score (X:X).
DISPLAY		LAST_COMP_AWA Y	N/A	Element Expected: When available at the end of each end.
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send Y if the Away team was the last team to score or in case of a blank end (0:0) or no score (X:X).

Sample (Sample)

```

...
<ExtendedInfos>
  <UnitDateTime StartDate="2012-07-25T17:00:00+01:00" />
  <ExtendedInfo Type="UI" Code="PERIOD" Value="5" />
...
</ExtendedInfos>
...

```

Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code



LocationName	M	S(30)	Location short name (not code) from Common Codes
Attendance	O	#####0	Number of spectators

Element: Officials /Official (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	CC @ResultsFunction	Send according to the codes.
Order	M	Numeric	Send by order for each official.

Element: Officials /Official /Description (1,1)

Officials extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the official
Organisation	M	CC @Organisation	Officials' organisation

Element: Periods (0,1)

Attribute	M/O	Value	Description
Home	M	S(20) with no leading zeroes	Home Competitor ID
Away	M	S(20) with no leading zeroes	Away Competitor ID

Element: Periods /Period (1,N)

Period in which the event unit message arrives.

Attribute	M/O	Value	Description
Code	M	Numeric #0	The end number
HomeScore	M	S(2)	Overall score of the home competitor at the end of the end indicated at @Code. Can be the score, W or L
AwayScore	M	S(2)	Overall score of the away competitor at the end of the end indicated at @Code. Can be the score, W or L



HomePeriodScore	O	S(1)	Score of the home competitor just for the end indicated at @Code. Can be the score, X, /, or blank (nothing)
AwayPeriodScore	O	S(1)	Score of the away competitor just for the end indicated at @Code. Can be the score, X, /, or blank (nothing)

Element: Periods /Period /ExtendedPeriods /ExtendedPeriod (1,N)

ExtendedPeriod information.

Type	Code	Pos	Description
EP	HOME_REMAIN	N/A	Element Expected: After each end is complete.
	Attribute	M/O	Value
	Value	O	h:mm:ss
			Send the remaining time for the home team. Do not send leading zeros.
EP	AWAY_REMAIN	N/A	Element Expected: After each end is complete.
	Attribute	M/O	Value
	Value	O	h:mm:ss
			Send the remaining time for the away team. Do not send leading zeros.
EP	LSCE	N/A	Element Expected: Only for the current end
	Attribute	M/O	Value
	Value	O	S(1)
			Send which team gets the last stone in the current end corresponding to the period. Send 1 for the first (Home) Team, 2 for the second (Away) Team
EP	HOME_POWERPLAY	N/A	Element Expected: As soon as the teams let the umpire know, before an end is played. Data remains in the message until the end of the game.
	Attribute	M/O	Value
	Value	O	S(1)
			'Y' Send 'Y' to indicate that the positioned



				stones are placed in the Power Play option.
EP		AWAY_POWERPLAY	N/A	Element Expected: As soon as the teams let the umpire know, before an end is played. Data remains in the message until the end of the game.
	Attribute	M/O	Value	Description
	Value	O	S(1)	'Y' Send 'Y' to indicate that the positioned stones are placed in the Power Play option.

Sample (ExtendedPeriods)

```

...
<Period Code="6" HomeScore="1" AwayScore="6" HomePeriodScore="0" AwayPeriodScore="4">
  <ExtendedPeriods>
    <ExtendedPeriod Type="EP" Code="HOME_REMAIN" Value="31:45" />
    <ExtendedPeriod Type="EP" Code="AWAY_REMAIN" Value="35:54" />
    <ExtendedPeriod Type="EP" Code="HOME_POWERPLAY" Value="Y" />
  </ExtendedPeriods>
</Period>
<Period Code="7" HomeScore="1" AwayScore="6" HomePeriodScore="0" AwayPeriodScore="0">
  <ExtendedPeriods>
    <ExtendedPeriod Type="EP" Code="LSCE" Value="1" />
    <ExtendedPeriod Type="EP" Code="AWAY_POWERPLAY" Value="Y" />
  </ExtendedPeriods>
</Period>
...

```

Element: Result (1,N)

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
Result	O	Numeric #0 or W or L	The result of the competitor in the event unit
IRM	O	SC @IRM	The invalid rank mark, in case it is assigned
WLT	O	SC @WLT	The code whether a competitor won or lost
SortOrder	M	Numeric	This attribute is a sequential number with the order of the Home team (1) and the Away team (2)



StartOrder	O	Numeric	Redundant, not required
StartSortOrder	M	Numeric	Same @SortOrder
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	LSD_TOTAL	N/A	Element Expected: When available, usually only for Round Robin
	Attribute	M/O	Value
	Value	O	Numeric ##0.0
	Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: Only if it is needed		
	Attribute	Value	Description
	Code	TOSS	Send proposed code
	Pos	N/A	
	Value	S(1)	Send "Y" if determined by toss.
ER	LSD	Numeric 0	Pos Description: LSD number, 1 or 2 Element Expected: For each LSD shot if applicable
	Attribute	M/O	Value
	Value	O	Numeric ##0.0
	Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: For each LSD shot if applicable		
	Attribute	Value	Description
	Code	PLAYER	Send proposed code
	Pos	N/A	
	Value	S(20)	ID of the competitor who took the shot
	Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: For each LSD shot if applicable		
	Attribute	Value	Description
	Code	TURN	Send proposed code
	Pos	N/A	



	Value	SC @Turn	Send Turn	
ER		LSFE	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send Y to indicate this team throws the "Last Stone First End" else do not send
ER		SITUATION	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	String	Send the description of the game situation.

Sample (General)

```

...
<ExtendedResults>
  <ExtendedResult Type="ER" Code="LSD_TOTAL" Value="158.4" >
    <ExtendedResult Type="ER" Code="LSD_Pos="1" Value="62.0" >
      <Extension Code="PLAYER" Value="123456" />
      <Extension Code="TURN" Value="CW" />
    </ExtendedResult>
  </ExtendedResult>
</ExtendedResults>
...

```

Element: Result /Competitor (1,1)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD or NOCOMP	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available NOCOMP is sent when there is no competitor (and will not come later)
Type	M	T	T for team

Element: Result /Competitor /Description (0,1)

Competitors extended information.

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team.

Element: Result /Competitor /Coaches /Coach (1,N)



Competitor's Coach			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	ID of the coach
Order	M	Numeric	Send order for coaches, sequential number (order as they are presented on NOC entry form)
Function	M	CC @ResultsFunction	Coach function

Element: Result /Competitor /Coaches /Coach /Description (1,1)			
Coach extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the official
Nationality	M	CC @Country	Coach's nationality

Element: Result /Competitor /Coaches /Coach /Description /ExtendedDescription (0,N)				
Type	Code	Pos	Description	
EUE	STATUS	N/A	Element Expected: If applicable for the coach.	
	Attribute	M/O	Value	Description
	Value	O	SC @AthleteStatus	Send code is applicable. Only send if suspended or disqualified

Element: Result /Competitor /EventUnitEntry (0,N)				
For team event information				
Type	Code	Pos	Description	
EUE	HOME_AWAY	N/A	Element Expected: When available	
	Attribute	M/O	Value	Description
	Value	O	SC @Home	Send Home or Away

Sample (General)

```
<EventUnitEntry Type="EUE" Code="HOME_AWAY" Value="HOME"/>
```

Element: Result /Competitor /StatsItems /StatsItem (1,N)			
Type	Code	Pos	Description



ST		TOURN_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Total number of stones considered in the tournament for the team
ST		TOURN_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Cumulative percentage of the team until the end of the current game
ST		GAME_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Total number of stones considered in the game for the team
ST		GAME_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Game percentage of the team
ST		DRAW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Draws number for the team
ST		DRAW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Draws percentage for the team
ST		TAKEOUT_NUM	N/A	Element Expected: Always, if the information is available



	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Takeouts number for the team
ST		TAKEOUT_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Takeouts percentage for the team
ST		CW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Clockwise (In-Turn) number for the team
ST		CW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Clockwise (In-Turn) percentage for the team
ST		CCW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Counter-Clockwise (Out-Turn) number for the team
ST		CCW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Counter-Clockwise (Out-Turn) percentage for the team

Sample (General)



```

...
<StatsItems>
  <StatsItem Type="ST" Code="TOURN_NUM" Value="156" />
  <StatsItem Type="ST" Code="TOURN_PERCENT" Value="74" />
  <StatsItem Type="ST" Code="GAME_NUM" Value="34" />
  <StatsItem Type="ST" Code="GAME_PERCENT" Value="77" />
  <StatsItem Type="ST" Code="DRAW_NUM" Value="49" />
  <StatsItem Type="ST" Code="DRAW_PERCENT" Value="79" />
  <StatsItem Type="ST" Code="TAKEOUT_NUM" Value="30" />
  <StatsItem Type="ST" Code="TAKEOUT_PERCENT" Value="73" />
...
</StatsItems>
...

```

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete ID
Order	M	Numeric	Current Order
StartSortOrder	M	Numeric 0	Order the players should appear in the Start List.

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available

Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)			
Individual athletes entry information.			
Type	Code	Pos	Description
EUE	STATUS	N/A	Element Expected: If applicable
	Attribute	M/O	Value
			Description



	Value	O	SC @AthleteStatus	Send code if applicable
EUE		ROLE	Numeric #0	Pos Description: Send the end where the athlete started in this role. Usually only 1 Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	SC @Role	Role of the player in the team starting at this @Pos
EUE		POSITION	Numeric #0	Pos Description: Send the end where the athlete started in this position. Usually only 1 Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	CC @Position	Position of the player in the team starting at this @Pos.
EUE		HAND	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	SC @Hand	Handedness of the player

Sample (General)

```

...
<Athlete Code="1135320" Order="2">
  <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI"
  BirthDate="1992-12-15" />
  <EventUnitEntry Type="EUE" Code="POSITION" Pos="1" Value="3" />
  <EventUnitEntry Type="EUE" Code="POSITION" Pos="6" Value="4" />
  <EventUnitEntry Type="EUE" Code="ROLE" Pos="1" Value="V" />
  <EventUnitEntry Type="EUE" Code="HAND" Value="R" />
...

```

Element: Result /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Type	Code	Pos	Description	
ST	TOURN_NUM	N/A	Element Expected: Always, if the information is available	
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Total number of stones considered in the tournament for the player



ST		TOURN_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Cumulative percentage of the player until the end of the current game
ST		GAME_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Total number of stones considered in the game for the player
ST		GAME_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Game percentage of the player
ST		DRAW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Draws number for the player
ST		DRAW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Draws percentage for the player
ST		TAKEOUT_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Takeouts number for the player
ST		TAKEOUT_PERCENT	N/A	Element Expected: Always, if the information is available



	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Takeouts percentage for the player
ST		CW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Clockwise (In-Turn) number for the player
ST		CW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Clockwise (In-Turn) percentage for the player
ST		CCW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Counter-Clockwise (Out-Turn) number for the player
ST		CCW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Counter-Clockwise (Out-Turn) percentage for the player

Sample (General)



```
...
<StatsItems>
...
  <StatsItem Type="ST" Code="GAME_NUM" Value="19" />
  <StatsItem Type="ST" Code="GAME_PERCENT" Value="80" />
  <StatsItem Type="ST" Code="DRAW_NUM" Value="49" >
  <StatsItem Type="ST" Code="DRAW_PERCENT" Value="79" >
  <StatsItem Type="ST" Code="TAKEOUT_NUM" Value="30" >
  <StatsItem Type="ST" Code="TAKEOUT_PERCENT" Value="73" >
...
</StatsItems>
...
```

2.2.4.6 Message Sort

Sort by Result @SortOrder



2.2.5 Play by Play

2.2.5.1 Description

The Play by Play is a message containing official raw data from the results provider for each action or incident.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values).
DocumentSubcode	Numeric	1..n indicate the end number If message sent without DocumentSubcode then the message includes the full match.
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	String	Send "ACTION"
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after



		<p>midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.


2.2.5.3 Trigger and Frequency

- After every action, when the statistics and the stone position have been entered, but not for the last stone of the end (LIVE). Current end only. Include DocumentSubcode.
- After the last stone of each end (INTERMEDIATE). Include DocumentSubcode.
- After the unit with all ends included (OFFICIAL) [without DocumentSubcode]

2.2.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	ExtendedInfos (0,1)						
		ExtendedInfo (0,N)					
			Type				
			Code				
			Pos				
			Value				
			Extension (0,N)				
				Code			
				Pos			
				Value			
		SportDescription (0,1)					





ImageData (0,1)	-
---------------------------------	---

2.2.5.5 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type		Code	Pos	Description
DISPLAY		LAST_COMP	N/A	Element Expected: When available and only when the unit is LIVE and INTERMEDIATE
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the @Order for the previous action.
DISPLAY		CURRENT	N/A	Element Expected: When available and only when the unit is LIVE and INTERMEDIATE
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the @Order for the current action.
MIS		ORDER	N/A	Element Expected: Only if applicable and when the message is OFFICIAL
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the @Order for the most important shot. This is a link to the most important shot listed in the message.
MIS		DESC	N/A	Element Expected: Only if applicable and when the message is OFFICIAL
	Attribute	M/O	Value	Description
	Value	O	Text	Text description of the shot

Sample (Sample)



```

...
<ExtendedInfos>
  <ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Value="22" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="23" />
...

```

Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	O	S(40)	Text short description of the Event Unit, not code
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

Element: Actions /Action (1,N)

Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message
Period	M	Numeric #0	Send the end number
Order	M	Numeric ##0	Unique sequential number for all the actions in the unit, from 1 to n (from the first action the last one).
Comment	O	S(200)	Send the comment on the shot.

Element: Actions /Action /ExtendedAction (0,N)

Extended Action information.

Type	Code	Pos	Description
------	------	-----	-------------



		TURN	N/A	Type Description: Do not send Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	SC @Turn	Send Turn
		STONE_NUM	N/A	Type Description: Do not send Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Send the stone's number in the end (from 1 to 10 in doubles, 1 to 16 in teams).
		TASK	N/A	Type Description: Do not send Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	SC @Task	Send the appropriate task
		POINTS	N/A	Type Description: Do not send Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	SC @Point	Points code of the shot

Element: Actions /Action /Competitor (0,N)

Competitor participating in the Action. Used when the Action is related to a competitor.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	T,A	T for team A for athlete
Organisation	M	CC @Organisation	Competitors' organisation

Element: Actions /Action /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading	Athlete's ID (individual athlete or team member)



		zeroes	related to the action
--	--	--------	-----------------------

Element: Actions /Action /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available

Element: Actions /Action /ImageData (0,1)

Attribute	M/O	Value	Description
-	M	Text	The ImageData element contains a body consisting of one Base64-encoded PNG file. 600px x 300px

Sample (General)

```

...
    <Action Id="123456" Period="2" Order="20" >
      <ExtendedAction Code="TURN" Value="CW" />
      <ExtendedAction Code="STONE_NUM" Value="4" />
      <ExtendedAction Code="POINTS" Value="2" />
      <ExtendedAction Code="TASK" Value="Takeout" />
      <Competitor Code="CURMTEAM4---SUI01" Type="T" Organisation="SUI" >
        <Composition>
          <Athlete Code="1102203" >
            <Description GivenName="John" FamilyName="Parker" Gender="M"
Organisation="SUI" BirthDate="1994-10-15" />
          </Athlete>
        </Composition>
      </Competitor>
      <ImageData>iVBORw0KggoAA image 49xoUC/AuGXhACr</ImageData>
    </Action>
....

```

2.2.5.6 Message Sort

Actions /Action @Order.



2.2.6 Current Information

2.2.6.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information and in some sports with a running clock, also the clock information.

2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values).
DocumentSubcode	N/A	Not used in CUR
DocumentType	DT_CURRENT	Current message
DocumentSubtype	N/A	Not used in CUR
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p>



		Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.


2.2.6.3 Trigger and Frequency

- For the first stone of the end, send 30sec before the end start.
 - For each subsequent stone, send when the time for the other team starts
 - Send as soon as the statistical information for each stone is entered
- Send only the current athlete and the one to follow.

2.2.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	ExtendedInfos (0,1)						
		ExtendedInfo (1,N)					
			Type				
			Code				
			Pos				
			Value				
	Result (0,N)						
		SortOrder					
		StartSortOrder					
		Competitor (1,N)					
			Code				
			Type				
			Organisation				
			StatsItems (0,1)				
				StatsItem (1,N)			
					Type		
					Code		
					Pos		
					Value		



2.2.6.5 Message Values

Element: ExtendedInfos /ExtendedInfo (1,N)				
Type		Code	Pos	Description
UI		PERIOD	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Send current end
UI		LAST_CON_STONE	N/A	Element Expected: Always after the first stone in this end
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Send the number of the last considered stone for this end.
DISPLAY		CURRENT	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	S(20) without leading zeroes	Send the competitor ID of the current athlete.
DISPLAY		NEXT	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	S(20) without leading zeroes	Send the competitor ID of the next athlete.



DISPLAY	String	N/A	Code Description: Result /Competitor /Composition /Athlete /StatsItems /StatsItem May be: DRAW or TAKEOUT Element Expected: When available and only when the unit is LIVE.
Attribute	M/O	Value	Description
Value	O	S(20)	Send the competitor ID of the athlete who was updated in statistics (last played)

Sample (General)

```

...
<ExtendedInfos>
  <ExtendedInfo Type="UI" Code="PERIOD" Value="3" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="2111355" />
  <ExtendedInfo Type="DISPLAY" Code="NEXT" Value="2231355" />
  <ExtendedInfo Type="DISPLAY" Code="DRAW" Value="1234567" />
...

```

Element: Result (0,N)			
Attribute	M/O	Value	Description
SortOrder	M	Numeric	Used to sort both teams
StartSortOrder	M	Numeric	1 for Home 2 for Visitor

Element: Result /Competitor (1,N)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	T,A	T for team A for athlete
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /StatsItems /StatsItem (1,N)



Type	Code	Pos	Description
ST	TOURN_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric ##0
			Total number of stones considered in the tournament for the team
ST	TOURN_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric ##0 or "-"
			Cumulative percentage of the team until the end of the current game
ST	GAME_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric ##0
			Total number of stones considered in the game for the team
ST	GAME_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric ##0 or "-"
			Game percentage of the team
ST	DRAW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric #0
			Draws number for the team
ST	DRAW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value
	Value	O	Numeric ##0 or "-"
			Draws percentage for the team



ST		TAKEOUT_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Takeouts number for the team
ST		TAKEOUT_PERCEN T	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Takeouts percentage for the team
ST		CW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Clockwise (In-Turn) number for the team
ST		CW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Clockwise (In-Turn) percentage for the team
ST		CCW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Counter-Clockwise (Out-Turn) number for the team
ST		CCW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Counter-Clockwise (Out-Turn) percentage for the team

Sample (General)



```

...
<StatsItems>
  <StatsItem Type="ST" Code="TOURN_NUM" Value="156" />
  <StatsItem Type="ST" Code="TOURN_PERCENT" Value="74" />
  <StatsItem Type="ST" Code="GAME_NUM" Value="34" />
  <StatsItem Type="ST" Code="GAME_PERCENT" Value="77" />
  <StatsItem Type="ST" Code="DRAW_NUM" Value="49" />
  <StatsItem Type="ST" Code="DRAW_PERCENT" Value="79" />
  <StatsItem Type="ST" Code="TAKEOUT_NUM" Value="30" />
  <StatsItem Type="ST" Code="TAKEOUT_PERCENT" Value="73" />
...
</StatsItems>
...

```

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID. Can belong to a team member or an individual athlete.
Order	M	Numeric	Order attribute used to sort team members in a team

Element: Result /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Type	Code	Pos	Description	
ST	TOURN_NUM	N/A	Element Expected: Always, if the information is available	
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Total number of stones considered in the tournament for the player
ST	TOURN_PERCENT	N/A	Element Expected: Always, if the information is available	
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "_"	Cumulative percentage of the player until the end of the current game
ST	GAME_NUM	N/A	Element Expected: Always, if the information is available	
	Attribute	M/O	Value	Description
	Value	O	Numeric	Total number of stones considered in



			#0	the game for the player
ST		GAME_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Game percentage of the player
ST		DRAW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Draws number for the player
ST		DRAW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Draws percentage for the player
ST		TAKEOUT_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Takeouts number for the player
ST		TAKEOUT_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Takeouts percentage for the player
ST		CW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Clockwise (In-Turn) number for the player



ST		CW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Clockwise (In-Turn) percentage for the player
ST		CCW_NUM	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Counter-Clockwise (Out-Turn) number for the player
ST		CCW_PERCENT	N/A	Element Expected: Always, if the information is available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0 or "-"	Counter-Clockwise (Out-Turn) percentage for the player

Sample (General)

```

...
<StatsItems>
...
  <StatsItem Type="ST" Code="GAME_NUM" Value="19" />
  <StatsItem Type="ST" Code="GAME_PERCENT" Value="80" />
  <StatsItem Type="ST" Code="DRAW_NUM" Value="49" >
  <StatsItem Type="ST" Code="DRAW_PERCENT" Value="79" >
  <StatsItem Type="ST" Code="TAKEOUT_NUM" Value="30" >
  <StatsItem Type="ST" Code="TAKEOUT_PERCENT" Value="73" >
...
</StatsItems>
...

```

2.2.6.6 Message Sort

Sort by Result @SortOrder.



2.2.7 Pool Standings

2.2.7.1 Description

The Pool Standings message contains the standings of a group in a competition.

This report is sent independently for each of the groups / pools of the competition in a particular phase, and the group / pool can be determined from the message headers (DocumentCode and DocumentSubtype).

2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (at phase level)	Sent according to the ODF Common Codes document (header values), for all the competition events.
DocumentSubcode	N/A	Not used in CUR.
DocumentType	DT_POOL_STANDING	Pool Standings message
DocumentSubtype	S(20)	DocumentSubtype in the case of the message sent for the purpose of "Tentative Standings" in the final round of pool/group play then send as "PROJECTED". "Tentative Standings" provide the Round Robin final standings as if all games currently underway were finished, assuming that the teams currently leading each game do in fact win. In the case of ties, the team with the last stone is assumed to be winning
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Status of the message. Expected statuses are: INTERMEDIATE (during the phase) OFFICIAL (after all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was



		produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.7.3 Trigger and Frequency

- Before the start of the competition to build the initial tables
- Send after each game is OFFICIAL

-Additionally send during play in the final round of pool play with DocumentSubtype = "PROJECTED". When the message is send as PROJECTED:

- Do not include the Opponent Element
- Update each time there is any change in the projected rankings and for the first time when all LSFE are known.

2.2.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	ExtendedInfos (0,1)				
		ExtendedInfo (0,N)			
			Code		
			Pos		
			Value		
		SportDescription (0,1)			



		DisciplineName
		EventName
		SubEventName
		Gender
	<u>VenueDescription (0,1)</u>	Venue
		VenueName
<u>Result (1,N)</u>		
		Rank
		RankEqual
		ResultType
		IRM
		QualificationMark
		SortOrder
		Won
		Lost
		Played
	<u>ExtendedResults (0,1)</u>	
		<u>ExtendedResult (1,N)</u>
		Type
		Code
		Pos
		Value
	<u>Competitor (1,1)</u>	
		Code
		Type
		Organisation
		<u>Description (0,1)</u>
		TeamName
	<u>Opponent (0,N)</u>	
		Code
		Type



	Pos
	Organisation
	Date
	Time
	Result
	Unit
	HomeAway
	Description (0,1)
	TeamName

2.2.7.5 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type		Code	Pos	Description
UI		SESSION	N/A	Element Expected: After at least one unit is complete
	Attribute	M/O	Value	Description
	Value	O	S(34)	Send the RSC of the session, either the current session or if not current then most recently completed.
UI		LAST_UNIT	N/A	Element Expected: After at least one unit is complete. Not applicable for "PROJECTED".
	Attribute	M/O	Value	Description
	Value	O	CC @Unit	Send the RSC of the most recently unit made official for the pool included in this message.
UI		UNITS_TOTAL	N/A	Element Expected: If not "PROJECTED"
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the total number of units (games) to be played in the pool included in the message.
UI		UNITS_COMPLETE	N/A	Element Expected: If not "PROJECTED"
	Attribute	M/O	Value	Description



	Value	O	Numeric ##0	Send the total number of units (games) which are official in the pool included in this message.
--	-------	---	----------------	---

Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	M	S(40)	Text short description of the Event Phase, not code
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text. Only included where the phase is contested at a single venue

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Result (1,N)

For any message, there should be at least one competitor being awarded a result for the pool.

Attribute	M/O	Value	Description
Rank	O	S(2)	Rank in the group. It is optional because the team can be disqualified
RankEqual	O	S(1)	Send "Y" if the Rank is equalled else do not send.
ResultType	M	SC @ResultType	Result type, only send if an IRM.
IRM	O	SC @IRM	Send just in the case @ResultType is points and IRM (see codes section)
QualificationMark	O	SC @QualificationMark	Indicator for qualification of the competitor for the finals
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the group, if they were to be presented. It is mostly based on the rank, but it should be used to sort out disqualified teams.
Won	O	Numeric 0	Number of games won by the team in the group



Lost	O	Numeric 0	Number of games lost by the team in the group
Played	O	Numeric 0	Number of games played by the team in the group

Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type		Code	Pos	Description
ER		TB_WON	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Tie Break Games won
ER		TB_LOST	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Tie Break Games lost
ER		WIN_TIED	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	String	Numbers of wind again tied teams
ER		DSC	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	O	String	Draw shot challenge

Element: Result /Competitor (1,1)				
Attribute	M/O	Value	Description	
Code	M	S(20) with no leading zeroes	Competitor's ID	
Type	M	T,A	T for team A for athlete	
Organisation	M	CC @Organisation	Competitor's organisation	



Element: Result /Competitor /Description (0,1)			
Competitors extended information.			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.

Element: Result /Competitor /Opponent (0,N)			
Details of the opposing competitor in competitions within the pool. (The Opponent of the competitor in the Opponent @Pos column of the Pool)			
Type	Code	Pos	Description
T	S(20) with no leading zeroes	Numeric	Type Description: T for team Code Description: Competitor ID or TBD if unknown Pos Description: 1 to n. Normally expected to be the same as SortOrder for the same competitor.
Attribute	M/O	Value	Description
Organisation	M	CC @Organisation	Competitors' organisation (code). Must include if the data is available
Date	M	Date	Date of match between the competitor and opponent (example: YYYY-MM-DD). Must include if the data is available, send even after the match is complete.
Time	O	Time	Time of match (example HH:MM) Must include if the data is available.
Unit	O	CC @Unit	Full RSC unit code for the unit
HomeAway	O	S(1)	Home / Away indicator. Send H if the opponent is the home team, send A if the opponent is the away team.
Result	O	S(50)	Result of the match if match is complete and formatted as in ORIS (separator & order, example 5-2). Must include if the data is available and the match is complete. The order of the result data is relative to the competitor and may be reversed for other competitor or depending on home/away display rules.

**Element: Result /Competitor /Opponent /Description (0,1)****Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the opposition team. Only applies for teams / groups.

Sample (General)

```

...
<Result Rank="4" Played="9" Won="5" Lost="4" SortOrder="4" QualificationMark="Q" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TB_WON" Value="1" />
    <ExtendedResult Type="ER" Code="TB_LOST" Value="0" />
  </ExtendedResults>
  <Competitor Code="CURMTEAM4---GBR01" Type="T" Organisation="GBR">
    <Description TeamName="Great Britain"/>
    <Opponent Code="CURMTEAM4---RUS01" Type="T" Pos="1" Organisation="RUS"
Date="2018-02-03" Time="14:00" Unit="CURMTEAM4-----RR"00090001" HomeAway="H" Result="9-7" >
      <Description TeamName="Russia"/>
    </Opponent>
    <Opponent Code="CURMTEAM4---SWE01" Type="T" Pos="2" Organisation="GBR"
Date="2018-02-02" Time="09:00" Unit="CURMTEAM4-----RR"00120002" HomeAway="H" Result="8-10"
>
      <Description TeamName="Sweden"/>
    </Opponent>
    <Opponent Code="CURMTEAM4---ITA01" Type="T" Pos="3" Organisation="ITA" Date="2018-
02-01" Time="09:00" Unit="CURMTEAM4-----RR"00170001" HomeAway="A" Result="10-8" >
      <Description TeamName="Italy"/>
    </Opponent>
  </Competitor>
</Result>
...

```

2.2.7.6 Message Sort

The attribute used to sort the results is Result @SortOrder.



2.2.8 Brackets

2.2.8.1 Description

The Brackets message contains the brackets information for one particular event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

2.2.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (event level)	Full RSC of the Event
DocumentType	DT_BRACKETS	Brackets message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Status of the message. Expected statuses are: START_LIST (before any unit is complete) INTERMEDIATE (during the competition) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m.



		For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.8.3 Trigger and Frequency

- Before the competition starts (START_LIST).
- After every match in the preliminaries which determines a position in the bracket. (INTERMEDIATE)
- After every match during final phases (INTERMEDIATE)
- After the final match (UNOFFICIAL/OFFICIAL)

Trigger also after any change.

2.2.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10
Competition (0,1)									
	ExtendedInfos (0,1)								
		SportDescription (0,1)							
			DisciplineName						
			EventName						
			Gender						
		VenueDescription (0,1)							
			Venue						
			VenueName						
	Bracket (1,N)								
		Code							
		BracketItems (1,N)							
			Code						
			BracketItem (1,N)						
				Order					
				Date					
				Time					



Unit
Result
NextUnit
NextUnitLoser
<u>CompetitorPlace (1,N)</u>
Pos
Code
WLT
Result
IRM
<u>PreviousUnit (0,1)</u>
Unit
Value
WLT
<u>Competitor (0,1)</u>
Code
Type
<u>Description (0,1)</u>
TeamName
<u>Composition (0,1)</u>
<u>Athlete (1,N)</u>
Code
Order
<u>Description (1,1)</u>
GivenName
FamilyName
Gender
Organisation
BirthDate



2.2.8.5 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes.
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Bracket (1,N)			
Attribute	M/O	Value	Description
Code	M	SC @Bracket	Bracket code to identify a bracket item. One for each individual bracket as defined in ORIS.

Element: Bracket /BracketItems (1,N)			
Attribute	M/O	Value	Description
Code	M	SC @BracketItems	Bracket code to identify a set of bracket items.

Element: Bracket /BracketItems /BracketItem (1,N)			
Attribute	M/O	Value	Description
Order	M	Numeric	Sequential number inside of BracketItems to indicate the order, always start at 1
Date	O	Date	YYYY-MM-DD. Must be filled is known
Time	O	S(5)	HH:MM. Must be filled if known
Unit	M	CC @Unit	Full RSC code of the event unit for the current bracket item.
Result	O	S(50)	Fill when match is complete, filled and formatted in the same format as in ORIS.
NextUnit	M	CC @Unit	Full RSC code of the next event unit for the current



			bracket item.
NextUnitLoser	M	CC @Unit	Full RSC code of the next event unit for the current bracket item, but related to the loser competitor.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.
- If they are not yet known, it contains some information (on the rule to access to this bracket...)

Attribute	M/O	Value	Description
Pos	M	Numeric 0	This attribute is a sequential number to place the competitors in the bracket (1 or 2).
Code	O	SC @CompetitorPlace	Send when there is no competitor team (BYE) or when it is not known yet (TBD).
WLT	O	S(1)	W or L, indicates the winner or loser of the bracket item. Always send when known.
Result	O	S(5)	Team result in the unit
IRM	O	SC @IRM	IRM code if applicable

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph unless coming from a pool.

Attribute	M/O	Value	Description
Unit	O	CC @Unit	Full RSC code of the previous event unit for the CompetitorPlace@Pos competitor of the bracket item. Must send if a winner/loser from a single unit. If from a pool then send RSC of the Pool phase.
Value	O	SC @Pool	If there is no competitor team (TBD) and coming from Pool then send appropriate code.
WLT	O	S(1)	Send W or L for winner or loser of previous match (if not Pool) do not send if participant is from a pool.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)

CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	T, A	T for team



			A for athlete
--	--	--	---------------

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T")

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available

Sample (General)



```
...
<Bracket Code="FNL">
  <BracketItems Code="SFL">
    <BracketItem Order="1" Date="2014-02-07" Time="12:00" Unit="CURMTEAM4-----
SFNL00090002" Result="10-8" NextUnit="CURMTEAM4-----FNL-00010001"
NextUnitLoser="CURMTEAM4-----FNL-00020002" >
      <CompetitorPlace Pos="1" WLT="W" Result="10" >
        <PreviousUnit Unit="CURMTEAM4-----RR-----" Value="1" />
        <Competitor Code="CURMTEAM4---SWE01" Type="T" Organisation="SWE"
>
          <Description TeamName="Sweden"/>
        </Competitor>
      </CompetitorPlace>
    <CompetitorPlace Pos="2" WLT="L" Result="8" >
      <PreviousUnit Unit="CURMTEAM4-----RR-----" Value="4" />
      <Competitor Code="CURMTEAM4---GBR01" Type="T" Organisation="GBR"
>
        <Description TeamName="Great Britain"/>
      </Competitor>
    </CompetitorPlace>
  </BracketItem>
  <BracketItem Order="2" Date="2014-02-07" Time="15:00" Unit="CURMTEAM4-----
SFNL00020001" NextUnit="CURMTEAM4-----FNL-00110002" NextUnitLoser="CURMTEAM4-----
FNL-00020003" >
    <CompetitorPlace Pos="1">
      <PreviousUnit Unit="CURMTEAM4-----RR-----" Value="2" />
      <Competitor Code="CURMTEAM4---CAN01" Type="T" Organisation="CAN"
>
        <Description TeamName="Canada"/>
      </Competitor>
    </CompetitorPlace>
  <CompetitorPlace Pos="2">
    <PreviousUnit Unit="CURMTEAM4-----RR-----" Value="3" />
    <Competitor Code="CURMTEAM4---CHN01" Type="T" Organisation="CHN"
>
      <Description TeamName="China"/>
    </Competitor>
  </CompetitorPlace>
</BracketItem>
</BracketItems>
...
```

2.2.8.6 Message Sort

The following order applies:

- * Bracket @Code
- * BracketItems@Code
- * Then, the BracketItem /Unit are sorted according to their scheduled start time.



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT414 R-WOG-2018-CUR-v2.3 APP



2.2.9 Statistics

2.2.9.1 Description

The Statistics message contains a list of statistics for a competitor (could be an individual athlete or a team), that applies at a DocumentCode level, which could be for an event unit, a phase or an event.

There will be a separate message (identified by the header's DocumentSubtype and DocumentSubcode) for every table where multiple statistics apply.

2.2.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	The DocumentCode attribute in the ODF header will be sent for all the competition events according to the ODF Common Codes document (i.e. send at event level).
DocumentSubcode	S(4)	The DocumentSubcode is the NOC concatenated with the Team Number, e.g. BRA1. Concatenation will happen only when an NOC has more than one team. The DocumentSubcode is used only in case DocumentSubtype is "CUM"
DocumentType	DT_STATS	Statistics message
DocumentSubtype	S(20)	Will be informed, categorizing different types of statistics reports. We will have the following different DocumentSubtype header attributes: -CUM: For cumulative data of individual player statistics and team statistics. There will be one single message for each team. The DocumentSubcode is the NOC concatenated with the Team Number, e.g. BRA1. Concatenation will happen only when an NOC has more than one team. -TOU: For Tournament statistics -DSC: Ranking of the Draw Shot Challenge. -RANKING: Ranking of individual and team statistics.
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates whether the result is official or intermediate etc). LIVE (used during the competition when nothing else applies) INTERMEDIATE (used after the competition has started and is



		not finished but not currently live, typically between units) OFFICIAL (after the last unit which effects the statistics is official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.


2.2.9.3 Trigger and Frequency


After each match.

2.2.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0,1)								
	ExtendedInfos (0,1)							
		ExtendedInfo (0,N)						
			Type					
			Code					
			Pos					







2.2.9.5 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type		Code	Pos	Description
UI		SESSION	N/A	Element Expected: Always after at least one unit is complete.
	Attribute	M/O	Value	Description
	Value	O	S(34)	Send the RSC of the session, either the current session or if not current then most recently completed.
UI		LAST_UNIT	N/A	Element Expected: Always after at least one unit is complete.
	Attribute	M/O	Value	Description
	Value	O	S(34)	Send the RSC of the most recently unit made official. For CUM which only includes one team then it is the last unit for that team.
UI		UNITS_TOTAL	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the total number of units (games) to be played. For CUM which only includes one team then it is the total units for that team.
UI		UNITS_COMPLETE	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Send the total number of units (games) which are official. For CUM which only includes one team then it is the total complete units for that team.

Element: ExtendedInfos /SportDescription (0,1)				
Sport Description in Text				
Attribute	M/O	Value	Description	
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes	



EventName	M	S(40)	Event name (not code) from Common Codes.
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Stats (1,1)			
Attribute	M/O	Value	Description
Code	M	SC @Statistics	A code to identify the statistics being listed

Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit / phase or event - depending on the headers' DocumentCode.			
Type	Code	Pos	Description
ST	MP	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value
	Value	O	Numeric #0
ST	TIMEOUT	N/A	Element Expected: Always send if DocumentSubtype=TOU
	Attribute	M/O	Value
	Value	O	Numeric #0
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always send if DocumentSubtype = TOU			
	Attribute	Value	Description
	Code	PERCENT	
	Pos	N/A	
	Value	S(3)	Success percentage after timeout or "-"
	STOLEN	N/A	Element Expected:



ST			Always, if the information is available for the DocumentSubtype =TOU
	Attribute	M/O	Value
	Value	O	Numeric ##0
ST		PTS	N/A
	Attribute	M/O	Value
	Value	O	Numeric ##0
Element Expected: Always, if the information is available for the DocumentSubtype =TOU			
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU			
	Attribute	Value	Description
	Code	0	
	Pos	N/A	
	Value	Numeric ##0	The number of times 0 points was scored in an end
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU			
	Attribute	Value	Description
	Code	1	
	Pos	N/A	
	Value	Numeric ##0	The number of times 1 point was scored in an end
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU			
	Attribute	Value	Description
	Code	2	
	Pos	N/A	
	Value	Numeric ##0	The number of times 2 point was scored in an end
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU			



Attribute	Value	Description
Code	3	
Pos	N/A	
Value	Numeric ##0	The number of times 3 point was scored in an end
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU		
Attribute	Value	Description
Code	4	
Pos	N/A	
Value	Numeric ##0	The number of times 4 point was scored in an end
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype =TOU		
Attribute	Value	Description
Code	4+	
Pos	N/A	
Value	Numeric ##0	The number of times more than 4 points was scored in an end

Sample (General)

```

....
<Stats Code="TOU">
  <StatsItems>
    <StatsItem Type="ST" Code="MP" Value="8" />
    <StatsItem Type="ST" Code="TIMEOUT" Value="7" />
      <ExtendedStat Code="PERCENT" Value="65" />
    </StatsItem>
    <StatsItem Type="ST" Code="STOLEN" Value="9" />
    <StatsItem Type="ST" Code="PTS" Value="106" >
      <ExtendedStat Code="0" Value="17" />
      <ExtendedStat Code="1" Value="28" />
      <ExtendedStat Code="2" Value="23" />
      <ExtendedStat Code="3" Value="8" />
      <ExtendedStat Code="4" Value="2" />
      <ExtendedStat Code="4+" Value="0" />
    </StatsItem>
  </StatsItems>
....

```

Element: Stats /Competitor (0,N)



Competitor of the statistics.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID to be assigned a specific type of statistic. The competitor should be participating in the event / phase / event unit depending on the DocumentCode in the message's header.
Type	M	T,A	T for team A for athlete
Order	M	Numeric	Sort order: For each team: 1 - Team NOC code

Element: Stats /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.

Element: Stats /Competitor /StatsItems /StatsItem (1,N)			
Team competitor's stats item, according to competitors' rules.			
Type	Code	Pos	Description
ST	MP	N/A	Element Expected: Always send if DocumentSubtype= CUM or RANKING OR TOU
	Attribute	M/O	Value
	Value	O	Numeric #0
ST	TIMEOUT	N/A	Element Expected: Always send if DocumentSubtype= TOU
	Attribute	M/O	Value
	Value	O	Numeric #0
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat			
Expected: Always send if DocumentSubtype= TOU			
	Attribute	Value	Description
	Code	PERCENT	



	Pos	N/A		
	Value	Numeric ##0		Success percentage after timeout
ST		PLUS_MINUS	N/A	Element Expected: Always send if DocumentSubtype= TOU only
	Attribute	M/O	Value	Description
	Value	O	Numeric +##0 or -##0	Plus/minus value
ST		LSFE	Numeric 0	Pos Description: Send 1 for "For" stat, 2 for "Against" stat Element Expected: Always send if DocumentSubtype= TOU only
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Number of LSFE for this @Pos
ST		STOLEN	Numeric 0	Pos Description: Send 1 for "For" stat, 2 for "Against" stat Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Total stolen ends
ST		PTS	Numeric 0	Pos Description: Send 1 for "For" stat, 2 for "Against" stat Element Expected: Always, if the information is available for the DocumentSubtype=TOU



Attribute	M/O	Value	Description
Value	O	Numeric ##0	Total number of points scored
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU			
Attribute	Value	Description	
Code	0		
Pos	N/A		
Value	Numeric ##0	The number of times 0 points were scored in an end for that @Pos	
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU			
Attribute	Value	Description	
Code	1		
Pos	N/A		
Value	Numeric ##0	The number of times 1 point were scored in an end for that @Pos	
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU			
Attribute	Value	Description	
Code	2		
Pos	N/A		
Value	Numeric ##0	The number of times 2 point were scored in an end for that @Pos	
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU			
Attribute	Value	Description	
Code	3		
Pos	N/A		
Value	Numeric ##0	The number of times 3 point were scored in an end for that @Pos	
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU			
Attribute	Value	Description	
Code	4		



	Pos	N/A		
	Value	Numeric ##0	The number of times 4 point were scored in an end for that @Pos	
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=TOU				
	Attribute	Value	Description	
	Code	4+		
	Pos	N/A		
	Value	Numeric ##0	The number of times more than 4 points was scored in an end	
ST		LSD_CW	Numeric #0	Pos Description: Send the round. Element Expected: Always, if the information is available for the DocumentSubtype=DSC only
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0.0	Clockwise last stone distance for the round in cm.
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: If applicable				
	Attribute	Value	Description	
	Code	DISCARDED		
	Pos	N/A		
	Value	S(1)	Send "Y" if this score is eliminated else do not send	
ST		LSD_CCW	Numeric #0	Pos Description: Send the round. Element Expected: Always, if the information is available for the DocumentSubtype=DSC only
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0.0	Counter Clockwise last stone distance for the round in cm.
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: If applicable				
	Attribute	Value	Description	



	Code	DISCARDED		
	Pos	N/A		
	Value	S(1)	Send "Y" if this score is eliminated else do not send	
ST		DSC	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=DSC only
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0.00	Draw shot challenge in cm.
	ValueType	O	S(2)	Send CM to indicate distance in cm.
	Rank	O	S(2)	Send the Rank for display of the DSC. Usually numeric but may be missing in the case of IRM
	RankEqual	O	S(1)	Send Y where Rank at this specific Item is equalled else not sent.
	SortOrder	O	Numeric #0	Send the sort order for DSC
ST		AVG	N/A	Element Expected: Always for DocumentSubtype=RANKING
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Average percentage success
	ValueType	O	S(7)	Send PERCENT
	Rank	O	S(2)	Send the Rank for display of the average percent for the position
	RankEqual	O	S(1)	Send Y where Rank at this specific Item is equalled else not sent.
	SortOrder	O	Numeric #0	Send the sort order
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat				
Expected: Always if data for the round and for DocumentSubtype=RANKING				
	Attribute	Value	Description	
	Code	ROUND		
	Pos	Numeric	Send the round number	



		#0	
	Value	Numeric ##0	Percentage in the round
DELIVERY		ALL_DRAW	N/A Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
	Attribute	M/O	Value
	Value	O	Numeric ##0 Total of all draws delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CCW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CCW (out-turn) draws delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CCW_PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all CCW (out-turn) draws delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CW draws delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CW_PERCENT	



	Pos	N/A	
	Value	Numeric ##0	Percentage of all CW draws delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all draws delivered
DELIVERY		ALL_TAKEOUT	N/A Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
	Attribute	M/O	Value Description
	Value	O	Numeric ##0 Total of all takeouts delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Total of all CCW (out-turn) takeouts delivered			
	Attribute	Value	Description
	Code	CCW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CCW (out-turn) takeouts delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CCW_PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all CCW (out-turn) takeouts delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description



	Code	CW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CW takeouts delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CW_PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all CW takeouts delivered
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all takeouts delivered
DELIVERY		TOTAL	N/A Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
	Attribute	M/O	Value Description
	Value	O	Numeric ##0 Total of all deliveries
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description
	Code	CCW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CCW (out-turn) deliveries
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
	Attribute	Value	Description



Code	CCW_PERCENT	
Pos	N/A	
Value	Numeric ##0	Percentage of all CCW (out-turn) deliveries
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
Attribute	Value	Description
Code	CW_NUM	
Pos	N/A	
Value	Numeric ##0	Total of all CW (in-turn) deliveries
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
Attribute	Value	Description
Code	CW_PERCENT	
Pos	N/A	
Value	Numeric ##0	Percentage of all CW (in-turn) deliveries
Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
Attribute	Value	Description
Code	PERCENT	
Pos	N/A	
Value	Numeric ##0	Percentage of all deliveries

Sample (DSC)



```
...
<Stats Code= "DSC ">
...
  <Competitor Code="CURMTEAM4---NOR01" Type="T" Order="5" Organisaion="NOR" >
    <Description TeamName="Norway" >
      <StatsItems>
        <StatsItem Type="ST" Code="DSC" Value="11.94" ValueType="CM" Rank="5"
SortOrder="5"/>
        <StatsItem Type="ST" Code="LSD_CW" Pos="1" Value="12.0">
          <ExtendedStat Code="DISCARDED" Value="Y" />
        </StatsItem>
        <StatsItem Type="ST" Code="LSD_CW" Pos="2" Value="11.9" />
        <StatsItem Type="ST" Code="LSD_CW" Pos="3" Value="8.5" />
      </StatsItems>
    </Competitor>
...

```

Sample (TOU)



```
.....
<Competitor Code="CURMTEAM4---SWE01" Type="T" Order="1" Organisation="SWE" >
  <Description TeamName="Sweden" />
  <StatsItems>
    <StatsItem Type="ST" Code="MP" Value="2" />
    <StatsItem Type="ST" Code="TIMEOUT" Value="7" />
      <ExtendedStat Code="PERCENT" Value="65" />
    </StatsItem>
    <StatsItem Type="ST" Code="PLUS_MINUS" Value="+6" />
    <StatsItem Type="ST" Code="LSFE" Pos="1" Value="0" />
    <StatsItem Type="ST" Code="STOLEN" Pos="1" Value="1" />
    <StatsItem Type="ST" Code="PTS" Pos="1" Value="15" >
      <ExtendedStat Code="0" Value="2" />
      <ExtendedStat Code="1" Value="2" />
      <ExtendedStat Code="2" Value="3" />
      <ExtendedStat Code="3" Value="1" />
      <ExtendedStat Code="4" Value="1" />
      <ExtendedStat Code="4+" Value="0" />
    </StatsItem>
    <StatsItem Type="ST" Code="LSFE" Pos="2" Value="2" />
    <StatsItem Type="ST" Code="STOLEN" Pos="2" Value="0" />
    <StatsItem Type="ST" Code="PTS" Pos="2" Value="9" >
      <ExtendedStat Code="0" Value="3" />
      <ExtendedStat Code="1" Value="5" />
      <ExtendedStat Code="2" Value="2" />
      <ExtendedStat Code="3" Value="0" />
      <ExtendedStat Code="4" Value="0" />
      <ExtendedStat Code="4+" Value="0" />
    </StatsItem>
  </StatsItems>
</Competitor>
.....
```

Sample (CUM)



```

...
<Stats Code="CUM">
  <Competitor Code="CURMTEAM4---CAN01" Type="T" Order="1" Organisation="CAN">
    <Description TeamName="Canada" />
    <StatsItems>
      <StatsItem Type="DELIVERY" Code="ALL_DRAW" Value="89" >
        <ExtendedStat Code="PERCENT" Value="81" />
        <ExtendedStat Code="CW_NUM" Value="27" />
        <ExtendedStat Code="CW_PERCENT" Value="77" />
        <ExtendedStat Code="CCW_NUM" Value="62" />
        <ExtendedStat Code="CCW_PERCENT" Value="83" />
      </StatsItem>
      <StatsItem Type="DELIVERY" Code="ALL_TAKEOUT" Value="69">
        <ExtendedStat Code="PERCENT" Value="79" />
        <ExtendedStat Code="CW_NUM" Value="25" />
        <ExtendedStat Code="CW_PERCENT" Value="73" />
        <ExtendedStat Code="CCW_NUM" Value="44" />
        <ExtendedStat Code="CCW_PERCENT" Value="83" />
      </StatsItem>
      <StatsItem Type="DELIVERY" Code="TOTAL" Value="158" >
        <ExtendedStat Code="PERCENT" Value="80" />
        <ExtendedStat Code="CW_NUM" Value="52" />
        <ExtendedStat Code="CW_PERCENT" Value="75" />
        <ExtendedStat Code="CCW_NUM" Value="106" />
        <ExtendedStat Code="CCW_PERCENT" Value="83" />
      </StatsItem>
    </StatsItems>
  </Competitor>
</Stats>
...

```

Sample (RANKING)

```

...
<Stats Code="RANKING">
  <Competitor Code="CURMTEAM4---SWE01" Type="T" Order="1" Organisation="SWE" >
    <Description TeamName="Sweden" />
    <StatsItems>
      <StatsItem Type="ST" Code="MP" Value="2" />
      <StatsItem Type="ST" Code="AVG" Value="88" ValueType="PERCENT" Rank="1"
SortOrder="1" >
        <ExtendedStat Code="ROUND" Pos="1" Value="85" />
        <ExtendedStat Code="ROUND" Pos="2" Value="91" />
      </StatsItem>
    </StatsItems>
  </Competitor>
</Stats>
...

```

Element: Stats /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric	Sort order

Element: Stats /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available

Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Team member's or individual athlete's stats item, depending on whether Competitor @Type="T" or Competitor @Type="A" according to competitors' rules.				
Type	Code	Pos	Description	
ST	POS	N/A	Element Expected: Always for DocumentSubtype=RANKING	
	Attribute	M/O	Value	Description
	Value	O	CC @Position	Send the athlete position
ST	POS_DIFF	Numeric #0	Pos Description: Send the round number Element Expected: If applicable in the and for DocumentSubtype=RANKING	
	Attribute	M/O	Value	Description
	Value	O	CC @Position	Send the position when a player started the game at different position from the original line-up position
ST	MP	N/A	Element Expected: Always for DocumentSubtype=RANKING and CUM	
	Attribute	M/O	Value	Description
	Value	O	Numeric	Total games played



			#0	
ST		AVG	N/A	Element Expected: Always for DocumentSubtype=RANKING
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Average percentage success
	ValueType	O	S(7)	Send PERCENT
	Rank	O	S(2)	Send the Rank for display of the average percent for the position.
	RankEqual	O	S(1)	Send Y where Rank at this specific Item is equalled else not sent.
	SortOrder	O	Numeric #0	For SortOrder: Send the sort order
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always if data for the round and for DocumentSubtype=RANKING				
	Attribute	Value	Description	
	Code	ROUND		
	Pos	Numeric #0	Send the round number	
	Value	Numeric ##0	Percentage success in the round	
DELIVERY		ALL_DRAW	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0	Total of all draws delivered
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only				
	Attribute	Value	Description	
	Code	CCW_NUM		
	Pos	N/A		



Value	Numeric ##0	Total of all CCW (out-turn) draws delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CCW_PERCENT		
Pos	N/A		
Value	Numeric ##0	Percentage of all CCW (out-turn) draws delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CW_NUM		
Pos	N/A		
Value	Numeric ##0	Total of all CW (in-turn) draws delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CW_PERCENT		
Pos	N/A		
Value	Numeric ##0	Percentage of all CW (in-turn) draws delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	PERCENT		
Pos	N/A		
Value	Numeric ##0	Percentage of all draws delivered	
DELIVERY	ALL_TAKEOUT	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
Attribute	M/O	Value	Description
Value	O	Numeric	Total of all takeouts delivered



		##0	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CCW_NUM		
Pos	N/A		
Value	Numeric ##0	Total of all CCW (out-turn) takeouts delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CCW_PERCENT		
Pos	N/A		
Value	Numeric ##0	Percentage of CCW (out-turn)-turn takeouts delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CW_NUM		
Pos	N/A		
Value	Numeric ##0	Total of all CW (in-turn) takeouts delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	CW_PERCENT		
Pos	N/A		
Value	Numeric ##0	Percentage of all CW (in-turn) takeouts delivered	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only			
Attribute	Value	Description	
Code	PERCENT		



	Pos	N/A	
	Value	Numeric ##0	Percentage of all takeouts delivered
DELIVERY		TOTAL	N/A Element Expected: Always, if the information is available for the DocumentSubtype=CUM only
	Attribute	M/O	Value
	Value	O	Numeric ##0 Total of all deliveries
	Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
	Attribute	Value	Description
	Code	CCW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CCW (out-turn) deliveries
	Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
	Attribute	Value	Description
	Code	CCW_PERCENT	
	Pos	N/A	
	Value	Numeric ##0	Percentage of all CCW (out-turn) deliveries
	Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
	Attribute	Value	Description
	Code	CW_NUM	
	Pos	N/A	
	Value	Numeric ##0	Total of all CW (in-turn) deliveries
	Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
	Attribute	Value	Description
	Code	CW_PERCENT	



Pos	N/A	
Value	Numeric ##0	Percentage of all CW (in-turn) deliveries
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available for the DocumentSubtype=CUM only		
Attribute	Value	Description
Code	PERCENT	
Pos	N/A	
Value	Numeric ##0	Percentage of all deliveries

Sample (CUM)

```

...
<Athlete Code="2016143" Order="1">
  <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="CAN"
  BirthDate="1994-12-15" />
  <StatsItems>
    <StatsItem Type="DELIVERY" Code="ALL_DRAW" Value="16">
      <ExtendedStat Code="PERCENT" Value="75" />
      <ExtendedStat Code="CW_NUM " Value="5" />
      <ExtendedStat Code="CW_PERCENT" Value="70" />
      <ExtendedStat Code="CCW_NUM " Value="11" />
      <ExtendedStat Code="CCW_PERCENT" Value="77" />
    </StatsItem>
    <StatsItem Type="DELIVERY" Code="ALL_TAKE" Value="22">
      <ExtendedStat Code="PERCENT" Value="84" />
      <ExtendedStat Code="CW_NUM " Value="11" />
      <ExtendedStat Code="CW_PERCENT" Value="77" />
      <ExtendedStat Code="CCW_NUM " Value="11" />
      <ExtendedStat Code="CCW_PERCENT" Value="91" />
    </StatsItem>
    <StatsItem Type="DELIVERY" Code="TOTAL" Value="38">
      <ExtendedStat Code="PERCENT" Value="80" />
      <ExtendedStat Code="CW_NUM " Value="16" />
      <ExtendedStat Code="CW_PERCENT" Value="75" />
      <ExtendedStat Code="CCW_NUM " Value="22" />
      <ExtendedStat Code="CCW_PERCENT" Value="84" />
    </StatsItem>
  </StatsItems>
...

```

Sample (RANKING)



```
...
    <Composition>
      <Athlete Code="2002589" Order="1">
        <Description GivenName="John" FamilyName="Parker" Gender="M"
Organisation="SWE" BirthDate="1994-10-15" />
        <StatsItems>
          <StatsItem Type="ST" Code="POS" Value="1" />
          <StatsItem Type="ST" Code="MP" Value="2" />
          <StatsItem Type="ST" Code="AVG" Value="84"
ValueType="PERCENT" Rank="3" SortOrder="3" >
            <ExtendedStat Code="ROUND" Pos="1" Value="79" />
            <ExtendedStat Code="ROUND" Pos="2" Value="90" />
          </StatsItem>
        </StatsItems>
      </Athlete>
      <Athlete Code="2002592" Order="2">
...

```

2.2.9.6 Message Sort

Sort according to the @Order attributes.



2.2.10 Event Final Ranking

2.2.10.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.2.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC of the Event	Sent according for all the competition events to the ODF Common Codes document (header values) with one message per event.
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m.



		For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.10.3 Trigger and Frequency

After each final position is known (PARTIAL or OFFICIAL).

2.2.10.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	ExtendedInfos (0,1)					
		SportDescription (0,1)				
			DisciplineName			
			EventName			
			Gender			
		VenueDescription (0,1)				
			Venue			
			VenueName			
	Result (1,N)					
		Rank				
		RankEqual				
		Played				
		Won				
		Lost				
		IRM				
		SortOrder				
		Competitor (1,1)				
			Code			
			Type			
			Organisation			



	Description (0,1)	
		TeamName
	Composition (1,1)	
		Athlete (1,N)
		Code
		Order
		Description (1,1)
		GivenName
		FamilyName
		Gender
		Organisation
		BirthDate

2.2.10.5 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	O	CC @DisciplineGender	Gender code for the event unit.

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the result. It is optional because the team can be disqualified



RankEqual	O	Y	Send "Y" if the Rank is equalled else do not send.
Played	O	Numeric #0	Send number of matches played including Round Robin, tie-breaker and play-offs
Won	O	Numeric #0	Send number of matches won including Round Robin, tie-breaker and play-offs
Lost	O	Numeric #0	Send number of matches lost including Round Robin, tie-breaker and play-offs
IRM	O	SC @IRM	Send just if the team has been disqualified or DNS
SortOrder	M	Numeric	This attribute is a sequential number with the order of the competitors at the end of the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out disqualified teams.

Element: Result /Competitor (1,1)

Competitor related to one final event result.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID.
Type	M	T,A	T for team A for athlete
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Result /Competitor /Description (0,1)

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.

Element: Result /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member. Team members should be participating in the event.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor



			@Type="A".
--	--	--	------------

Element: Result /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available

Sample (Sample)

```

....
<Result Rank="2" SortOrder="2" Played="12" Won="9" Lost="3" >
  <Competitor Code="CURWTEAM4---SWE01" Type="T" Organisation="SWE" >
    <Description TeamName="Sweden"/>
    <Composition>
      <Athlete Code="2002600" Order="1" />
    </Composition>
  </Competitor>
</Result>
....

```

2.2.10.6 Message Sort

Sort by Result @SortOrder



2.2.11 Configuration

2.2.11.1 Description

The Configuration is a message containing general configuration.

2.2.11.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values) for all the competition events, with one message per event.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.



2.2.11.3 Trigger and Frequency

The message is sent prior to any ODF Sports message

If a DT_CONFIG message is sent after a DT_RESULT in a related unit then the next version of DT_RESULT must be sent immediately.

2.2.11.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<u>Competition (0,1)</u>					
	<u>Configs (1,1)</u>				
		<u>Config (1,N)</u>			
			<u>ExtendedConfig (1,N)</u>		
				Type	
				Code	
				Pos	
				Value	
				<u>ExtendedConfigItem (0,N)</u>	
					Code
					Pos
					Value

2.2.11.5 Message Values

Element: Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
EC	ENDS_NUM	N/A	Element Expected: Always (Event Level)	
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Send the number of ends to be played in this tournament.
EC	FINALS	N/A	Element Expected: Always (Event Level)	



	Attribute	M/O	Value	Description
	Value	O	String	Send the play-off system, Olympic or Page
EC		TEAMS	N/A	Element Expected: Always (Event Level)
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Number of teams in the competition
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	FINALS	Send proposed code	
	Pos	N/A		
	Value	Numeric #0	Number of teams which progress to the finals	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	RELEGATED	Send proposed code	
	Pos	N/A		
	Value	Numeric #0	Number of teams which are relegated to a lower division if applicable.	
EC		GROUPS	N/A	Element Expected: If groups are applicable (i.e. if more than 1) (Event Level)
	Attribute	M/O	Value	Description
	Value	O	Numeric #0	Number of groups in the preliminary phase of the competition.
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				



Attribute	Value	Description	
Code	COLOUR	Send proposed code	
Pos	Numeric #0	Send the group number to distinguish the groups 1..n	
Value	String	Colour of the group, for example blue	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:			
Attribute	Value	Description	
Code	FINALS	Send proposed code	
Pos	N/A		
Value	Numeric #0	Number of teams per group which progress to the finals	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:			
Attribute	Value	Description	
Code	NAME	Send proposed code	
Pos	Numeric #0	Send the group number to distinguish the groups 1..n	
Value	String	Name of the Group, for example "Group A"	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:			
Attribute	Value	Description	
Code	RELEGATED	Send proposed code	
Pos	N/A		
Value	Numeric #0	Number of teams per group which are relegated to a lower division if applicable.	
EC	CHALLENGE	N/A	Element Expected: If challenge game applicable (Event Level)
Attribute	M/O	Value	Description
Value	O	Numeric #0	Send the rank that needs to play a challenge games



EC		PLAYERS	N/A	Element Expected: Always (Event Level)
	Attribute	M/O	Value	Description
	Value	O	Numeric 0	Number of players per team playing at one time (2 or 4)
EC		COMPETITION	N/A	Element Expected: Always Competition level, is sent for each event.
	Attribute	M/O	Value	Description
	Value	O	String	Full competition name, for example "Olympic Games"
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	END_DATE	Send proposed code	
	Pos	N/A		
	Value	Date	End Date of the competition.	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	LOCATION	Send proposed code	
	Pos	N/A		
	Value	String	City of the competition, for example "Sochi, Russia"	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	START_DATE	Send proposed code	
	Pos	N/A		
	Value	Date	Start Date of the competition.	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	TIME_ZONE	Send proposed code	



Pos	N/A	
Value	String	Time zone code for the main competition venue, for example in winter London is GMT or PyeongChang is KST.
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem		
Expected:		
Attribute	Value	Description
Code	UTC_OFFSET	Send proposed code
Pos	N/A	
Value	S(9)	UTC offset for the main competition venue. For example "UTC-05:00" for New York.

Sample (Example)

```

<Configs>
  <Config Unit="CURMTEAM4-----" />
    <ExtendedConfig Type="EC" Code="ENDS_NUM" Value="10" />
    <ExtendedConfig Type="EC?" Code="FINALS" Value="Olympic" />
    <ExtendedConfig Type="EC" Code="TEAMS_NUM" Value="10" >
      <Extension Code="FINALS" Value="4" />
      <Extension Code="RELEGATED" Value="0" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="GROUPS_NUM" Value="1" >
      <Extension Code="FINALS" Value="4" />
      <Extension Code="RELEGATED" Value="0" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="PLAYERS" Value="4" />
  ....
  </Config>
</Configs>

```

2.2.11.6 Message Sort

There is no general message sorting rule.



2.2.12 Event Unit Weather conditions

2.2.12.1 Description

The Event Unit Weather Conditions is a message containing the weather conditions in the Event Unit.

2.2.12.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	
DocumentType	DT_WEATHER	Weather conditions in the match message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.



2.2.12.3 Trigger and Frequency

The message is sent if weather data conditions change during an event unit.

2.2.12.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Weather (1,1)			
		Conditions (1,N)		
			Code	
			Humidity	
			Condition (0,3)	
				Code
				Value
			Temperature (0,N)	
				Code
				Unit
				Value

2.2.12.5 Message Values

Element: Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	SC @WeatherPoint	Weather points, send GEN only
Humidity	O	Numeric ##0	Humidity in %

Element: Weather /Conditions /Condition (0,3)			
Send three times in the case of Winter conditions.			
Attribute	M/O	Value	Description
Code	M	S(3)	Weather condition type, send ICE only
Value	M	CC @SnowConditions	Use CC @SnowConditions for ICE

Element: Weather /Conditions /Temperature (0,N)			
---	--	--	--



Send with three different @Code in the case of Winter conditions.			
Attribute	M/O	Value	Description
Code	M	S(4)	Temperature type, send AIR, ICE
Unit	M	SC @TemperatureUnit	Unit for temperature, send both
Value	M	Numeric -##0.0 or ##0.0	Temperature of the @Code. Negative is applicable

Sample (Example)

```
<Weather>
  <Conditions Code="GEN" Humidity="31" >
    <Condition Code="ICE" Value="nor" />
    <Temperature Code="AIR" Unit="C" Value="15.3" />
    <Temperature Code="AIR" Unit="F" Value="59.5" />
    <Temperature Code="ICE" Unit="C" Value="-5.8" />
    <Temperature Code="ICE" Unit="F" Value="21.6" />
  </Conditions>
</Weather>
```

2.2.12.6 Message Sort

There is no special sort order requirement for this message. Usually, Conditions@code is the attribute used to sort the conditions.



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT414 R-WOG-2018-CUR-v2.3 APP



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Result Status	D	E	P	S	U
OVR gets Initial data	DT_CODES			o		o	o
	DT_PARTIC						
	DT_PARTIC_TEAM						
	DT_SCHEDULE					o	o
OVR sends	DT_CONFIG			X			
	DT_POOL_STANDINGS	INTERMEDIATE			X		
	DT_BRACKETS	START_LIST		X			
	DT_STATS (TOU)			X			
	DT_STATS (CUM) for all teams			X			
	DT_PDF C08 Schedule		X				
After Team Meeting:							
After changes of athlete data	DT_PARTIC_UPDATE		X				
After changes of team data	DT_PARTIC_TEAM_UPDATE		X				
	DT_PDF C32Cx Entry List			X			

3.2 Before each Session

Trigger	Message	Result Status	D	E	P	S	U
All Line-ups are known (-30')	DT_RESULT for each game	START_LIST					X
	DT_PDF C54 Line-ups					X	
	DT_PDF C51x Line-ups					X	
First LSD is entered (-20')	DT_RESULT (Round Robin only)	START_LIST					X
Second LSD and LSFE are entered (-10')	DT_RESULT (Round Robin only)	START_LIST					X
	DT_STATS (DSC) (Round Robin only)			X			
	DT_PDF C76D Draw Shot			X			



Trigger	Message	Result Status	D	E	P	S	U
	Challenge (Round Robin only)						
When athletes walk in (-5')	DT_SCHEDULE_UPDATE	GETTING_READY	X			o	o

3.3 During each Session – for each Game

Trigger	Message	Result Status	D	E	P	S	U
Event unit starts (0')	DT_SCHEDULE_UPDATE	RUNNING	X			o	o
	DT_RESULT	LIVE					X
	DT_CURRENT						X
Time switches to other team *	DT_CURRENT						X
Stats are entered *	DT_CURRENT						X
	DT_PLAY_BY_PLAY	LIVE					X
<i>* repeated for each athlete</i>							X
Time stops after last stone of end	DT_CURRENT						X
Score entered	DT_RESULT (not sent if score after stats)	LIVE					X
Stats are entered	DT_CURRENT						X
	DT_RESULT	INTERMEDIATE					X
	DT_PLAY_BY_PLAY (for one end)	INTERMEDIATE					X
Game time start for next end	DT_RESULTS	LIVE					X
	DT_CURRENT						X
Half time break	DT_SCHEDULE_UPDATE	SCHEDULED_BREAK					X
Game time starts after half time break	DT_SCHEDULE_UPDATE	RUNNING					X
	DT_CURRENT						X
Game is finished and score entered	DT_RESULT (not sent if score after stats)	LIVE					X
	DT_SCHEDULE_UPDATE	FINISHED	X				O
Stats (and Score) are entered	DT_RESULT	UNOFFICIAL					X
	DT_PLAY_BY_PLAY (for last end)	INTERMEDIATE					



Trigger	Message	Result Status	D	E	P	S	U
Game Score confirmed	DT_RESULT	OFFICIAL					X
	DT_POOL_STANDINGS (not for Play-offs)	INTERMEDIATE			X		
	DT_PDF C73Results						
	DT_STATS (CUM) for both teams			X			
	DT_PDF C84B Statistics for both teams			X			
	DT_PLAY_BY_PLAY (all ends)	OFFICIAL					X
	DT_PDF C69 Shot by shot						X

3.4 After last Game of a Session

Trigger	Message	Result Status	D	E	P	S	U
Session is finished	DT_SCHEDULE_UPDATE	FINISHED	X			O	
	DT_PDF C74x Results and Standings					X	
	DT_PDF C84A Percentage Summary					X	
	DT_PDF C76A Competition Summary			X			
	DT_STATS (TOU)			X			
	DT_PDF C84D Scoring Analysis			X			
	DT_PDF C84E Summary of big Ends			X			
	DT_PDF C84G Time-out Statistics			X			
	DT_PDF C83 Most Important Shots					X	
<i>Only for Round Robin sessions</i>	DT_PDF C76C Competition Matrix			X			
	DT_STATS (RANKING)			X			
	DT_PDF C84C Cumulative Percentage			X			

3.5 After the last Round Robin or Tie-breaker Session

Trigger	Message	Result Status	D	E	P	S	U
Final rank for some teams known	DT_RANKING	PARTIAL		X			
Teams for tie-breaker are known	DT_SCHEDULE_UPDATE	SCHEDULED	X			o	o



Trigger	Message	Result Status	D	E	P	S	U
After Round Robin or Tie-breaker	DT_POOL_STANDINGS	OFFICIAL			X		
	DT_BRACKETS	INTERMEDIATE		X			
Teams for play-offs are known	DT_SCHEDULE_UPDATE	SCHEDULED	X			o	o

3.6 After the Bronze Medal Game

Trigger	Message	Result Status	D	E	P	S	U
After last event unit is official	DT_MEDALLIST	PARTIAL		X			
	DT_BRACKETS	INTERMEDIATE		X			

3.7 After the Gold Medal Game

Trigger	Message	Result Status	D	E	P	S	U
After last event unit is official	DT_MEDALLIST	OFFICIAL		X			
	DT_MEDALLIST_DISCIPLINE		X				
	DT_BRACKETS	OFFICIAL		X			
	DT_RANKING	OFFICIAL		X			
	DT_PDF C92x Medallist			X			
	DT_PDF C93 Medallist		X				
	DT_PDF C95 Medal Standings		X				

4 Document Control

Version history		
Version	Date	Comments
v1.0	07 Mar 2015	First version
v1.1	27 May 2015	Updated
v1.2	04 Jun 2015	Updated
v1.3	10 Jul 2015	Updated
v1.4	21 Aug 2015	Updated



v1.5	09 Sep 2015	Updated
v1.6	04 Jan 2016	Status Change
v1.7	24 Mar 2016	Updated
v1.8	19 May 2016	Updated
v1.9	20 Jun 2016	Updated
v1.10	22 Sep 2016	Updated
v1.11	10 Nov 2016	Updated
v2.0	23 Feb 2017	Full document and updates
v2.1	10 Apr 2017	Updated.
v2.2	20 Jul 2017	Updated.
v2.3	02/10/17	CR015625

File Reference: ODF/INT414 R-WOG-2018-CUR-v2.3 APP

Change Log		
Version	Status	Changes on version
v1.0	Draft	First version
v1.1	Draft	Feedback included
v1.2	Draft	Feedback included
v1.3	SFR	Feedback included and codes updated
v1.4	SFR	Feedback included
v1.5	SFR	Updated with CR7452
v1.6	SFA	Status Change
v1.7	SFA	CR8928 - add attribute Attendance in DT_RESULT (remove extension) CR8928 - DT_PARTIC add "Status" at Discipline/RegisteredEvent and remove extension CR8930 - Change header in pool standing message CR8934 - DT_BRACKETS adding IRM attribute and START_LIST CR9360 - Play by Play message improvements Add sportcode @Turn as applicable. CR9941 - Add Result attribute at CompetitorPlace in DT_BRACKETS CR9942 - Add home/away indicator in Pool Standings
v1.8	SFA	Typographical correction
v1.9	SFA	Removed duplications in @Pos in DT_STATS messages. (PTS, LSD) ODF Timeline updated Added GROUP extension in DT_PARTIC_TEAMS



		<p>In pool standings message additional extendedinfos have been added. In stats message additional extendedinfos have been added. Extensions TASK and POINTS changed to use sport codes (from string). Other minor editing Removed MIS (most important shot) from the DT_RESULTS and added link and description of the MIS in DT_PLAY_BY_PLAY.</p>
v1.10	APP	<p>Add SITUATION in ExtendedInfos in DT_RESULTmessage Update ExtendedInfos /PreviousResults /PreviousResult/Result in DT_RESULT DT_CURRENT: Add LAST_CON_STONE Corrected the temperature mask in the weather message.</p>
v1.11	APP	<p>DT_RESULT ResultType attribute modified to optional attribute DT_STATS TIMEOUT/PERCENT modified to String format, to be able to receive "-" DT_STATS added to Timeline definition at Preparation Phase.</p>
v2.0	APP	<p>Full document CR014575 - In DT_RESULTS remove Previous Results</p>
v2.1	APP	<p>CR014587 - DT_SCHEDULE. Add the attributes @PreviousWLT and @PreviousUnit at Unit/StartList/Start. CR014636 - DT_POOL_STANDING. This change is to remove the use the DocumentSubcode.</p>
v2.2	APP	<p>CR015332 - ODF:CUR:Changes after TEV. Is complementary of CR15098. Change ODF Data Dictionary due to C51B changes and C73 changes : - C51B: DT_BRACKETS: Add Bracket /BracketItems /BracketItem@Code with game number information. -C73: DT_RESULTS: Add in Periods /Period /ExtendedPeriods /ExtendedPeriod HOME AND AWAY POWERPLAY Flag. DT_PARTIC_TEAM : Add missing attribute order in node : Team /Composition /Athlete.</p>
v2.3	APP	<p>CR015625: -HT issue in HPQC #153258: HT: ODS:ORIS: Modifications to the brackets; Game numbers should be removed from bracket * DT_BRACKET: Remove Bracket/BracketItems/BracketItem@Code -Ref UVT issue in HPQC #???: Powerplay * DT_RESULT: Triggering updated; * DT_RESULTS: Periods/Period/ExtendedPeriods/ExtendedPeriod HOME_POWERPLAY and AWAY_POWERPLAY extensions updated -Message Timeline updated -Typo * DT_RESULT: ResultType@Result: Reference to Sport Code in Value definition was corrected from RecordType to ResultType</p>



		<ul style="list-style-type: none">* DT_POOL_STANDINGS: UNCONFIRMED and UNOFFICIAL statuses removed as non-applicable and to be aligned to Triggerring section where only OFFICIAL ResultStatus is defined.* DT_BRACKET: ResultStatus: UNCONFIRMED removed as non-applicable
--	--	--