



INTERNATIONAL
OLYMPIC
COMMITTEE

ODF R-SOG-2020-GLF V2.3 APP

OLYMPIC DATA FEED

ODF Golf Data Dictionary

Tokyo 2020 - Games of the XXXII Olympiad

Technology and Information Department

© International Olympic Committee

ODF R-SOG-2020-GLF V2.3 APP

24 January 2019



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



1 Introduction

1.1 This document

This document includes the ODF Golf Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for golf.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Golf Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the golf competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF General Principles Document	The document explains the environment and general principles for ODF.
ODF General Messages Interface Document	The document describes the ODF General Messages
ODF Common Codes	The document describes the ODF Common codes used across all ODF documents.
ODF Sport Codes	The document describes the ODF Sport codes used across all ODF documents
ODF Header Values	The document details the header values which show which RSCs are used in which messages.



2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in golf.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_MEDALS	Medal standings	
DT_MEDALLISTS_DAY	Medallists of the day	
DT_GLOBAL_GM	Global good morning	
DT_GLOBAL_GN	Global good night	
DT_RESULT	Event Unit Start List and Results	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_CURRENT	Current Information	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_IMAGE	Image	X
DT_STATS	Statistics	X
DT_RANKING	Event Final Ranking	X
DT_COMMUNICATION	Official Communication	X
DT_CONFIG	Configuration	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_KA	Keep Alive	



2.2 Messages

2.2.1 List of participants by discipline / List of participants by discipline update

2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.



2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.



2.2.1.4 Message Values

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	CC @ParticStatus	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase)
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase)
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)



Element: Participant (1,N)			
Attribute	M/O	Value	Description
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	Y or N	Flag to indicating if the participant participates in the Olympic Scholarship program.



Element: Participant (1,N)

Attribute	M/O	Value	Description
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Participant /Discipline (1,1)
All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	O	S(16)	IF ID (competitor's federation number for the discipline).

Element: Participant /Discipline /RegisteredEvent (0,N)
All accredited athletes will be assigned to one or more events. There is an exception: substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event

Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N)

Type	Code	Pos	Description
ENTRY	CADDY	N/A	Element Expected: If available This information can be sent in both messages
	Attribute	M/O	Value
	Value	M	S(20) Send the athlete's caddy ID
ENTRY	RANK_OG	N/A	Element Expected: When available This information can be sent in both messages
	Attribute	M/O	Value
	Value	M	Numeric ###0 Send the Olympic golf ranking of the athlete

2.2.1.5 Message Sort

The message is sorted by Participant @Code



2.2.2 Event Unit Start List and Results

2.2.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

This message will contain all participants in all rounds, including those that don't progress to next rounds. For Play-offs should include only players that are involved in the play-off.

2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	The DocumentCode will be sent according to the ODF Common Codes (header values)
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	Not used	Not used
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). <ul style="list-style-type: none"> START_LIST: as soon as the start list is available for each round (one message per round) and any changes [inc. IRMs] LIVE: when the first player starts the round and all changes/additions in data, that is updated after each player completes a hole INTERMEDIATE : When a round is Postponed UNOFFICIAL / OFFICIAL: after the round is complete
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



Attribute	Value	Comment
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.2.3 Trigger and Frequency

This message is sent with ResultStatus 'START_LIST' as soon as the start list information is available and any changes to the information:

- As soon as the start list is available for each round (one message with all participants in the competition per round, including those that don't progress to next rounds) and any changes [inc. IRMs] (START_LIST)

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on updates.

- When the first player starts the round and all changes/additions in data, that is updated after each player completes a hole. (LIVE)

This message is also sent when the unit finishes and the results are still unofficial. Also, this message is expected when the results become official.

- After the round is complete (UNOFFICIAL / OFFICIAL)

2.2.2.4 Message Values

Element: ExtendedInfos /UnitDateTime (0,1)			
Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date-time. Do not include until unit starts.
Element: ExtendedInfos /ExtendedInfo (0,N)			
Type	Code	Pos	Description
UI	PLAYOFF	Numeric	Pos Description: Order of the play-off holes, 1 to n Element Expected: Only in the case of a play-off unit
Attribute	M/O	Value	Description
Value	M	Numeric #0	Send the hole number



Sample

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T19:00:00+01:00" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="1" Value="16" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="2" Value="17" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="3" Value="18" />
</ExtendedInfos>
```

Element: ExtendedInfos /SportDescription (0,1)
Sport Descriptions in Text

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes

Element: ExtendedInfos /VenueDescription (0,1)
Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

Element: Result (1,N)

Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding event unit (round). In play-off only updates when all players finish each hole.
RankEqual	O	S(1)	Identifies if a rank has been equaled (Y). Only send if applicable
Result	O	Numeric #00	The result of the competitor in the event unit (round). Send only after athlete completes the round. Not sent in the case of play-off.
Unchecked	O	S(1)	Send 'Y' in the case that the result needs to be validated. Do not send if not ="Y".
IRM	O	SC @IRM	IRM for the particular unit. Send just in the case @ResultType is IRM.



Element: Result (1,N)			
Attribute	M/O	Value	Description
SortOrder	M	Numeric	Used to sort all the results of an event unit Before the start of any event unit this will be the same as the StartSortOrder and is used as the primary sort except in the case where a Rank is available (from earlier event units) and in this case the SortOrder will consider Rank in the same way as if the competition had already started. During the event unit any sort order change from the initial start list order for any competitor will be provided in this attribute regardless the competitor is ranked or not. This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. Based on the unit rank, but it should be used to sort out rank ties as well as results without rank (because there is an IRM or all athletes have not started). Those without rank are at the bottom in StartOrder
StartOrder	O	Numeric	Competitor's start order. Number based in the starting time, Hole 1 before Hole 10 if applicable. In play-off order by the order in which players tee-off on the first play-off hole.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	BACK	N/A	Element Expected: After athlete completes back holes. Not for play-off
	Attribute	M/O	Value
	Value	M	Numeric ##
ER	COMPLETE	N/A	Element Expected: Always after the competitor has started the round. Not applicable in play-off.
	Attribute	M/O	Value
	Value	M	Numeric ##
ER	FRONT	N/A	Element Expected: After athlete completes front holes. Not for play-off
	Attribute	M/O	Value
	Value	M	Numeric ##



Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	HOLE	Numeric #0	Pos Description: Numbers 1-18 to indicate hole number in normal rounds. In play-off this matches the @Pos in ExtendedInfos for the hole. Element Expected: Always when available	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Score for the hole.
	Value2	M	+/-Numeric +/-0	Score for the hole to par, positive, negative integer or 0
ER	TO_PAR	N/A	Element Expected: Always except play-off. Do not send until the competition starts.	
	Attribute	M/O	Value	Description
	Value	M	+/-Numeric +/-#0	Score for the round to par, positive, negative integer or 0

Sample

```
<Result Rank="5" ResultType="STROKES" Result="69" SortOrder="5" StartOrder="7" StartSortOrder="7">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="-1" />
    <ExtendedResult Type="ER" Code="FRONT" Value="36" />
    <ExtendedResult Type="ER" Code="BACK" Value="33" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="1" Value="4" Value2="-1" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="2" Value="3" Value2="0" />
    ....
  </ExtendedResults>
```

Sample (for Play-off)

```
<Result Rank="1" ResultType="STROKES" SortOrder="2" StartOrder="2" StartSortOrder="2">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="HOLE" Pos="1" Value="4" Value2="-1" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="2" Value="3" Value2="0" />
    ....
  </ExtendedResults>
```

Element: Result /Competitor (1,1)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation



Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	1 if Competitor @Type="A".

Element: Result /Competitor /Composition /Athlete /Description (1,1) Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)			
Type	Code	Pos	Description
EUE	BIB_COLOUR	N/A	Element Expected: Always, except for athletes with an IRM in a previous round
	Attribute	M/O	Value
	Value	M	SC @Colour
EUE	GROUP	N/A	Element Expected: Always, except for athletes with an IRM in a previous round
	Attribute	M/O	Value
	Value	M	Numeric #0
EUE	PREV_ERANK	N/A	Element Expected: If applicable
	Attribute	M/O	Value
	Value	M	S(1)
EUE	PREV_RANK	N/A	Element Expected: All rounds after the first except in play-off
	Attribute	M/O	Value
	Value	M	Numeric ##0



Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)				
Type	Code	Pos	Description	
EUE	PREV_ROUND	Numeric 0	Pos Description: Send the Round Number Element Expected: All rounds after the first for each completed round. Not for play-off	
	Attribute	M/O	Value	Description
	Value	M	Numeric #00	Score for the round indicated @Pos
EUE	PREV_TOTAL	N/A	Element Expected: All rounds after the first except in play-off	
	Attribute	M/O	Value	Description
	Value	M	Numeric #00	Total before the round
EUE	START_HOLE	N/A	Element Expected: Always except in play-off and for athletes with an IRM in a previous round	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Numbers 1-18 to indicate starting hole.
EUE	START_TIME	N/A	Element Expected: Always except in play-off and for athletes with an IRM in a previous round	
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Start Time

Sample

```
<EventUnitEntry Type="EUE" Code="GROUP" Value="9" />
<EventUnitEntry Type="EUE" Code="START_TIME" Value="08:40" />
<EventUnitEntry Type="EUE" Code="BIB_COLOUR" Value="BLUE" />
<EventUnitEntry Type="EUE" Code="PREV_RANK" Value="5" />
<EventUnitEntry Type="EUE" Code="PREV_ERANK" Value="Y" />
<EventUnitEntry Type="EUE" Code="PREV_TOTAL" Value="138" />
<EventUnitEntry Type="EUE" Code="PREV_ROUND" Pos="1" Value="70" />
<EventUnitEntry Type="EUE" Code="PREV_ROUND" Pos="2" Value="68" />
```

2.2.2.5 Message Sort

Sort by Result @SortOrder



2.2.3 Play by Play

2.2.3.1 Description

The Play by Play is a message containing official raw data from the results provider for each action.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	RSC of the unit
DocumentSubcode	S(20)	Send the Athlete ID
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	S(8)	Send "ACTION"
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.3.3 Trigger and Frequency

Send this message once only per shot, after the data is available from the shot. That is approximately 65-80 messages per athlete per round. This means do not send FROM... extensions before the stroke. [Maximum messages in Olympics = 60 players x 75 strokes = 4500/day]

2.2.3.4 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	M	S(40)	Text short description of the Event Unit, not code
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

Element: Actions /Action (1,N)			
Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message
Period	M	Numeric #0	Hole Number
Order	M	Numeric	Unique sequential number for all of the actions from 1 to n. It is used to sort Action
Action	O	SC @Club	Send the club used. Only for par 4 and par 5 holes on tee shots.
ActionAdd	O	SC @StrokeType	Send the stroke result type Note that StrokeTypes DRP and PRV are assessed as value 0 and StrokeTypes STR and PTY are value 1.
When	O	Numeric #0	Shot number in the current hole
X	O	Numeric ##0.0	Send the resting location x value (percentage relative to image)
Y	O	Numeric ##0.0	Send the resting location y value (percentage relative to image)
TimeStamp	O	DateTime	Time of the action (for alignment to video)



Element: Actions /Action /ExtendedAction (0,N)				
Code		Pos	Description	
DTP		Numeric 0	Pos: Send units used. 0 for metres 1 for feet/inches Expected: Always	
Attribute	M/O	Value	Description	
Value	M	S(n) metres: ##0.# feet/inches: ##0'##";	Distance to pin after shot	
FAIRWAY_CENTER		Numeric 0	Pos: Send units used. 0 for metres 1 for feet/inches Expected: Always from tee to green	
Attribute	M/O	Value	Description	
Value	M	S(n) metres: ##0.# feet/inches: ##0'##";	Ball distance from fairway center after shot	
FAIRWAY_EDGE		Numeric 0	Pos: Send units used. 0 for metres 1 for feet/inches Expected: Always from tee to green	
Attribute	M/O	Value	Description	
Value	M	S(n) metres: ##0.# feet/inches: ##0'##";	Ball distance from fairway edge after shot	
SHOT		Numeric 0	Pos: Send units used. 0 for metres 1 for feet/inches Expected: Always	
Attribute	M/O	Value	Description	
Value	M	S(n) metres: ##0.# feet/inches: ##0'##";	Length of the shot	
FROM_ELEVATION		N/A	Expected: If information available	
Attribute	M/O	Value	Description	
Value	M	SC @Elevation	Send the elevation at the point of the shot	
FROM_ENH		N/A	Expected: When the information is available but cannot be sent without FROM_LOC	
Attribute	M/O	Value	Description	
Value	M	SC @EnhancedStrokeLocation	Send the enhanced lie description at the resting point before the shot	



Element: Actions /Action /ExtendedAction (0,N)				
Code		Pos	Description	
FROM_LOC		N/A	Expected: When the information is available	
	Attribute	M/O	Value	Description
	Value	M	SC @StrokeLocation	Send the lie at the point of the shot
FROM_SLOPE		N/A	Expected: When the information is available	
	Attribute	M/O	Value	Description
	Value	M	SC @Slope	Send the slope type at the point of the shot
FROM_LIE		N/A	Expected: When the information is available	
	Attribute	M/O	Value	Description
	Value	M	SC @Lie	Send the lie at the point of the shot
GREEN		N/A	Expected: When ball is on the green	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send Y in the case that the ball is near the green after the shot else not sent
GROUP		N/A	Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Group number
RESTING_ENH		N/A	Expected: When the information is available but cannot be sent without RESTING_LOC	
	Attribute	M/O	Value	Description
	Value	M	SC @EnhancedStrokeLocation	Send the enhanced lie description at the resting point after the shot
RESTING_LOC		N/A	Expected: When the information is available	
	Attribute	M/O	Value	Description
	Value	M	SC @StrokeLocation	Send the lie at the resting point after the shot
FROM_X		N/A	Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Send the starting location x value (percentage relative to image)
FROM_Y		N/A	Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Send the starting location y value (percentage relative to image)



Sample

```
<Actions>
  < Action Id="123456" Period="1" Order="1" Action="DRIVER" ActionAdd="STR" When="1" X="10.5" Y="32.4"
  TimeStamp="2016-08-06T13:00:00+01:00" >
    <ExtendedAction Code="FROM_LOC" Value="TEE" />
    <ExtendedAction Code="RESTING_LOC " Value="FWY" />
    <ExtendedAction Code="RESTING_ENH" Value="L" />
    <ExtendedAction Code="FROM_ELEVATION" Value="A" />
    <ExtendedAction Code="FROM_SLOPE" Value="L" />
    <ExtendedAction Code="FROM_LIE" Value="GOOD" />
    <ExtendedAction Code="GREEN" Value="Y" />
    <ExtendedAction Code="FAIRWAY_EDGE" Pos="0" Value="20.0" />
    <ExtendedAction Code="FAIRWAY_EDGE" Pos="1" Value="65&apos;7&quot;" />
    <ExtendedAction Code="FAIRWAY_CENTER" Pos="0" Value="8.0" />
    <ExtendedAction Code="FAIRWAY_CENTER" Pos="1" Value="26&apos;3&quot;" />
    <ExtendedAction Code="GROUP" Value="1" />
    <ExtendedAction Code="SHOT" Pos="0" Value="302.2" />
    <ExtendedAction Code="SHOT" Pos="1" Value="990&apos;9&quot;" />
    <ExtendedAction Code="DTP" Pos="0" Value="149.1" />
    <ExtendedAction Code="DTP" Pos="1" Value="489&apos;3&quot;" />
```

2.2.3.5 Message Sort

Actions /Action @Order



2.2.4 Current Information

2.2.4.1 Description

The Current message is a message containing the current group(s) information in each hole.

There is a message for each hole, DocumentSubcode contains hole number. For each hole could be one or more current groups.

2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the unit (round)
DocumentSubcode	Numeric #0	Hole Number
DocumentType	DT_CURRENT	Current message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.4.3 Trigger and Frequency

- At the beginning send all groups who are at the first hole(s) and update after every stroke once only. [Maximum messages in Olympics = 60 players x 75 strokes = 4500/day]



2.2.4.4 Message Values

Element: ExtendedInfos /ExtendedInfo (1,N)			
Type	Code	Pos	Description
DISPLAY	GROUP	Numeric 0	Pos Description: Order of the group in the hole Element Expected: Always
Attribute	M/O	Value	Description
Value	M	Numeric #0	Group Number
Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: Always			
Attribute	Value	Description	
Code	MEMBER		
Pos	Numeric 0	Bib colour order as defined in DT_CONFIG. If no colour is defined then use this to send appropriate order.	
Value	S(20) with no leading zeroes	Athlete's ID	
Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When available			
Attribute	Value	Description	
Code	NEXT		
Pos	N/A	N/A	
Value	S(20) with no leading zeroes	Next player to take a shot in the group.	

Element: Result (0,N)			
Attribute	M/O	Value	Description
Result	O	Numeric #0	Current number of shots in the hole for the competitor.
SortOrder	M	Numeric	Overall player order in the hole "1, 2.... n". That is, order of the group in the hole and then by the same order as @StartSortOrder within the hole. All athletes have a different SortOrder.
StartSortOrder	M	Numeric 0	Same as @Pos attribute in MEMBER extension in ExtendedInfo.
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	TO_PAR	N/A	Element Expected: After every shot
Attribute	M/O	Value	Description
Value	M	+/-Numeric +/-0	Overall score to par, positive, negative integer or 0



Element: Result /Competitor (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID
Order	M	Numeric	Send 1 for Competitor @Type="A"

Sample

```

<ExtendedInfos>
  <ExtendedInfo Type="DISPLAY" Code="GROUP" Pos="1" Value="1" >
    <Extension Code="MEMBER" Pos="1" Value="123456" />
    <Extension Code="MEMBER" Pos="2" Value="789012" />
    <Extension Code="MEMBER" Pos="3" Value="345678" />
    <Extension Code="NEXT" Value="345678" />
  </ExtendedInfo >
  <ExtendedInfo /* If there are more groups in the hole */ >
  ....
</ExtendedInfos>
<Result ResultType="STROKES" Result="3" SortOrder="1" StartSortOrder="1" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="-3" />
  </ExtendedResults>
  <Competitor Code="123456" Type="A" Organisation="USA">
    <Composition>
      <Athlete Code="123456" Order="1">
  ...

```

2.2.4.5 Message Sort

Sort by group



2.2.5 Cumulative Results

2.2.5.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units.

In golf, the Cumulative Results message is used for the cumulative result over all rounds.

2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the event
DocumentType	DT_CUMULATIVE_RESULT	Cumulative Results message
DocumentSubtype	Not used	Not used
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates the status of the results LIVE INTERMEDIATE UNCONFIRMED OFFICIAL UNOFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.5.3 Trigger and Frequency

The cumulative results accumulate scores/results over a number of units so are sent after each DT_RESULT message if the cumulative message applies (usually using same ResultStatus at DT_RESULT). When there is no unit in progress the cumulative results will have INTERMEDIATE status.

- Send before the start of round 1 as INTERMEDIATE.
- Send after each player completes each hole as LIVE.
- Send after the last player completes the last hole of the day as INTERMEDIATE.
- Send after the last player completes the last hole on the final day as UNOFFICIAL/OFFICIAL.

2.2.5.4 Message Values

Element: ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	O	CC @Unit	Send the full RSC of the most recently completed unit or current unit if in progress included in the message.

Element: ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text. DO NOT INCLUDE unless all at single venue.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes



Element: Result (1,N)			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the cumulative result. This attribute is optional because the competitor could get an invalid rank mark.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Only send if applicable, in that case send "Y".
ResultType	O	SC @ResultType	Type of the @Result attribute.
Result	O	Numeric ##0	The cumulative result of the competitor. Send just in the case @ResultType is not IRM
IRM	O	SC @IRM	The invalid rank mark for the cumulative result, in case it is assigned. Send just in the case @ResultType is IRM
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	MOVEMENT	N/A	Element Expected: Always when available except if IRM
	Attribute	M/O	Value
	Value	M	+/-Numeric +/-#0
			Movement in rank When a player improves its position in the rank the MOVEMENT Value has a "+" symbol, and when it has a worse position in the rank the MOVEMENT Value has a "-" symbol. Eg. If a player had previously rank 10 and now has rank 3 send "+7".
ER	TO_PAR	N/A	Element Expected: Do not send until player completes first hole.
	Attribute	M/O	Value
	Value	M	+/-Numeric +/-#0
			Overall score to par, positive, negative integer or 0

Element: Result /ResultItems /ResultItem (1,N)			
Attribute	M/O	Value	Description
Unit	M	CC @Unit	Full RSC of each unit in progress or complete
Order	M	Numeric #0	Logical order of the units (schedule order).



Element: Result /ResultItems /ResultItem /Result (1,1)			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the result for the unit identified by @Unit at /ResultItems /ResultItem.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Only send if applicable.
ResultType	O	SC @ResultType	Type of the @Result attribute for the unit identified by /ResultItems /ResultItem. This is relative to the result below.
Result	O	Numeric ##0	The result of the competitor for the unit identified by @Unit at /ResultItems /ResultItem. This result is only included for completed rounds.
IRM	O	SC @IRM	The invalid rank mark, in case it is assigned for the event unit or phase identified by /ResultItems /ResultItem. Send just in the case @ResultType is IRM.
SortOrder	M	Numeric	Used to sort all results in the phase identified by phase identified by @Unit at /ResultItems /ResultItem.

Element: Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	COMPLETE	N/A	Element Expected: Always if the round has started for this competitor
	Attribute	M/O	Value
	Value	M	Numeric #0
ER	TO_PAR	N/A	Element Expected: Always when available after the first hole in this round.
	Attribute	M/O	Value
	Value	M	+/-Numeric +/-#0
			Score for the round to par, positive, negative integer or 0

Element: Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	M	CC @Organisation	Competitor's organisation



Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Send 1 if the competitor is an athlete

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample

```

<Result Rank="5" EqualRank="Y" ResultType="STROKES" Result="139" SortOrder="6" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="+1" >
      <ExtendedResult Type="ER" Code="MOVEMENT" Value="+1" >
    </ExtendedResults>
  </ExtendedResults>
  <ResultItems>
    <ResultItem Unit="GLFWSTROKE-----FNL-000100--" Order="1" >
      <Result Rank="2" ResultType="STROKES" Result="69" SortOrder="4">
        <ExtendedResults>
          <ExtendedResult Code="TO_PAR" Value="-1" />
          <ExtendedResult Code="COMPLETE" Value="18" />
        </ExtendedResults>
      </ResultItem>
    </ResultItem>
    <ResultItem Unit="GLFWSTROKE-----FNL-000200--" Order="2" >
      <Result Rank="6" RankEqual="Y" ResultType="STROKES" SortOrder="2" Result="64" >
        <ExtendedResults>
          <ExtendedResult Code="TO_PAR" Value="0" />
          <ExtendedResult Code="COMPLETE" Value="16"/>
        </ExtendedResults>
      </ResultItem>
    </ResultItems>
  </Result>

```

2.2.5.5 Message Sort

Sort by Result @SortOrder then Result /ResultItems /ResultItem /Result @SortOrder



2.2.6 Image

2.2.6.1 Description

The 'Image message' is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

In the case of golf the message is sent prior to the competition with the blank images of each hole for use to build the stroke trail. All holes use the same size image, the zero position (0,0) for ball location is top left.

2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the unit (round)
DocumentSubcode	N/A	
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send COURSE_MAP
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.6.3 Trigger and Frequency

Trigger when image available and after any change.

2.2.6.4 Message Values

Element: Competition /Image (1,N)			
Attribute	M/O	Value	Description
Pos	M	Numeric #0	Send the hole number.
Version	M	Numeric #0	Document Version
Revision	M	Numeric #0	Document Revision
ImageType	M	S(3)	Image type extension, jpg or png

Element: Competition /Image /ImageData (1,1)			
Attribute	M/O	Value	Description
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)

Sample

```
<Image Pos="1" Version="1" Revision="0" ImageType="png" >
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC Lj5OXm5+jp6vHy8/T+uit//2Q==</ImageData>
</Image>
<Image Pos="2" Version="1" Revision="0" ImageType="png" >
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC Lj5OXm5+jp6vHy8/T+uit//2Q==</ImageData>
</Image>
...
```

2.2.6.5 Message Sort

Sort by Competition /Image /Pos.



2.2.7 Statistics

2.2.7.1 Description

The Statistics message contains a list of statistics for a competitor (could be an individual athlete or a team), that applies at a DocumentCode level, which could be for an event unit, a phase or an event.

There will be a separate message (identified by the header's DocumentSubtype and DocumentSubcode) for every table where multiple statistics apply.

The DT_STATS message must never remove information for a given DocumentCode. In particular the cumulative statistics must always carry the data from the previous units/days.

DT_STATS does not apply for the play-off.

2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Depending on the statistics is could be at any level though is always full RSC.
DocumentSubcode	S(20)	Extension for the DocumentCode, to be send only when DocumentSubtype is CUM: * CUM: Individual Player Statistics - DocumentSubcode = <Athlete ID>
DocumentType	DT_STATS	Statistics message
DocumentSubtype	S(20)	Attribute used to extend DocumentType. The attribute DocumentSubtype will be used to categorize different types of statistics reports. The following different DocumentSubtype header attributes: * CUM: Individual Player Statistics in a single round and all rounds - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all) - DocumentSubcode = <Athlete ID> * IND_RANKING: Ranking of statistics over all rounds & single round. - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all) * TOU: Tournament statistics. (per round plus total). - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all)
Version	1..V	Version number associated to the message's content. Ascendant number



Attribute	Value	Comment
ResultStatus	SC @ResultStatus	<p>For single round messages:</p> <ul style="list-style-type: none"> • LIVE during the unit • OFFICIAL after all data included <p>For cumulative messages over all rounds:</p> <ul style="list-style-type: none"> • LIVE during each round • INTERMEDIATE after each round • OFFICIAL after all rounds
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.



2.2.7.3 Trigger and Frequency

- CUM: After each hole for each player (two messages) [Maximum messages in Olympics = 2 x 60 players x 18 holes = 2160/day]
 - For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit, OFFICIAL after all units for the player.
 - For GLF<Gender>><Event><Phase><Unit>: LIVE during the unit, OFFICIAL at the end of each unit for each player.
- IND_RANKING: After each hole for each group, both for the current round and all rounds (two messages) [Maximum messages in Olympics = 2 messages x 30 groups x 18 holes = 1080/day. (assuming 2 per group, less for 3 per group)]:
 - For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit, OFFICIAL after all units.
 - For GLF<Gender>><Event><Phase><Unit>: LIVE during the unit, OFFICIAL at the end of each unit.
- TOU: After each hole for each group, both for the current round and all rounds (two messages) [Maximum messages in Olympics = 2 messages x 30 groups x 18 holes = 1080/day. (assuming 2 per group, less for 3 per group)]:
 - For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit, OFFICIAL after all units.
 - For GLF<Gender><Event><Phase><Unit>: LIVE during the unit, OFFICIAL at the end of each unit.

2.2.7.4 Message Values

Element: ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
UI	AFTER_ROUND	N/A	Element Expected: Always in CUM, IND_RANKING and in TOU for cumulative	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send the round number considered
UI	ROUND	N/A	Element Expected: Always if the data is for a single round	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send the round number considered
UI	SCORES_TOTAL	N/A	Element Expected: Always for TOU only.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Send the number of completed rounds (total scores) applying to the TOU statistics in the message.

Sample

```
<ExtendedInfos>
  <ExtendedInfo Type="UI" Code="ROUND" Value="4" />
  <ExtendedInfo Type="UI" Code="SCORES_TOTAL" Value="17" />
</ExtendedInfos>
```



Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes.
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	O	CC @Location	Location Code
LocationName	O	S(30)	Location short name (not code) from Common Codes

Element: Stats (1,1)			
Attribute	M/O	Value	Description
Code	M	SC @Statistics	A code to identify the statistics being listed

Element: Stats /StatsItems /StatsItem (1,N)				
Statistics for the event unit or event - depending on the DocumentCode.				
Type	Code	Pos	Description	
ST	COURSE	SC @Course	Pos Description: Send proposed code Element Expected: Send for TOU. For Front/Back nine holes send only when any Front/Back hole completed by the group. For Course Total send only when 18 holes completed.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.000	Send Average
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat				
Expected: Always for TOU				
	Attribute	Value	Description	
	Code	ALBATROSS		
	Pos	N/A	N/A	
	Value	Numeric ###0	Send the number of albatross (double eagles) achieved	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat				
Expected: Always for TOU				
	Attribute	Value	Description	
	Code	BIRDIE		



Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit or event - depending on the DocumentCode.			
Type	Code	Pos	Description
Pos	N/A	N/A	
Value	Numeric ###0		Send the number of birdies achieved
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	BOGEY		
Pos	N/A	N/A	
Value	Numeric ###0	Send the number of bogeys made	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	DBL_BOGEY		
Pos	N/A	N/A	
Value	Numeric ###0	Send the number of double bogeys made	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	EAGLE		
Pos	N/A	N/A	
Value	Numeric ###0	Send the number of eagles achieved	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	OTHER		
Pos	N/A	N/A	
Value	Numeric ###0	Send the number of other scores made (greater than or equal to triple bogey)	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	PAR		
Pos	N/A	N/A	
Value	Numeric ###0	Send the number of pars achieved	



Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit or event - depending on the DocumentCode.			
Type	Code	Pos	Description
ST	HOLE	Numeric #0	Pos Description: Send the hole number Element Expected: For TOU. Send only for holes played.
Attribute	M/O	Value	Description
Value	M	Numeric #0.000	Send average
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	ALBATROSS		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number of albatross (double eagles) achieved	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	AVG_TO_PAR		
Pos	N/A	N/A	
Value	Numeric (-)0.000	Send Average to par, show '-' if under par	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	BIRDIE		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number of birdies achieved	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	BOGEY		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number of bogeys made	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	DBL_BOGEY		
Pos	N/A	N/A	



Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit or event - depending on the DocumentCode.			
Type	Code	Pos	Description
Value	Numeric ##0		Send the number of double bogeys made
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	DIFFICULTY		
Pos	N/A	N/A	
Value	Numeric #0	Send difficult Rank	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	EAGLE		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number of eagles achieved	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	MAXIMUM		
Pos	N/A	N/A	
Value	Numeric ##0	Send the maximum score made on the hole	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	MINIMUM		
Pos	N/A	N/A	
Value	Numeric ##0	Send the minimum score made on the hole	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			
Attribute	Value	Description	
Code	OTHER		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number of other scores made (greater than or equal to triple bogey)	
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat Expected: Always for TOU			



Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit or event - depending on the DocumentCode.			
Type	Code	Pos	Description
	Attribute	Value	Description
	Code	PAR	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of pars achieved
ST	ROUND	Numeric 0	Pos Description: Send the round number or 0 for total of all rounds Element Expected: Always for TOU
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
	Attribute	Value	Description
	Code	EQ_PAR	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number scores equal to par
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
	Attribute	Value	Description
	Code	GT_79	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number scores greater than 79
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
	Attribute	Value	Description
	Code	GT_PAR	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number scores greater than par
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
	Attribute	Value	Description
	Code	LT_70	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number scores less than 70
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
	Attribute	Value	Description



Element: Stats /StatsItems /StatsItem (1,N)			
Statistics for the event unit or event - depending on the DocumentCode.			
Type	Code	Pos	Description
Code	LT_PAR		
Pos	N/A	N/A	
Value	Numeric ##0		Send the number scores less than par
Sub Element: Stats /StatsItems /StatsItem /ExtendedStat			
Expected: Always for TOU			
Attribute	Value	Description	
Code	EQ_LT_PAR		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number scores equal to and less than par	

Sample (TOU)

```

<Stats Code="TOU">
  <StatsItems>
    <StatsItem Type="ST" Code="COURSE" Pos="3" Value="36.267" >
      <ExtendedStat Code="ALBATROSS" Value="0" />
      <ExtendedStat Code="EAGLE" Value="2" />
      <ExtendedStat Code="BIRDIE" Value="26" />
    ....
  </StatsItem>
  <StatsItem Type="ST" Code="ROUND" Pos="1" >
    <ExtendedStat Code="LT_70" Value="4" />
    <ExtendedStat Code="LT_PAR" Value="9" />
    <ExtendedStat Code="EQ_PAR" Value="26" />
  ....
  </StatsItem>
  <StatsItem Type="ST" Code="HOLE" Pos="1" Value="3.986">
    <ExtendedStat Code="DIFFICULTY" Value="17" />
    <ExtendedStat Code="AVG_TO_PAR" Value="-0.114" />
    <ExtendedStat Code="EQ_PAR" Value="26" />
    <ExtendedStat Code="ALBATROSS" Value="0" />
    <ExtendedStat Code="EAGLE" Value="0" />
    <ExtendedStat Code="BIRDIE" Value="7" />
  ....
  </StatsItem>
  </StatsItems>
</Stats>

```




Element: Stats /Competitor (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID to be assigned a specific type of statistic.
Type	M	S(1)	A for Athlete
Order	M	Numeric ##0	Sort order: Order of the competitor in the statistics
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Stats /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric ##0	Send 1 for Competitor @Type="A" or 1..n for @Type="T"

Element: Stats /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
ST (for CUM)	COURSE	SC @Course	Pos Description: Send proposed code Element Expected: Always for CUM
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	DRIVE_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric 000.0	Average driving distance.	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)
Individual athlete's stats item

Type	Code	Pos	Description
Attribute	Value	Description	
Code	DTP		
Pos	Numeric 0	Send units used. 0 for metres 1 for feet/inches	
Value	S(n) metres: ##0.# feet/inches: ##0'##"	Average distance to pin on approach	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	FAIRWAY_HITS		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hits	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	FAIRWAY_OPP		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hit opportunities	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	GREENS_NUM		
Pos	N/A	N/A	
Value	Numeric #0	Number of greens reached	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	GREENS_REG		
Pos	N/A	N/A	
Value	Numeric #0	Number of greens reached in regulation	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Attribute	Value	Description	
Code	PUTT_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for feet/inches	
Value	S(n) metres: ##0.## feet/inches: ##0'##"	Average putts made distance	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	SAND_NUM		
Pos	N/A	N/A	
Value	Numeric #0	Number of sand save attempts	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	SAVE_NUM		
Pos	N/A	N/A	
Value	Numeric #0	Number of sand saves	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	PUTTS_GAINED		
Pos	N/A	N/A	
Value	Numeric #0.000	Average strokes gained putting	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	TEE_GAINED		
Pos	N/A	N/A	
Value	Numeric #0.000	Average strokes gained putting off tee	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Attribute	Attribute	Attribute	
Code	APPROACH_GAINED		
Pos	N/A	N/A	
Value	Numeric #0.000		Average strokes gained on approach
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	AROUND_GAINED		
Pos	N/A	N/A	
Value	Numeric #0.000		Average strokes gained around green
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	TOTAL_GAINED		
Pos	N/A	N/A	
Value	Numeric #0.000		Average total strokes gained
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	SCRAMBLE		
Pos	N/A	N/A	
Value	Numeric #0.00		Scrambles percentage.
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	PAR		
Pos	N/A	N/A	
Value	Numeric ##0		Pars made
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	BIRDIE		
Pos	N/A	N/A	



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Value	Numeric ##0	Birdies made	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	BOGEY		
Pos	N/A	N/A	
Value	Numeric ##0	Bogeys made	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	EAGLES		
Pos	N/A	N/A	
Value	Numeric ##0	Eagles made	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Attribute	Attribute	
Code	DBL_BOGEY		
Pos	N/A	N/A	
Value	Numeric ##0	Double Bogeys made	
ST (for CUM)	HOLE	Numeric #0	Pos Description: Send the hole number Element Expected: Always for CUM
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	DRIVE_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric 000.0	Driving distance	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for CUM			
Attribute	Value	Description	
Code	DTP		



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Pos	Numeric 0	Send units used. 0 for metres 1 for feet/inches	
Value	S(n) metres: ##0.# feet/inches: ##0'##"	Average distance to pin on approach	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering all rounds			
Attribute	Value	Description	
Code	FAIRWAY_HITS		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hits	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering a single round			
Attribute	Value	Description	
Code	FAIRWAY_DIR		
Pos	N/A	N/A	
Value	SC @Direction	Send proposed code in the round	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering a single round			
Attribute	Value	Description	
Code	FAIRWAY_REG		
Pos	N/A	N/A	
Value	SC @Regulation	Send proposed code in the round	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering all rounds			
Attribute	Value	Description	
Code	FAIRWAY_OPP		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hit opportunities	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering a single round			
Attribute	Value	Description	
Code	GREENS_RESULT		
Pos	N/A	N/A	
Value	SC @Regulation	Send proposed code for the round	



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering all rounds			
Attribute	Value	Description	
Code	GREENS		
Pos	N/A	N/A	
Value	Numeric #0	Number of greens reached	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering all rounds			
Attribute	Value	Description	
Code	GREENS_REG		
Pos	N/A	N/A	
Value	Numeric #0	Number of greens reached in regulation	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM			
Attribute	Value	Description	
Code	PUTT_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for feet/inches	
Value	S(n) metres: ##0.## feet/inches: ##0'##";	Average putts made distance	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM			
Attribute	Value	Description	
Code	PUTTS		
Pos	N/A	N/A	
Value	Numeric #0	Putts for the hole	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for CUM in the message considering a single round			
Attribute	Value	Description	
Code	SAND_RESULT		
Pos	N/A	N/A	
Value	SC @Regulation	Send proposed code for the round	



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Individual athlete's stats item				
Type	Code	Pos	Description	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat				
Expected: Always for CUM in the message considering all rounds				
Attribute	Value	Description		
Code	SAND_ATT			
Pos	N/A	N/A		
Value	Numeric #0	Number of sand save attempts		
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat				
Expected: Always for CUM in the message considering all rounds				
Attribute	Value	Description		
Code	SAND_MADE			
Pos	N/A	N/A		
Value	Numeric #0	Number of sand saves made		
ST (for IND_RANKING)	BIRDIES	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric #0	Number of birdies	
Rank	O	Numeric ##0	Rank for birdies	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for birdies considering those without rank also	
ST (for IND_RANKING)	BOGEYS	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric #0	Number of bogeys	
Rank	O	Numeric ##0	Rank by number of bogeys	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for the rank of bogeys considering those without rank also	



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N) Individual athlete's stats item			
Type	Code	Pos	Description
ST (for IND_RANKING)	DRIVE_ACC	N/A	Element Expected: Always for IND_RANKING
Attribute	M/O	Value	Description
Value	M	Numeric ##0.00	Driving accuracy percentage. Do not send in case of no attempt.
Rank	O	Numeric ##0	Rank of driving accuracy at current point in the round
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
SortOrder	M	Numeric ##0	Sort order for the rank of driving accuracy considering those without rank also
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for IND_RANKING			
Attribute	Value	Description	
Code	DRIVES_FAIR		
Pos	N/A	N/A	
Value	Numeric #0	Number of drives in the fairway	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for IND_RANKING			
Attribute	Value	Description	
Code	DRIVES_NUM		
Pos	N/A	N/A	
Value	Numeric #0	Number of drives for the round	
ST (for IND_RANKING)	DRIVING	N/A	Element Expected: For IND_RANKING. Send only for official drive distance holes.
Attribute	M/O	Value	Description
Value	M	000.0	Average driving distance in metres
Rank	O	Numeric ##0	Rank of average driving distance
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
SortOrder	M	Numeric ##0	Sort order for the rank of driving distance considering those without rank also
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: For IND_RANKING. Do not send element for players without a valid drive distance.			
Attribute	Value	Description	
Code	IMPERIAL		



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Individual athlete's stats item				
Type	Code	Pos	Description	
Pos	N/A	N/A		
Value	Numeric 000.0	Average driving distance in yards		
ST (for IND_RANKING)	DTP	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	##0.#	Average distance to pin on approach in metres	
Rank	O	Numeric ##0	Rank of distance to pin	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for the rank of average distance to pin considering those without rank also	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for IND_RANKING				
Attribute	Value	Description		
Code	IMPERIAL			
Pos	N/A	N/A		
Value	##0'##";	Average distance to pin on approach in feet and inches		
ST (for IND_RANKING)	GREENS	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.00	Greens in regulation percentage. Do not send in case of no greens reached.	
Rank	O	Numeric ##0	Greens in regulation rank (by %) at current point in the round	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for the rank of Greens in regulation considering those without rank also	
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for IND_RANKING				
Attribute	Value	Description		
Code	GREENS_NUM			
Pos	N/A	N/A		
Value	Numeric #0	Number of greens reached		
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always for IND_RANKING				



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Individual athlete's stats item				
Type	Code	Pos	Description	
	Attribute	Value	Description	
	Code	GREENS_REG		
	Pos	N/A	N/A	
	Value	Numeric #0	Number of greens reached in regulation	
ST (for IND_RANKING)	PUTT_DIST	N/A	Element Expected: Always for IND_RANKING	
	Attribute	M/O	Value	Description
	Rank	O	Numeric ##0	Rank for average putts made distance at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of average putts made distance considering those without rank also
ST (for IND_RANKING)	PUTTS_GAINED	N/A	Element Expected: Always for IND_RANKING	
	Attribute	M/O	Value	Description
	Value	O	Numeric 0.000	Average putts gained. Do not send in case of no attempt.
	Rank	O	Numeric ##0	Total putts gained rank at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of average strokes putts gained considering those without rank also
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat				
Expected: Always for IND_RANKING				
Attribute	Value	Description		
Code	HBH_PUTTS_GAINED			
Pos	Numeric #0	Send Hole Number		
Value	Numeric 0.000	Total Putts gained for a specific hole over the entire competition		



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)				
Individual athlete's stats item				
Type		Code	Pos	Description
ST (for IND_RANKING)		TEE_GAINED APPROACH_GAINED AROUND_GAINED TOTAL_GAINED	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric 0.000	Average strokes gained - off tee - approach - around green - total Do not send in case of no attempt.
	Rank	O	Numeric ##0	Rank for the statistic.
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank.
ST (for IND_RANKING)		PUTTS_GIR	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric 0.0##	Average putts for greens reached in regulation
	Rank	O	Numeric ##0	Rank for putts per greens in regulation
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the putts per greens in regulation considering those without rank also
ST (for IND_RANKING)		SAND_SAVE	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.00	Sand save percentage. Do not send in case of no attempt.
	Rank	O	Numeric ##0	Sand save rank (by %)
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of sand saves considering those without rank also
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat				
Expected: Always for IND_RANKING				
Attribute		Value	Description	



Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
Code	SAND_NUM		
Pos	N/A	N/A	
Value	Numeric #0		Number of sand save attempts
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for IND_RANKING			
Attribute	Value	Description	
Code	SAVE_NUM		
Pos	N/A	N/A	
Value	Numeric #0		Number of sand saves
ST (for IND_RANKING)	SCRAMBLE	N/A	Element Expected: Always for IND_RANKING
Attribute	M/O	Value	Description
Value	M	Numeric ##0.00	Scrambles percentage. Do not send in case of no attempt.
Rank	O	Numeric ##0	Scrambles made rank (by %) at current point in the round
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
SortOrder	M	Numeric ##0	Sort order for the rank of scrambling considering those without rank also
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for IND_RANKING			
Attribute	Value	Description	
Code	SCRAMBLE_NUM		
Pos	N/A	N/A	
Value	Numeric #0		Number of greens missed in regulation
Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat			
Expected: Always for IND_RANKING			
Attribute	Value	Description	
Code	SCRAMBLE_PAR		
Pos	N/A	N/A	
Value	Numeric #0		Number of missed greens in regulation and made par or better



Sample (CUM – individual round)

```
<StatsItems>
  <StatsItem Type="ST" Code="HOLE" Pos="1" />
    <ExtendedStat Code="FAIRWAY_REG" Value="Y" />
    <ExtendedStat Code="FAIRWAY_DIR" Value="L" />
    <ExtendedStat Code="FAIRWAY_OPP" Value="2" />
    <ExtendedStat Code="GREENS_RESULT" Value="Y" />
    <ExtendedStat Code="PUTTS" Value="2" />
    <ExtendedStat Code="DRIVE_DIST" Pos="0" Value="215.2" />
    <ExtendedStat Code="DRIVE_DIST" Pos="1" Value="235.3" />
  ....
</StatsItem>
<StatsItem Type="ST" Code="COURSE" Pos="1" />
  <ExtendedStat Code="FAIRWAY_HITS" Value="5" />
  <ExtendedStat Code="FAIRWAY_OPP" Value="7" />
```

Sample (IND_RANKING)

```
<Stats Code="IND_RANKING">
  <Competitor Code="1131363" Order="1" Type="A" Organisation="SUI">
    <Composition>
      <Athlete Code="1131363" Order="1">
        <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI"
        BirthDate="1992-12-15" />
      <StatsItems>
        <StatsItem Type="ST" Code="DRIVING" Value="320.3" Rank="3" SortOrder="3" >
          <ExtendedStat Code="IMPERIAL" Value="350.2" />
        </StatsItem>
        <StatsItem Type="ST" Code="DRIVE_ACC" Value="85.71" Rank="5" SortOrder="5" >
          <ExtendedStat Code="DRIVES_NUM" Value="14" />
          <ExtendedStat Code="DRIVES_FAIR" Value="12" />
        </StatsItem>
      </StatsItems>
    </Athlete>
  </Competitor>
</Stats>
```

2.2.7.5 Message Sort

Sort according to the @Order attributes.



2.2.8 Event Final Ranking

2.2.8.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.2.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC of the Event	
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.8.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

Trigger also after any change.

2.2.8.4 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @DisciplineGender	Gender code for the event unit. Must be included if it is a single gender

Element: ExtendedInfos /VenueDescription (0,1)			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable
ResultType	M	SC @ResultType	Type of the @Result attribute
Result	O	Numeric #00	The result of the competitor in the event
IRM	O	SC @IRM	The invalid rank mark, send if applicable.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes.	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitors' organisation if known



Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute. Send 1 when Competitor @Type="A" or numeric starting at 1 if @Type="T"

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

2.2.8.5 Message Sort

Sort by Result @SortOrder



2.2.9 Official Communication

2.2.9.1 Description

The Official Communication message contains a release of an Official Communication, which contains jury decisions, competition management decisions, etc.

Official Communications are numbered by sport separately, not globally.

2.2.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC of the Discipline	
DocumentSubcode	Numeric	This is the Communication number. Send incremental number in the case that DocumentSubtype is NOTICE, SPORT_NOTICE, COMPETITOR_NOTICE (one for each different Item)
DocumentType	DT_COMMUNICATION	Official communication message
DocumentSubtype	NOTICE SPORT_NOTICE COMPETITOR_NOTICE	For all sports: * NOTICE: Used for Official Communications * SPORT_NOTICE: Used for Sport Communications * COMPETITOR_NOTICE : Use for notifications to competitors
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.9.3 Trigger and Frequency

The message should be generated as soon as the information is available (within no more than 15 minutes of the decision or information availability).

Trigger also after any change.

2.2.9.4 Message Values

Element: ExtendedInfos /SportDescription (0,1)			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name
EventName	O	S(40)	Event name (not code) from Common Codes.

Element: ExtendedInfos /VenueDescription (0,1)			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Communication (1,1)			
Attribute	M/O	Value	Description
PublishTime	M	DateTime	Date and time in which the official communication is published. Example: 2006-02-26T10:00:00+01:00

Element: Communication /Decision (0,1)			
Mandatory for DocumentSubtype NOTICE, COMPETITOR_NOTICE and SPORT_NOTICE.			
Attribute	M/O	Value	Description
ItemNum	O	String	Sport dependent, item number if applicable
IssuedTime	O	DateTime	Decision date and time. (Mandatory in the case of NOTICE, SPORT_NOTICE, COMPETITOR_NOTICE) Example: 2006-02-26T10:00:00+01:00
AffectsRES	O	S(1)	'Y' - The jury decision affects the results 'N' - The jury decision does not affect the results Mandatory in the case of DocumentSubtype is NOTICE
AffectsSCH	O	S(1)	'Y' - The jury decision affects the schedules 'N' - The jury decision does not affect the schedules Mandatory in the case of DocumentSubtype is NOTICE
AffectsOTH	O	S(1)	'Y' - The jury decision affects other areas 'N' - The jury decision does not affect other areas Mandatory in the case of DocumentSubtype is NOTICE
Unit	O	CC @Unit	Full RSC of discipline, event or unit as appropriate (can be at any level)



Element: Communication /Decision /Subtitle (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Communication Subtitle. It is the title placed in the ORIS report next to "Official Communication"

Element: Communication /Decision /Summary (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Summary of the communication. Should contain the event description.

Element: Communication /Decision /Details (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Body of the communication. Include the description.

Element: Communication /Decision /IssuedBy (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Communication author

Element: Communication /Decision /SignedBy (0,2)			
Attribute	M/O	Value	Description
Code	O	S(20) with no leading zeroes	ID of the Signed Name, to uniquely identify this element
FamilyName	O	S(25)	Family name of the person associated to the sign
GivenName	O	S(25)	Given name of the person associated to the sign
Function	M	S(30)	Decision of the Function of the Signed person
Order	M	Numeric	Send official order, 1..

2.2.9.5 Message Sort

There are not specific sorting requirements



2.2.10 Configuration

2.2.10.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit (round) in separate messages. Not for play-off.

2.2.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent this message for each Unit. Not for play-off.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.10.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit (round).

Trigger also after any change, but considering that, if this message is sent after any DT_RESULT message has been sent then a new version of DT_RESULT must follow this message.



2.2.10.4 Message Values

Element: Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	SC @Unit	Full RSC of the unit (round)
Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
EC	COURSE	SC @Course	Pos Description: Send proposed code Element Expected: Always
Attribute	M/O	Value	Description
Value	M	Numeric 00	Send par value
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always			
Attribute	Value	Description	
Code	DISTANCE		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric #000	Distance	
EC	HOLE	Numeric #0	Pos Description: Send hole number. Element Expected: Always
Attribute	M/O	Value	Description
Value	M	Numeric 0	Send par value
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always			
Attribute	Value	Description	
Code	DISTANCE		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric #00	Distance	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always			
Attribute	Value	Description	
Code	DISTANCE_TEE_BOX		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric #0	Distance from the front of the tee box to the tee marker.	



Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If applicable			
Attribute	Value	Description	
Code	OFFICIAL_DRIVE_HOLE		
Pos	N/A	N/A	
Value	S(1)	Send Y if the hole has been designated as the official drive distance hole.	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	PIN_X		
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.	
Value	Numeric ####0.0 or ##0.0 (percent)	Send the X coordinate of the pin	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	PIN_Y		
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.	
Value	Numeric ####0.0 or ##0.0 (percent)	Send the Y coordinate of the pin	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	PIN_Z		
Pos	N/A	N/A	
Value	Numeric ####0.0	Send the Z coordinate of the pin	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TEE_X		
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.	
Value	Numeric ####0.0 or ##0.0 (percent)	Send the X coordinate of the tee	



Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TEE_Y		
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.	
Value	Numeric ####0.0 or ##0.0 (percent)	Send the Y coordinate of the tee	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TEE_Z		
Pos	N/A	N/A	
Value	Numeric ####0.0	Send the Z coordinate of the tee	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TB_X		
Pos	N/A	N/A	
Value	Numeric ####0.0	Send the X coordinate of the front of the tee box	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TB_Y		
Pos	N/A	N/A	
Value	Numeric ####0.0	Send the Y coordinate of the front of the tee box	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available			
Attribute	Value	Description	
Code	TB_Z		
Pos	N/A	N/A	
Value	Numeric ####0.0	Send the Z coordinate of the front of the tee box	
EC	GROUP_PLAYERS	N/A	Element Expected: Always
Attribute	M/O	Value	Description



Element: Configs /Config /ExtendedConfig (1,N)				
	Type	Code	Pos	Description
	Value	M	Numeric 0	Send number of players per group
EC		BIB_COLOUR	Numeric #0	Pos Description: Send bib colour order Element Expected: Always where colours used.
	Attribute	M/O	Value	Description
	Value	M	SC @Colour	Bib colour
EC		FAIRWAY	Numeric #0	Pos Description: Send the hole number Element Expected: If available
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available				
	Attribute	Value	Description	
	Code	CENTER_X		
	Pos	Numeric #0	Send sequential number to identify a fairway point	
	Value	Numeric #####0.0	Send the X coordinate of the fairway center	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available				
	Attribute	Value	Description	
	Code	CENTER_Y		
	Pos	Numeric #0	Send sequential number to identify a fairway point	
	Value	Numeric #####0.0	Send the Y coordinate of the fairway center	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: If available				
	Attribute	Value	Description	
	Code	CENTER_Z		
	Pos	Numeric #0	Send sequential number to identify a fairway point	
	Value	Numeric #####0.0	Send the Z coordinate of the fairway center	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem Expected:				
	Attribute	Value	Description	
	Code	WIDTH_M		
	Pos	Numeric #0	Send sequential number to identify a fairway point	
	Value	Numeric #00	Fairway width in metres at this point	



Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem			
Expected:			
Attribute	Value	Description	
Code	WIDTH_YD		
Pos	Numeric #0	Send sequential number to identify a fairway point	
Value	Numeric #00	Fairway width in yards at this point	
EC	COORDINATE_CONFIG	N/A	Element Expected: Always.
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem			
Expected: Where available			
Attribute	Value	Description	
Code	DATUM		
Pos	N/A	N/A	
Value	S(40)	Coordinate system's projection Datum	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem			
Expected: Where available			
Attribute	Value	Description	
Code	PROJECTION		
Pos	N/A	N/A	
Value	S(40)	Coordinate system's projection	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem			
Expected: Where available			
Attribute	Value	Description	
Code	PROJECTION_ZONE		
Pos	N/A	N/A	
Value	S(40)	Zone within the projection	
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem			
Expected: Where available			
Attribute	Value	Description	
Code	UNITS		
Pos	N/A	N/A	
Value	S(10)	Coordinate system's unit of measurement. Options are "US-FEET" (US Survey Feet) and "INTL-FEET" (International Feet).	



3 Document Control

Version history		
Version	Date	Comments
v1.0	3 January 2018	First version
V1.1	14 January 2018	Updated
V2.0	8 August 2018	Updated
V2.1	21 September 2018	Updated
V2.2	25 October 2018	Updated
V2.3	24 January 2019	Updated

File Reference: ODF R-SOG-2020-GLF V2.3 APP

Change Log		
Version	Status	Changes on version
v1.0	SFR	First version
V1.1	SFR	DT_PARTIC_TEAMS: Message Removed, N/A in Olympic Games. Typographical corrections.
V2.0	SFR	DT_CUMULATIVE_RESULT: Update to not send MOVEMENT for IRM CR 15039: Add DT_PARTIC_NAME to applicable messages. CR 16671: Add TVFamilyName in DT_PARTIC message. CR16537: Move LAST_UNIT to ExtendedInfos/Progress in cumulative results
V2.1	SFR	DT_STATS: Add missing data (missed by error from Rio) DT_STATS: OTHER @ Stats /StatsItems /StatsItem /ExtendedStat corrected to greater than or equal to DT_STATS: Added EQ_LT_PAR @ Stats /StatsItems /StatsItem /ExtendedStat
V2.2	SFA	DT_STATS: Add additional stats as in ORIS
V2.3	APP	DT_RESULT: Move TO_PAR by hole to Value2 (CR16928) DT_RESULT: In START_HOLE noted that it is not required in play-off. DT_CONFIG: Add pin and tee positions in percentage DT_PLAY_BY_PLAY: Update related to use of percentage DT_IMAGE: Update size information DT_STATS: DocumentSubcode, removed IND_RANKING as it is not needed in this case. DT_STATS: Added a note that the message does not apply for the play-off.