



INTERNATIONAL
OLYMPIC
COMMITTEE

ODF R-SOG-2020-DIV V2.0 SFA

OLYMPIC DATA FEED

ODF Diving Data Dictionary

Tokyo 2020 - Games of the XXXII Olympiad

Technology and Information Department

© International Olympic Committee

ODF R-SOG-2020-DIV V2.0 SFA

8 August 2018



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.

1 Introduction

1.1 This document

This document includes the ODF Diving Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Diving.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Diving Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Diving competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 2018 Youth Olympic Games

This document is to be applied for the 2018 Youth Olympic Games. All included concepts are applied except scores from previous phase. Some values are added specifically for YOG as noted for teams event.

1.5 Glossary

The following abbreviations are used in this document.

| Acronym | Description |
|---------|---------------------------------|
| IF | International Federation |
| IOC | International Olympic Committee |
| NOC | National Olympic Committee |
| ODF | Olympic Data Feed |
| RSC | Results System Codes |
| WNPA | World News Press Agencies |

1.6 Related Documents

| Document Title | Document Description |
|-----------------------------------------|----------------------------------------------------------------------------|
| ODF General Principles Document | The document explains the environment and general principles for ODF. |
| ODF General Messages Interface Document | The document describes the ODF General Messages |
| ODF Common Codes | The document describes the ODF Common codes used across all ODF documents. |
| ODF Sport Codes | The document describes the ODF Sport codes used across all ODF |



| Document Title | Document Description |
|-------------------|------------------------------------------------------------------------------------------|
| | documents |
| ODF Header Values | The document details the header values which show which RSCs are used in which messages. |

2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Diving.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

| Message Type | Message Name | Message extended |
|------------------------------------------|--------------------------------------------------------------------------------|------------------|
| DT_SCHEDULE / DT_SCHEDULE_UPDATE | Competition schedule / Competition schedule update | |
| DT_PARTIC / DT_PARTIC_UPDATE | List of participants by discipline / List of participants by discipline update | X |
| DT_PARTIC_NAME | Participant Names | |
| DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE | List of teams / update | X |
| DT_MEDALS | Medal standings | |
| DT_MEDALLISTS_DAY | Medallists of the day | |
| DT_GLOBAL_GM | Global good morning | |
| DT_GLOBAL_GN | Global good night | |
| DT_RESULT | Event Unit Start List and Results | X |
| DT_RANKING | Event Final Ranking | X |
| DT_COMMUNICATION | Official Communication | |
| DT_CONFIG | Configuration | X |
| DT_MEDALLISTS | Event's Medallists | |
| DT_MEDALLISTS_DISCIPLINE | Medallists by discipline | |
| DT_LOCAL_OFF | Discipline/venue stop transmission | |
| DT_LOCAL_ON | Discipline/venue start transmission | |
| DT_KA | Keep Alive | |



INTERNATIONAL
OLYMPIC
COMMITTEE

ODF R-SOG-2020-DIV V2.0 SFA

2.2 Messages

2.2.1 List of participants by discipline / List of participants by discipline update

2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.2.1.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC (discipline level) | RSC at the discipline level |
| DocumentType | DT_PARTIC / DT_PARTIC_UPDATE | List of participants by discipline message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.



2.2.1.4 Message Values

| Element: Participant (1,N) | | | |
|----------------------------|-----|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | <p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p> |
| Parent | M | S(20) with no leading zeroes | <p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p> |
| Status | O | CC @ParticStatus | <p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p> |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |



| Element: Participant (1,N) | | | |
|----------------------------|-----|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| PassportGivenName | O | S(25) | Passport Given Name (Uppercase) |
| PassportFamilyName | O | S(25) | Passport Family Name (Uppercase) |
| PrintName | M | S(35) | Print name (family name in upper case + given name in mixed case) |
| PrintInitialName | M | S(18) | Print Initial name (for the given name it is sent just the initial, without dot) |
| TVName | M | S(35) | TV name |
| TVInitialName | M | S(18) | TV initial name |
| TVFamilyName | M | S(25) | TV family name |
| Gender | M | CC @PersonGender | Participant's gender |
| Organisation | M | CC @Organisation | Organisation ID |
| BirthDate | O | YYYY-MM-DD | Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates |
| Height | O | S(3) | Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available. |
| Weight | O | S(3) | Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available. |
| PlaceofBirth | O | S(75) | Place of Birth |
| CountryofBirth | O | CC @Country | Country ID of Birth |
| PlaceofResidence | O | S(75) | Place of Residence |
| CountryofResidence | O | CC @Country | Country ID of Residence |
| Nationality | O | CC @Country | Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent. |
| MainFunctionId | O | CC @ResultsFunction | Main function In the Case of Current="true" this attribute is Mandatory. |
| Current | M | boolean | It defines if a participant is participating in the games (true) or is a Historical participant (false). |



| Element: Participant (1,N) | | | |
|----------------------------|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| OlympicSolidarity | O | Y or N | Flag to indicating if the participant participates in the Olympic Scholarship program. |
| ModificationIndicator | M | S(1) | 'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used. |

Element: Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

| Attribute | M/O | Value | Description |
|-----------|-----|----------------|-----------------------------------------------------------------------------|
| Code | M | CC @Discipline | It is the discipline code used to fill the OdfBody @DocumentCode attribute. |
| IFId | O | S(16) | IF code (competitor's federation number for the discipline). |

Element: Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

| Attribute | M/O | Value | Description |
|-----------|-----|-----------|-----------------------|
| Event | M | CC @Event | Full RSC of the Event |

Element: Participant /OfficialFunction (0,N)

Send if the official has optional functions. Do not send, otherwise.

| Attribute | M/O | Value | Description |
|------------|-----|---------------------|-------------------------------------|
| FunctionId | M | CC @ResultsFunction | Additional officials' function code |

2.2.1.5 Message Sort

The message is sorted by Participant @Code

2.2.2 List of teams / List of teams update

2.2.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.2.2.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC (discipline level) | RSC at the discipline level |
| DocumentType | DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE | List of participant teams message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |

| Attribute | Value | Comment |
|-------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.



2.2.2.4 Message Values

| Element: Team (1,N) | | | |
|-----------------------|-----|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Team's ID When the Team is an historical one, then this ID starts with "T". |
| Organisation | M | CC @Organisation | Team organisation's ID |
| Number | O | Numeric #0 | Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams. |
| Name | O | S(73) | Team's name. |
| TVTeamName | O | S(21) | TV Team Name |
| Gender | M | CC @DisciplineGender | Discipline Gender Code of the Team Char(1) |
| Current | M | boolean | It defines if a team is participating in the games (true) or it is a Historical team (false) |
| ModificationIndicator | M | N, U, D | Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams |

| Element: Team /Composition /Athlete (0,N) | | | |
|-------------------------------------------|-----|------------------------------|------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition. |
| Order | O | Numeric | Team member order |



Element: Team /Discipline (0,1)

Discipline is expected unless ModificationIndicator="D"

| Attribute | M/O | Value | Description |
|-----------|-----|----------------|----------------------------|
| Code | M | CC @Discipline | Full RSC of the discipline |

Element: Team /Discipline /RegisteredEvent (0,1)

Each current team is assigned to one event. Historical teams will not be registered to any event.

| Attribute | M/O | Value | Description |
|-----------|-----|-----------|-----------------------|
| Event | M | CC @Event | Full RSC of the event |

2.2.2.5 Message Sort

The message is sorted by Team @Code.

2.2.3 Event Unit Start List and Results

2.2.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

When an athlete receives an IRM, the Rank should be removed and SortOrder updated in the same message in which the IRM is sent.

This is always a full message and all applicable elements and attributes are always sent.

2.2.3.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | The DocumentCode will be sent according to the ODF Common Codes (header values) |
| DocumentType | DT_RESULT | Event Unit Start List and Results message |
| DocumentSubtype | Not used | Not used |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | It indicates whether the result is official or unofficial (or intermediate etc). START_LIST OFFICIAL UNOFFICIAL INTERMEDIATE (used after the competition has started and is not finished but not currently live) LIVE (used during the competition when nothing else applies). |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |

| Attribute | Value | Comment |
|-------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.3.3 Trigger and Frequency

- This message is sent with ResultStatus 'START_LIST' as soon as the start list is available and again with any changes to the information. [inc. IRMs]
- When the first athlete is on top of the springboard/tower, ready to dive; including the first current diver send the message again as 'LIVE'.
- During the competition, after each dive and all changes/additions in data (LIVE)
- After each round is complete (INTERMEDIATE)
- After the unit is over, UNOFFICIAL / OFFICIAL as appropriate and all changed in the results

Trigger also after any change.

2.2.3.4 Message Values

| Element: ExtendedInfos /UnitDateTime (0,1) | | | |
|--------------------------------------------|-----|----------|-----------------------------------------------------------|
| Attribute | M/O | Value | Description |
| StartDate | O | DateTime | Actual start date-time. Do not include until unit starts. |



| Element: ExtendedInfos /ExtendedInfo (0,N) | | | | |
|--------------------------------------------|------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description | |
| DISPLAY | CURRENT | Numeric | Pos Description: Send dive number Element Expected: Send the current/next competitor to dive with every LIVE update (except for the last dive in a round; i.e. do not send until the first dive of the next round) | |
| | Attribute | M/O | Value | Description |
| | Value | O | S(20) with no leading zeroes | Send the competitor ID of the current/next competitor |
| DISPLAY | LAST_COMP | Numeric | Pos Description: Send dive number Element Expected: Send the last competitor with a dive/round result (including invalid) with every LIVE (if exists), INTERMEDIATE and UNOFFICIAL message. | |
| | Attribute | M/O | Value | Description |
| | Value | O | S(20) with no leading zeroes | Send the competitor ID of the last competitor to dive |
| UI | LAST_QUAL | N/A | Element Expected: As soon as it is known (Only for Individual events) | |
| | Attribute | M/O | Value | Description |
| | Value | M | S(20) with no leading zeroes | Send the last qualifying place ID (in pre-finals) In the situation where insufficient divers have participated to show the last qualifying position then show the current last place |
| UI | ROUND_CURRENT | N/A | Element Expected: As soon as it is known | |
| | Attribute | M/O | Value | Description |
| | Value | M | Numeric 0 | Send the current round. |
| UI | STARTERS | N/A | Element Expected: When was available | |
| | Attribute | M/O | Value | Description |



| Element: ExtendedInfos /ExtendedInfo (0,N) | | | |
|----------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------|--------------------------------------------------|
| Type | Code | Pos | Description |
| Value | M | Numeric ##0 | Sent the number of competitors on the start list |
| Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: When it is available | | | |
| Attribute | Value | Description | |
| Code | COMPLETE | | |
| Pos | N/A | N/A | |
| Value | Numeric ##0 | Send the number of competitors whose event unit is completed (includes IRMs) | |

Sample

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-11T12:30:00+01:00" />
  <ExtendedInfo Type="UI" Code="STARTERS" Value="12" />
    <Extension Code="COMPLETE" Value="5" />
  </ExtendedInfo>
  <ExtendedInfo Type="UI" Code="ROUND" Value="5" >
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Pos="5" Value="1234567" >
  <ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Pos="5" Value="1231117" >
  </ExtendedInfo>
</ExtendedInfos>
```

| Element: ExtendedInfos /SportDescription (0,1) | | | |
|------------------------------------------------|-----|-------------------------|---------------------------------------------------|
| Sport Descriptions in Text | | | |
| Attribute | M/O | Value | Description |
| DisciplineName | M | S(40) | Discipline name (not code) from Common Codes |
| EventName | M | S(40) | Event name (not code) from Common Codes |
| Gender | M | CC @DisciplineGender | Gender code for the event unit |
| SubEventName | M | S(40) | EventUnit short name (not code) from Common Codes |
| Element: ExtendedInfos /VenueDescription (0,1) | | | |
| Venue Names in Text. | | | |
| Attribute | M/O | Value | Description |
| Venue | M | CC @VenueCode | Venue Code |
| VenueName | M | S(25) | Venue short name (not code) from Common Codes |
| Location | M | CC @Location | Location code |
| LocationName | M | S(30) | Location short name (not code) from Common Codes |



| Element: Officials /Official (1,N) | | | |
|-------------------------------------------|------------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Official's code |
| Function | M | CC @ResultsFunction | <p>Official's function for the event unit.</p> <p>Send the function code for: -Referee -Assistant Referee</p> <p>And for judges, in individual events: There are two panels (A and B) for the preliminary and semi-final with seven judges and one alternate judge in each panel of judges. And for the final there is only one panel of judges with seven judges and one alternate judge in this panel i.e.: for each of the corresponding panel of judges: -Judge 1 -Judge 2 -Judge 3 -... -Alternate Judge</p> <p>In synchronised events: There is a panel for final with eleven judges and one alternate judge, i.e.: -Execution judges -Synchronisation judges -Alternate Judge</p> |
| Order | M | Numeric | <p>Order of the Officials</p> <p>Send by order for each official in each function, example: judge 1, judge 2, judge 3 ...</p> |

| Element: Officials /Official /Description (1,1) | | | |
|--------------------------------------------------------|------------|------------------|-----------------------------------------|
| Officials extended information. | | | |
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the official |
| Organisation | M | CC @Organisation | Officials' organisation |



| Element: Officials /Official /ExtOfficial (0,N) | | | | |
|-------------------------------------------------|------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description | |
| EO | PANEL | Numeric 0 | Pos Description: Send the order within the @PanelType (i.e.:1...n for Panel A etc.) In synchronised (team events), use 1 to 6 for Execution judges and 7 to 11 for Synchronisation. Element Expected: As soon as it is known This should be sent according with the Official/@Function (except for Referee and Assistant Referee). | |
| | Attribute | M/O | Value | Description |
| | Value | O | SC @PanelType | Send CC @PanelType. Indicates in which panel is the judge. Only send for the Judges, and for alternate judges in Individual events. Do not send for the alternate judge in synchronised (team events) |
| EO | RESERVE | N/A | Element Expected: Only if applicable | |
| | Attribute | M/O | Value | Description |
| | Value | M | S(1) | Send "Y" if the official it's an alternate judge (reserve), else do not send. |
| EO | TECH_MEMBER | N/A | Element Expected: Only if applicable | |
| | Attribute | M/O | Value | Description |
| | Value | M | S(1) | Send "Y" if the official is member of the FINA Technical Diving Committee, else do not send |



Sample (Women's 3m Springboard Final)

```
<Officials>
  <Official Code="1176528" Function="RE" Order="1">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176523" Function="AR" Order="2">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176564" Function="J1" Order="3">
    <Description GivenName="Mary" FamilyName="Jones" Gender="W" Organisation="USA" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="1" Value="A" />
  </Official>
  <Official Code="1176583" Function="J2" Order="4">
    <Description GivenName="Judy" FamilyName="Smith" Gender="W" Organisation="GBR" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="2" Value="A" />
  </Official>
  ...
  <Official Code="1176577" Function="ALT_JDG" Order="10">
    <Description GivenName="Jack" FamilyName="Fame" Gender="M" Organisation="NZL" />
    <ExtOfficial Type="EO" Code="RESERVE" Value="Y" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="8" Value="A" />
  </Official>
</Officials>
```



Sample (Women's 3m Springboard Preliminary)

```
<Officials>
  <Official Code="1176528" Function="RE" Order="1">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176523" Function="AR" Order="2">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176564" Function="A1" Order="3">
    <Description GivenName="Mary" FamilyName="Jones" Gender="W" Organisation="USA" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="1" Value="A" />
  </Official>
  ...
  <Official Code="1176583" Function="A7" Order="9">
    <Description GivenName="Judy" FamilyName="Smith" Gender="W" Organisation="GBR" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="7" Value="A" />
  </Official>
  <Official Code="1176577" Function="ALT_JDG" Order="10">
    <Description GivenName="Jack" FamilyName="Fame" Gender="M" Organisation="NZL" />
    <ExtOfficial Type="EO" Code="RESERVE" Value="Y" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="8" Value="A" />
  </Official>
  <Official Code="1176564" Function="B1" Order="11">
    <Description GivenName="Mary" FamilyName="Jones" Gender="W" Organisation="USA" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="1" Value="B" />
  </Official>
  ...
  <Official Code="1176583" Function="B7" Order="17">
    <Description GivenName="Judy" FamilyName="Smith" Gender="W" Organisation="GBR" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="7" Value="B" />
  </Official>
  <Official Code="1176577" Function="ALT_JDG" Order="18">
    <Description GivenName="Jack" FamilyName="Fame" Gender="M" Organisation="NZL" />
    <ExtOfficial Type="EO" Code="RESERVE" Value="Y" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="8" Value="B" />
  </Official>
</Officials>
```



Sample (Women's Sync 3m Springboard Final)

```
<Officials>
  <Official Code="1176528" Function="RE" Order="1">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176523" Function="AR" Order="2">
    <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="ESP" />
    <ExtOfficial Type="EO" Code="TECH_MEMBER" Value="Y" />
  </Official>
  <Official Code="1176564" Function="E1" Order="3">
    <Description GivenName="Mary" FamilyName="Jones" Gender="W" Organisation="USA" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="1" Value="EX" />
  </Official>
.....
  <Official Code="1176583" Function="S1" Order="9">
    <Description GivenName="Judy" FamilyName="Smith" Gender="W" Organisation="GBR" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="7" Value="SYN" />
  </Official>
.....
  <Official Code="1176583" Function="S5" Order="13">
    <Description GivenName="Judy" FamilyName="Smith" Gender="W" Organisation="GBR" />
    <ExtOfficial Type="EO" Code="PANEL" Pos="11" Value="SYN" />
  </Official>
  <Official Code="1176577" Function="ALT_JDG" Order="14">
    <Description GivenName="Jack" FamilyName="Fame" Gender="M" Organisation="NZL" />
    <ExtOfficial Type="EO" Code="RESERVE" Value="Y" />
  </Official>
</Officials>
```

| Element: Result (1,N) | | | |
|-----------------------|-----|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Rank | O | Text | Rank of the competitor in the corresponding event unit. |
| RankEqual | O | S(1) | Identifies if a rank has been equalled. Only send if applicable |
| Result | O | Numeric ###.#0 | Result (total Points based on all dives) of the competitor for the particular event unit. |
| IRM | O | SC @IRM | IRM for the particular event unit. Send just in the case @ResultType is IRM. |
| QualificationMark | O | SC @QualificationMark | Indicates whether qualification for next phase is confirmed. Do not send during the final. Only for Individual events after the last dive for the competitor and the qualification mark cannot change. (ie only insert the first Q when the number of divers remaining to dive is one less than the number of divers qualifying for the next phase) |



| Element: Result (1,N) | | | | |
|---------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Attribute | M/O | Value | Description | |
| SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Before the unit is it the same as StartSortOrder. | |
| StartOrder | O | S(4) | Start order of the competitor in the start list. This attribute is optional because it is not expected in case of reserve divers. | |
| StartSortOrder | M | Numeric | Start list order according to the sport rules (used to sort all start list competitors in an event unit). | |
| ResultType | O | SC @ResultType | Result type, either POINTS or IRM for the corresponding event unit. | |
| Diff | O | Numeric ###.#0 Or blank (for leader) | Points behind the leader (send just in the case @ResultType is POINTS). Send blank if the competitor is the leader (for Result @Rank=1). | |
| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | | |
| Type | Code | Pos | Description | |
| ER | DIVE | Numeric 0 | Pos Description: Send the number that identifies the dive (round). Element Expected: Always | |
| | Attribute | M/O | Value | Description |
| | Value | O | Numeric ##0.00 | Dive points. |
| | ValueType | O | SC @ResultType | |
| | Rank | O | S(3) | Send the rank for the dive/round |
| | RankEqual | O | S(1) | Send "Y" if rank is equalled, else do not send |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: If applicable | | | | |
| Attribute | Value | Description | | |
| Code | AVG_J | | | |
| Pos | N/A | N/A | | |



| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | |
|-----------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Type | Code | Pos | Description |
| Value | Numeric #0.0 | | Average score. Based on the scores have not been eliminated |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: If applicable | | | |
| Attribute | Value | Description | |
| Code | DISCARDED | | |
| Pos | Numeric 0 | Judge's sequential number | |
| Value | S(1) | Send "Y" if the judge score does not contribute to total score. Otherwise, do not send. | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: When available (Only for Judges) | | | |
| Attribute | Value | Description | |
| Code | JUDGE | | |
| Pos | Numeric 0 | Judge's sequential number | |
| Value | CC @ResultsFunction | Official's function. Only send for the Judges. This means should be sent according with the Official/@Function (except for Referee and Assistant Referee). | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: When applicable | | | |
| Attribute | Value | Description | |
| Code | PTY | | |
| Pos | N/A | N/A | |
| Value | -Numeric -#.0 | Send the points for penalty only if not zero | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: If applicable | | | |
| Attribute | Value | Description | |
| Code | PTY_IND | | |
| Pos | N/A | N/A | |
| Value | S(1) | Penalty indicator. Send "Y" if the points have a penalty, else do not send | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: When available | | | |



| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | |
|------------------------------------------------------------------------|-----------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| Attribute | Value | Description | |
| Code | SCORE_J | | |
| Pos | Numeric 0 | | Judge's sequential number |
| Value | Numeric #0.0 | | Score awarded given by that judge for that dive/round. Send 10 -without decimal-, for perfect score. |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension | | | |
| Expected: If applicable | | | |
| Attribute | Value | Description | |
| Code | UNSAFE | | |
| Pos | Numeric 0 | | Judge's sequential number |
| Value | S(1) | | Send "Y" when the dive/round is judged by that judge as unsafe dive. Otherwise do not send. Only applies to the Execution judges scores to mark this judge's score as unsafe dive (for E1, E2, E3 (when diver1), or for E4, E5, E6 (when diver2), or for E1 to E6 (when both)). Otherwise, do not send. |
| ER | SCORE | Numeric 0 | Pos Description: Send the number that identifies the round number, from 1 to n (where n is the total numbers of rounds). Element Expected: Always |
| Attribute | M/O | Value | Description |
| Value | O | Numeric ##0.00 | Total points after the dive in that round. Do not send for the current competitor (or in the START_LIST message), as well as the other attributes (@ValueType, @Rank, @RankEqual, @SortOrder and @Diff) |
| ValueType | O | SC @ResultType | Send CC @ResultType |
| IRM | O | SC @IRM | Invalid result mark (if applies). Send IRM code just in the case of @ValueType is IRM. |
| Rank | O | String | Send the overall rank of the competitor after the dive in that round. |



| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| RankEqual | O | S(1) | Send "Y" if rank is equalled, else do not send |
| SortOrder | O | Numeric | Send sequential number with the order of the competitor (Rank Order) considering all competitors. |
| Diff | O | Numeric ###.#0 Or blank (for leader) | Send the points behind the leader at the corresponding point, after that round. Send blank if the competitor after the dive/round is the leader (for SCORE /@Rank=1). |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: When competitor becomes current. Do not send unless current. | | | |
| Attribute | Value | Description | |
| Code | AVG | | |
| Pos | Numeric 0 | Sequential number for each average. For Individual events: from 1 to 4. For Synchronized events: from 1 to 3 | |
| Value | String | Average score (with format #0.0) needed to reach the rank put in AVR_H Send "-", if ranked higher than this rank. Send "x" if not possible to attain this rank | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: When competitor becomes current. Do not send unless current. | | | |
| Attribute | Value | Description | |
| Code | AVG_H | | |
| Pos | Numeric 0 | Sequential number for each average. For Individual events: from 1 to 4. For Synchronized events: from 1 to 3 | |



| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | |
|-----------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| Value | Numeric #0 | | <p>Send the 3 or 4 (individual event) ranks higher than the competitor who can reach. More details about for what is that.</p> <p>For @Pos=1: 1, unless the diver cannot reach 1st place with 10s then put the highest place the diver can achieve</p> <p>For @Pos=2: 2, unless the first position is not equal to 1 then put one less than the first position.</p> <p>For @Pos=3: 3, unless the first position is not equal to 1 then put two less than the first position.</p> <p>For @Pos=4: "n", n is the last qualifying place (in pre-finals) or 4th place (in finals). In finals if 4th place cannot be achieved then put the rank one less than third position. Send "n" only for Individual events.</p> |
| Sub Element: Result / ExtendedResults /ExtendedResult /Extension Expected: If applicable | | | |
| Attribute | Value | Description | |
| Code | PREV_ERANK | | |
| Pos | N/A | N/A | |
| Value | S(1) | Send "Y" in the case of equalled previous rank, else do not send. | |
| Sub Element: Result / ExtendedResults /ExtendedResult /Extension Expected: If applicable | | | |
| Attribute | Value | Description | |
| Code | PREV_IDX | | |
| Pos | N/A | N/A | |
| Value | Numeric | <p>Overall Sort Order of the competitor before the current dive/round. In preliminary, during dive/round 1, the value will be blank. In semi-finals and finals, during dive/round 1, the value will be previous phase @SortOrder.</p> | |
| Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: Always | | | |
| Attribute | Value | Description | |



| Element: Result /ExtendedResults /ExtendedResult (1,N) | | | |
|--------------------------------------------------------|-----------|-----|-------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| Code | PREV_RANK | | |
| Pos | N/A | N/A | |
| Value | String | | Overall Rank of the competitor before the current dive/round. During dive/round 1, the value will be blank. |

Sample

```
<ExtendedResult Type="ER" Code="SCORE" Pos="2" Value="142.50" ValueType="POINTS" Rank="1" RankEqual="Y" SortOrder="1">
  <Extension Code="PREV_RANK" Value="2" />
  <Extension Code="PREV_ERANK" Value="N" />
  <Extension Code="PREV_IDX" Value="2" />
</ExtendedResult>
<ExtendedResult Type="ER" Code="DIVE" Pos="2" Value="76.50" ValueType="POINTS" Rank="1" RankEqual="Y">
  <Extension Code="JUDGE" Pos="1" Value="J1" />
  <Extension Code="SCORE_J" Pos="1" Value="8.5" />
  <Extension Code="DISCARDED" Pos="1" Value="Y" />
  <Extension Code="JUDGE" Pos="2" Value="J2" />
  <Extension Code="SCORE_J" Pos="2" Value="9.0" />
  <Extension Code="DISCARDED" Pos="2" Value="Y" />
  <Extension Code="JUDGE" Pos="3" Value="J3" />
  <Extension Code="SCORE_J" Pos="3" Value="9.0" />
  <Extension Code="DISCARDED" Pos="3" Value="Y" />
  <Extension Code="JUDGE" Pos="4" Value="J4" />
  <Extension Code="SCORE_J" Pos="4" Value="8.5" />
  <Extension Code="DISCARDED" Pos="4" Value="Y" />
  <Extension Code="JUDGE" Pos="5" Value="J5" />
  <Extension Code="SCORE_J" Pos="5" Value="8.5" />
  <Extension Code="JUDGE" Pos="6" Value="J6" />
  <Extension Code="SCORE_J" Pos="6" Value="8.5" />
  <Extension Code="JUDGE" Pos="7" Value="J7" />
  <Extension Code="SCORE_J" Pos="7" Value="8.5" />
  <Extension Code="AVG_J" Value="8.5" />
</ExtendedResult>
```

| Element: Result /Competitor (1,1) Competitor related to the result of one event unit. | | | |
|------------------------------------------------------------------------------------------|-----|------------------------------|---------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Competitor's ID |
| Type | M | S(1) | A for athlete, T for Team |
| Organisation | O | CC @Organisation | Competitor's organisation |

| Element: Result /Competitor /Description (0,1) Used in Team event | | | |
|----------------------------------------------------------------------|-----|-------|-------------|
| Attribute | M/O | Value | Description |



| Element: Result /Competitor /Description (0,1) | | | |
|--------------------------------------------------------------|-------------|-------------------|--------------------------------------------------------------------------------------|
| Used in Team event | | | |
| Attribute | M/O | Value | Description |
| TeamName | M | S(73) | Name of the team |
| Element: Result /Competitor /EventUnitEntry (0,N) | | | |
| For synchronised event information (for Team events). | | | |
| Type | Code | Pos | Description |
| EUE_DIVE | DD | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | Numeric 0.0 | Degree of difficulty. |
| EUE_DIVE | DESC | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | String | Dive's description. |
| EUE_DIVE | NUM | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | S(5) | Dive number (e.g.: "6241B") |
| EUE_DIVE | TYPE | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | SC @DivePositions | Dive positions |



Sample (General)

```
<EventUnitEntry Type="EUE_DIVE" Code="NUM" Pos="1" Value="405B" />
<EventUnitEntry Type="EUE_DIVE" Code="DD" Pos="1" Value="3.0" />
<EventUnitEntry Type="EUE_DIVE" Code="DESC" Pos="1" Value="Inward 2 1/2 Somersault" />
<EventUnitEntry Type="EUE_DIVE" Code="TYPE" Pos="1" Value="B" />
<EventUnitEntry Type="EUE_DIVE" Code="NUM" Pos="2" Value="5335D" />
<EventUnitEntry Type="EUE_DIVE" Code="DD" Pos="2" Value="2.9" />
<EventUnitEntry Type="EUE_DIVE" Code="DESC" Pos="2" Value="Reverse 1 1/2 Somersault 2 1/2 Twists" />
<EventUnitEntry Type="EUE_DIVE" Code="TYPE" Pos="2" Value="D" />
```

| Element: Result /Competitor /Composition /Athlete (1,N) | | | |
|---------------------------------------------------------|-----|------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID. Can belong to a team member or an individual athlete. |
| Order | M | Numeric 0 | (if Competitor @Type="T"): Order attribute used to sort the team members by Family Name. (if Competitor @Type="A"):1 |

| Element: Result /Competitor /Composition /Athlete /Description (1,1) Athletes extended information. | | | |
|--------------------------------------------------------------------------------------------------------|-----|------------------|-------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the athlete |
| Organisation | M | CC @Organisation | Athletes' organisation |
| BirthDate | O | Date | Birth date (example: YYYY-MM-DD). Must include if the data is available |
| IFId | O | S(16) | International Federation ID |

| Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) Individual athletes entry information (for Individual events and mixed team in YOG). | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| EUE | RESERVE | N/A | Element Expected: If apply (before the start of the session). Only send for individual events semi-final and final by diver. |
| | Attribute | M/O | Value |
| | Value | O | String |
| | | | Description |
| | | | Send when the competitor it's a reserve (as R, R1, R2) |



| Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) | | | |
|---------------------------------------------------------------------------------------------|-------------|-------------------|------------------------------------------------------------------------------------------|
| Individual athletes entry information (for Individual events and mixed team in YOG). | | | |
| Type | Code | Pos | Description |
| EUE_DIVE | DD | Numeric | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | Numeric 0.0 | Degree of difficulty. |
| EUE_DIVE | DESC | Numeric | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | String | Dive's description. |
| EUE_DIVE | NUM | Numeric | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | S(5) | Dive number (e.g.: "6241B") |
| EUE_DIVE | TYPE | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known. |
| Attribute | M/O | Value | Description |
| Value | O | SC @DivePositions | Dive positions |
| EUE_HEIGHT | TYPE | Numeric 0 | Pos Description: Round number Element Expected: As soon as it is known in YOG only |
| Attribute | M/O | Value | Description |
| Value | O | S(1) | S for springboard, P for platform. |



| Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) Individual athletes entry information (for Individual events and mixed team in YOG). | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------|-----------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| EUE | CARRIED | N/A | Pos Description: N/A Element Expected: If points are carried from previous phase(s). |
| | Attribute | M/O | Value |
| | Value | O | Numeric ##0.00 |
| EUE | PREVIOUS | N/A | Pos Description: N/A Element Expected: All phases except first. |
| | Attribute | M/O | Value |
| | Value | O | Numeric ##0.00 |

Sample (Sample)

```
<EventUnitEntry Type="EUE_DIVE" Code="NUM" Pos="1" Value="405B" />
<EventUnitEntry Type="EUE_DIVE" Code="DD" Pos="1" Value="3.0" />
<EventUnitEntry Type="EUE_DIVE" Code="DESC" Pos="1" Value="Inward 2 1/2 Somersault" />
<EventUnitEntry Type="EUE_DIVE" Code="TYPE" Pos="1" Value="B" />
<EventUnitEntry Type="EUE_DIVE" Code="NUM" Pos="2" Value="5335D" />
<EventUnitEntry Type="EUE_DIVE" Code="DD" Pos="2" Value="2.9" />
<EventUnitEntry Type="EUE_DIVE" Code="DESC" Pos="2" Value="Reverse 1 1/2 Somersault 2 1/2 Twists" />
<EventUnitEntry Type="EUE_DIVE" Code="TYPE" Pos="2" Value="D" />
```

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N) Only applicable in YOG Teams event | | | |
|--------------------------------------------------------------------------------------------------------------------------------|------------------|--------------|---------------------------------------------------------------------------------------------------|
| Type | Code | Pos | Description |
| ER | DIVE | Numeric 0 | Pos Description: Send the number that identifies the dive (round). Element Expected: Always |
| | Attribute | M/O | Value |
| | Value | O | Numeric ##0.00 |

2.2.3.5 Message Sort

Sort by Result @SortOrder

2.2.4 Event Final Ranking

2.2.4.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.2.4.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC of the Event | |
| DocumentType | DT_RANKING | Event Final ranking message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| ResultStatus | SC @ResultStatus | Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |



| Attribute | Value | Comment |
|-------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |

2.2.4.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.
Trigger also after any change.

2.2.4.4 Message Values

| Element: ExtendedInfos /SportDescription (0,1) | | | |
|------------------------------------------------|-----|----------------------|-----------------------------------------------------------------------------------|
| Sport Description in text | | | |
| Attribute | M/O | Value | Description |
| DisciplineName | M | S(40) | Discipline name (not code) from Common Codes |
| EventName | M | S(40) | Event name (not code) from Common Codes. Must be included if it is a single event |
| Gender | M | CC @DisciplineGender | Gender code for the event unit. Must be included if it is a single gender |

| Element: ExtendedInfos /VenueDescription (0,1) | | | |
|------------------------------------------------|-----|---------------|-----------------------------------------------|
| Attribute | M/O | Value | Description |
| Venue | M | CC @VenueCode | Venue code |
| VenueName | M | S(25) | Venue short name (not code) from Common Codes |



| Element: Result (1,N) | | | |
|---------------------------------------------------------------------------------------------------------------------------|------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For any event final ranking message, there should be at least one competitor being awarded a result for the event. | | | |
| Attribute | M/O | Value | Description |
| Rank | O | Text | Final rank of the competitor in the corresponding event. |
| RankEqual | O | S(1) | Identifies if a rank has been equalled. Send Y if applicable |
| Result | O | Numeric ###.#0 | The result of the competitor in the event (final only) |
| ResultType | M | SC @ResultType | Type of the @Result attribute. Result type, either POINTS or IRM for the corresponding event. |
| IRM | O | SC @IRM | The invalid rank mark, send if applicable. |
| SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. |

| Element: Result /Competitor (1,1) | | | |
|------------------------------------------|------------|-------------------------------|-----------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes. | Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM. |
| Type | M | S(1) | A for athlete or T for Team |
| Organisation | O | CC @Organisation | Competitors' organisation if known |

| Element: Result /Competitor /Description (0,1) | | | |
|-------------------------------------------------------|------------|--------------|----------------------------------------------------|
| Attribute | M/O | Value | Description |
| TeamName | M | S(73) | Name of the team. Only applies for teams / groups. |

| Element: Result /Competitor /Composition /Athlete (1,N) | | | |
|----------------------------------------------------------------|------------|------------------------------|-------------------------------------------------------|
| Attribute | M/O | Value | Description |
| Code | M | S(20) with no leading zeroes | Athlete's ID |
| Order | M | Numeric | Order attribute. Send 1 when Competitor @Type="A". |



| Element: Result /Competitor /Composition /Athlete /Description (1,1) | | | |
|----------------------------------------------------------------------|-----|------------------|-------------------------------------------------------------------------|
| Attribute | M/O | Value | Description |
| GivenName | O | S(25) | Given name in WNPA format (mixed case) |
| FamilyName | M | S(25) | Family name in WNPA format (mixed case) |
| Gender | M | CC @PersonGender | Gender of the athlete |
| Organisation | M | CC @Organisation | Athletes' organisation |
| BirthDate | O | Date | Birth date (example: YYYY-MM-DD). Must include if the data is available |
| IFId | O | S(16) | International Federation ID |

2.2.4.5 Message Sort

Sort by Result @SortOrder

2.2.5 Configuration

2.2.5.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit in separate messages.

2.2.5.2 Header Values

The following table describes the message header attributes.

| Attribute | Value | Comment |
|-----------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CompetitionCode | CC @Competition | Unique ID for competition |
| DocumentCode | Full RSC | Sent this message for each Unit. |
| DocumentType | DT_CONFIG | Configuration message |
| Version | 1..V | Version number associated to the message's content. Ascendant number |
| FeedFlag | "P"-Production "T"-Test | Test message or production message. |
| Date | Date | Date when the message is generated, expressed in the local time zone where the message was produced. |
| Time | Time | Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced. |
| LogicalDate | Date | <p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p> |
| Source | SC @Source | Code indicating the system which generated the message. |



2.2.5.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration for one particular unit must be provided before the start list.

2.2.5.4 Message Values

| Element: Configs /Config (1,N) | | | | |
|------------------------------------------------|-----------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Attribute | M/O | Value | Description | |
| Unit | M | CC @Unit | Full RSC of the Unit. | |
| Element: Configs /Config /ExtendedConfig (1,N) | | | | |
| Type | Code | Pos | Description | |
| EC | DIVE_TOT | N/A | Element Expected: When available | |
| | Attribute | M/O | Value | Description |
| | Value | O | Numeric 0 | Total number of dives/rounds in the unit. |
| EC | PANEL | Numeric 0 | Pos Description: Send the Round Number, needed one for each round. (Only send for individual events) Element Expected: When available | |
| | Attribute | M/O | Value | Description |
| | Value | O | SC @PanelType | Judges' Panels and theirs rounds. |
| EC | FROM_RANK | N/A | N/A Element Expected: Only for Individual events preliminary and semi-final | |
| | Attribute | M/O | Value | Description |
| | Value | M | Numeric 0 | Indicates qualification for the next round (semi-final / final), based on rank. Send the qualifying rank to indicate first rank to qualify |
| EC | TO_RANK | N/A | N/A Element Expected: Only for Individual events preliminary and semi-final | |
| | Attribute | M/O | Value | Description |



| Element: Configs /Config /ExtendedConfig (1,N) | | | | |
|------------------------------------------------|------------------|------------|--------------|----------------------------------------------------------------------------|
| | Type | Code | Pos | Description |
| | Value | M | Numeric 0 | Send the qualifying rank to indicate last rank to qualify |
| EC | | QUAL_RULE | N/A | Element Expected: Only for Individual events preliminary and semi-final |
| | Attribute | M/O | Value | Description |
| | Value | O | String | Qualification rule text (long version). |

Sample

```
<Configs>
  <Config Unit="DIVM10M-----SFNL0001----">
    <ExtendedConfig Type="EC" Code="DIVE_TOT" Value="6" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="1" Value="A" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="2" Value="A" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="3" Value="A" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="4" Value="B" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="5" Value="B" />
    <ExtendedConfig Type="EC" Code="PANEL" Pos="6" Value="B" />
    <ExtendedConfig Type="EC" Code="QUAL_RULE" Value="Top 12 qualify for the Final"/>
    <ExtendedConfig Type="EC" Code="FROM_RANK" Value="1" />
    <ExtendedConfig Type="EC" Code="TO_RANK" Value="12" />
  </Config>
</Configs>
```

2.2.5.5 Message Sort

There is no message sorting rule.



3 Document Control

| Version history | | |
|-----------------|------------------|-----------------------------------|
| Version | Date | Comments |
| v1.0 | 15 October 2016 | First version |
| V1.1 | 9 January 2017 | Updated with SwissTiming comments |
| V1.2 | 2 March 2017 | Updated |
| V1.3 | 4 December 2017 | Updated |
| V1.4 | 20 February 2018 | Updated |
| V2.0 | 8 August 2018 | Updated |

File Reference: ODF R-SOG-2020-DIV V2.0 SFA

| Change Log | | |
|------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version | Status | Changes on version |
| v1.0 | SFR | First version |
| V1.1 | SFA | DT_RESULT: Corrected triggering of the message to be the same as previously (was not intended to be changed) |
| V1.2 | APP | DT_RESULT: Remove StartListMod from header. |
| V1.3 | APP | DT_RESULT: Add points carried from previous phase (if applicable) and points in previous phase. DT_RESULT: Add information for team event in YOG. |
| V1.4 | APP | DT_PARTIC: Updated to add Passport names (CR15219) Removed reference to 2018 Commonwealth Games Typographical corrections |
| V2.0 | SFA | CR 15039: Add DT_PARTIC_NAME to applicable messages. CR 16671: Add TVFamilyName in DT_PARTIC message. |