

Olympic Data Feed



Freestyle Skiing ODF Data Dictionary Technology and Information Der

Technology and Information Department © International Olympic Committee

WOG-2022-FRS-1.4 APP 10 September 2021

Olympic Data Feed - © IOC Technology and Information Department





License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, 4 COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction	
1.1 This document	<u>5</u>
1.2 Objective	<u>5</u>
1.3 Main Audience	<u>5</u>
1.4 Glossary	<u>5</u>
1.5 Related Documents	
2 Messages	
2.1 Freestyle Skiing Overview	
2.2 Applicable Messages	
2.3 Messages	
2.3.1 List of participants by discipline / List of participants by discipline update	8
2.3.1.1 Description	
2.3.1.2 Header Values	
2.3.1.3 Trigger and Frequency	
2.3.1.4 Message Structure	
2.3.1.5 Message Values	
2.3.1.6 Message Sort	
2.3.2 List of teams / List of teams update	
2.3.2.1 Description	
2.3.2.2 Header Values	
2.3.2.3 Trigger and Frequency	
2.3.2.4 Message Structure	
2.3.2.5 Message Values	
2.3.2.6 Message Sort	
2.3.3 Event Unit Start List and Results	
2.3.3.1 Description	
2.3.3.2 Header Values	
2.3.3.3 Trigger and Frequency	
2.3.3.4 Message Structure	
2.3.3.5 Message Values	
2.3.3.6 Message Sort	
2.3.4 Current Information	
2.3.4.1 Description	
2.3.4.2 Header Values	
2.3.4.3 Trigger and Frequency	
2.3.4.4 Message Structure	
2.3.4.5 Message Values	
2.3.4.6 Message Sort	
2.3.5 Image	
2.3.5.1 Description	
2.3.5.2 Header Values	
2.3.5.3 Trigger and Frequency	
2.3.5.4 Message Structure	
2.3.5.5 Message Values	
2.3.5.6 Message Sort	
2.3.6 Brackets	



3

4

WOG-2022-FRS-1.4 APP

2.3.6.1 Description	<u>50</u>
2.3.6.2 Header Values	<u>50</u>
2.3.6.3 Trigger and Frequency	<u>50</u>
2.3.6.4 Message Structure	
2.3.6.5 Message Values	
2.3.6.6 Message Sort	<u>55</u>
2.3.7 Event Final Ranking	
2.3.7.1 Description	
2.3.7.2 Header Values	<u>56</u>
2.3.7.3 Trigger and Frequency	<u>56</u>
2.3.7.4 Message Structure	
2.3.7.5 Message Values	<u>58</u>
2.3.7.6 Message Sort	<u>61</u>
2.3.8 Configuration	<u>62</u>
2.3.8.1 Description	<u>62</u>
2.3.8.2 Header Values	<u>62</u>
2.3.8.3 Trigger and Frequency	<u>62</u>
2.3.8.4 Message Structure	
2.3.8.5 Message Values	
2.3.8.6 Message Sort	
2.3.9 Weather conditions	<u>71</u>
2.3.9.1 Description	
2.3.9.2 Header Values	
2.3.9.3 Trigger and Frequency	
2.3.9.4 Message Structure	
2.3.9.5 Message Values	
2.3.9.6 Message Sort	
Message Timeline	
3.1 Preparation Phase	
3.2 Before competition	
3.3 During each Unit	
3.4 After each unit in a phase	
3.5 At the end of a phase	
3.6 At the end of the event	
3.7 Exceptional Situations	
Document Control	<u>80</u>



1 Introduction

1.1 This document

This document includes the ODF Freestyle Skiing Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Freestyle Skiing Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description				
IF	International Federation				
IOC	International Olympic Committee				
NOC	National Olympic Committee				
ODF	Olympic Data Feed				
RSC	Results System Codes				
WNPA	World News Press Agencies				

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

Olympic Data Feed - © IOC Technology and Information Department



2 Messages

2.1 Freestyle Skiing Overview

MESSAGES IN EACH EVENT

* Big Air, Half Pipe, Slopestyle

Each of these events can be conducted with single heat or two heats in qualification (best of two runs), and up to 3 Runs during the Final.

Each run (or each run in each heat if heats apply) in the competition is scheduled as a separate schedule item. Some can also be conducted in "double-up" format where athletes in qualification are in two heats running alternately. Or two genders running alternately.

Note that Slopestyle default judging format is Section-by-Section, but it can be conducted as overall judging (no sections).

The messages containing results information are separated into two message, one DT_RESULT for qualification and one DT_RESULT for the finals. These messages contain all the competitors participating in the phase, with their results, regardless of the number of runs or heats or formats. The runs and heats are scheduled separately.

* Ski Cross

The initial phase will be qualification or seeding depending on the number of competitors. There are up to two runs. There is a single DT_RESULT for qualification.

The finals consist of multiple heats with leaders progressing to the next phase. There is one DT_RESULT per heat in addition to a DT_BRACKETS message.

* Individual Aerials

Qualification in aerials is conducted with two rounds, Qualification 1 and Qualification 2. There is a single DT_RESULT for qualification including both qualification 1 & 2. In the finals there are two independent rounds, Final 1 and Final 2. There is a single DT_RESULT for each of the two finals final.

Note that qualification and final 1 includes 2 jumps, and final 2 is one jump only but both use the same structure.

* Team Aerials

Team aerials has straight finals there are two independent rounds, Final 1 and Final 2. There is a single DT_RESULT for each final. Individual athlete results appear under the athlete element, not by run.

* Moguls

Qualification in moguls is conducted with two rounds, Qualification 1 and Qualification 2. There is a single DT_RESULT for qualification including both qualification 1 & 2. In the finals there are three independent runs, Final 1, Final 2 and Final 3. There is a single DT_RESULT for each run.

SCHEDULE

The DT_SCHEDULE/DT_SCHEDULE_UPDATE will include every heat & run/jump in qualification and finals as well as at phase level (matching the DT_RESULT messages above).

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this

Olympic Data Feed - © IOC

Technology and Information Department

Applicable Messages 10 September 2021



discipline.

- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Type Message Name			
DT_SCHEDULE / DT_SCHEDULE_UPDATE /	Competition schedule / Competition schedule update			
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X		
DT_PARTIC_NAME	Participant Names			
DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE /	List of teams / List of teams update			
DT_RESULT	Event Unit Start List and Results	X		
DT_CURRENT	Current Information	X		
DT_IMAGE	Image	X		
DT_PRESSPHOTOFINISH_LK	Press Photofinish			
DT_BRACKETS	Brackets	X		
DT_RANKING	Event Final Ranking	X		
DT_MEDALLISTS	Event's Medallists			
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline			
DT_MEDALS	Medal standings			
DT_CONFIG	Configuration	X		
DT_COMMUNICATION	Communication			
DT_WEATHER	Weather conditions	X		
DT_PRESENTER	Medal Presenters			
DT_LOCAL_ON	Discipline/venue start transmission			
DT_LOCAL_OFF	Discipline/venue stop transmission			
DT_KA	Keep Alive			
DT_ALERT	Alert			
DT_BCK	Background Document			
DT_BIO_PAR	Participant Biography			
DT_NEWS	News Document			
DT_ESL	Extended Start List			
DT_PIC	Pictures			
DT_PDF	PDF Message			



2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline update

2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	mpetitionCode <u>CC@Competition</u> Unique ID for competition	
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE /	List of participants by discipline message
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

Technology and Information Department



		the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
	Ι	Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			
		BirthDate			
		Height			
		Weight			

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

Technology and Information Department

WOG	2022	FRS-	14	APP
1100	2022	1110-	1.7	

INTERNATIONAL OLYMPIC COMMITTEE			WC	0G-2022-FRS-1.4 APP
	PlaceofBirth			
	CountryofBirth			
	PlaceofResidence			
	CountryofResidence			
	Nationality			
	MainFunctionId			
	Current			
	OlympicSolidarity			
	ModificationIndicator			
	Discipline (1,1)			
		Code		
		IFId		
		RegisteredEvent (0,1	1	
			Event	
			Bib	
			EventEntry (0,N)	1
				Туре
				Code
				Pos
				Value

2.3.1.5 Message Values

Element: Competition (0,1)		
Attribute	M/O	Value	Description
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Sample (Version)

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-FRS-1.10" Codes="SOG-2020-1.20" >

Element: Competition /P	Element: Competition /Participant (1,N)						
Attribute	M/O		Va	lue		Description	
Code	Μ	S(20) zeroes	with	no	leading	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time.	

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

Technology and Information Department



		It is used to link other messages to the participant's
		information.
		Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.
		When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.
М	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.
		The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".
0	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".
		To delete a participant, a specific value of the Status attribute is used.
0	S(25)	Given name in WNPA format (mixed case)
М	S(25)	Family name in WNPA format (mixed case)
0	S(25)	Passport Given Name (Uppercase).
0	S(25)	Passport Family Name (Uppercase).
М	S(35)	Print name (family name in upper case + given name in mixed case)
М	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
М	S(35)	TV name
М	S(18)	TV initial name
М	S(25)	TV family name
0	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
0	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
М	CC @PersonGender	Participant's gender
М	CC @Organisation	Organisation ID
0	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
	O O O M O M M M M O M O M M M M M M M M M M M M M M M M M M M	zeroesOCC @ParticStatusOS(25)MS(25)OS(25)OS(25)OS(25)MS(35)MS(35)MS(35)MS(25)OS(25)OS(25)OS(25)MS(35)MS(25)OS(25)OS(25)OS(25)OS(25)OS(25)OS(25)MCC @PersonGenderMCC @Organisation

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

Technology and Information Department

11



Height	0	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	0	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. Do not send attribute if data not available.
PlaceofBirth	0	S(75)	Place of Birth
CountryofBirth	0	CC @Country	Country ID of Birth
PlaceofResidence	0	S(75)	Place of Residence
CountryofResidence	0	CC @Country	Country ID of Residence
Nationality	0	CC @Country	Participant's nationality.
			Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	0	CC @ResultsFunction	Main function
			In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	0	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	М	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only
			N-New participant (in the case that this information comes as a late entry) U-Update participant
			If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants
			If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants
			To delete a participant, a specific value of the Status attribute is used.

Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	М		Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	0	S(16)	IF ID (competitor's federation number for the discipline).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N) All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

Technology and Information Department



accredited without any associated event.				
Attribute	M/O	Value	Description	
Event	М	CC @Event	Full RSC of the Event	
Bib	0	S(5)	Bib number from OVR.	

Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)

	Туре	Code	Pos	Description
ENTR	Ϋ́	RANK_WLD	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	S(4)	World Rank of the athlete
ENTR	Ϋ́	RANK_PTS	N/A	Element Expected: When available.
	Attribute	M/O	Value	Description
	Value	М	S(7)	FIS points (for this event) Usually in format ###0.00
ENTR	Ϋ́	SEED	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	М	S(4)	FIS Seed Rank (for this event). Usually in format ###0

2.3.1.6 Message Sort

The message is sorted by Participant @Code



2.3.2 List of teams / List of teams update

2.3.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will different teams.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.3.2.2	Header	Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Discipline	Full RSC at the discipline level	
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message	
Version	1V	Version number associated to the message's content. Ascending number	
FeedFlag	"P"-Production "T"-Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day exce when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

2.3.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

Olympic Data Feed - © IOC Technology and Information Department



2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	<u>Team (1,N)</u>				
		Code			
		Organisation			
		Number			
		Name			
		ShortName			
		TVTeamName			
		Gender			
		Current			
		TeamType			
		ModificationIndicator			
		Composition (0,1)			
			Athlete (0,N)		
				Code	
				Order	
		Discipline (0,1)			
			Code		
			IFId		
			RegisteredEvent (0,1))	
				Event	
				EventEntry (0,N)	
					Туре
					Code
					Pos
					Value

2.3.2.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		

Olympic Data Feed - © IOC Technology and Information Department List of teams / List of teams update



Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition	Element: Competition /Team (1,N)			
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Team's ID	
Organisation	М	CC @Organisation	Team organisation's ID	
Number	0	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.	
Name	М	S(73)	Team name	
ShortName	М	S(40)	Team Short Name	
TVTeamName	М	S(21)	TV Team Name	
Gender	М	CC @SportGender	Gender Code of the Team	
Current	М	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)	
TeamType	Μ	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Always use ORG in this discipline.	
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams	

Element: Competition /Team /Composition /Athlete (0,N)				
Attribute	M/O	Value	Description	
Code	Μ	S(20) with no leading zeroes	Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition.	
Order	0	Numeric	Team member order	

Element: Competition	Element: Competition /Team /Discipline (0,1)						
Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"							
Attribute	Attribute M/O Value Description						
Code	М	CC @Discipline	Full RSC of the Discipline				
IFId	0	S(16)	Federation number for the corresponding discipline (include if				

Olympic Data Feed - © IOC

List of teams / List of teams update

Technology and Information Department



•		line /RegisteredEven		
Each current team is Attribute	assigned to or M/O	ne event. Historical te Value	eams will not be reg	Istered to any event. Description
Event	М	CC @Event	Full RSC o	f the Event
		line /RegisteredEven ent entries.	t /EventEntry (0,N)	
·	ecific team's eve	0	t /EventEntry (0,N) Pos	Description
Send if there are spe	ecific team's eve	ent entries. Code		Description Element Expected: When available
Send if there are spe Type	ecific team's eve	ent entries. Code	Pos	Element Expected:

2.3.2.6 Message Sort

The message is sorted by Team @Code.



2.3.3 Event Unit Start List and Results

2.3.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment					
CompetitionCode	CC @Competition	Unique ID for competition					
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate. The DocumentCode will be sent according to the header values.					
DocumentSubcode	N/A	N/A					
DocumentType	DT_RESULT	Event Unit Start List and Results message					
DocumentSubtype	N/A	N/A					
Version	1V	Version number associated to the message's content. Ascending number					
ResultStatus	<u>CC @ResultStatus</u>	It indicates whether the result is official or unofficial (or intermediate etc). Expected statuses are: START_LIST LIVE (used during the competition when nothing else applies). INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNCONFIRMED (used after the competition is completed and before either UNOFFICIAL or OFFICIAL. It may be sent multiple times if modifications are required and the status has not changed) UNOFFICIAL OFFICIAL PROTESTED					
FeedFlag	"P"-Production "T"-Test	Test message or production message.					
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.					
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.					
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.					
Source	SC @Source	Code indicating the system which generated the message.					

2.3.3.3 Trigger and Frequency

This message is sent:

* As soon as the start list is available and any for changes [inc. IRMs] (START_LIST)

Olympic Data Feed - © IOC

Technology and Information Department

Event Unit Start List and Results



* Send with all updates during the unit (LIVE)

* In Slopestyle: Send after each athlete completes one section and judges have entered the scores (LIVE)

* Send after each athlete (with all intermediate data and judge data) completes the course (and has all data) (LIVE)

* In messages with multiple heats, runs or jumps then send after each heat/run/jump group (INTERMEDIATE)

After the competition related to the message is finished. In detail


- UNCONFIRMED: In cases of photofinish (Cross Event)
- UNOFFICIAL: As soon as an Event Unit is finished
- OFFICIAL: After results are validated.

* Send as PROTESTED if applicable


* After any change (status as appropriate)

2.3.3.4 Message Structure

The following table defines the structure of the message.








Olympic Data Feed - © IOC Technology and Information Department







Bib					
Description (1,1)					
GivenName					
	FamilyName				
	Gender				
	Organisation				
	BirthDate				
	IFId				
EventUnitEntr	<u>y (0,N)</u>				
	Туре				
	Code				
	Pos				
1	Value				
ExtendedResu	<u>ults (0,1)</u>				
	ExtendedResul	<u>t (1,N)</u>			
		Туре			
		Code			
		Pos			
		Value			
		IRM			
		Discard			

2.3.3.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			
Codes	0	S(20)	Version of the Codes applicable to the message			

Element: Competition /ExtendedInfos /UnitDateTime (0,1)							
Actual start date and tim	Actual start date and time / end date and time. (do not include until unit starts)						
Attribute	Attribute M/O Value Description						
StartDate	StartDate M DateTime Actual start date-time. Do not include until competition starts.						

Element: C	Element: Competition /ExtendedInfos /ExtendedInfo (0,N)					
	Туре	Code	Pos	Description		
UI		FORERUNNER	Numeric #0	Pos Description: Send the sequential number, 1, to sort the forerunners.		

Olympic Data Feed - © IOC

Technology and Information Department

Event Unit Start List and Results



				Element Expected: Always if forerunner.		
	Attribute	M/O	Value	Description		
	Value	M	S(3)	Forerunners code F1, F2.		
UI		LAST_QUAL	CC @Unit	Pos Description: Full RSC of the heat/run as applicable or not included when the single group. Element Expected: When available where athletes progress		
	Attribute	M/O	Value	Description		
	Value	М	S(20) with no leading zeroes	Send the current last qualifying place competitor ID. In the situation where insufficient competitors have participated to show the last qualifying position then show the current last place.		
UI		OVERALL	N/A	Element Expected: When available in slopestyle where judging is by sections		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Send the % that overall contributes to the total.		
UI		SECTIONS	N/A	Element Expected: When available in Slopestyle where judging is by sections		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Send the % that sections contributes to the total.		
UI		STARTERS	CC @Unit	Pos Description: Full RSC of the heat/run as applicable or not included when the extension included overall. Element Expected: Always where athletes compete one by one As a minimum the overall (no @Pos) is sent, additional inclusions depending on heats/runs applicable.		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Sent the number of competitors on the start list		
	Expected Always after s	ion /ExtendedInfos /Exten status START_LIST in unit IRMs already assigned.		one by one. Send immediately when unit		
	Attribute	Value	Description			
	Code	COMPLETE				
	Pos	N/A				
	Value	Numeric ##0	Send the number of c (includes IRMs)	ompetitors whose event unit is completed		
DISPL	AY	LAST_COMP	CC @Unit Pos Description: Full RSC of the heat/run as applicable or not included when the extension included overal Element Expected: When available and only when the unit is			

Event Unit Start List and Results



				LIVE, INTERMEDIATE, UNOFFICIAL or UNCONFIRMED
	Attribute	M/O	Value	Description
	Value	М	S(20) without leading zeroes	Send the competitor ID of the last competitor to compete and receive a result.

Element: Competition /ExtendedInfos /ExtendedInfo /Competitor (0,N) Used for forerunners and similar who do not participate in the competition. Not usually part of DT_PARTIC.					
Attribute	M/O	Value	Description		
Organisation	0	CC @Organisation	Organisation ID of the forerunner.		
Order	М	Numeric #0	Order of the competitor associated to the ExtendedInfo, if more than one competitor associated. Send 1 if only one.		

Element: Competi	tion /Exter	ndedInfos /Ex	tendedInfo	o /Competito	or /Com	oositio	n /Athlete (1	,N)			
Used when The FamilyName a	the and Givenl	ExtendedInf Name becaus						or ndedInf		team t an athlete	member. e.
Attribute		M/O	Val	ue				Descrip	otion		
FamilyName	М	S(2	5)		Famil	y name	of the foreru	inner			
GivenName	0	S(2	5)		Given	name	of the foreru	nner			

Sample (Forerunner)

<extendedinfos></extendedinfos>
<unitdatetime startdate="2014-02-10T11:00:00+04:00"></unitdatetime>
<extendedinfo code="FORERUNNER" pos="1" type="UI" value="F1"></extendedinfo>
<competitor order="1" organisation="RUS"></competitor>
<composition></composition>
<athlete familyname="ZAYTSEV" givenname="Steve"></athlete>
<extendedinfo code="FORERUNNER" pos="2" type="UI" value="F2"></extendedinfo>
<competitor order="2" organisation="RUS"></competitor>
<composition></composition>
<a>Athlete FamilyName="NIKITIN" GivenName="Pedro" />

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.					
Attribute	M/O	Value	Description		
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.		
Gender	М	CC @SportGender	Gender code for the event unit		
SubEventName	Μ	S(40)	EventUnit ENG Description (not code) from Common Codes This is the name related to the DocumentCode of the message.		



Element: Competition /ExtendedInfos /VenueDescription (0,1)							
Venue Names in Text.							
Attribute	M/O	Value	Description				
Venue	М	CC @VenueCode	Venue Code				
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes				
Location	М	CC @Location	Location code				
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes				

Element: Competition /Officials /Official (1,N)					
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Official's code		
Function	м	CC @ResultsFunction	Official's function (example: referee, etc.). Can be different from the function sent in the DT_PARTIC message.		
Order	М	Numeric	Order of officials.		

Element: Competition /Officials /Official /Description (1,1)

Officials extended information.						
Attribute	M/O	Value	Description			
GivenName	0	S(25)	Given name in WNPA format (mixed case)			
FamilyName	М	S(25)	Family name in WNPA format (mixed case)			
Gender	Μ	CC @PersonGender	Gender of the official			
Organisation	М	CC @Organisation	Official's organisation			

Element: Competition /Officials /Official /ExtOfficial (0,N)

	Туре	Code	Pos	Description
EO		POSITION	Numeric 0	Pos Description: Judge Position, 1, 2 Element Expected: Always for Judges (not Head) else do not send.
	Attribute	M/O	Value	Description
	Value	М	S(2)	Send the position for the judge (J1, J2)
EO		SECTOR	N/A	Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	S(5)	Send sectors related with Judge
EO		TYPE	N/A	Element Expected: Moguls and Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	SC @JudgeType	Send the judge type
EO		SUB	Numeric	Pos Description:

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results



			#0	Sequential number for the judge for each unit Element Expected: Only if this official did not participate in all heats/runs of the competition of this message (all is assumed without this extension)
	Attribute	M/O	Value	Description
	Value	М	CC @Unit	RSC of the run/heat unit where this official did officiate.
EO		VIDEO	N/A	Element Expected: If the official has access to video review
	Attribute	M/O	Value	Description
	Value	Μ	SC @VideoReview	Send applicable code

Sample (Slopestyle)

<Officials>

<Official Code="2004409" Function="TCH_DEL" Order="1">

<Description GivenName="Jack" FamilyName="Blocker" Gender="M" Organisation="GER" />

</Official>

<Official Code="2004405" Function="JU" Order="7">

- <Description GivenName="Tom" FamilyName="Jones" Gender="M" Organisation="USA" />
- <ExtOfficial Type="EO" Code="POSITION" Pos="1" Value="J1" /> <ExtOfficial Type="EO" Code="TYPE" Value="P1" />
- <ExtOfficial Type="EO" Code="SECTOR" Value="1-3" />

</Official>

Control Code="4110000" Function="JU" Order="8">

Control Code="4110000" Function="JU" Order="8">

Code="Barry" FamilyName="Norman" Gender="M" Organisation="BEL" />

Code="POSITION" Pos="2" Value="J2" />

- <ExtOfficial Type="EO" Code="TYPE" Value="P1" />
 <ExtOfficial Type="EO" Code="SECTOR" Value="1-3" />

</Official>

<Official Code="2004414" Function="JU" Order="11">

<Description GivenName="Mary" FamilyName="Smith" Gender="W" Organisation="IRE" />
<ExtOfficial Type="EO" Code="JUDGE" Pos="5" Value="J6" />
<ExtOfficial Type="EO" Code="TYPE" Value="P2" />
<ExtOfficial Type="EO" Code="SECTOR" Value="4-6" />

</Official>

</Officials>

Element: Competitio	Element: Competition /Result (1,N)					
In Cross, BA, HP and	SS and Qual p	bhase for MO and AE (Fi	nal 1) this element only contains the phase result information.			
Attribute M/O Value Description						
Rank	0	String	Rank of the competitor. In the case of BA, HP and SS qualifications there may also be athletes with the same rank in the case that qualifications are conducted in heats. This rank is the heat rank in BA/HP/SS. In AE & MO it is the rank considering both runs/jumps where 2 runs/jumps apply. In the case of the finals in cross the rank in the message is the final overall rank.			
RankEqual	0	S(1)	Send 'Y' if the rank is equalled else do not send. (They are not considered equal for the special case above).			

Olympic Data Feed - © IOC

Event Unit Start List and Results

Technology and Information Department





Result	0	m:ss.ff or ##0.00	Result of data in the message Send in the case @ResultType is TIME or POINTS
IRM	0	SC @IRM	IRM for the event unit Send only in the case @ResultType is IRM
QualificationMark	0	SC @QualificationMark	Qualifying Mark.
SortOrder	Μ	Numeric #0	This attribute is a sequential number with the order of the results for the event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. (even if some have IRM) Updated during the race with the current order, which is those with rank followed by those with IRM followed by those who have not started. In the case of units with heats the heat 2 will follow heat 1. n the case of Snowseed this should be updated with the correct order.
StartOrder	0	S(3)	The start order of the unit. For Ski Cross Finals this field is the Lane Choice In the case of multiple heats numbers will be repeated. In the case of multiple runs (but not multiple heats) this will be the start order of the first run.
StartSortOrder	м	Numeric #0	Used to sort all start list competitors in an event unit. In the case of Snowseed this should be updated with the correct order.
ResultType	0	SC @ResultType	Result type as appropriate
Diff	0	+m:ss.ff	Time behind leader in the unit (only for those with a result). 0.00 for the leader. Do not send leading zeros. Only send in the case @ResultType is TIME Ski Cross: - In seeding: time difference compared to the leader. - In Finals: time difference compared to the Heat leader.

Elem	Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
	Туре	Code	Pos	Description	
ER		ADVANCED	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	Μ	S(1)	'Y' to indicate the competitor is advanced to the next phase as a result of a tie-break or judge decision else do not send.	
ER		DSQ_DESC	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	Μ	Text	Text description of the reason for disqualification.	
ER		RE_RUN	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	Μ	S(1)	Send 'Y' if the competitor is granted a Re- Run else do not send. Do not send after Re- Run complete	

27

Event Unit Start List and Results

10 September 2021

Technology and Information Department



ER		РНОТО	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	To know if the competitor's final result was decided by photo. Send E for Photo evaluated Send P for Pending Status Otherwise do not send If pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,,,4 and SortOrder = 1,2,3,4
ER		POT_DSQ	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send "Y" if the competitor is a potential disqualification in this unit else do not send.
ER		TIEBREAK_FOR	N/A	Element Expected: If applicable for athlete in a tie
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0 or ###0.00	Tied rank (HP, Slopestyle, SX) to break or tied score (MO, AE)
ER		TIEBREAK_PTS	N/A	Element Expected: If applicable in AE, MO, BA, HP and SS all phases for athletes in a tie
	Attribute	M/O	Value	Description
	Value	Μ	Numeric ##0.00#	Should be the tie-break points of the run which breaks the tie, or the total score of worst run depending on the criteria which breaks the tie.
ER		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Send number of cards of this type
ER		JUMPS	N/A	Element Expected: Only for team aerials
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Send number jumps completed for this team in the unit
PRO	GRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2F). For Ski Cross, intermediate S will manage the reaction time. Element Expected: When data is available

Event Unit Start List and Results



	Attribute	M/O	Value	Description
	Value	М	m:ss.ff	Time at the intermediate point. Not included in Cross finals phases
	Rank	М	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
	Diff	М	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader. Not included in Cross finals phases
PRO	GRESS	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (2 F). For example 2 is the section from intermediate 1 to intermediate 2 etc. Element Expected: When data is available
	Attribute	M/O	Value	Description
	Value	М	s.ff	Time for the section ending at the intermediate point @Pos.
	Rank	М	S(2)	Send the rank of the competitor in the section not considering IRMs
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PRO	GRESS	SPEED	N/A	Element Expected: When available in cross
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.00	Average speed in km/h

Element: Competition /Result /ResultItems /ResultItem (1,N)

The ResultItems element is ALWAYS used in (once the start order is available) Cross Qualification, MO, AE (individual), BA, HP and SS regardless of the number of jumps, runs and heats required.

Attribute	M/O	Value	Description
Unit	М	CC @Unit	RSC of the unit
Order	М	Numeric #0	Logical order of the units, schedule order expected.

Element: Competition /Result /ResultItems /ResultItem /Result (1,1)					
Attribute	M/O	Value	Description		
Rank	0	S(3)	Rank of the competitor in the result for the unit identified by /ResultItems /ResultItem.		
RankEqual	0	S(1)	Send Y in case of the Rank has been equalled else do not send.		
ResultType	0	SC @ResultType	Type of the @Result attribute for the event unit or phase identified by /ResultItems /ResultItem		

10 September 2021

29



Result	0	m:ss.ff or ##0.00	Result for this ResultItem Send in the case @ResultType is TIME or POINTS
IRM	0	SC @IRM	The invalid result mark, in case it is assigned for the event unit. Send in the case @ResultType is IRM
QualificationMark	0	SC @QualificationMark	Send if applicable in MO and AE.
Diff	0	[+]s.ff	Time behind leader. Send 0.00 for the leader.
SortOrder	М	Numeric ##0	Used to sort all results in an event unit or phase identified by / ResultItems /ResultItem
StartOrder	0	S(3)	The start order as displayed
StartSortOrder	М	Numeric #0	Used to sort all start list competitors

Elem	Element: Competition /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult (1,N)				
	Туре	Code	Pos	Description	
ER		AFTER	N/A	Element Expected: Always. This is the result for the competitor up to and including this ResultItem. Included for each competitor when that competitor finishes this run. Attribute values may change in case of IRMs that impact the phase.	
	Attribute	M/O	Value	Description	
	Value	0	m:ss.ff or ##0.00	Best score/cumulative result after this competitor has finished this ResultItem.	
	IRM	0	SC @IRM	The invalid result mark	
	Rank	0	S(3)	Rank of the competitor after this ResultItem for this competitor. MO/AE: Based on existing results from the previous unit if applicable starting from 1.	
	RankEqual	0	- ()	Send Y in case of the Rank has been equalled else do not send.	
	SortOrder	Μ	Numeric ##0	Used to sort all athletes who have completed the run (or have IRM) MO/AE: Based on existing results from the previous unit if applicable starting from 1.	
ER		TIEBREAK_PTS	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	Μ	Numeric ##0.00 or ##0.000	Should be the tie-break points of the run which breaks the tie, or the total score of worst run depending on the criteria which breaks the tie.	
ER		BEST	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	Μ	S(1)	Send 'Y' if this run is the current best(s) for the competitor else do not send. Consider	

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results





				two in Big Air Finals if applicable in the format			
ER		DISCARD	N/A	Element Expected: In Big Air when score discarded			
	Attribute	M/O	Value	Description			
	Value	М	S(1)	Send 'Y' if this jumped is discarded			
ER		RE_RUN	N/A	Element Expected: If applicable			
	Attribute	M/O	Value	Description			
	Value	М	S(1)	Send 'Y' if the competitor is granted a Re- Run else do not send. Do not send after Re- Run is complete			
ER		JUMP	Numeric #0	Pos Description: Send the jump/trick number in the run. 1 Always 1 for BA. Element Expected: MO, SS, BA, HP, Aerials Send as soon as available.			
	Attribute	M/O	Value	Description			
	Value	М	S(15) or SC @Trick	Code of the jump or trick			
		ion /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult /Extension of send for Aerials in case of IRM					
	Attribute	Value	Description	Description			
	Code	DD					
	Pos	N/A					
	Value	Numeric 0.00#	Degree of difficulty of the jump. 0.000				
		Element: Competition /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult /Extensio ected Do not send for Aerials in case of IRM					
	Attribute	Value	Description				
	Code	DESC					
	Pos	N/A					
	Value	S(50)	Text description of the jun	qr			
	Sub Element: Competit Expected Aerials only.	ion /Result /ResultItems / Do not send for Aerials in	ResultItem /Result /Extend case of IRM	dedResults /ExtendedResult /Extension			
	Attribute	Value	Description				
	Code	KICKER					
	Pos	N/A					
	Value	Numeric 0	Send the athlete kicker po	osition			
ER		JUMP_ID	N/A	Element Expected: Big Air			
	Attribute	M/O	Value	Description			
	Value	М	S(1)	Jump ID			
PRO	GRESS	INTERMEDIATE	S(2)	Pos Description:			



				Intermediate point where the intermediate time is recorded (S, 1, 2F). Intermediate S will manage the reaction time. Element Expected: Cross Qualification	
	Attribute	M/O	Value	Description	
	Value	Μ	m:ss.ff	Time at the intermediate point.	
	Rank	М	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.	
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.	
	Diff	Μ	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader.	
JUDG	E	[Judge Positon (J1, J2,)] or TOTAL	S(5)	Code Description: Send Judge Position (J1, J2,) Pos Description: Judge order 1, 2,in HP, SS, BA and Score type in AE, AIR, FORM or LAND Element Expected: When data is available in MO, AE, HP, BA, Slopestyle	
	Attribute	M/O	Value	Description	
	Value	м	Numeric ##0 or #0.0	Judge score (Base Score for MO, do not send for J6, J7).	
	Discard	0	S(1)	Send 'Y' if this score is discarded else do not send (AE, BA, HP, MO)	
	Sub Element: Competiti Expected When applica		esultitem /Result /Extend	ledResults /ExtendedResult /Extension	
	Attribute	Value	Description		
	Code	AIR			
	Pos	Numeric 0	Send jump number in MO Send 0 for discarded resu		
	Value	Numeric 0.0	Judge score for air.		
	Sub Element: Competiti Expected When applica		esultitem /Result /Extend	ledResults /ExtendedResult /Extension	
	Attribute	Value	Description		
	Code	DED			
	Pos	Numeric 0	Send 0 for discarded deductions otherwise 1.		
	Value	Numeric -0.0	Deduction value for turns in moguls.		
JUDG)E	AIR	N/A	Element Expected: AE and MO only	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0.00	Total air score	

Olympic Data Feed - © IOC

Event Unit Start List and Results

Technology and Information Department



			or #0.0	
JUDO	ĴE	FORM	N/A	Element Expected: AE only
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total air score
JUDO	ĴE	LAND	N/A	Element Expected: AE only
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total landing score
JUDO)E	BASE	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total base value scores from judges.
JUDO	θE	DED	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	Μ	Numeric -#0.0	Total deduction value for turns.
JUDO	θE	TURNS	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total turns score in MO (base & deductions)
ER		TIME	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	М	ss.ff	Time for the run-in moguls
	Value2	Μ	Numeric #0.00	Time points for the run-in moguls
JUDO	GE	OVERALL	N/A	Element Expected: Slopestyle where judging is by sections and Aerials
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Score from the overall judges In aerials this does not consider the DDI
	Rank	М	S(2)	Send the overall judges rank
	RankEqual	0	S(1)	Send Y where Rank at this specific ExtendResult is equalled else not sent.
JUDO	GE	SECT	S(1)	Pos Description: The section of the course scored. Element Expected:
				Slopestyle where judging is by sections
	Attribute	M/O	Value	Description

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results



			#0.0	(sum of all scores of the section)
	Rank	Μ	S(2)	Send the rank in the section.
	RankEqual	0	S(1)	Send 'Y' where Rank at this Section is equalled else not sent.
JUDO	θE	SECT_PROG	S(1)	Pos Description: The Section of the course scored. Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Cumulative score of the section.
	Rank	М	S(2)	Send the rank to the end of the section.
	RankEqual	0	S(1)	Send 'Y' if Rank is equalled, otherwise do not send.
ER	•	DSQ_DESC	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	Μ	Text	Text description of the reason for disqualification.
ER		POT_DSQ	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send "Y" if the competitor is a potential disqualification in this unit else do not send.

Sample (BA)

<Result Rank="1" Result="174.25" ResultType="POINTS" SortOrder="1"> <ResultItems> <ResultItem Unit="FRSMBA--------FNL-000100--"> <Result Rank="1" Result="88.50" ResultType="POINTS" SortOrder="1" StartOrder="6" StartSortOrder="6"> <ExtendedResults> <ExtendedResult Type="ER" Code="BEST" Value="Y" /> <ExtendedResult Type="JUDGE" Code="J1" Value="90" Pos="1" Discard="Y"/> <ExtendedResult Type="JUDGE" Code="J2" Value="89" Pos="2" /> <ExtendedResult Type="JUDGE" Code="J3" Value="89" Pos="3" /> <ExtendedResult Type="JUDGE" Code="J4" Value="88" Pos="4" /> <ExtendedResult Type="JUDGE" Code="J5" Value="88" Pos="5" /> <ExtendedResult Type="JUDGE" Code="J6" Value="87" Pos="6" Discard="Y"/> </ExtendedResults> </Result> </ResultItem> <ResultItem Unit="FRSMBA-----FNL-000200--"> <Result Rank="1" Result="88.50" ResultType="POINTS" SortOrder="1" StartOrder="6" StartSortOrder="6"> <ExtendedResults> <ExtendedResult Type="JUDGE" Code="J1" Value="90" Pos="1" Discard="Y"/> <ExtendedResult Type="JUDGE" Code="J2" Value="89" Pos="2" /> <ExtendedResult Type="JUDGE" Code="J3" Value="89" Pos="3" />

Element: Competition /Result /Competitor (1,1) Competitor related to the result of one event unit.

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O	Value	Description
Code	Μ	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available NOCOMP is sent when there is no competitor (and will not come later)
Туре	М	S(1)	A for athlete, T for team
Bib	0	S(5)	Bib number of the team in team events
Organisation	0	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Description (0,1)

Competitors extended information.						
Attribute	M/O	Value	Description			
TeamName	М	S(73)	Name of the team			
IFId	0	S(16)	IFId of the team			

Element: Competitio	Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") on the results or 1 if Competitor @Type="A".			
Bib	0	S(5)	Bib number			

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information.					
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)

Indivi	Individual athletes entry information.						
	Туре	Code	Pos	Description			
EUE		BIB_COLOUR	N/A	Element Expected: Final phases in individual cross.			
	Attribute	M/O	Value	Description			
	Value	М	SC @BibColour	Send colour			
EUE		SNOWSEED	N/A	Element Expected: If applicable			

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results



	Attribute	M/O	Value	Description
	Value	Μ	S(1)	Send "Y" if the athlete is assigned a Snowseed else do not send.
EUE		RESERVE	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send "Y" if the athlete is a reserve
EUE		PR	N/A	Element Expected: Moguls except qualification 1
	Attribute	M/O	Value	Description
	Value	Μ	S(3)	Result in previous round, could be rank or IRM.

	Туре	Code	Pos	Description			
ER		DSQ_DESC	N/A	Element Expected: If applicable			
	Attribute	M/O	Value	Description			
	Value	М	Text	Text description of the reason for disqualification.			
ER		JUMP	N/A	Element Expected: Send as soon as available. (before the start) Do not send in case of IRM			
	Attribute	M/O	Value	Description			
	Value	М	S(15) or SC @Trick	Code of the jump			
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Do not send in case of IRM						
	Attribute	Value	Description	Description			
	Code	DD					
	Code Pos	DD N/A					
			Degree of difficulty of	the jump.			
	Pos Value Sub Element: Comp	N/A Numeric 0.000		the jump. ExtendedResults /ExtendedResult /Extension			
	Pos Value Sub Element: Comp	N/A Numeric 0.000 Detition /Result /Competito		· ·			
	Pos Value Sub Element: Comp Expected AET. Do n	N/A Numeric 0.000 Detition /Result /Competitor tot send in case of IRM	or /Composition /Athlete /	· ·			
	Pos Value Sub Element: Comp Expected AET. Do n Attribute	N/A Numeric 0.000 N/A Numeric N/Result /Competito N/Result /Result /Re	or /Composition /Athlete /	· ·			
	Pos Value Sub Element: Comp Expected AET. Do n Attribute Code	N/A Numeric 0.000 Netition /Result /Competito N/A Numeric DESC	or /Composition /Athlete /	ExtendedResults /ExtendedResult /Extension			
	Pos Value Sub Element: Comp Expected AET. Do n Attribute Code Pos Value Sub Element: Comp	N/A Numeric 0.000 Detition /Result /Competitor in case of IRM Value DESC N/A S(50)	Description Description Text description of the	ExtendedResults /ExtendedResult /Extension			
	Pos Value Sub Element: Comp Expected AET. Do n Attribute Code Pos Value Sub Element: Comp	N/A Numeric 0.000 Detition /Result /Competito Numeric DESC N/A S(50) Detition /Result /Competito	Description Description Text description of the	ExtendedResults /ExtendedResult /Extension			

Event Unit Start List and Results



	Pos	N/A		
	Value	Numeric 0	Send the athlete ki	icker position
ER		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	Μ	Numeric 0	Send number of cards of this type
JUDO	GE	[Judge Positon (J1, J2,)]	S(5)	Code Description: Send Judge Position (J1, J2,) Pos Description: Score type: AIR, FORM, LAND Element Expected: When data is available
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Judge score
	Discard	0	S(1)	Send 'Y' if this score is discarded else do not sent
JUDO)E	AIR	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.00 or #0.0	Total air score
JUDO	ĴE	FORM	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total form score
JUDO	ЭЕ	LAND	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Total landing score
JUDO)E	OVERALL	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Score from the overall total judges score in AE without considering DD.
ER		SCORE	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	0	Numeric ##0.00	Score for this athlete
	IRM	0	SC @IRM	IRM if applicable (only where applicable and there is no score)

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results



WOG-2022-FRS-1.4 APP

2.3.3.6 Message Sort

Sort by Result @SortOrder



2.3.4 Current Information

2.3.4.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information.

This message should only be used to build a standalone current table and not used to merge data with the DT_RESULT message. If the message is merged there is be conflicts where multiple people can have the same intermediate rank and the full DT_RESULT is only updated after each athlete.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate. The DocumentCode will be sent according to the header values.		
DocumentSubcode	N/A	N/A		
DocumentType	DT_CURRENT	Current message		
DocumentSubtype	N/A	N/A		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P"-Production "T"-Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.4.3 Trigger and Frequency

This message is sent:

* Before the competition or run starts with the value of NEXT

* At any time a competitor starts. (This athlete/pair will be considered current) and there will be a new 'next' (unless last athlete).

* Immediately after every addition/change in data during the run.

* Immediately after each competitor completes the course and the data is available.

Each message will only include the athletes currently on the course and the one/pair to follow 'Next'; this is usually not more than four athletes.



2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	ExtendedInfos (0,1)			
		ExtendedInfo (1,N)		
			Туре	
			Code	
			Pos	
	_		Value	
	Result (0,N)			
		SortOrder		
		StartSortOrder		
		ExtendedResults (0,1)		
			ExtendedResult (1,N)	
				Туре
				Code
				Pos
				Value
				Value2
				Rank
				RankEqual
				Diff
				Discard
		Competitor (1,N)	1	
			Code	
			Туре	
			Organisation	

2.3.4.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		

Olympic Data Feed - © IOC Technology and Information Department Current Information



Codes	3	O S(20) Version of the Codes applicable to the message			odes applicable to the message	
Eleme	ent: Competition /E Type	xtendedInfos	ExtendedInfo (1 Code	,N)	Pos	Description
DISPL	DISPLAY		CURRENT		nit or	Pos Description: Full RSC of the heat/run as applicable or 1,2 etc. when a single group (for multiple competitors). Element Expected: When available
	Attribute	M/O		Value		Description
	Value	М		S(20) zeroes	without leading	Send the competitor ID of the current competitor(s) or in team aerials, the current athlete
	Sub Element: Comp Expected Moguls an			ndedInfo /	Extension	
	Attribute Value			Description		
	Code	TO_B	EAT			
	Pos	Nume #0	ric	Send the rank which the competitor is trying to beat (13 and 13 plus <last qualification="" rank=""> in units where a fi athletes progress to the next unit/phase. Only included if in this rank. Send if the position exists and is better than the current competitor</last>		
	Value	Nume ##0.0		Send the points needed (to beat) for the corresponding rank (in @Pos)		
DISPL	AY	NEXT		CC @U	nit	Pos Description: Full RSC of the heat/run as applicable or not included when the single group. Element Expected: When available
	Attribute	M/O		Value		Description
	Value	М		S(20) zeroes	without leading	Send the competitor ID of the next competitor(s) or in team aerials, the current athlete.

Sample (Big Air)

- <ExtendedInfos> <ExtendedInfo Type="DISPLAY" Code="CURRENT" Pos="1" Value="123456" /> <ExtendedInfo Type="DISPLAY" Code="NEXT" Value="123666" />

</ExtendedInfos

Element: Competition /Result (0,N)					
Attribute	M/O	Value	Description		
SortOrder	М	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. (even if some		

Olympic Data Feed - © IOC Technology and Information Department

Current Information





			have IRM) Updated during the race with the current order, which is those with rank followed by those with IRM followed by those who have not started.
StartSortOrder	М	Numeric ##0	Used to sort all start list competitors in an event unit.

Elem	•	t /ExtendedResults /Extend				
	Туре	Code	Pos	Description		
ER		JUMP	Numeric #0	Pos Description: Send the jump/trick number in the run. 1n Element Expected: Slopestyle, aerials, moguls, BA, HP and team aerials. Send as soon as available. Do not send for Aerials in case of IRM		
	Attribute	M/O	Value	Description		
	Value	Μ	S(15) or SC @Trick	Code of the jump or trick (in slopestyle)		
		tion /Result /ExtendedResu Moguls. Do not send for Ae		ension		
	Attribute	Value	Description			
	Code	DD				
	Pos	N/A				
	Value	Numeric 0.000	Degree of difficulty of the jump			
		tion /Result /ExtendedResults /ExtendedResult /Extension not send for Aerials in case of IRM				
	Attribute	Value	Description			
	Code	DESC				
	Pos	N/A				
	Value	S(50)	Text description of the jurr	η		
		ition /Result /ExtendedResults /ExtendedResult /Extension Do not send for Aerials in case of IRM				
	Attribute	Value	Description			
	Code	KICKER				
	Pos	N/A				
	Value	Numeric 0	Send the athlete kicker po	sition		
ER		JUMP_ID	N/A	Element Expected: Big Air		
	Attribute	M/O	Value	Description		
	Value	М	S(1)	Jump ID		
		S(5)	Code Description: Send Judge Position (J1, J2,) Pos Description: Score type: AIR, FORM, LAND Element Expected:			

Current Information



				When data is available in MO, SS, AE, AET	
	Attribute	M/O	Value	Description	
	Value	М	Numeric ##0 or 0.0	Judge score (Base Score for MO, do not send for J6, J7).	
	Discard	0	S(1)	Send 'Y' if this score is discarded else do not send (MO)	
	Sub Element: Con Expected MO only		dedResults /ExtendedResu	It /Extension	
	Attribute	Value	Description		
	Code	AIR			
	Pos	Numeric 0	Send jump number	r in MO.	
	Value	Numeric 0.0	Judge score for air	:	
	Sub Element: Con Expected MO only		dedResults /ExtendedResu	It /Extension	
	Attribute	Value	Description		
	Code	DED			
	Pos	Numeric 0	Send 0 for discarde	ed deductions otherwise 1.	
	Value	Numeric -0.0	Deduction value fo	Deduction value for turns.	
JUDG	ĴE	AIR	N/A	Element Expected: MO only	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0.00	Total air score	
JUDG	ĴE	BASE	N/A	Element Expected: MO only	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0.0	Total base value scores from judges.	
JUDG	ĴE	DED	N/A	Element Expected: MO only	
	Attribute	M/O	Value	Description	
	Value	М	Numeric -#0.0	Total deduction value for turns.	
JUDG	ĴE	TURNS	N/A	Element Expected: MO only	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0.0	Total turns score in MO (base & deductions)	
ER		TIME	N/A	Element Expected: MO only	
	Attribute	M/O	Value	Description	

Olympic Data Feed - © IOC Technology and Information Department Current Information



	Value	Μ	ss.ff	Time for the run-in moguls
	Value2	М	Numeric #0.00	Time points for the run-in moguls
JUDG)E	OVERALL	N/A	Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Score from the overall judges in slopestyle without considering DD.
JUDG	ÈE	SECT	S(1)	Pos Description: The section of the course scored. Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	Μ	Numeric #0.0	Score for the section
	Rank	Μ	S(2)	Send the rank in the section
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
JUDG	βE	SECT_PROG	S(1)	Pos Description: The section of the course scored. Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Cumulative score to the end of the section.
	Rank	М	S(2)	Send the rank to the end of the section
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PRO	GRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2F). For Ski Cross, intermediate S will manage the reaction time. Element Expected: Only in events with split times
	Attribute	M/O	Value	Description
	Value	Μ	m:ss.ff	Time at the intermediate point
	Rank	М	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
	Diff	М	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader.
PRO	GRESS	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (2F). For example 2 is the section from intermediate 1 to intermediate 2 etc. Element Expected: When data is available

Olympic Data Feed - © IOC Technology and Information Department **Current Information**





	Attribute	M/O	Value	Description
	Value	М	s.ff	Time for the section ending at the intermediate point @Pos.
	Rank	М	S(2)	Send the rank of the competitor in the section not considering IRMs
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PROC	GRESS	SPEED	N/A	Element Expected: When available in cross
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.00	Average speed in km/h

Element: Competition	Element: Competition /Result /Competitor (1,N)					
Competitor related to the result of one event unit.						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown			
Туре	М	S(1)	A for athlete, T for team			
Organisation	М	CC @Organisation	Competitor's organisation			

2.3.4.6 Message Sort

Sort by Result @SortOrder.



2.3.5 Image

2.3.5.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	Numeric #0	Picture number This value is a sequential number for each picture provided in a unit (RSC). The value will be 1, 2, 3 Where there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send PHOTOFINISH
Version	1V	Version number associated to the message's content. Ascending number. Values beyond 1 are only used if a message needs to be resent for a second or subsequent image/result with the same DocumentSubcode to replace the original image (to resolve the same rank).
ResultStatus	CC @ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

Trigger when image available and after any change.

2.3.5.4 Message Structure

The following table defines the structure of the message.

Olympic Data Feed - © IOC Technology and Information Department



Competition (0.1) Gen Sport Codes Image (1.N) Pos Version Revision ImageType Result Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Code Order Bib Description (0.1) GivenName EmpiricAlment EmpiricAl	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Sport Codes Image (1.N) Pos Version Revision Image Type Result Rank StartOrder SortOrder Code Type Organisation Description (0.1) TeamName Composition (0.1) TeamName Code Type Organisation Description (0.1) Description (0.1) TeamName Code Type Order Bib Description (0.1) Athlete (1.N)	Competition (0,	<u>1)</u>						
Codes Image (1.N) Pos Version Revision Image Type Result (0.N) Result (0.N) Result (0.N) Code StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Code Order Bib Description (1.1)		Gen						
Image (1.N) Pos Version Revision Image Type Result (0.N) Result Rank StartOrder SortOrder Code Type Organisation Description (0.1) TeamName Code Organisation Description (0.1) TeamName Code Order Bib Description (1.1) GivenName		Sport						
Pos Version Revision ImageType Result (0.N) Result (0.N) Result (0.N) Result (0.N) Code StartOrder SortOrder Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName		Codes						
Version Revision ImageType Result (0.N) Result (0.N) Result (1.N) Code Type Organisation Description (0.1) TeamName Code (Composition (0.1) TeamName Code (Code (Code (Code (Code (Code) (Code (Code) (Code (Code) (Code (Code) (Code) (Code) (Code (Code) (Code		Image (1,N)	1					
Revision ImageType Result Result Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) Code Corder Corder Corder Bib Description (1.1) Code Code Corder Bib Description (1.1) Code Code Code Code Code Code Code Code								
ImageType Result Result Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) Code Composition (0.1) Code Composition (0.1) Code Composition (0.1) Code Composition (0.1) Code Code Composition (0.1) Code Code Code Composition (0.1) Code Code Composition (0.1) Code Cod								
Result (0.N) Result Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Result Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) Bib Description (1.1)								
Rank StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName			Result (0,N)	1				
StartOrder SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) Code Order Bib								
SortOrder Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Competitor (1.1) Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Code Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Type Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName				Competitor (1,1	1			
Organisation Description (0.1) TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Description (0,1) TeamName Composition (0,1) Athlete (1,N) Code Order Bib Description (1,1) GivenName								
TeamName Composition (0.1) Athlete (1.N) Code Order Bib Description (1.1) GivenName								
Composition (0,1) Athlete (1.N) Code Order Bib Description (1,1) GivenName					Description (0,1	1		
Athlete (1.N) Code Order Order Bib Description (1.1) GivenName GivenName					Composition (0	1		
Code Order Bib Description (1.1) GivenName					Composition (U,	1		
Order Bib Description (1.1) GivenName						Attriete (1,11)	Codo	
Bib Description (1.1) GivenName								
Description (1,1) GivenName								
GivenName								1)
								FamilyName
ImageData (1.1)			ImageData (1.1)				
				* -				

2.3.5.5 Message Values

Element: Competition (0	Element: Competition (0,1)							
Attribute	M/O	Value	Description					
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message					
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message					
Codes	0	S(20)	0) Version of the Codes applicable to the message					

Olympic Data Feed - © IOC

Technology and Information Department

Image



Element: Competitio	Element: Competition /Image (1,N)						
Always only one ima	Always only one image per message						
Attribute	M/O	Value	Description				
Pos	М	Numeric #0	Always send 1				
Version	М	Numeric #0	Document Version				
Revision	М	Numeric #0	Document Revision				
ImageType	М	S(3)	Image type extension, jpg or png				

Element: Competition /Image /Result (0,N)							
This element should always appear and must only include the information of those competitors appearing in the image.							
Attribute M/O Value Description							
Result	0	S(20)	Result of the competitor in the image at the end of the unit. Formatted in the same was as associated DT_RESULT. Use IRM code if appropriate.				
Rank	0	S(3)	Rank of the competitor at the end of the unit				
StartOrder	0	S(4)	Start or lane position This value is expected if it is included in DT_RESULT				
SortOrder	Μ	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.				

Element: Competition	n /Image /Resu	t /Competitor (1,1)	
Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Competitor's ID (Team or individual)
Туре	М	S(1)	A for athlete or T for team.
Organisation	М	CC @Organisation	Competitor's organisation

Element: Competition /Image /Result /Competitor /Description (0,1)								
Attribute	M/O	M/O Value Description						
TeamName	М	S(73)	Name of the Team. (if team)					

Element: Competition	Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N)							
Only sent in the case	Only sent in the case of individual events. Team members are not sent in team events.							
Attribute M/O Value Description								
Code	М	S(20) with no leading zeroes	Athlete's ID.					
Order	М	Numeric 0	Value is 1					
Bib	М	S(5)	Bib number					

Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O	Value	Description			
GivenName	0	S(25)	Given name (Photofinish Name)			
FamilyName	М	S(25)	Family name (Photofinish Name)			

Element: Competit	Element: Competition /Image /ImageData (1,1)							
Attribute	M/O	Value	Description					
-	М	Free Text	The ImageData element has a body consisting of one Base64- encoded report (a jpeg or png file)					

Sample (Photo)

<Image Pos="1" Version="1" Revision="0" ImageType="jpg" >
 <Result Result="3:26.23" Rank="1" StartOrder="5" SortOrder="1" >
 <Competitor Code="1234567" Type="T" Organisation="GBR" >
 <Description TeamName="Great Britain"/>
 </Result>
 <Result Result="3:26.26" Rank="2" StartOrder="3" SortOrder="2" >
 <Competitor Code="1234444" Type="T" Organisation="ESP" >
 <Description TeamName="Spain"/>
 </Result>
 </Resu

</Image>

2.3.5.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



2.3.6 Brackets

2.3.6.1 Description

The brackets message contains the brackets information for one event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

This message is only applicable in Cross in this discipline.

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment					
CompetitionCode	CC @Competition	Unique ID for competition					
DocumentCode	CC @Event	Full RSC of the Event					
DocumentType	DT_BRACKETS	Brackets message					
Version	1V	Version number associated to the message's content. Ascending number					
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (before any unit is complete) INTERMEDIATE (during the competition) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)					
FeedFlag	"P"-Production "T"-Test	Test message or production message.					
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.					
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.					
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.					
Source	SC @Source	Code indicating the system which generated the message.					

2.3.6.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available.

Send when a match/event unit is completed. The message should be updated including information on each competitor in the different bracket items. Only trigger once after each unit unless there are changes in the contents.

The @ResultStatus attribute will vary depending on the competition status.

* Send with ResultStatus = "START_LIST" when bracket available and no units are complete

* Send with ResultStatus = "INTERMEDIATE" until the last event unit (Gold Medal unit) is Unofficial (i.e. for all event units up until the Gold Medal match is completed for an event)

* Send with ResultStatus = "UNOFFICIAL" when the last event unit for an event (Gold Medal match) has

Olympic Data Feed - © IOC

Technology and Information Department

Brackets



Unofficial status.

* Send with ResultStatus = "OFFICIAL" when the last event unit for an event (Gold Medal match) has Official status.

Trigger also after any change.


2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10
Competition	(0,1)								
	Gen								
	Sport								
	Codes								
	ExtendedInf	1							
		<u>SportDescri</u>	1						
			DisciplineNa	me					
			EventName						
	7		Gender						
	Bracket (1,N	1							
		Code							
		BracketItem	1						
			Code						
			BracketItem	1					
				Code					
				Order					
				Position					
				Date					
				Time					
				Unit					
				CompetitorP	1				
					Pos				
					Code				
					Rank				
					IRM				
					Qualification	Mark			
					StrikeOut				
					StartOrder				
					ExtCompPla	1	(4.51)		
						ExtCompPla	I		
							Туре		







2.3.6.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Description in 1	Text		
Attribute	M/O	Value	Description
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.
Gender	М	CC @SportGender	Gender code for the event unit

Olympic Data Feed - © IOC Technology and Information Department



Element: Competition /Bracket (1,N)						
Attribute	M/O	Value	Description			
Code	Μ	SC @Bracket	Bracket code to identify a bracket item. One for each individual bracket as defined in ORIS.			

Element: Competition /Bracket /BracketItems (1,N)					
Attribute	M/O	Value	Description		
Code	М	SC @BracketItems	Bracket code to identify a set of bracket items. The quarterfinals, semifinals or finals phases etc.		

Element: Competition /Bracket /BracketItems /BracketItem (1,N)					
Attribute	M/O	Value	Description		
Code	0	Numeric #0	Unique number for all BracketItems in the message 1,		
Order	М	Numeric #0	Sequential number inside of BracketItems to indicate the order, always start at 1		
Position	М	Numeric #0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position.		
Date	0	Date	YYYY-MM-DD. Must be filled if known		
Time	0	S(5)	HH:MM. Must be filled if known		
Unit	0	CC @Unit	Full RSC of the unit for the BracketItem		

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.

- If they are not yet known, it contains some information (on the rule to access to this bracket...)

Attribute	M/O	Value	Description
Pos	М	Numeric #0	This attribute is a sequential number to place the different competitors in the bracket (1, 2). (Order changes before and after following ORIS)
Code	0	SC @CompetitorPlace	If there is no competitor (BYE) or when it is not known yet (TBD) or when both competitors are disqualified or Withdraw (NCT)
Rank	0	S(5)	The rank in cross In the case of the finals in cross the rank in the message is the final overall rank.
IRM	0	SC @IRM	The invalid result mark, if applicable
QualificationMark	0	SC @QualificationMark	Send in cross where the competitor has qualified to the next phase.
StrikeOut	0	S(1)	Send if the competitor should be struck out in the bracket item.
StartOrder	0	SC @BibColour	Send colour in cross

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)						
Туре	Code Pos Description					
ECP	LANE	N/A	Element Expected:			

Olympic Data Feed - © IOC





				If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	Μ	Numeric 0	Lane number
ECP		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	Μ	Numeric 0	Send number of cards of this type

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph.

Attribute	M/O	Value				C)escrip	tion		
Unit	0	CC @Unit	Full	RSC	of	the	unit	where	the	competitor
			progr	esses/pr	ogres	sed fro	m			

Element: Competition /	Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)				
CompetitorPlace @Pos	CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.				
Attribute M/O Value Description					
Code	Μ	S(20) with no leading zeroes	Competitor's ID		
Туре	М	S(1)	A for athlete		
Seed	0	S(2)	Rank of the competitor in the qualification. Only send for first phase of the brackets.		
Organisation	0	CC @Organisation	Competitors' organisation if known.		

Element: Competitio	Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)				
Attribute	M/O	Value	Description		
Code	Μ	S(20) with no leading zeroes	Athlete's ID		
Order	Μ	Numeric 0	Order of the athlete in the team, 1 in individual events.		
Bib	0	S(5)	Athlete Bib of the athlete		

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	М	CC @PersonGender	Gender of the athlete
Organisation	М	CC @Organisation	Athletes' organisation



BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	0	S(16)	International Federation ID

Sample (Cross)

<bracket code="FNL"></bracket>	
<bracketitems code="SFL"></bracketitems>	
<bracketitem code="13" date="2014-02-22" order="1" position="1" time="15:22" unit="xxxx"></bracketitem>	
<competitorplace pos="1" qualificationmark="BF" rank="1" startorder="BLUE"></competitorplace>	
<extcompplaces></extcompplaces>	
<extcompplace code="LANE" type="ECP" value="3"></extcompplace>	
<previousunit unit="xxx"></previousunit>	
<competitor code="2000996" organisation="GER" type="A"></competitor>	
<composition></composition>	
<athlete bib="123" code="2000996" order="1"></athlete>	
<description birthdate="1994-12-</p></th><th>-15" familyname="Smith" gender="M" givenname="John" organisation="GER"></description>	
<competitorplace pos="2" qualificationmark="BF" rank="2" startorder="RED"></competitorplace>	
<extcompplaces></extcompplaces>	
<extcompplace code="LANE" type="ECP" value="6"></extcompplace>	
<previousunit unit="xxx"></previousunit>	
<competitor code="2019181" organisation="SUI" type="A"></competitor>	
<composition></composition>	
<athlete bib="723" code="2019181" order="1"></athlete>	
<description birthdate="1992-12</p></td><td>-15" familyname="Malone" gender="M" givenname="John" organisation="SUI"></description>	

2.3.6.6 Message Sort

The following order applies:

* Bracket: by @Code FNL and CFNL.

* BracketItems: It will be referred to BracketItems /BracketItem /Unit (all BracketItem should be grouped by the BracketItem /Unit attribute).

* Then, the BracketItem /Unit are sorted according to their scheduled start time.



2.3.7 Event Final Ranking

2.3.7.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

Depending on the sport rules include all competitors in the competition as all can be ranked (as in Marathon) or only include those with a final ranking as other are unranked (as in tennis).

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC, one message is sent for each event.
DocumentType	DT_RANKING	Event Final ranking message
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that ranking is not subject to change or some ranking in that unit are not subject to change.

The message is expected at the end of each unit during finals along with each change.

* After a non-final unit which affects the final ranking is official and that ranking is not subject to change. (PARTIAL)

* After last unit of the competition is official. (OFFICIAL)

2.3.7.4 Message Structure

The following table defines the structure of the message.

Olympic Data Feed - © IOC

Technology and Information Department

Event Final Ranking 10 September 2021



Level 3 Level 4 Level 5 Level 6 Level 7 Level 1 Level 2 Competition (0,1) Gen Sport Codes ExtendedInfos (0,1) SportDescription (0,1) DisciplineName EventName Gender Result (1,N) Rank RankEqual ResultType IRM SortOrder ExtendedResults (0,1) ExtendedResult (1,N) Туре Code Pos Value Competitor (1,1) Code Туре Organisation Description (0,1) TeamName IFId Composition (1,1) Athlete (0,N) Code Order Bib Description (1,1) GivenName FamilyName Gender Organisation

Olympic Data Feed - © IOC Technology and Information Department Event Final Ranking



BirthDate IFId

2.3.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Description in text				
Attribute	M/O	Value	Description	
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	0	S(40)	Event ENG Description (not code) from Common Codes	
Gender	0	CC @SportGender	Gender code for the event.	

Element: Competition /Result (1,N) For any event final ranking message, there should be at least one competitor being awarded a result for the event.				
Rank	0	S(3)	Final rank of the competitor in the event. This attribute is optional because the competitor could be unranked in the case of a red card, for example.	
RankEqual	0	S(1)	Send Y if the rank is equalled, else do not send	
ResultType	М	SC @ResultType	Send CODE unless IRM applies	
IRM	0	SC @IRM	Send if the competitor has an IRM	
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.	

Elem	Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)					
	Туре	Code	Pos	Description		
ER		RACE_PTS	N/A	Element Expected: If data exists		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ###0.00	Race points earned for each competitor		
ER		UNIT	Numeric 0	Pos Description: Sequential number for each unit (1, 2) Element Expected: Moguls & Aerials		



	Attribute	M/O	Value	Description			
	Value	М	CC @Unit	Send the full RSC of each unit competed in			
	Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected Always						
	Attribute	Value	Description				
	Code	RANK					
	Pos	N/A					
	Value	Numeric #0	Rank in the unit if	not IRM			
	Sub Element: Compe Expected Always	tition /Result /Extended	Results /ExtendedResu	ult /Extension			
	Attribute	Value	Description				
	Code	RESULT					
	Pos	N/A					
	Value	S(6)	Score in the unit o	e unit or IRM			
ER		LAST_UNIT	N/A	Element Expected: Ski Cross, HP, SS, BA			
	Attribute	M/O	Value	Description			
	Value	М	CC @Unit	Send the full RSC of the last unit in which the competitor participated.			
ER		UNIT_RANK	N/A	Element Expected: Ski Cross			
	Attribute	M/O	Value	Description			
	Value	М	Numeric 0	Rank in the heat where athlete finished the competition.			
ER		QUAL_RANK	N/A	Element Expected: Ski Cross			
	Attribute	M/O	Value	Description			
	Value	М	Numeric #0	Rank in qualification.			

Element: Competition /Result /Competitor (1,1)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID. "NO_AWARD" in the case where there is no competitor in the rank due to IRM.	
Туре	М	S(1)	A for athlete, T for team	
Organisation	0	CC @Organisation	Competitor's organisation	

Element: Competition /Result /Competitor /Description (0,1)				
Attribute	M/O	Value	Description	
TeamName	М	S(73)	Name of the team. Only applies for teams	
IFId	0	S(16)	IFId of the team	

Olympic Data Feed - © IOC Technology and Information Department Event Final Ranking



Element: Competition /Result /Competitor /Composition /Athlete (0,N)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member. Team members should be participating in the event.	
Order	М	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".	
Bib	0	S(5)	Athlete Bib	

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)				
Attribute	M/O	Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case)	
FamilyName	М	S(25)	Family name in WNPA format (mixed case)	
Gender	М	CC @PersonGender	Gender of the athlete	
Organisation	М	CC @Organisation	Athletes' organisation	
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available	
IFId	0	S(16)	International Federation ID	

Sample (Final Ranking)

```
<Result Rank="2" ResultType="CODE" SortOrder="2">
 <ExtendedResults>
   <ExtendedResult Type="ER" Code="RACE_PTS" Value="800" />
<ExtendedResult Type="ER" Code="UNIT_RANK" Value="2" />
   <ExtendedResult Type="ER" Code="LAST_UNIT" Value= FRSMSX------FNL-0001----" />
 </ExtendedResults>
 <Competitor Code="2000996" Type="A" Organisation="GER" >
   <Composition>
     <Athlete Code="2000996" Order="1">
       <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
     </Athlete>
   </Composition>
 </Competitor>
</Result>
<Result Rank="3" ResultType="CODE" SortOrder="3">
 <ExtendedResults>
   <ExtendedResult Type="ER" Code="RACE_PTS" Value="600" />
   <ExtendedResult Type="ER" Code="UNIT_RANK" Value="3" />
   <ExtendedResult Type="ER" Code="LAST_UNIT" Value= FRSMSX------FNL-0001----" />
 </ExtendedResults>
 <Competitor Code="2030033" Type="A" Organisation="SUI" >
   <Composition>
     <Athlete Code="2030033" Order="1">
       <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="SUI" BirthDate="1992-12-15" />
     </Athlete>
   </Composition>
</Competitor>
```



WOG-2022-FRS-1.4 APP

2.3.7.6 Message Sort

Sort by Result @SortOrder



2.3.8 Configuration

2.3.8.1 Description

The Configuration is a message containing general configuration.

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate.	
DocumentType	DT_CONFIG	Configuration message	
Version	1V	Version number associated to the message's content. Ascending number	
FeedFlag	"P"-Production "T"-Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

2.3.8.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration must be provided before the start list.

If a DT_CONFIG message is sent after a DT_RESULT in a related unit then the next version of DT_RESULT must be sent immediately.

2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Configs (1,1)			
	1	Config (1,N)		

Olympic Data Feed - © IOC

Unit	
ExtendedConfig (1,N)	
	Туре
	Code
	Pos
	Value

2.3.8.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /Configs /Config (1,N)						
Attribute	M/O	Value	Description			
Unit	Μ	CC @Phase CC @Unit	Full RSC (34) at phase level in HP/BA/SS/Cross Full RSC (34) at unit level in AE, AET & MO In the case of AE Final 1 (two jumps) this is at the level covering both jumps (FRS?AEFNL-000100)			

Elem	ent: Competition /Config	s /Config /ExtendedConfi	g (1,N)	
	Туре	Code	Pos	Description
FIS		HOMOLOGATION	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	М	String	FIS Homologation number
COU	RSE	NAME	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	М	String	Name of the course in ENG
COU	RSE	LENGTH	N/A	Element Expected: When available
	Attribute	M/O	Value	Description
	Value	Μ	Numeric ###0	Send the total length of the course in m.
COU	RSE	HALF_PIPE	N/A	Element Expected: In halfpipe only
	Sub Element: Competit Expected Always	ion /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigltem
	Attribute	Value	Description	
	Code	HEIGHT		

Olympic Data Feed - © IOC



	Pos	N/A				
	Value	Numeric ##0.0	HP inner height of	walls in metres		
	Sub Element: Comp Expected Always	petition /Configs /Config /	ExtendedConfig /Extend	dedConfigItem		
	Attribute	Value	Description	Description		
	Code	INCLIN				
	Pos	N/A				
	Value	Numeric #0	HP degrees of incli	ination		
	Sub Element: Comp Expected Always	petition /Configs /Config /	ExtendedConfig /Extend	dedConfigItem		
	Attribute Value		Description			
	Code	INCLIN_VERT				
	Pos	N/A				
	Value	Numeric #0	HP degrees of vertical inclination			
	Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always					
	Attribute	Value	Description			
	Code	LENGTH				
	Pos	N/A				
	Value	Numeric ###0	HP length in metre	S		
	Sub Element: Comp Expected Always	petition /Configs /Config /	ExtendedConfig /Extend	dedConfigItem		
	Attribute	Value	Description			
	Code	WIDTH				
	Pos	N/A				
	Value	Numeric ###0.0	HP width wall to wa	all in metres		
COU	RSE	MOGULS	NA	Element Expected: Always in the case of moguls		
	Sub Element: Comp Expected Always	petition /Configs /Config /	ExtendedConfig /Extend	dedConfigItem		
	Attribute	Value	Description			
	Code	GATE_WIDTH				
	Pos	N/A				
	Value	Numeric #0.0	Width of gate.			
	Sub Element: Comp Expected Always	petition /Configs /Config /	ExtendedConfig /Extend	dedConfigItem		
	Attribute	Value	Description			
	Code	GRAD_AVG				
	Pos	N/A				

Technology and Information Department

Configuration 10 September 2021



	Value	Numeric #0	Average gradient	
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
	Attribute	Value	Description	
	Code	PACE		
	Pos	N/A		
	Value	ss.ff	Pace time	
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
	Attribute	Value	Description	
	Code	WIDTH		
	Pos	N/A		
	Value	Numeric #0.0	Width of course in n	1.
COL	IRSE	AERIALS	N/A	Element Expected: Always in the case of aerials and team aerials
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
Attribute Value Description				
	Code	IN_RUN_DIST		
	Pos	N/A		
	Value	Numeric #0.0	In run distance in m	etres
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
	Attribute	Value	Description	
	Code	IN_RUN_GRAD		
	Pos	N/A		
	Value	Numeric #0	In run gradient in de	grees
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
	Attribute	Value	Description	
	Code	KICKER_DIST		
	Pos	Numeric #0	Kicker number	
	Value	Numeric #0.00	Kicker distance in m	etres
	Sub Element: Cor Expected Always	npetition /Configs /Config /I	ExtendedConfig /Extend	edConfigItem
	Attribute	Value	Description	
	Code	KICKER_GRAD		
	Pos	Numeric	Kicker number	

Olympic Data Feed - © IOC Technology and Information Department Configuration 10 September 2021



	#0						
Value	Numeric	Kicker gradient i	n degrees				
	#0						
	Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always						
Attribute	ibute Value		Description				
Code	KICKER_HT						
Pos	Numeric #0	Kicker number					
Value	Numeric #0.00	Kicker height in r	netres				
Sub Element: C Expected Alwa	Competition /Configs /Config ys	/ExtendedConfig /Exte	endedConfigItem				
Attribute	Value	Description					
Code	LAND_DIST						
Pos	N/A						
Value	Numeric #0.0	· · · · · · · · · · · · · · · · · · ·					
Sub Element: C Expected Alwa	Competition /Configs /Config ys	/ExtendedConfig /Exte	endedConfigItem				
Attribute	Value	Description					
Code	LAND_GRAD						
Pos	N/A						
Value	Numeric #0	Landing gradient	t in degrees				
Sub Element: C Expected Alwa	Competition /Configs /Config /	/ExtendedConfig /Exte	endedConfigItem				
Attribute	Value	Description					
Code	TABLE_DIST						
Pos	N/A						
Value	Numeric #0.0	Table gradient in	metres				
DURSE	BIGAIR	N/A	Element Expected: Always in the case of big air				
Sub Element: C Expected Alwa	Competition /Configs /Config /	/ExtendedConfig /Exte	endedConfigItem				
Attribute	Value	Description					
Code	HEIGHT						
Pos	N/A						
Value	Numeric #0	Jump height in m	netres				
Sub Element: C Expected Alwa	Competition /Configs /Config ys	/ExtendedConfig /Exte	endedConfigItem				
		Description					
Attribute	Value	Description					



	Pos	N/A			
	Value	Numeric #0	In run distance in metres		
	Sub Element: Competiti Expected Always	on /Configs /Config /Exte	tendedConfig /ExtendedConfigItem		
	Attribute	Value	Description		
	Code	IN_RUN_GRAD			
	Pos	N/A			
	Value	Numeric #0	In run gradient in degrees		
	Sub Element: Competiti Expected Always	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigltem	
	Attribute	Value	Description		
	Code	KNOLL			
	Pos	N/A			
ValueNumeric #0Take off to knoll distance in metres		n metres			
	Sub Element: Competiti Expected Always	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigltem	
	Attribute	Value	Description		
	Code	LAND_GRAD	AD		
	Pos	N/A			
	Value	Numeric #0.0	Landing gradient in degree	es	
COUF	RSE	SLOPESTYLE	N/A	Element Expected: Always in the case of slopestyle	
	Sub Element: Competiti Expected Always	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigltem	
	Attribute	Value	Description		
	Code	JIBBING_NUM			
	Pos	N/A			
	Value	Numeric #0	Number of jibbing features	5	
	Sub Element: Competiti Expected Always	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem	
	Attribute	Value	Description		
	Code	JUMPS_NUM			
	Pos	N/A			
	Value	Numeric #0	Number of jump features		
COUF	RSE	FEATURES_NUM	N/A	Element Expected: Cross, if different from number of elements	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0	Number of jump features	



COU	RSE	ELEMENTS_NUM	N/A	Element Expected:	
				Cross	
	Attribute	M/O	Value	Description	
	Value	Μ	Numeric #0	Number of elements	
COU	RSE	ALTITUDE	N/A	Element Expected: When applicable (not AE, BA, MO and HP)	
	Sub Element: Competer Expected Always	ition /Configs /Config /Exte	ndedConfig /Extende	dConfigItem	
	Attribute	Value	Description		
	Code	DROP			
	Pos	N/A			
	Value	Numeric ###0	Send the total vertica	l drop in metres	
	Sub Element: Compet Expected Always	ition /Configs /Config /Exte	ndedConfig /Extende	dConfigItem	
	Attribute	Value	Description		
	Code	FINISH			
	Pos	N/A			
	Value	Numeric ###0	Send the altitude at the	ne finish in metres	
	Sub Element: Competer Expected Always	tion /Configs /Config /Exte	dedConfig /ExtendedConfigItem		
	Attribute	Value	Description		
	Code	START			
	Pos	N/A			
	Value	Numeric ###0	Send the altitude at the	ne start point in metres	
EC		INTERMEDIATES_NUM	N/A	Element Expected: Ski cross	
	Attribute				
		M/O	Value	Description	
	Value	м/о М	Value Numeric #0	Description Send the total number of intermediate points where the time is recorded including F.	
EC	Value		Numeric	Send the total number of intermediate points	
EC	Value	M	Numeric #0	Send the total number of intermediate points where the time is recorded including F. Pos Description: Send the value that identifies the intermediate point, S for start then 1 to n for intermediates along the course and F for the finish point. Element Expected: If there are intermediate points where time is	
EC		M INTERMEDIATE	Numeric #0 S(2)	 Send the total number of intermediate points where the time is recorded including F. Pos Description: Send the value that identifies the intermediate point, S for start then 1 to n for intermediates along the course and F for the finish point. Element Expected: If there are intermediate points where time is recorded. Description 	
EC	Attribute	M INTERMEDIATE M/O	Numeric #0 S(2) Value	Send the total number of intermediate points where the time is recorded including F. Pos Description: Send the value that identifies the intermediate point, S for start then 1 to n for intermediates along the course and F for the finish point. Element Expected: If there are intermediate points where time is recorded. Description Name of the intermediate point in ENG. Not	

Technology and Information Department

10 September 2021

68



	Value	М	Numeric #0	Send the number of heats for that phase.
EC		RUNS_NUM	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Send the number of runs
EC		DOUBLE_UP	N/A	Element Expected: When double-up format used in HP/BA/SS
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send Y if double-up format is used.
EC		JUDGES	N/A	Element Expected: Always in Slopestyle for Judging format
	Attribute	M/O	Value	Description
	Value	Μ	String	Send SECTION or OVERALL for judging by section or overall
EC		JUDGES_NUM	N/A	Element Expected: Always in judged events
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Number of judges for the unit referenced at Configs /Config /Unit
QUAI	LIFICATION	QUAL_RULE	N/A	Element Expected: When applicable
	Attribute	M/O	Value	Description
	Value	М	SC @QualRule	Send the code for the qualification rule.
QUAI	LIFICATION	FROM_RANK	S(2)	Pos Description:Send according to the round to progress:Send F (Final)Send Q2 (Qualification 2)Send A (Big Final)Send B (Small Final)Send SF for SemifinalSend QF for QuarterfinalSend 8 for 1/8 FinalElement Expected:When applicable
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Send the qualifying rank to indicate first rank to qualify
QUA	LIFICATION	TO_RANK	S(2)	Element Expected: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal Send 8 for 1/8 Final
	Attribute	M/O	Value	Description

Configuration



<configs></configs>
<config unit="FRSWSXSFNL"></config>
<extendedconfig code="HOMOLOGATION" type="FIS" value="10722/11/12"></extendedconfig>
<extendedconfig code="NAME" type="COURSE" value="Rosa Style"></extendedconfig>
<extendedconfig code="LENGTH" type="COURSE" value="635"></extendedconfig>
<extendedconfig code="FEATURES_NUM" type="COURSE" value="8"></extendedconfig>
<extendedconfig code="ALTITUDE" type="COURSE"></extendedconfig>
<extendedconfigitem code="START" value="1162"></extendedconfigitem>
<extendedconfigitem code="FINISH" value="1015"></extendedconfigitem>
<extendedconfigitem code="DROP" value="147"></extendedconfigitem>
<extendedconfig code="INTERMEDIATES_NUM" type="EC" value="2"></extendedconfig>
<extendedconfig code="FROM_RANK" pos="A" type="QUALIFICATION" value="1"></extendedconfig>
<extendedconfig code="TO RANK" pos="A" type="QUALIFICATION" value="6"></extendedconfig>
<extendedconfig code="FROM_RANK" pos="B" type="QUALIFICATION" value="7"></extendedconfig>
<extendedconfig code="TO_RANK" pos="B" type="QUALIFICATION" value="12"></extendedconfig>

Sample (Aerials)

<configs></configs>
<config unit="FRSWAEFNL-000101"></config>
<extendedconfig code="NAME" type="COURSE" value="Best AE Course"></extendedconfig>
<extendedconfig code="AERIALS" type="COURSE"></extendedconfig>
<extendedconfigitem code="IN_RUN_DIST" value="23.0"></extendedconfigitem>
<extendedconfigitem code="IN_RUN_GRAD" value="32.0"></extendedconfigitem>
<extendedconfigitem code="TABLE_DIST" value="32.0"></extendedconfigitem>
<extendedconfigitem code="TABLE_GRAD" value="1.0"></extendedconfigitem>
<extendedconfigitem code="LAND_DIST" value="12.0"></extendedconfigitem>
<extendedconfigitem code="LAND_GRAD" value="66.0"></extendedconfigitem>
<extendedconfigitem code="KICKER_DIST" pos="1" value="4.00"></extendedconfigitem>
<extendedconfigitem code="KICKER GRAD" pos="1" value="50"></extendedconfigitem>
<extendedconfigitem code="KICKER HT" pos="1" value="2.00"></extendedconfigitem>
<extendedconfigitem code="KICKER DIST" pos="2" value="6.50"></extendedconfigitem>
<extendedconfigitem code="KICKER GRAD" pos="2" value="65"></extendedconfigitem>
<extendedconfigitem code="KICKER HT" pos="2" value="3.50"></extendedconfigitem>
<extendedconfigitem code="KICKER DIST" pos="3" value="6.50"></extendedconfigitem>
<extendedconfigitem code="KICKER GRAD" pos="3" value="65"></extendedconfigitem>
<extendedconfigitem code="KICKER_HT" pos="3" value="3.50"></extendedconfigitem>
<extendedconfigitem code="KICKER_DIST" pos="4" value="8.00"></extendedconfigitem>
<extendedconfigitem code="KICKER GRAD" pos="4" value="71"></extendedconfigitem>
<extendedconfigitem code="KICKER HT" pos="4" value="4.00"></extendedconfigitem>
<extendedconfigitem code="KICKER DIST" pos="5" value="8.00"></extendedconfigitem>
<extendedconfigitem code="KICKER GRAD" pos="5" value="71"></extendedconfigitem>
<extendedconfigitem code="KICKER_HT" pos="5" value="4.00"></extendedconfigitem>

2.3.8.6 Message Sort

There is no message sorting rule.

Olympic Data Feed - © IOC Technology and Information Department Configuration 10 September 2021



2.3.9 Weather conditions

2.3.9.1 Description

The Weather Conditions is a message containing the current weather conditions in the venue.

2.3.9.2 Header Values

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Discipline	Full RSC at discipline level		
DocumentSubcode	CC @Location	Location code (location level)		
DocumentType	DT_WEATHER	Weather conditions in the location as referred to in DocumentSubcode.		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P"-Production "T"-Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

The following table describes the message header attributes.

2.3.9.3 Trigger and Frequency

The message is sent for each session:

* 30 - 60 minutes before the start of the session and then hourly until the end of the session

2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 2	Level 3	Level 4	Level 5
Gen			
Sport			
Codes			
Weather (1,1)			
	Date		
	Conditions (1,N)		
		Code	
		Humidity	
	Gen Sport Codes	Gen Sport Codes <u>Weather (1,1)</u> Date	Gen Sport Codes <u>Weather (1,1)</u> Date <u>Conditions (1,N)</u> Code

Olympic Data Feed - © IOC

Technology and Information Department

Weather conditions



Wind_Direction	
Condition (0,3)	
	Code
	Value
Temperature (0,N)	
	Code
	Unit
	Value
<u>Wind (0,N)</u>	
	Code
	Unit
	Value

2.3.9.5 Message Values

Element: Competition (Element: Competition (0,1)				
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /Weather (1,1)				
Attribute	M/O	Value	Description	
Date	М	DateTime	Date/time of the conditions	

Element: Competition	element: Competition /Weather /Conditions (1,N)			
Attribute	M/O	Value	Description	
Code	М	SC @WeatherPoint	Weather points, send GEN, START and FINISH	
Humidity	0	Numeric ##0	Humidity in %	
Wind_Direction	0	CC @WindDirection	Wind direction	

Element: Competition /Weather /Conditions /Condition (0,3) M/O Attribute Value Description Code Μ S(4) Temperature type, send AIR, SNOW Value Μ CC @SnowConditions Use CC @WeatherConditions for SKY or CC @WeatherCondition Use CC @SnowConditions for SNOW

Element: Competition /Weather /Conditions /Temperature (0,N)

Olympic Data Feed - © IOC Technology and Information Department Weather conditions



Attribute	M/O	Value	Description
Code	М	S(4)	Temperature type, send AIR, SNOW
Unit	М	SC @TemperatureUnit	Unit for temperature, send both
Value	М	Numeric -##0.0 or ##0.0	Temperature in centigrade degrees (in case of positive temperature, do not send '+')

Element: Competition /	Element: Competition /Weather /Conditions /Wind (0,N)			
Attribute	M/O	Value	Description	
Code	М	S(5)	Wind Speed, send SPEED	
Unit	М	SC @WindUnit	Unit for Wind. Use MS and KMH	
Value	Μ	Numeric ##0.0	Wind speed in @Unit degrees.	

Sample (Weather)

<weather date="2006-02-06T13:00:00+01:00"> <conditions code="START" direction="SE" humidity="49" wind=""></conditions></weather>
<condition code="SKY" value="pc"></condition>
<condition code="SNOW" value="hrd"></condition>
<temperature code="AIR" unit="C" value="2.8"></temperature>
<temperature code="AIR" unit="F" value="37.0"></temperature>
<temperature code="SNOW" unit="C" value="-2.4"></temperature>
<temperature code="SNOW" unit="F" value="27.7"></temperature>
<wind code="SPEED" unit="KMH" value="7.2"></wind>
<wind code="SPEED" unit="MS" value="2.0"></wind>
<conditions code="FINISH" humidity="37" wind_direction="VR"></conditions>
<condition code="SKY" value="pc"></condition>
<condition code="SNOW" value="hrd"></condition>
<temperature code="AIR" unit="C" value="8.8"></temperature>
<temperature code="AIR" unit="F" value="47.8"></temperature>
<temperature code="SNOW" unit="C" value="0.3"></temperature>
<temperature code="SNOW" unit="F" value="32.5"></temperature>
<pre><wind code="SPEED" unit="KMH" value="0.0"></wind> </pre>
<pre><wind code="SPEED" unit="MS" value="0.0"></wind> </pre>

2.3.9.6 Message Sort

There is no special sort order requirement for this message. Usually, Conditions@code is the attribute used to sort the conditions.



WOG-2022-FRS-1.4 APP



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Status	D	Е	Ρ	S	U
As soon as ODF operations start	DT_CODES		0	0	0		0
Periodically as soon as ODF operations start	DT_SCHEDULE		x		0		0
	DT_PARTIC		x	0			
	DT_PARTIC_TEAMS		x	0			
	DT_PARTIC_NAME		x				

3.2 Before competition

Trigger	Message	Status	D	Е	Ρ	S	U
After Initial Download, if any change		x					
After changes of athlete data	DT_PARTIC_UPDATE		x	0			
After changes of team data	DT_PARTIC_TEAM_UPDATE		x	0			
When athlete data is confirmed	DT_PDF C32A Entry list by NOC		x				
	DT_PDF C32C Entry list by Event			x			
Event format defined	DT_CONFIG				x		
Brackets with start list of the first phase (only Cross)	DT_BRACKETS			x			
When Start List is known	DT_RESULT for each unit/phase (if startlist known for next unit)	START_LIST			x		x
	DT_PDF C51x Start List	START_LIST			x		х
When athlete data is confirmed	DT_PDF C32A (Gender RSC level)		x				
	DT_PDF C32C Entry Lists			x			

3.3 During each Unit

Trigger	Message	Status	D	Ε	Ρ	S	U
30 minutes before competition	DT_WEATHER		x				
First athlete in position about 30s before start	DT_SCHEDULE_UPDATE	GETTING_READY	x		0		0
With "next" to start	DT_CURRENT				x		x
First athlete leaves the gate	DT_SCHEDULE_UPDATE	RUNNING	x		0		0
	DT_RESULT	LIVE			x		x
At any time a competitor starts with the current athlete and next to start (unless last athlete). Not applicable for Cross finals *					x		x
Immediately after every	DT_CURRENT				x		x

Olympic Data Feed - © IOC



addition/change in data during the run *					
Immediately after each competitor completes the course and the data is available *	DT_CURRENT			x	x
Send with all updates during de unit. Send after each athlete (with all intermediate data and judge data) completes the course (and has all data)*	DT_RESULT	LIVE		x	x
* repeated for each athlete. (Phase = QUAL phases in each event and Final phases of HP, SS, BA except AET (Unit= Final phases in AET, MO, AE and Ski Cross)					

3.4 After each unit in a phase

Trigger	Message	Status	D	Е	Ρ	S	U
After each unit in the phase DT_SCHEDULE_UPDATE FINISHED		FINISHED	x		0		0
After last score/result (for QUAL phases in each event except AET)	DT_RESULT	UNOFFICIAL			x		
After last score/result (for Final phases for MO, AE, AET and Ski Cross)	DT_RESULT	UNOFFICIAL					х
When unit Scores/Results are confirmed (for QUAL phases in each event except AET)	DT_RESULT	OFFICIAL			x		
When unit Scores/Results are confirmed (for Final phases for MO, AE, AET and Ski Cross)	DT_RESULT	OFFICIAL					x
When Start List is known (unless last unit)	DT_RESULT	START_LIST			x		x
	DT_PDF C51x Start List	START_LIST					x
When applicable (after a unit which affects the final ranking)	DT_RANKING	PARTIAL		x			

3.5 At the end of a phase

Trigger	Message	Status	D	Ε	Ρ	S	U
	DT_SCHEDULE_UPDATE	FINISHED	x		0		0
After last score/result (for QUAL phases in each event except AET and Final phase of HP, SS, BA	DT_RESULT	UNOFFICIAL			x		
After last score/result (for Final phases for MO, AE, AET and Ski Cross)		UNOFFICIAL					x
After a final phase	DT_MEDALLISTS	UNOFFICIAL		х			
When unit Scores/Results are confirmed (for QUAL phases in each event except AET)	DT_RESULT	OFFICIAL			x		

Olympic Data Feed - © IOC



When unit Scores/Results are confirmed (for Final phases for MO, AE, AET and Ski Cross)	DT_RESULT	OFFICIAL			x
	DT_PDF C73x Results	OFFICIAL			x
For the next phase (unless last phase)	DT_CONFIG			x	
For next unit (unless last unit)	DT_RESULT	START_LIST		x	x
* Start order for all the event units of next phase will be sent (Qual AE, HP/SS)	DT_PDF C51 Start List	START_LIST			x
At the end of last unit (only Cross Qualification)	DT_PDF C77x Race Analysis			x	
At the end of last heat of the phase (only cross finals)	DT_RESULT for each heat	START_LIST			x
(only cross finals)	DT_BRACKETS	INTERMEDIATE	х		
(only cross finals)	DT_PDF C75X	INTERMEDIATE	х		
When applicable (after a unit which affects the final ranking)	DT_RANKING	PARTIAL	x		

3.6 At the end of the event

Trigger	Message	Status	D	Е	Ρ	S	U
When unit Scores/Results are confirmed for cross finals (all heats of finals)	DT_RESULT for each unit	UNOFFICIAL					x
After last event unit is official	DT_RANKING	PARTIAL		x			
(only cross finals)	DT_BRACKETS	UNOFFICIAL		x			
(only cross finals)	DT_PDF C75X Brackets	UNOFFICIAL		x			
Before victory/venue ceremony and results are official	DT_MEDALLISTS	UNOFFICIAL		x			
	DT_PDF C92A Medallists	UNOFFICIAL		x			
When unit Scores/Results are confirmed (for QUAL phases in each event and Final phases of HP, SS, BA except AET)	DT_RESULT	OFFICIAL			x		
When unit Scores/Results are confirmed (for QUAL in AET and Final phases of MO, AE, AET and Ski Cross)	DT_RESULT	OFFICIAL					x
After last event unit is official	DT_RANKING	OFFICIAL		x			
After a result of a phase have become official	DT_PDF C74x Results Summary			x			
(only cross finals)	DT_BRACKETS	OFFICIAL		x			
	DT_PDF C75X Brackets	OFFICIAL		x			
Before victory/venue ceremony and results are official	DT_MEDALLISTS	OFFICIAL		x			
	DT_PDF C92A Medallists	OFFICIAL		x			



DT_MEDALLISTS_DISCIPLINE		x		
DT_PDF C93 Medallists by Event	OFFICIAL	x		
DT_MEDALS		x		
DT_PDF C95 Medal Standings	OFFICIAL	х		

3.7 Exceptional Situations

Trigger	Message	Status	D	Ε	Ρ	S	U
Photo-Finish (only Cross)							
(only Cross)*	DT_RESULT	LIVE			x		x
(only Cross)*	DT_RESULT	UNCONFIRMED			x		x
	DT_SCHEDULE_UPDATE	FINISHED	x		0		0
(Cross Qualification)	DT_RESULT	OFFICIAL			x		
	DT_IMAGE						x
	DT_PHOTOFINISH_LK						x
If a protest is lodged							
*	DT_RESULT	PROTESTED			x		x
*	DT_RESULT	UNOFFICIAL			x		x
*	DT_RESULT	OFFICIAL			x		x
	DT_PDF - C73x - Results	OFFICIAL			x		x
DQB after event and up to the Day after the Closing Ceremony							
	DT_RESULT	OFFICIAL			x		x
	DT_SCHEDULE_UPDATE	FINISHED	x		0		0
	DT_RANKING			x			
	DT_BRACKETS	OFFICIAL		x			
	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE		x				
	DT_MEDALS		x				
	DT_PDF - C73x - Results	OFFICIAL			x		x
	DT_PDF C67 - Official Communication	OFFICIAL			x		x
Send also the rest of the reports affected	DT_COMMUNICATION		x				
Change of Schedule (Postponed, Re-scheduled)							
	DT_SCHEDULE_UPDATE		x		x		x
	DT_PDF - C08 - Competition Schedule		x				
	DT_PDF C67 - Official Communication		x				
	DT_COMMUNICATION		x				
* (Phase = QUAL phases in each event and Final phases of HP, SS, BA except AET) (Unit= Final phases in AET, MO,							

Olympic Data Feed - © IOC

Exceptional Situations 10 September 2021

WOG-2022-FRS-1.4 APP



AE, AET and Ski Cross)						
------------------------	--	--	--	--	--	--

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit **x** Sent on that level; **o** Includes info from that level



4 Document Control

		Version history
Version	Date	Comments
V0.1	1 Sep 2019	First version
V0.2	16 Mar 2020	Updated after review
V0.3	22 Jul 2020	Updated after PT0 Judging
V0.4	18 Sep 2020	Updated after PT0 Timing
V1.0	16 Oct 2020	Approved
V1.1	8 Jan 2021	Timeline added
V1.2	1 Apr 2021	Updated with CR021830
V1.3	14 May 2021	Updated with CR022136 [DT_IMAGE only]
V1.4	10 Sep 2021	Updated after Homologation

File Reference: WOG-2022-FRS-1.4 APP

		Change Log
Version	Status	Changes on version
V0.1	SFR	First version
V0.2	SFR	Change Moguls Structure DT_RESULT: Add EO/SUB @Officials /Official /ExtOfficial DT_RESULT: Update @Pos at UI/STARTERS @ExtendedInfos /ExtendedInfo DT_RESULT: Add ER/AFTER @Element: Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult
V0.3	SFR	Applicable Messages: Add note about message responsibilities and missing messages DT_PARTIC_TEAM: Add Team/ShortName and Team/TeamType [CR19497] DT_IMAGE: Update triggering DT_RESULT: Update triggering DT_RESULT: Update triggering DT_RESULT: Update eVI/STARTERS & COMPLETED at ExtendedInfos /ExtendedInfo DT_RESULT: Update evpected at DISPLAY/LAST at ExtendedInfos /ExtendedInfo DT_RESULT: Correct description of Result /ResultItems /Result/Result /Result /ExtendedResult DT_RESULT: Clarify ER/AFTER at Result /ResultItems /Result/Result /Result /ExtendedResults /ExtendedResult DT_RESULT: Clarify ER/AFTER at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult DT_RESULT: Add @Pos for DISPLAY/LAST_COMP at ExtendedInfos /ExtendedInfo DT_RESULT: Clarify ExtendedInfos /SportDescription /SubEventName DT_BRACKETS: Update the description at 2.2.6.2 to indicate the message is only applicable in Cross. DT_BRACKETS: Update Bracket /BracketItems /BracketItem /Competitor/Iace /Competitor /Seed DT_RANKING: Update Bracket /BracketItems /BracketItem /Competitor/Iace /Competitor /Seed DT_RANKING: Update ER/UNIT to add @Pos at Result /ExtendedResults /ExtendedConfig DT_CONFIG: Clarify that Value not required at COURSE/ALTITUDE @: Configs /Config /ExtendedConfig DT_CONFIG: Update DocumentCode to phase level DT_CONFIG: Update Expected for UI/STARTERS/COMPLETE at ExtendedInfos /ExtendedConfig DT_RESULT: Update Expected for ER/JUMP @: Result /ExtendedResults /ExtendedResult DT_RESULT: Update Expected for ER/JUMP @: Result /ExtendedResults /ExtendedResult DT_RESULT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult DT_RESULT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult to support codes DT_RESULT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult to support codes DT_CURRENT: Update UISPLAY/CURRENT and DISPLAY/NEXT Value at Exten

Document Control

Technology and Information Department



		DT_CURRENT: Update Expected for ER/JUMP at Result /ExtendedResults /ExtendedResult DT_BRACKETS: Change ECP/YC to ECP/CARD at Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace Update M/O as needed throughout Other typographical corrections as needed DT_RESULT: Add @Pos at UI/LAST_QUAL at ExtendedInfos /ExtendedInfo DT_RESULT: Update Expected at UI/OVERALL & SECTIONS @ExtendedInfos /ExtendedInfo DT_RESULT: Update Expected at EO/SECTOR & TYPE at Officials /Official /ExtOfficial DT_RESULT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ResultItems /Resultitem /Result /ExtendedResults /ExtendedResult DT_RESULT: Update Result/Diff Description DT_CURRENT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ExtendedResults /ExtendedResult DT_RESULT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ExtendedResults /ExtendedResult DT_RESULT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ExtendedResults /ExtendedResult DT_RESULT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ExtendedResults /ExtendedResult DT_RANKING: Change NOCOMP to NO_AWARD at Result /Competitor /Code DT_CONFIG: Add EC/DOUBLE_UP & JUDGES at Configs /Config /ExtendedConfig Typographical corrections and clarifications as needed DT_RESULT: Add Result /ResultItems /Result/StartOrder and StartSortOrder DT_CURRENT: Add @Pos for DISPLAY/CURRENT @ExtendedInfos /ExtendedInfo DT_CURRENT: Add @Pos for DISPLAY/CURRENT @ExtendedInfos /ExtendedInfo DT_CURRENT: Add @Pos for DISPLAY/CURRENT @ExtendedInfos /ExtendedInfo DT_CURRENT: Add EXJUMP_ID @Result /ExtendedResults /ExtendedResult DT_CONFIG: Add EC/JUDGES_NUM at Configs /Config /ExtendedConfig
V0.4	SFA	Clarified Overview at 2.1 Add Team IFId in DT_RESULT and DT_RANKING DT_RESULT: Update Result/StartOrder to clarify use with multiple runs DT_RESULT: Update PROGRESS/INTERMEDIATE at Result/ExtendedResults/ExtendedResult to exclude time in Cross finals phases DT_RESULT: Add PROGRESS/INTERMEDIATE at Result /ResultItems /ResultItem /Result DT_RESULT: Add PROGRESS/INTERMEDIATE at Result /ResultItems /ResultItem /Result DT_RESULT: Add ER/JUMPS at Result /ExtendedResults /ExtendedResult DT_CURRENT: Update triggering for prior to the run DT_CURRENT: Add extensions for AE and AET to match implementation DT_CURRENT: Add DISPLAY/CURRENT/TO_BEAT @ExtendedInfos /ExtendedInfo DT_BRACKETS: Correct typographical error in Sort
V1.0	APP	No changes, updated to Approved
V1.1	APP	DT_CONFIG: Change AET to be unit level at Configs/Config/Unit (typographical correction, change to match implementation) DT_CONFIG: Update Expected value for COURSE/AERIALS Configs /Config /ExtendedConfig to add AET (typographical correction, change to match implementation) Timeline Added
V1.2	APP	DT_RESULT: Update expected for Result /ResultItems /ResultItem to add clarity DT_RESULT: Update Value Description JUDGE/[Judge Positon (J1, J2,)] or TOTAL at Result /ExtendedResults /ExtendedResult to add clarity. DT_RESULT: Update expected for Competition/Result (clarity) DT_RESULT: Update description of Result/Rank (clarity) DT_RESULT: Update Result/SortOrder and Result/StartSortOrder to clarify managment of snowseed (add clarity) DT_RESULT: Update Result/SortOrder and Result/StartSortOrder to clarify managment of snowseed (add clarity) DT_RESULT: Update Result/ResultItems /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult DT_RESULT: Add Result /ResultItems /ResultItem /Result /QualificationMark [match event progression] DT_RESULT: Add Result /ResultItems /ResultItem /Result /QualificationMark [match event progression] DT_RESULT: Add Result /ResultItems /ResultItem /CompetitorPlace /StartOrder to O (consistency with DT_RESULT) DT_BRACKET: Update Value Description JUDGE/[Judge Positon (J1, J2,)] or TOTAL at Result /ExtendedResults /ExtendedResult to add clarity. DT_CURRENT: Update Value Description JUDGE/[Judge Positon (J1, J2,)] or TOTAL at Result /ExtendedResults /ExtendedResult to add clarity. DT_CURRENT: Add EN/TIME Result /ExtendedResults /ExtendedResult to match the OVR implementation. DT_CURRENT: Add JUDGE/AIR + BASE + TURNS + DED + TURNS at Result /ExtendedResults /ExtendedResult to match OVR implementation and consistency with DT_RESULT. DT_WEATHER: Update header values to send at location level [CR021512] DT_WEATHER: Update triggering [CR021512] DT_WEATHER: Update keather/Conditions/Code to add GEN [CR021512] DT_WEATHER: Update Weather/Conditions/Code to add GEN [CR021512] DT_CONFIG: Add COURSE/ELEMENTS_NUM at Configs /Config /ExtendedConfig [CR021830]

Document Control

Technology and Information Department





		DT_CONFIG: Update COURSE/FEATURES_NUM at Configs /Config /ExtendedConfig [CR021830] Other minor editorial/typographical improvements without changing the data structures or content.
V1.3	APP	DT_IMAGE: Update message description [CR022136] DT_IMAGE: Update DocumentSubcode & Version in header [CR022136] DT_IMAGE: Update expected in Competition/Image [CR022136] DT_IMAGE: Update expected and attributes in Competition/Image/Result [CR022136]
V1.4	APP	DT_RESULT: Update format of Value for ER/JUMP/DD at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (matches current implementation so no change in messages) [HPQC198488] DT_RESULT: Update Description at Result /ResultItems /ResultItem /Result /Diff to send 0.00 for the leader. [HPQC198497] DT_RESULT: Update Description at Result/Rank [HPQC198441] DT_RESULT: Update JUDGE/AIR and add JUDGE/FORM and JUDGE/LAND at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult to reflect current implementation in OVR [HPQC198581] DT_RESULT: Add JUDGE/AIR, JUDGE/FORM and JUDGE/LAND and remove JUDGE/TOTAL at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult to reflect current implementation in OVR [HPQC198581] DT_RESULT: Update @Pos for ER/TRICK at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult [HPQC198527] DT_CURRENT: Update @Pos for ER/TRICK at Result /ResultItems /ResultItem /Result [HPQC198527] DT_BRACKETS: Update Description at Bracket /BracketItems /BracketItem /CompetitorPlace /Rank [HPQC198374] DT_BRACKETS: Update Description at Bracket /BracketItems /BracketItem /CompetitorPlace /Rank [HPQC198441] DT_CONFIG: Update EC/INTERMEDIATE at Configs /Config /ExtendedConfig to follow OVR implementation (no change in OVR) and be more clear [HPQC198489] DT_CONFIG: Clarify level for AE Final 1 at Configs /Config /Unit [HPQC19764]