



INTERNATIONAL
OLYMPIC
COMMITTEE

ODF WOG-2022-SJP-0.1 SFR

OLYMPIC DATA FEED

ODF Ski Jumping Data Dictionary

Beijing 2022 - XXIV Olympic Winter Games

Technology and Information Department

© International Olympic Committee

ODF WOG-2022-SJP-0.1 SFR

24 February 2020



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



1 Introduction

1.1 This document

This document includes the ODF Ski Jumping Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for ski jumping.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Ski Jumping Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the ski jumping competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF General Principles Document	The document explains the environment and general principles for ODF.
ODF General Messages Interface Document	The document describes the ODF General Messages
ODF Common Codes	The document describes the ODF Common codes used across all ODF documents.
ODF Sport Codes	The document describes the ODF Sport codes used across all ODF documents
ODF Header Values	The document details the header values which show which RSCs are used in which messages.



2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in ski jumping.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of teams / update	X
DT_MEDALS	Medal standings	
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Results	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_RANKING	Event Final Ranking	X
DT_COMMUNICATION	Official Communication	
DT_WEATHER	Weather	X
DT_CONFIG	Configuration	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_KA	Keep Alive	



2.2 Messages

2.2.1 List of participants by discipline / List of participants by discipline update

2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one discipline. The arrival of this message resets all the previous participants' information for one discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.



2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.



2.2.1.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Sample

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-SJP-1.10" Codes="SOG-2020-1.20" >
```

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>



Element: Participant (1,N)			
Attribute	M/O	Value	Description
Status	O	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false". To delete a participant, a specific value of the Status attribute is used.
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase)
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase)
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. Do not send attribute if data not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence



Element: Participant (1,N)			
Attribute	M/O	Value	Description
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	O	S(16)	IF ID (competitor's federation number for the discipline).

Element: Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is an exception: substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event

2.2.1.5 Message Sort

The message is sorted by Participant @Code



2.2.2 List of teams / List of teams update

2.2.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



Attribute	Value	Comment
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

2.2.2.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID When the Team is an historical one, then this ID starts with "T".
Organisation	M	CC @Organisation	Team organisation's ID
Number	O	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.
Name	M	S(73)	Team's name.
TVTeamName	M	S(21)	TV Team Name
Gender	M	CC @DisciplineGender	Discipline Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

Element: Team /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition.
Order	O	Numeric 0	Team member order

Element: Team /Discipline (0,1)			
Discipline is expected unless ModificationIndicator="D"			
Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the discipline



Element: Team /Discipline /RegisteredEvent (0,1)

Each current team is assigned to one event. Historical teams will not be registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the event

2.2.2.5 Message Sort

The message is sorted by Team @Code.



2.2.3 Event Unit Start List and Results

2.2.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	Not used	Not used
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). Expected statuses are: START_LIST LIVE (used during the competition when nothing else applies) INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNOFFICIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



Attribute	Value	Comment
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.3.3 Trigger and Frequency

This message is sent:

- As soon as the start list is available and any changes [inc. IRMs] (START_LIST)
- When the competition starts and after every athlete and any other updates except data for the current athlete during the attempt and before the result (rank and points) is known (LIVE)
- After the unit is finished (UNOFFICIAL / OFFICIAL/ PROTESTED) as applicable. In detail:
 - UNOFFICIAL: At least until the end of the Equipment Control, which should be finished approximately five (5) minutes after the end of a round
 - PROTESTED: If a protest has been announced within five (5) minutes, until its resolution
 - OFFICIAL: If no protest has been logged during the five (5) minutes during the protest period, and after all protests have been resolved
- After any change (except data during the current athlete attempt)

2.2.3.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /UnitDateTime (0,1)			
Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date-time. Do not include until unit starts.



Element: ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
UI	LAST_QUAL	N/A	Element Expected: When available in the qualification and first round.	
	Attribute	M/O	Value	Description
	Value	M	S(20) with no leading zeroes.	Send the last qualifying place competitor ID. In the situation where insufficient competitors have participated to show the last qualifying position then show the current last place.
UI	BASE_GATE	Numeric 0	Pos Description: For team events: send the number of the group (1,2,3,4) For individual events: send 0. Element Expected: When available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Base Gate matching @Pos in DT_CONFIG.
UI	STARTERS	N/A	Element Expected: Always after status START_LIST.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Sent the number of competitors on the start list.
Sub Element: ExtendedInfos /ExtendedInfo /Extension				
Expected: Always after status START_LIST.				
	Attribute	Value	Description	
	Code	COMPLETE		
	Pos	N/A		
	Value	Numeric ##0	Send the number of competitors whose event unit is completed (includes IRMs).	
DISPLAY	LAST_COMP	N/A	Element Expected: When available and only when the unit is LIVE, UNCONFIRMED or UNOFFICIAL.	
	Attribute	M/O	Value	Description
	Value	M	S(20) without leading zeroes	Send the competitor ID of the last athlete to compete and receive a result.

Sample

```
<ExtendedInfos>
<UnitDateTime StartDate="2012-08-07T11:01:00+01:00" EndDate="2012-08-07T12:31:00+01:00" />
<ExtendedInfo Type="UI" Code="BASE_GATE" Pos="0" Value="39" />
<ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Value="2111355" />
```




Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

Element: Officials /Official (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	CC @ResultsFunction	Official's function (example: referee, etc.).
Order	M	Numeric	Order of officials.

Element: Officials /Official /Description (1,1)

Officials extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the official
Organisation	M	CC @Organisation	Officials' organisation

Element: Officials /Official /ExtOfficial (0,N)

Type	Code	Pos	Description
EO	POSITION	N/A	Element Expected: Always for Judges and Start Controller else do not send.
	Attribute	M/O	Value
	Value	M	S(2)
			Description
			Send the position for the judge (A-E) or SC (Start Controller).



Sample (Officials)

```

...
<Officials>
  <Official Code="2004409" Function="COMP_CHF" Order="1">
    <Description GivenName="Jack" FamilyName="Blocker" Gender="M" Organisation="GER" />
  </Official>
  ...
  <Official Code="2004405" Function="JU" Order="7">
    <Description GivenName="Tom" FamilyName="Jones" Gender="M" Organisation="USA" />
    <ExtOfficial Type="EO" Code="POSITION" Value="A" />
  </Official>
  <Official Code="4110000" Function="JU" Order="8">
    <Description GivenName="Barry" FamilyName="Norman" Gender="M" Organisation="BEL" />
    <ExtOfficial Type="EO" Code="POSITION" Value="B" />
  </Official>
  ...
  <Official Code="2004414" Function="JU" Order="12">
    <Description GivenName="Mary" FamilyName="Smith" Gender="W" Organisation="IRE" />
    <ExtOfficial Type="EO" Code="JUDGE" Value="SC" />
  </Official>
</Officials>
...

```

Element: Result (1,N)

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
Rank	O	S(3)	Rank of the competitor in the event unit.
RankEqual	O	S(1)	Send 'Y' if the rank is equalled, else do not send.
Result	O	Numeric ###0.0	Result for the event unit.
IRM	O	SC @IRM	Invalid result mark (IRM) for the event unit Send only in the case @ResultType is IRM
QualificationMark	O	SC @QualificationMark	Indicates the qualification of the competitor for the next round of the competition. Note: This will be included in the start list for pre-qualified athletes. Send as soon as known and the value is not subject to change.
SortOrder	M	Numeric ##0	This attribute is a sequential number with the order of the results for the event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder.
StartOrder	O	Numeric ##0	The start order of the competitors in the unit as displayed.
StartSortOrder	M	Numeric ##0	Used to sort all start list competitors in an event unit.
ResultType	O	SC @ResultType	Type of the @Result attribute.
Diff	O	Numeric ###0.0 or +mm:ss	Points behind the leader in the unit or Time behind the leader for Nordic Combined. In this case send 0.0 for the leader.



Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	DIST	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Jump distance in metres.
	Value2	O	Numeric ##0.0	Jump distance points. Can be negative.
	Rank	O	String	Jump distance rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if distance rank is equaled (only send in training and trials) else do not send.
ER	SPEED	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Maximum in kmh
	Rank	O	String	Speed rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if speed rank is equaled (only send in training and trials).
ER	IRF	N/A	Element Expected: If applicable.	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send 'Y' if in run fall else do not send.
ER	IRM_RULE	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description
	Value	M	String	Send rule number if disqualified.
	Value2	O	String	Send rule description if disqualified.
ER	DIFF_TIME	N/A	Element Expected: For Nordic Combined only.	
	Attribute	M/O	Value	Description
	Value	M	m:ss	Send the time difference from the leader. Send 0:00 for the leader.
JUDGE	A	M/O	S(1)	Code Description: Send Judge Position (A..E) or TOT for total judge score. Pos Description: Judge order 1..5 or 6 for TOT. Element Expected: When data is available.
	B			
	C			
	D			
E	M/O	S(1)	Numeric #0.0	Judge score.
TOT				
	Discard	O	S(1)	Send 'Y' if this score is discarded else do not send.
COMPEN	GATE_NUM	N/A	Element Expected: When data is available.	



Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Gate number, matching Pos in DT_CONFIG.
	Value2	O	Numeric #0.0	Gate compensation points May be negative.
COMPEN	WIND_SPEED	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Wind speed. May be negative.
	Value2	O	Numeric #0.0	Wind compensation points. May be negative.
COMPEN	TOT	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Total compensation. May be negative.
COMPEN	NO_COMP	N/A	Element Expected: If applicable.	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send 'Y' if no compensation given due to gate change and not making 95%.
COMPEN	GATE_CHANGE_COACH	N/A	Element Expected: If applicable.	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send 'Y' if gate change requested by the coach.



Sample (Individual)

```
<Result Rank="1" ResultType="POINTS" Result="126.0" SortOrder="1" StartOrder="5" StartSortOrder="5" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="DIST" Value="104.5" Value2="79.0" Rank="2" />
    <ExtendedResult Type="ER" Code="SPEED" Value="90.7" Rank="7" />
    <ExtendedResult Type="JUDGE" Code="A" Pos="1" Discard="Y" Value="15.5" />
    <ExtendedResult Type="JUDGE" Code="B" Pos="2" Value="16.0" />
    <ExtendedResult Type="JUDGE" Code="C" Pos="3" Value="16.0" />
    <ExtendedResult Type="JUDGE" Code="D" Pos="4" Value="17.0" />
    <ExtendedResult Type="JUDGE" Code="E" Pos="5" Discard="Y" Value="17.0" />
    <ExtendedResult Type="JUDGE" Code="TOT" Pos="6" Value="49.0" />
    <ExtendedResult Type="COMPEN" Code="GATE_NUM" Value="39" />
    <ExtendedResult Type="COMPEN" Code="WIND_SPEED" Value="0.29" Value2="-2.0" />
    <ExtendedResult Type="COMPEN" Code="TOT" Value="-2.0" />
  </ExtendedResults>
  <Competitor Code="2037788" Type="A" Organisation="GER" >
    <Composition>
      <Athlete Code="2037788" Bib="28" Order="1">
        <Description GivenName="Jane" FamilyName="Smith" Gender="W" Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

Element: Result /Competitor (1,1)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD or NOCOMP	Competitor's ID
Type	M	S(1)	T for team, A for athlete
Bib	O	S(2)	Bib number of the team in team competitions. Does not apply in individual events.
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Description (0,1)

Used in Team events only

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team

Element: Result /Competitor /EventUnitEntry (0,N)

For team event only

Type	Code	Pos	Description
EUE	PERFORM	S(3)	Pos Description: Send SJP for Ski Jump performance. Send CCS for Cross Country Performance. Element Expected: Always when available in Nordic Combined Teams competition for the Team.



Attribute	M/O	Value	Description
Value	M	Numeric #0	Numeric value 0-10.

Element: Result /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	Order of the athletes within the team. This is the same as the athlete group.
Bib	O	S(5)	Bib number. In case of a team member it will be constructed from team's bib and the order within the team (e.g.: for team event: '11-2' means team with bib 11 and this is the second jumper of the team).

Element: Result /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)

Individual athlete's entry information.

Type	Code	Pos	Description
EUE	GROUP_ORDER	N/A	Element Expected: Only in team competitions.
	Attribute	M/O	Value
	Value	M	Numeric #0
	Description	Jump order within the group. (This is the same as start order except in final group in final round).	
EUE	PERFORM	S(3)	Pos Description: Send SJP for Ski Jump performance. Send CCS for Cross Country Performance. Element Expected: Always when available in Nordic Combined.
	Attribute	M/O	Value
	Value	M	Numeric #0
	Description	Numeric value 0-10.	

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)

Team member extended result.



Type	Code	Pos	Description
ER	PTS	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value
	Value	M	Numeric ##0.0
	Rank	O	S(2)
	RankEqual	O	S(1)
			Send 'Y' if points rank is equaled else not sent.
ER	DIST	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value
	Value	M	Numeric ##0.0
	Value2	O	Numeric ##0.0
			Jump distance points. Can be negative.
ER	SPEED	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value
	Value	M	Numeric ##0.0
			Maximum speed in kmh.
ER	IRF	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value
	Value	M	S(1)
			Send 'Y' if in run fall else do not send.
ER	IRM_IND	N/A	Element Expected: If applicable and only for individuals in team events (not trial) if athlete disqualified.
	Attribute	M/O	Value
	Value	M	SC @IRM
			Send IRM code.
ER	IRM_RULE	N/A	Element Expected: If applicable.
	Attribute	M/O	Value
	Value	M	String
	Value2	O	String
			Send rule description if disqualified.
JUDGE	A B C D E TOT	S(1)	Code Description: Send Judge Position (A..E) or TOT for total judge score. Pos Description: Judge order 1..5 or 6 for TOT. Element Expected: When data is available only in team competition (but not



Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N) Team member extended result.				
Type	Code	Pos	Description	
				team training or team trials).
	Attribute	M/O	Value	Description
	Value	M	#0.0	Judge score.
	Discard	O	S(1)	Send 'Y' if this score is discarded else do not send.
COMPEN	GATE_NUM	N/A		Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Gate number matching @Pos in DT_CONFIG.
	Value2	O	Numeric #0.0	Gate compensation points Send empty when base gate else send applicable compensation points. May be negative.
COMPEN	WIND_SPEED	N/A		Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Wind speed. May be negative.
	Value2	O	Numeric #0.0	Wind compensation points. May be negative.
COMPEN	TOT	N/A		Element Expected: When data is available only in team competition (but not team training or team trials).
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Total compensation. May be negative.
COMPEN	NO_COMP	N/A		Element Expected: If applicable.
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send Y if no compensation given due to gate change and not making 95%.
COMPEN	GATE_CHANGE_COACH	N/A		Element Expected: If applicable.
	Attribute	M/O	Value	Description
	Value	O	S(1)	Send 'Y' if gate change requested by the coach.



Sample (Team)

```
<Result Rank="1" ResultType="POINTS" Result="522.6" SortOrder="1" StartOrder="5" StartSortOrder="5" >
<Competitor Code="SJPLHTEAM4-POL01" Type="T" Bib="9" Organisation="POL" >
  <Description TeamName="Poland" />
  <Composition>
    <Athlete Code="2001402" Bib="9-1" Order="1">
      <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="POL" BirthDate="1994-12-15" />
      <EventUnitEntry Type="EUE" Code="GROUP_ORDER" Value="5" />
      <ExtendedResults>
        <ExtendedResult Type="ER" Code="PTS" Value="128.0" Rank="2" />
        <ExtendedResult Type="ER" Code="DIST" Value="104.5" Value2="79.0" Rank="2" />
        <ExtendedResult Type="ER" Code="SPEED" Value="90.7" Rank="7" />
        <ExtendedResult Type="ER" Code="GROUP" Rank="2" />
        <ExtendedResult Type="JUDGE" Code="A" Pos="1" Value="15.5" Discard="Y" />
        <ExtendedResult Type="JUDGE" Code="B" Pos="2" Value="16.0" />
        <ExtendedResult Type="JUDGE" Code="C" Pos="3" Value="16.0" />
        <ExtendedResult Type="JUDGE" Code="D" Pos="4" Value="17.0" />
        <ExtendedResult Type="JUDGE" Code="E" Pos="5" Value="17.0" Discard="Y" />
        <ExtendedResult Type="JUDGE" Code="TOT" Pos="6" Value="49.0" />
        <ExtendedResult Type="COMPEN" Code="GATE_NUM" Value="39" />
        <ExtendedResult Type="COMPEN" Code="WIND_SPEED" Value="0.29" Value2="-2.0" />
        <ExtendedResult Type="COMPEN" Code="TOT" Value="-2.0" />
      </ExtendedResults>
    </Athlete>
  </Composition>
</Competitor>
</Result>
```

2.2.3.5 Message Sort

Sort by Result @SortOrder



2.2.4 Current Results

2.2.4.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information.

2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the unit
DocumentSubcode	Not used	Not used
DocumentType	DT_CURRENT	Current message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.



2.2.4.3 Trigger and Frequency

This message is sent:

- When an athlete becomes current
- When start light changes colour
- When countdown clock starts/stops during the starting procedure
- Every 5 secs from the point when start light becomes green to the point where the athlete passes the speed trap
- When the athlete passes speed trap, approx. 10m before take-off
- When the athlete receives the distance
- When scores received for the current athlete

2.2.4.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /ExtendedInfo (1,N)				
Type	Code	Pos	Description	
UI	GATE	N/A	Element Expected: When available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the current gate number, matching @Pos in DT_CONFIG.
UI	START_INDIC	N/A	Element Expected: When start indicator changes colour.	
	Attribute	M/O	Value	Description
	Value	M	S(6)	Send 'GREEN', 'YELLOW' or 'RED' to indicate the light.
DISPLAY	CURRENT	N/A	Element Expected: When available.	
	Attribute	M/O	Value	Description
	Value	M	S(20) without leading zeroes	Send the competitor ID of the current athlete result.
Sub Element: ExtendedInfos /ExtendedInfo /Extension				
Expected: Only when start light becomes green, when the athlete passes the speed trap and every 5 secs in between.				
	Attribute	Value	Description	
	Code	TO_BEAT		
	Pos	Numeric 0	Send the rank which the competitor is trying to beat (1..3)	
	Value	Numeric ##0.0	Send the distance needed (to beat) for the corresponding rank (in @Pos) in metres for the competitor in the final round.	



Element: ExtendedInfos /ExtendedInfo (1,N)			
Type	Code	Pos	Description
Sub Element: ExtendedInfos /ExtendedInfo /Extension			
Expected: Only when start light becomes green, when the athlete pass speed trap and every 5 secs in between.			
Attribute	Value	Description	
Code	WIND		
Pos	N/A		
Value	Numeric +#0.0 or -#0.0 or 0.0	Send the wind speed in M/S.	
DISPLAY	NEXT	N/A	Element Expected: When available.
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeroes	Send the competitor ID of the next athlete to jump.

Sample (ExtendedInfo)

```
<ExtendedInfos>
  <ExtendedInfo Type="UI" Code="GATE" Value="33" />
  <ExtendedInfo Type="WIND" Code="SPEED" Value="+2.1" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="1234545" >
    <Extension Code="TO_BEAT" Pos="1" Value="89.0" />
    <Extension Code="TO_BEAT" Pos="2" Value="87.0" />
    <Extension Code="TO_BEAT" Pos="3" Value="84.0" />
  </ExtendedInfo>
  <ExtendedInfo Type="DISPLAY" Code="NEXT" Value="5554545" />
</ExtendedInfos>
```



Element: Result (0,N)			
Attribute	M/O	Value	Description
Rank	O	String	Rank of the competitor in the event unit.
RankEqual	O	S(1)	Send 'Y' if the rank is equaled else do not send.
Result	O	Numeric ###0.0	Result for the event unit.
IRM	O	SC @IRM	IRM for the event unit. Send only in the case @ResultType is IRM.
QualificationMark	O	SC @QualificationMark	Indicates the qualification of the competitor for the next round of the competition.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder.
StartOrder	O	Numeric	The start order of the competitors in the unit as displayed.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.
ResultType	O	SC @ResultType	Type of the @Result attribute.
Diff	O	Numeric ###0.0 or +mm:ss	Points behind the leader in the unit or Time behind the leader for Nordic Combined. In this case send 0.0 for the leader.

Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	DIST	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Jump distance in metres.
	Value2	O	Numeric ##0.0	Jump distance points. Can be negative.
	Rank	O	String	Jump distance rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if distance rank is equaled (only send in training and trials) else do not send.
ER	SPEED	N/A	Element Expected: When data is available.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Maximum in kmh
	Rank	O	String	Speed rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if speed rank is equaled (only send in training and trials).



Element: Result /ExtendedResults /ExtendedResult (1,N)				
Type		Code	Pos	Description
ER		IRF	N/A	Element Expected: If applicable.
Attribute		M/O	Value	Description
Value		M	S(1)	Send 'Y' if in run fall else do not send.
JUDGE		A B C D E TOT	S(1)	Code Description: Send Judge Position (A..E) or TOT for total judge score. Pos Description: Judge order 1..5 or 6 for TOT. Element Expected: When data is available.
Attribute		M/O	Value	Description
Value		M	Numeric #0.0	Judge score.
Discard		O	S(1)	Send 'Y' if this score is discarded else do not send.
COMPEN		GATE_NUM	N/A	Element Expected: When data is available.
Attribute		M/O	Value	Description
Value		M	Numeric #0	Gate number, matching @Pos in DT_CONFIG.
Value2		O	Numeric #0.0	Gate compensation points May be negative.
Sub Element: Result /ExtendedResults /ExtendedResult /Extension				
Expected: If applicable and only for current athlete.				
Attribute		Value	Description	
Code		CHG_JURY		
Pos		N/A		
Value		S(1)	Send 'Y' if this is a gate change by the jury else do not send.	
COMPEN		WIND_SPEED	N/A	Element Expected: When data is available.
Attribute		M/O	Value	Description
Value		M	Numeric #0.0	Wind speed. May be negative.
Value2		O	Numeric #0.0	Wind compensation points. May be negative.
COMPEN		TOT	N/A	Element Expected: When data is available.
Attribute		M/O	Value	Description
Value		M	Numeric #0.0	Total compensation. May be negative.



Sample (Individual)

```
<Result Rank="1" ResultType="POINTS" Result="126.0" SortOrder="1" StartOrder="5" StartSortOrder="5" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="DIST" Value="104.5" Value2="79.0" />
    <ExtendedResult Type="ER" Code="SPEED" Value="90.7" />
    <ExtendedResult Type="JUDGE" Code="A" Pos="1" Discard="Y" Value="15.5" />
    <ExtendedResult Type="JUDGE" Code="B" Pos="2" Value="16.0" />
    <ExtendedResult Type="JUDGE" Code="C" Pos="3" Value="16.0" />
    <ExtendedResult Type="JUDGE" Code="D" Pos="4" Value="17.0" />
    <ExtendedResult Type="JUDGE" Code="E" Pos="5" Discard="Y" Value="17.0" />
    <ExtendedResult Type="JUDGE" Code="TOT" Pos="6" Value="49.0" />
    <ExtendedResult Type="COMPEN" Code="GATE_NUM" Value="39" />
    <ExtendedResult Type="COMPEN" Code="WIND_SPEED" Value="0.29" Value2="-2.0" />
    <ExtendedResult Type="COMPEN" Code="TOT" Value="-2.0" />
  </ExtendedResults>
  <Competitor Code="2037788" Type="A" Organisation="GER" >
    <Composition>
      <Athlete Code="2037788" Bib="28" Order="1" />
    </Composition>
  </Competitor>
</Result>
```

Element: Result /Competitor (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD	Competitor's ID
Type	M	T,A	T for team, A for athlete
Bib		S(2)	Bib number of the team in team competitions.
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID.
Order	M	Numeric 0	Order of the athletes within the team. This is the same as the athlete group.
Bib	O	S(5)	Bib number. In case of a team member it will be constructed from team's bib and the order within the team (e.g.: for team event: '11-2' means team with bib 11 and this is the second jumper of the team).

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N) Team member extended result.			
Type	Code	Pos	Description



Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N) Team member extended result.				
Type	Code	Pos	Description	
ER	PTS	N/A	Element Expected: When data is available only in team competition	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Jump points for the athlete.
ER	DIST	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Jump distance in metres.
	Value2	O	Numeric ##0.0	Jump distance points. Can be negative.
	Rank	O	String	Jump distance rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if distance rank is equaled (only send in training and trials).
ER	SPEED	N/A	Element Expected: When data is available only in team competition	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Maximum speed in kmh.
	Rank	O	String	Speed rank of all competitors (only send in training and trials).
	RankEqual	O	S(1)	Send 'Y' if speed rank is equaled (only send in training and trials).
ER	GROUP	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).	
	Attribute	M/O	Value	Description
	Value			Not sent
	Rank	M	S(2)	Rank of the athlete within the group.
	RankEqual	O	S(1)	Send 'Y' if group rank is equaled.
ER	IRF	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send 'Y' if in run fall else do not send.
ER	IRM_IND	N/A	Element Expected: If applicable and only for individuals in team events (not	



Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N) Team member extended result.				
Type	Code	Pos	Description	
ER	Attribute	M/O	Value	Description
	Value	M	SC @IRM	Send IRM code.
		IRM_RULE	N/A	Element Expected: If applicable.
	Attribute	M/O	Value	Description
	Value	M	String	Send rule number if disqualified.
	Value2	O	String	Send rule description if disqualified.
JUDGE	A	S(1)	Code Description:	
	B		Send Judge Position (A..E) or TOT for total judge score.	
	C		Pos Description:	
	D		Judge order 1..5 or 6 for TOT.	
E	Element Expected:			
TOT	When data is available only in team competition (but not team training or team trials).			
Attribute	M/O	Value	Description	
Value	M	#0.0	Judge score.	
Discard	O	S(1)	Send 'Y' if this score is discarded else do not send.	
COMPEN	GATE_NUM	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Gate number matching @Pos in DT_CONFIG.
	Value2	O	Numeric #0.0	Gate compensation points Send empty when base gate else send applicable compensation points. May be negative.
COMPEN	WIND_SPEED	N/A	Element Expected: When data is available (but not training or trials).	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Wind speed. May be negative.
	Value2	O	Numeric #0.0	Wind compensation points. May be negative.
COMPEN	TOT	N/A	Element Expected: When data is available only in team competition (but not team training or team trials).	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Total compensation. May be negative.



INTERNATIONAL
OLYMPIC
COMMITTEE

ODF WOG-2022-SJP-0.1 SFR

2.2.4.5 Message Sort

Order by StartSortOrder



2.2.5 Cumulative Results

2.2.5.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units either in a single phase or over a number of phases. This message is used when the competitor scores accumulate over the different units.

In Ski Jumping the Cumulative Results message is used to send the cumulative results of the competition.

2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document. Note that this message is not applicable to trainings or trials.
DocumentType	DT_CUMULATIVE_RESULT	Cumulative Results message
DocumentSubtype	Not used	Not used
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates the status of the results LIVE after each athlete completes a jump INTERMEDIATE after round UNCONFIRMED OFFICIAL UNOFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



Attribute	Value	Comment
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.5.3 Trigger and Frequency

- Send when the start list of the first unit is sent (INTERMEDIATE)
- Send after each athlete completes a jump (LIVE)
- Send after round (INTERMEDIATE)
- Send after the last round is complete (UNCONFIRMED/UNOFFICIAL / OFFICIAL as appropriate)

2.2.5.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	O	CC @Unit	Send the full RSC of the most recently completed unit or current unit if in progress included in the message.



Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	M	S(40)	Phase level short name (not code) from Common Codes. Only include if in single phase.
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text. DO NOT INCLUDE unless all at single venue.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Text short description, not code.

Element: Result (1,N)

For any cumulative results message, there should be at least one competitor being awarded a cumulative result after one event unit or phase.

Attribute	M/O	Value	Description
Rank	O	S(2)	Rank of the competitor in the cumulative result.
RankEqual	O	S(1)	Send Y in case of the Rank has been equalled else do not send.
ResultType	O	SC @ResultType	Type of the @Result attribute
Result	O	Numeric ###0.0	Cumulative result. Send when the @ResultType is POINTS.
IRM	O	SC @IRM	Invalid result mark (IRM) for the cumulative result if applicable. Only send where @ResultType is IRM
Diff	O	Numeric ###0.0	Cumulative points behind the leader.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.



Element: Result /ResultItems /ResultItem (1,N)			
Identifier of the unit which is included the result summary. ResultItem /Result will be for one previous unit.			
Attribute	M/O	Value	Description
Unit	M	Full RSC Unit or Full RSC Phase	Full RSC
Order	M	Numeric 0	Logical order of the sub-units, chronological.

Element: Result /ResultItems /ResultItem /Result (1,1)			
Attribute	M/O	Value	Description
Rank	O	S(2)	Rank of the competitor in the result for the phase identified by @Unit at /ResultItems /ResultItem.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable.
ResultType	O	SC @ResultType	Type of the @Result attribute for the unit or phase identified by /ResultItems /ResultItem.
Result	O	Numeric ###0.0	The result of the competitor for the event unit or phase identified by /ResultsItems /ResultItem. Send when the @ResultType is POINTS.
IRM	O	SC @IRM	The invalid result mark, in case it is assigned for the event unit identified by /ResultItems /ResultItem. Send in the case @ResultType is IRM
QualificationMark	O	SC @QualificationMark	The code which indicates the competitor is qualified for the next round.
SortOrder	M	Numeric #0	Used to sort all results in an unit or phase identified by /ResultItems /ResultItem

Element: Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	T for team, A for athlete
Bib	O	S(2)	Bib number
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute used to sort team members in a team or 1 if single athlete.
Bib	O	S(5)	Athlete's bib number. In case of a team member it will be constructed from team's bib and the order within the team. (e.g.: for team event: '11-2' means team with bib 11 and



			this is the second jumper of the team).
--	--	--	---

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Team member's or individual athlete's extended result, depending on whether Competitor @Type="T" or Competitor @Type="A".			
Type	Code	Pos	Description
ER	CUM_TOT	N/A	Element Expected: When data is available in the team competition.
	Attribute	M/O	Value
	Value	M	Numeric ###0.0



Sample (Team)

```
<Result Rank="1" ResultType="POINTS" Result="1041.1" SortOrder="1">
  <ResultItems>
    <ResultItem Unit="SJPMLHTEAM4-----FNL-0001SJ--">
      <Result Rank="1" ResultType="POINTS" Result="519.0" QualificationMark="Q" SortOrder="1" />
    </ResultItem>
    <ResultItem Unit="SJPMLHTEAM4-----FNL-0002SJ--">
      <Result Rank="2" ResultType="POINTS" Result="522.1" SortOrder="2" />
    </ResultItem>
  </ResultItems>
  <Competitor Code="SJMLHTEAM4-GER01" Type="T" Bib="11" Organisation="GER" >
    <Description TeamName="Germany" />
    <Composition>
      <Athlete Code="2028758" Bib="11-1" Order="1">
        <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
        <ExtendedResult Type="ER" Code="CUM_TOT" Value="121.0" >
      </Athlete>
      <Athlete Code="2028738" Bib="11-2" Order="2">
        <Description GivenName="Jon" FamilyName="Black" Gender="M" Organisation="GER" BirthDate="1993-12-15" />
        <ExtendedResult Type="ER" Code="CUM_TOT" Value="122.5" >
      </Athlete>
      <Athlete Code="2028740" Bib="11-3" Order="3">
        <Description GivenName="Jack" FamilyName="Jones" Gender="M" Organisation="GER" BirthDate="1993-11-15" />
        <ExtendedResult Type="ER" Code="CUM_TOT" Value="118.0" >
      </Athlete>
      <Athlete Code="2028756" Bib="11-4" Order="4">
        <Description GivenName="Bill" FamilyName="Towner" Gender="M" Organisation="GER" BirthDate="1992-12-15" />
        <ExtendedResult Type="ER" Code="CUM_TOT" Value="120.5" >
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

Sample (Individual)

```
<Result Rank="2" ResultType="POINTS" Result="246.2" SortOrder="2">
  <ResultItems>
    <ResultItem Unit="SJPWNH-----FNL-0001SJ--">
      <Result Rank="5" ResultType="POINTS" Result="120.2" QualificationMark="Q" SortOrder="5" />
    </ResultItem>
    <ResultItem Unit="SJPWNH-----FNL-0002SJ--">
      <Result Rank="1" ResultType="POINTS" Result="126.0" SortOrder="1" />
    </ResultItem>
  </ResultItems>
  <Competitor Code="2037788" Type="A" Organisation="GER" >
    <Composition>
      <Athlete Code="2037788" Bib="28" Order="1">
        <Description GivenName="Jane" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```




2.2.5.5 Message Sort

The ResultItems should be ordered in the same order in which they took place, earliest to latest.

Result @SortOrder will be the attribute used to sort the results.

During a unit (particularly units where athletes participate one-by-one) the order should be:

- 1) All athletes finished the current unit ordered by overall rank
- 2) All athletes on course (in the order of their result at the intermediate; in case of several intermediates from the one further down the course to the one nearest to the start)
- 3) All athlete still to start in the current unit (start order)
- 4) All athletes not qualified, but having a score from previous units
- 5) All athletes with IRM (sorting according to Discipline/ORIS standard order)



2.2.6 Event Final Ranking

2.2.6.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC of the Event	Sent for all the competition events. One message is sent for each event
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.6.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that ranking is not subject to change.

Trigger also after any change.

2.2.6.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @DisciplineGender	Gender code for the event unit.

Element: Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	String	Final rank of the competitor in the corresponding event .It is optional because the competitor can have an IRM.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable
ResultType	O	SC @ResultType	Type of the @Result attribute
Result	O	Numeric ###0.0	Final result for the competitor. Do not send qualification result.
IRM	O	SC @IRM	Send if the competitor has an invalid result mark (IRM)
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.



Element: Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	T for Team, A for athlete
Organisation	O	CC @Organisation	Competitors' organisation if known
Bib	O	S(2)	Competitor Bib

Element: Result /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID. Team members participating in the event.
Order	M	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
Bib	O	S(5)	Bib number. In case of a team member it will be constructed from team's bib and the order within the team (e.g.: for team event: '11-2' means team with bib 11 and this is the second jumper of the team).

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID



Sample

```
<Result Rank="16" ResultType="POINTS" Result="247.4" SortOrder="16" >
  <Competitor Type="A" Code="1067129" Organisation="SUI" >
    <Composition>
      <Athlete Code="1067129" Order="1" />
      <Description GivenName="James" FamilyName="Black" Gender="M" Organisation="SUI" BirthDate="1994-12-18" />
    </Composition>
  </Competitor>
</Result>
<Result Rank="17" ResultType="POINTS" Result="246.6" SortOrder="17" >
  <Competitor Type="A" Code="1090447" Organisation="NZL" >
    <Composition>
      <Athlete Code="1090447" Order="1">
        <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="NZL" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

2.2.6.5 Message Sort

Sort by Result @SortOrder



2.2.7 Weather

2.2.7.1 Description

The Weather Conditions is a message containing the current weather conditions in the venue.

2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC at discipline level
DocumentSubcode	CC @Location	Location code (venue level)
DocumentType	DT_WEATHER	Weather conditions in venue
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.7.3 Trigger and Frequency

The message is sent

- once per session (approximately 30 minutes before start of session)
- when conditions change significantly during the session



2.2.7.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Weather (1,1)			
Attribute	M/O	Value	Description
Date	M	DateTime	Date/time of the conditions

Element: Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	SC @WeatherPoint	Weather Points, send GEN only
Humidity	O	Numeric ##0	Humidity in %
Wind_Direction	O	CC @WindDirection	Wind direction

Element: Weather /Conditions /Condition (0,3)			
Attribute	M/O	Value	Description
Code	M	S(4)	Weather condition type, send SKY and SNOW
Value	M	CC @WeatherConditions or CC @SnowConditions	Codes that describe the Weather Condition. Use CC @WeatherConditions for SKY Use CC @SnowConditions for SNOW

Element: Weather /Conditions /Temperature (0,N) If data available			
Attribute	M/O	Value	Description
Code	M	S(4)	Temperature type, send AIR, SNOW
Unit	M	SC @TemperatureUnit	Unit for temperature, send both Celsius and Fahrenheit.
Value	M	Numeric -#0.0 or #0.0	Temperature of the @Code. Negative if applicable

Element: Weather /Conditions /Wind (0,N)			
Attribute	M/O	Value	Description
Code	M	S(5)	Wind Speed, send SPEED
Unit	M	SC @WindUnit	Unit for Wind. Use MS and KMH
Value	M	Numeric ##0.0	Wind speed.



Sample

```
<Weather Date="2006-02-06T13:00:00+01:00" >  
  <Conditions Code="GEN" Humidity="49" Wind_Direction="SE">  
    <Condition Code="SKY" Value="pc" />  
    <Condition Code="SNOW" Value="hrd" />  
    <Temperature Code="AIR" Unit="C" Value="2.8" />  
    <Temperature Code="AIR" Unit="F" Value="37.0" />  
    <Temperature Code="SNOW" Unit="C" Value="-2.4" />  
    <Temperature Code="SNOW" Unit="F" Value="27.7" />  
    <Wind Code="SPEED" Unit="KMH" Value="7.2" />  
    <Wind Code="SPEED" Unit="MS" Value="2.0" />  
  </Conditions>  
</Weather>
```

2.2.7.5 Message Sort

There is no special sort order requirement for this message.



2.2.8 Configuration

2.2.8.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition. However, it may be possible that the configuration for one event, phase or event unit is not known in advance.

In Ski Jumping discipline and Ski Jumping part of Nordic Combined, DT_CONFIG is generated at Event level and at Unit level.

- At Event level, the DocumentCode is the Event RSC and the content is hill data.
- At Unit level, the DocumentCode is the Unit RSC and the content is qualification criteria for the specific Unit, if qualification criteria are applied.

2.2.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Send one message per unit with qualification criteria. Send one message per event with hill information. Note: Even if the hill changes due to weather the RSC remains the same.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.



2.2.8.3 Trigger and Frequency

The message is sent prior to any ODF Sports message, if requested by one discipline (ODF Sport Data Dictionary).

Trigger also after any major change, but considering that, if possible, the configuration for one event, phase or event unit must be provided before the start list.

If a DT_CONFIG message is sent after a DT_RESULT in a related unit then the next version of DT_RESULT must be sent immediately.

2.2.8.4 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	CC @Unit CC @Event	Full RSC. RSC is the Event RSC when DocumentCode is at Event level RSC is the Unit RSC when DocumentCode is at Unit level.

Element: Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
HILL	HILL_TYPE	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	SC @HillType	Hill type (Normal Hill or Large Hill).
HILL	HILL_SIZE	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Hill size in metres.
HILL	HILL_SIZE_95	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0.0 Or ###0	95% of the hill size (HS) in metres. Use decimal point only when 95% of Hill Size is measured to the level of decimeters.
HILL	K_POINT	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	K-point in metres.



Element: Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
HILL	GATE_FACTOR	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.00	Gate factor (points per metre).
HILL	METRE_VALUE	N/A	Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0.0	Metre value (points per metre).
HILL	WIND_FACTOR	S(1)	Pos Description: Send H for Head Wind Factor and T for Tail Wind Factor. Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	#0.00	Wind factor in points per m/s
HILL	GATE	Numeric #0	Pos Description: Send from 1...n to identify each gate. Element Expected: Always in event level message.	
	Attribute	M/O	Value	Description
	Value	M	S(5)	The official number of the gate.
Sub Element: Configs /Config /ExtendedConfig /ExtendedConfigItem				
Expected: Always.				
	Attribute	Value	Description	
	Code	IR		
	Pos	N/A		
	Value	Numeric #0.00	In-run length of the gate.	
NC	PTS_MIN	N/A	Element Expected: Always for Nordic Combined.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Points per minute calculation.
NC	SEC_PTS	N/A	Element Expected: Always for Nordic Combined.	
	Attribute	M/O	Value	Description
	Value	M	Numeric	Seconds per point calculation.
QUALIFICATION	FROM_RANK	N/A	Element Expected: When applicable, send by unit.	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the qualifying rank to indicate first rank to qualify.



Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
QUALIFICATION	TO_RANK	N/A	Element Expected: When applicable, send by unit.
	Attribute	M/O	Value
	Value	M	Numeric #0
EC	QUAL_RULE	N/A	Element Expected: For Qualification and 1st Round.
	Attribute	M/O	Value
	Value	M	SC @QualRule

Sample (Unit level message Document code is at Unit Level)

```
<Configs>
  <Config Unit="SJPMNH-----QUAL0001SJ--">
    <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Value="1" />
    <ExtendedConfig Type="QUALIFICATION" Code="TO_RANK" Value="50" />
    <ExtendedConfig Type="QUALIFICATION" Code="QUAL_RULE" Value="TOP50" />
  </Config>
```

Sample (Event level message Document code at Event Level)

```
<Configs>
  <Config Unit="SJPMNH-----">
    <ExtendedConfig Type="HILL" Code="HILL_TYPE" Value="NH" />
    <ExtendedConfig Type="HILL" Code="HILL_SIZE" Value="101" />
    <ExtendedConfig Type="HILL" Code="HILL_SIZE_95" Value="96" />
    <ExtendedConfig Type="HILL" Code="K_POINT" Value="95" />
    <ExtendedConfig Type="HILL" Code="METRE_VALUE" Value="2.0" />
    <ExtendedConfig Type="HILL" Code="GATE_FACTOR" Value="6.36" />
    <ExtendedConfig Type="HILL" Code="WIND_FACTOR" Pos="H" Value="7.00" />
    <ExtendedConfig Type="HILL" Code="WIND_FACTOR" Pos="T" Value="3.00" />
    <ExtendedConfig Type="HILL" Code="GATE" Pos="1" Value="01" >
      <ExtendedConfigItem Code="IR" Value="69.50" />
    </ExtendedConfig>
    <ExtendedConfig Type="HILL" Code="GATE" Pos="2" Value="02" >
      <ExtendedConfigItem Code="IR" Value="70.00" />
    </ExtendedConfig>
    <ExtendedConfig Type="HILL" Code="GATE" Pos="3" Value="03" >
      <ExtendedConfigItem Code="IR" Value="70.50" />
    </ExtendedConfig>
    <ExtendedConfig Type="HILL" Code="GATE" Pos="4" Value="04" >
      <ExtendedConfigItem Code="IR" Value="71.00" />
    </ExtendedConfig>
    ...
  </Config>
```

2.2.8.5 Message Sort

There is no message sorting rule.



3 Document Control

Version history		
Version	Date	Comments
V0.1	20 Feb 2020	First version, including OVR review.

File Reference: ODF WOG-2022-SJP-0.1 SFR

Change Log		
Version	Status	Changes on version
V0.1	SFR	First version