



INTERNATIONAL OLYMPIC COMMITTEE

ODF/INT022-R2-v7.3 APP (BD)

Olympic Data Feed

ODF Badminton Data Dictionary

13 April 2012
Technology Department
© International Olympic Committee



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic Games and/or (ii) to develop similar standards for other events than the Olympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



TABLE OF CONTENT

| | | |
|----------|--|-----------|
| 1 | Introduction | 6 |
| 1.1 | This document..... | 6 |
| 1.2 | Objective | 6 |
| 1.3 | Main Audience..... | 6 |
| 1.4 | Glossary | 6 |
| 1.5 | Related Documents..... | 6 |
| 2 | Overall Perspective | 8 |
| 2.1 | Objective | 8 |
| 2.2 | End to End data flow | 8 |
| 3 | Codes | 9 |
| 4 | Badminton Data Extension..... | 13 |
| 4.1 | General Issues | 13 |
| 4.1.1 | ODF header | 13 |
| 4.1.2 | Attributes Definition..... | 13 |
| 5 | Point in Time..... | 14 |
| 5.1 | Point in Time Applicable Messages | 14 |
| 5.1.1 | List of participants by discipline / List of participants by discipline update | 16 |
| 5.1.1.1 | Description..... | 16 |
| 5.1.1.2 | Header Values..... | 16 |
| 5.1.1.3 | Trigger and Frequency | 16 |
| 5.1.1.4 | Message Structure | 16 |
| 5.1.1.5 | Message Values | 16 |
| 5.1.1.6 | Message sort | 17 |
| 5.1.2 | List of teams by discipline / List of teams by discipline update | 18 |
| 5.1.2.1 | Description..... | 18 |
| 5.1.2.2 | Header Values..... | 18 |
| 5.1.2.3 | Trigger and Frequency | 18 |
| 5.1.2.4 | Message Structure | 18 |
| 5.1.2.5 | Message Values | 18 |
| 5.1.2.6 | Message sort | 19 |
| 5.1.3 | Start List..... | 20 |
| 5.1.3.1 | Description..... | 20 |
| 5.1.3.2 | Header Values..... | 20 |
| 5.1.3.3 | Trigger and Frequency | 20 |
| 5.1.3.4 | Message Structure | 20 |
| 5.1.3.5 | Message Values | 20 |
| 5.1.3.6 | Message sort | 22 |
| 5.1.4 | Event Unit Results | 23 |
| 5.1.4.1 | Description..... | 23 |
| 5.1.4.2 | Header Values..... | 23 |
| 5.1.4.3 | Trigger and Frequency | 23 |
| 5.1.4.4 | Message Structure | 23 |
| 5.1.4.5 | Message Values | 23 |
| 5.1.4.6 | Message sort | 30 |
| 5.1.5 | Pool standings | 31 |
| 5.1.5.1 | Description..... | 31 |
| 5.1.5.2 | Header Values..... | 31 |



| | | |
|-------------------------------|-------------------------------------|-----------|
| 5.1.5.3 | Trigger and Frequency | 31 |
| 5.1.5.4 | Message Structure | 31 |
| 5.1.5.5 | Message Values | 32 |
| 5.1.5.6 | Message sort | 34 |
| 5.1.6 | Statistics..... | 35 |
| 5.1.6.1 | Description..... | 35 |
| 5.1.6.2 | Header Values..... | 35 |
| 5.1.6.3 | Trigger and Frequency | 35 |
| 5.1.6.4 | Message Structure | 35 |
| 5.1.6.5 | Message Values | 36 |
| 5.1.6.6 | Message sort | 42 |
| 5.1.7 | Brackets..... | 43 |
| 5.1.7.1 | Description..... | 43 |
| 5.1.7.2 | Header Values..... | 43 |
| 5.1.7.3 | Trigger and Frequency | 43 |
| 5.1.7.4 | Message Structure | 43 |
| 5.1.7.5 | Message Values | 43 |
| 5.1.7.6 | Message sort | 44 |
| 5.1.8 | Event's Medallists | 45 |
| 5.1.8.1 | Description..... | 45 |
| 5.1.8.2 | Header Values..... | 45 |
| 5.1.8.3 | Trigger and Frequency | 45 |
| 5.1.8.4 | Message Structure | 45 |
| 5.1.8.5 | Message Values | 45 |
| 5.1.8.6 | Message sort | 45 |
| 5.1.9 | Discipline/venue good morning..... | 46 |
| 5.1.9.1 | Description..... | 46 |
| 5.1.9.2 | Header Values..... | 46 |
| 5.1.9.3 | Trigger and Frequency | 46 |
| 5.1.9.4 | Message Structure | 46 |
| 5.1.9.5 | Message Values | 46 |
| 5.1.9.6 | Message sort | 46 |
| 5.1.10 | Discipline/venue good night..... | 47 |
| 5.1.10.1 | Description | 47 |
| 5.1.10.2 | Header Values | 47 |
| 5.1.10.3 | Trigger and Frequency..... | 47 |
| 5.1.10.4 | Message Structure | 47 |
| 5.1.10.5 | Message Values..... | 47 |
| 5.1.10.6 | Message sort..... | 47 |
| 5.1.11 | Discipline configuration..... | 48 |
| 5.1.11.1 | Description | 48 |
| 5.1.11.2 | Header Values | 48 |
| 5.1.11.3 | Trigger and Frequency..... | 48 |
| 5.1.11.4 | Message Structure | 48 |
| 5.1.11.5 | Message Values..... | 48 |
| 5.1.11.6 | Message sort..... | 50 |
| 6 | Real time | 51 |
| 6.1 | Real Time Applicable Messages | 51 |
| 6.1.1 | RT Event Unit Results | 52 |
| 6.1.1.1 | Description..... | 52 |
| 6.1.1.2 | Header Values..... | 52 |
| 6.1.1.3 | Trigger and Frequency | 52 |
| 6.1.1.4 | Message Structure | 52 |
| 6.1.1.5 | Message Values | 53 |
| 6.1.1.6 | Message sort | 60 |
| DOCUMENT CONTROL | 61 | |





1 Introduction

1.1 This document

This document includes the ODF Badminton Data Dictionary. This Data Dictionary refines the messages described in the ODF Central Messages Interface Document and ODF Sport Messages Interface Document specifically for Badminton, as well as defines the codes used in these messages.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Badminton Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Badminton competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document

- **BD** – Badminton
- **BWF** – Badminton World Federation
- **IF** – International Federation
- **IOC** – International Olympic Committee
- **NOC** – National Olympic Committee
- **ODF** – Olympic Data Feed
- **ODF-RT** – Olympic Data Feed Real Time
- **RSC** – Results System Codes
- **WNPA** – World News Press Agencies

1.5 Related Documents

| Document Reference | Document Title | Document Description |
|--------------------|-----------------------------------|---|
| ODF/INT001 | ODF Message Transmission Document | This document describes the technical standards to be used to transfer ODF messages |



| Document Reference | Document Title | Document Description |
|--------------------|---|---|
| | | between the message generators and the final ODF users |
| ODF/COD001 | ODF Common Codes Document | This document describes the ODF codes used across the rest of the ODF documents |
| ODF/INT003 | ODF Central Messages Interface Document | This document describes the ODF central messages |
| ODF/INT004 | ODF Sport Messages Interface Document | This document describes the ODF sport messages, generated independently by each sport |



2 Overall Perspective

2.1 Objective

The objective of this document is to focus on the formal definition of the ODF Badminton Data Dictionary.

2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF Central Messages Interface Document and ODF Sport Messages Interface Document, since this ODF Badminton Data Dictionary is a particularization of those documents.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Badminton.

Any ODF Badminton message should follow all the previous definitions in order to be considered as an ODF compliant message.



3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise. Please refer to ODF Sport Messages Interface Document to know the format of these codes.

| Code Entity | Code Entity Set of Values | |
|----------------------|---|--|
| CC @Bracket | Code | Description |
| | FNL | Final |
| CC @BracketItems | Code | Description |
| | R16 | Round of 16 (<i>only for Singles</i>) |
| | QFL | Quarterfinals |
| | SFL | Semi-finals |
| | FNL | Final |
| CC @CardType | Code | Description |
| | B | Black |
| | R | Red |
| | Y | Yellow |
| CC @CompetitorPlace | Code | Description |
| | BYE | If there is no match. There is no competitor (only one participant is competing); the other team/athlete goes directly to the next phase/round. |
| | UNK | The competitor is not known yet |
| CC @Desc | Code | Description |
| | 0 | Loser |
| | 1 | Winner |
| CC @Discipline | Defined in ODF Common Codes Document See entity Discipline <ul style="list-style-type: none"> The entity's attribute to be used is Discipline However, valid disciplines will be those which Non-Sport attribute='N' | |
| CC @DisciplineGender | Defined in ODF Common Codes Document See entity Discipline Gender <ul style="list-style-type: none"> The entity's attribute to be used is Gender It will be related to Discipline | |
| CC @Event | Defined in ODF Common Codes Document See entity Event | |



| Code Entity | Code Entity Set of Values | |
|---|---|---------------------------------|
| | <ul style="list-style-type: none"> The entity's attribute to be used is Event It will be related to Discipline and Gender | |
| CC @EventCode | Code | Description |
| | MD | Men's Doubles |
| | MS | Men's Singles |
| | WD | Women's Doubles |
| | WS | Women's Singles |
| | XD | Mixed Doubles |
| CC @Function | Defined in ODF Common Codes Document See entity Function <ul style="list-style-type: none"> The entity's attribute to be used is Code | |
| CC @Hand | Code | Description |
| | L | Left |
| | R | Right |
| CC @IRM (The codes order provided is according to the sport rules. In case of several IRM of the same code, sort by bib numbers in ascending order). | Code | Description |
| | DSQ | Disqualified |
| | RET | Retired |
| | WDN | Withdrawn |
| | WO | Walkover |
| CC @Offence | Code | Description |
| | BD_OF1 | Excessive protest |
| | BD_OF2 | Unwelcome touch to Officials |
| | BD_OF3 | Physical abuse |
| | BD_OF4 | Abuse of racket or equipment |
| | BD_OF5 | Abuse of shuttle |
| | BD_OF6 | Oral abuse |
| | BD_OF7 | Visible obscenity |
| | BD_OF8 | Audible obscenity |
| | BD_OF9 | Intentionally delay of the game |
| | BD_OF10 | Trying to influence line judges |
| | BD_OF11 | Unsportsmanlike conduct |
| | BD_OF12 | Inappropriate conduct |
| CC @Period | Code | Description |
| | G1 | Game 1 |
| | G2 | Game 2 |
| | G3 | Game 3 |
| | TOT | Match (Total) |
| CC @PeriodNo | Code | Description |
| | 1 | Game 1 |
| | 2 | Game 2 |
| | 3 | Game 3 |
| CC @PeriodStatus | Code | Description |
| | D | Delayed |
| | E | Ended |
| | IP | In progress |



| Code Entity | Code Entity Set of Values | |
|----------------|---|--|
| | RCH | Rescheduled |
| | RE | Resumed |
| | SCH | Scheduled |
| | SU | Suspended |
| CC @Phase | Defined in ODF Common Codes Document See entity Phase <ul style="list-style-type: none"> The entity's attribute to be used is Phase It will be related to Discipline, Gender and Event | |
| CC @ResultType | Code | Description |
| | POINTS | Points |
| | IRM_POINTS | For both, points and invalid result mark |
| CC @RoundCode | Code | Description |
| | A | Group A |
| | B | Group B |
| | C | Group C |
| | D | Group D |
| | E | Group E (<i>only for Singles</i>) |
| | F | Group F (<i>only for Singles</i>) |
| | G | Group G (<i>only for Singles</i>) |
| | H | Group H (<i>only for Singles</i>) |
| | I | Group I (<i>only for Singles</i>) |
| | J | Group J (<i>only for Singles</i>) |
| | K | Group K (<i>only for Singles</i>) |
| | L | Group L (<i>only for Singles</i>) |
| | S | Group M (<i>only for Singles</i>) |
| | X | Group N (<i>only for Singles</i>) |
| | O | Group O (<i>only for Singles</i>) |
| | P | Group P (<i>only for Singles</i>) |
| | R/16 | Round of 16 (<i>only for Singles</i>) |
| | QF | Quarterfinals |
| | SF | Semi-finals |
| | BM | Bronze Medal Match |
| | F | Final |
| CC @RoundNo | Code | Description |
| | 5 | Group play stage |
| | 4 | Round of 16 (<i>only for Singles</i>) |
| | 3 | Quarterfinals |
| | 2 | Semi-finals |
| | 1 | Medal Matches |
| | 0 | Total |
| CC @Statistics | Code | Description |
| | ANALYSIS | Match analysis statistics |
| | CUM | Penalty Statistics |
| | TOU | Tournament Statistics |



| Code Entity | Code Entity Set of Values |
|-------------|---|
| CC @Unit | <p>Defined in ODF Common Codes</p> <p>See entity Unit</p> <ul style="list-style-type: none">• The entity's attribute to be used is Event Unit• It will be related to Discipline, Gender, Event and Phase |



4 Badminton Data Extension

4.1 General Issues

The following sections extend and complete the information to be sent in each of the messages for this particular discipline, if some particularization is needed. If there are special considerations for any of the message types that have to be sent for this discipline, then they should be considered in the following sections. If nothing is mentioned for a particular message type, then the general rules, as defined either in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document, should be respected for the messages described in the chapter 4 of this document.

4.1.1 ODF header

Regarding to the ODF header values, you should also follow the description in the ODF Central Messages Interface Document or ODF Sport Messages Interface Document. However, the following attributes could be refined for each message type regarding to the header values:

- ODF Header: DocumentCode.

4.1.2 Attributes Definition

The attributes types are explained in the section “5.1.2 Attributes Definition” of the ODF Central Messages Interface Document. Please, refer to that document for further information



5 Point in Time

5.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Badminton, as well as the category of each message, which identifies if the message structure definition can be found either in the ODF Sport Messages Interface Document or ODF Central Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message documented” indicates the document where you should go to have the general definition for a particular Message type
- The column “Message used in this sport” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended in this document” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

| Message Type | Message name | Message documented | Message used in this sport | Message extended in this document |
|-------------------------|---|--------------------|----------------------------|-----------------------------------|
| DT_SCHEDULE | Competition schedule | Central | X | |
| DT_SCHEDULE_UPDATE | Competition schedule update | Central | X | |
| DT_PARTIC | List of participants by discipline | Central | X | X |
| DT_PARTIC_UPDATE | List of participants by discipline update | Central | X | X |
| DT_PARTIC_TEAMS | List of teams | Central | X | X |
| DT_PARTIC_TEAMS_UPDATE | List of teams update | Central | X | X |
| DT_PARTIC_HORSES | List of equestrian horses | Central | | |
| DT_PARTIC_HORSES_UPDATE | List of horses update | Central | | |
| DT_MEDALS | Medal standings | Central | Global | |
| DT_MEDALLISTS_DAY | Medallists of the day | Central | Global | |
| DT_HISTORIC_RECORD | Historical records | Central | | |
| DT_HIST_REC_UPDATE | Historical records update | Central | | |
| DT_GLOBAL_GM | Global good morning | Central | Global | |
| DT_GLOBAL_GN | Global good night | Central | Global | |



| Message Type | Message name | Message documented | Message used in this sport | Message extended in this document |
|--------------------------|---|--------------------|----------------------------|-----------------------------------|
| DT_START_LIST | Start List | Sports | X | X |
| DT_RESULT | Event Unit Results | Sports | X | X |
| DT_PHASE_RESULT | Phase Results | Sports | | |
| DT_CUMULATIVE_RESULT | Cumulative Results | Sports | | |
| DT_POOL_STANDING | Pool Standings of group in a team competition | Sports | X | X |
| DT_RANKING | Event Final ranking | Sports | X | |
| DT_STATS | Statistics table | Sports | X | X |
| DT_MEDALLISTS | Medallists of one event | Sports | X | X |
| DT_MEDALLISTS_DISCIPLINE | Medallists by discipline | Sports | X | |
| DT_RECORD | Records | Sports | | |
| DT_COMMUNICATION | Official Communication | Sports | X | |
| DT_BRACKETS | Brackets | Sports | X | X |
| DT_GM | Discipline/venue good morning | Sports | X | X |
| DT_GN | Discipline/venue good night | Sports | X | X |
| DT_FED_RANKING | Federation Ranking | Sports | | |
| DT_CONFIG | Discipline configuration | Sports | X | X |
| DT_WEATHER | Event Unit Weather conditions | Sports | | |
| DT_SERIAL | List of Current PiT Serial | Sports | X | |



5.1.1 List of participants by discipline / List of participants by discipline update

5.1.1.1 Description

This message is the List of participants (current athletes, officials and historical athletes) by discipline (and the update) as described in the ODF Central Messages Interface Document.

5.1.1.2 Header Values

The definition in the ODF Central Messages Interface Document is valid.

5.1.1.3 Trigger and Frequency

The definition in the ODF Central Messages Interface Document is valid.

5.1.1.4 Message Structure

The optional elements defined for this message in the ODF Central Messages Interface Document that should be included in the case of Badminton are:

- Participant /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.1.5 Message Values

The following table lists the “List of participants by discipline / update” optional attributes (defined in the ODF Central Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|-------------------------|----------------------------|-----|----------|---|
| Participant | BirthDate | O | YYYYMMDD | Date of birth. It will be included if this information is available. |
| Participant /Discipline | International FederationId | O | S(16) | BWF ID (competitor's federation number for the discipline). It will be included. |

The following table describes in more detail the Participant /Discipline /RegisteredEvent /EventEntry element in the case of Badminton.

| Element: Participant /Discipline /RegisteredEvent /EventEntry | | | | |
|---|--------|-----|--|--|
| Type | Code | Pos | Value | Description |
| E_ENTRY | E_HAND | | CC @Hand | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Handedness for the athlete (see codes section) |
| | E_RANK | | N(3) 999 | For @Type: Send proposed type |
| | | | Or | For @Code: Send proposed code |
| | | | (in singles): “*” | For @Pos : Do not send anything |
| | | | (in doubles) “(a)” and “(a)”, “(b)” and “(b)”, | For @Value: World Ranking |



| Element: Participant /Discipline /RegisteredEvent /EventEntry | | | | |
|---|--------|-----|--------------------------|--|
| Type | Code | Pos | Value | Description |
| | | | ... | For the athlete who does not have a world ranking: “*” when the player competes in a singles event “(a)” and “(a)”, etc. when the players compete together in doubles. |
| | E_SEED | | N(2) 99 | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Seed Number |
| | E_MQS | | N(6).N(4) 999999.9999 | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Ranking points |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------|-----------------------------|---|
| E_ENTRY /E_HAND | Handedness for the athlete. | Always, as soon as this information is known and this athlete has Handedness (this information can be sent in both messages). |
| E_ENTRY /E_RANK | World Ranking | Always, as soon as this information is known and this athlete has ranking or not (this information can be sent in both messages). Only for Individual Participant. |
| E_ENTRY /E_SEED | Seed Number | Always, as soon as this information is known and this athlete has Seed Number (this information only will be sent in the update message). Only for Individual Participant. |
| E_ENTRY /E_MQS | Ranking points | Always, as soon as this information is known (this information only will be sent in the update message). Only for Individual Participant. |

5.1.1.6 Message sort

Please, follow the general definition.



5.1.2 List of teams by discipline / List of teams by discipline update

5.1.2.1 Description

This message is the List of teams by discipline (and the update) as described in the ODF Central Messages Interface Document.

5.1.2.2 Header Values

The definition in the ODF Central Messages Interface Document is valid.

5.1.2.3 Trigger and Frequency

The definition in the ODF Central Messages Interface Document is valid.

5.1.2.4 Message Structure

The optional elements defined for this message in the ODF Central Messages Interface Document that should be included in the case of Badminton are:

- Team /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.2.5 Message Values

The following table describes in more detail the Team /Discipline /RegisteredEvent /EventEntry element in the case of Badminton.

| Element: Team /Discipline /RegisteredEvent /EventEntry | | | | |
|--|--------|-----|-------|--|
| Type | Code | Pos | Value | Description |
| E_ENTRY | E_RANK | | N(3) | For @Type: |
| | | | 999 | Send proposed type |
| | | | Or | For @Code: |
| | | | | Send proposed code |
| | | | “*” | For @Pos : |
| | E_SEED | | | Do not send anything |
| | | | | For @Value: |
| | | | | Team’s World Ranking |
| | | | | “*” for the team (pairs) who do not have a world ranking |
| | E_MQS | | N(2) | For @Type: |
| | | | 99 | Send proposed type |
| | | | | For @Code: |
| | | | | Send proposed code |
| | | | | For @Pos : |
| | | | | Do not send anything |
| | | | | For @Value: |
| | | | | Team’s Seed Number |
| | | | N(5) | For @Type: |
| | | | 99999 | Send proposed type |
| | | | | For @Code: |
| | | | | Send proposed code |
| | | | | For @Pos : |
| | | | | Do not send anything |
| | | | | For @Value: |
| | | | | Team’s Ranking points |



For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------|-----------------------|---|
| E_ENTRY /E_RANK | Team's World Ranking | Always, as soon as this information is known and the team has ranking or not (this information can be sent in both messages) |
| E_ENTRY /E_SEED | Team's Seed Number | Always, as soon as this information is known and this team has Seed Number (this information only will be sent in the update message) |
| E_ENTRY /E_MQS | Team's Ranking points | Always, as soon as this information is known (this information only will be sent in the update message) |

5.1.2.6 Message sort

Please, follow the general definition.



5.1.3 Start List

5.1.3.1 Description

This message is the Start List message as described in the ODF Sport Messages Interface Document.

5.1.3.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.3.3 Trigger and Frequency

Please, follow the general definition.

5.1.3.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- Officials /Official
- Start /Competitor /EventUnitEntry (only for Doubles events)
- Start /Competitor /Composition /Athlete /EventUnitEntry (only for Singles events)

In the next section (message values), there is a more detailed definition.

5.1.3.5 Message Values

The following table lists the “Start List” optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------------------|------------|-----|--------------|---|
| Officials /Official | Function | M | CC @Function | Send according to the codes for: -Service Judge -Umpire -... |
| Start | StartOrder | M | Numeric | Send 1 for Home and 2 for Away. |
| | SortOrder | M | Numeric | Same @StartOrder |

The following table describes in more detail the UnitInfos /UnitInfo element in the case of Badminton.

| Element: UnitInfos /UnitInfo | | | | |
|------------------------------|----------|-----|-----------|--|
| Type | Code | Pos | Value | Description |
| UI_BD | BD_COURT | | N(1) 9 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Court Number (e.g.: 1 for Court 1, 2 for Court 2...) |



| Element: UnitInfos /UnitInfo | | | | |
|------------------------------|----------|-----|------------------|--|
| Type | Code | Pos | Value | Description |
| | BD_ROUND | | CC @RoundCode | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Round Code, according to the related code for the phase and event unit of the @DocumentCode attribute, (e.g.: "A" for phase A (Group play stage - Group A and unit (01 to 06), ..., "R/16" for phase 4 (Round of 16) and unit (01 to 08), ..., "BM" for phase 1 (Finals) and unit 02 (Bronze Medal match) |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------|---|----------|
| UI_BD /BD_COURT | Court in which the current match is played. | Always |
| UI_BD /BD_ROUND | Round code. | Always |

The following table describes in more detail the Start /Competitor /EventUnitEntry element in the case of Badminton (for Doubles events).

| Element: Start /Competitor /EventUnitEntry | | | | |
|--|---------|-----|------------|---|
| Type | Code | Pos | Value | Description |
| EUE_BD | BD_SEED | | N(2) 99 | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Seed Number (for team) |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------|---------------------------|--|
| EUE_BD /BD_SEED | Seed number (for doubles) | Always, as soon as this information is known and this team has Seed Number |

The following table describes in more detail the Start /Competitor /Composition /Athlete /EventUnitEntry element in the case of Badminton (for Singles events).

| Element: Start /Competitor /Composition /Athlete /EventUnitEntry | | | | |
|--|---------|-----|------------|--|
| Type | Code | Pos | Value | Description |
| EUE_BD | BD_SEED | | N(2) 99 | For @Type: Send proposed type For @Code: |



| Element: Start /Competitor /Composition /Athlete /EventUnitEntry | | | | |
|--|---------|-----|------------|---|
| Type | Code | Pos | Value | Description |
| | | | | Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Seed Number (for athlete) |
| | | | | |
| | BD_DRAW | | N(2) 99 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Draw Number (for athlete). Is a sequential number from 1 to 16 used in Round of 16 if applies. |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------|---|---|
| EUE_BD /BD_SEED | Seed Number | Always, as soon as this information is known and this athlete has Seed Number. |
| EUE_BD /BD_DRAW | Draw Number for athletes of Singles events in the first round-(in Round of 16 if it applies). | Always, as soon as this information is known and this athlete has Draw Number (in R16 if it applies). |

5.1.3.6 Message sort

Please, follow the general definition.



5.1.4 Event Unit Results

5.1.4.1 Description

This message is the Event Unit Results message as described in the ODF Sport Messages Interface Document.

5.1.4.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.4.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following:

- At the start of the match and after each game, the message should be sent for intermediate results.
- After the match (unit).

Then proceed with UNOFFICIAL / OFFICIAL results, as expected.

5.1.4.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- UnitInfos /UnitDateTime (following the general rules for this element, however being @EndDate mandatory)
- UnitInfos /UnitInfo
- Periods /Period
- Periods /Period /ExtendedPeriods /ExtendedPeriod
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all events -Doubles and Singles-)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extensions (for all events -Doubles and Singles-)
- Result /Competitor /Stats /Stat (only for Doubles events)
- Result /Competitor /Composition /Athlete /Stats /Stat (only for Singles events)

5.1.4.5 Message Values

The following table lists the “Event Unit Results” optional and/or extended attributes (defined in the ODF Sport Messages Interface Document), as well as the attributes that have an extended definition.

The following table describes in more detail the Result element in the case of Badminton.

| Element | Attribute | M/O | Value | Comments |
|---------|------------|-----|----------------|--|
| Result | ResultType | O | CC @ResultType | Result type, either points or IRM with points for the corresponding match (see codes section). Only will be informed (it is mandatory) at the end of the match. |
| | Result | O | N(1) 0 | Result for the particular event unit, i.e. the number of games won in the corresponding match. Send either in the case @ResultType is points or IRM with points (see codes section). |



| Element | Attribute | M/O | Value | Comments |
|---------|-----------|-----|---------|---|
| | IRM | O | CC @IRM | Invalid Result Mark (or suspension) for the particular event unit, in case it is assigned. Send just in the case @ResultType is both IRM and Points for some period; the match will have finished (see codes section). |
| | WLT | O | S(1) | The code whether a competitor won (W) or lost (L) the match. Only will be informed (it is mandatory) at the end of the match. |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the Home (1) and of the Away (2), and for the ended matches with the order of the Winner (1) and of the Loser (2). |

The following table describes in more detail the UnitInfos /UnitInfo element in the case of Badminton.

| Element: UnitInfos /UnitInfo | | | | |
|------------------------------|------------------|-----|------------------|---|
| Type | Code | Pos | Value | Description |
| UI_BD | BD_M_DURATION | | MMM 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of the Match. MMM is minutes |
| | BD_M_STATUS | | CC @PeriodStatus | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Status of the match (see code section) |
| | BD_GM_COMPLETE | | N(1) 9 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of complete Games at the end of the match (from 2 to 3 games, according to the score system). |
| | BD_SHUTTLES_USED | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of shuttles used in the match. |

For the table above, we have the following additional/summary information:



| Type /Code | Description | Expected |
|-------------------------|--|---------------------------------|
| UI_BD /BD_M_DURATION | Duration in minutes of the match. | Always, at the end of the match |
| UI_BD /BD_M_STATUS | Status of the current Match. | Always |
| UI_BD /BD_GM_COMPLETE | Number of complete games in this match. | Always, at the end of the match |
| UI_BD /BD_SHUTTLES_USED | Number of shuttles used for the current match. | Always, at the end of the match |

The following table describes in more detail the Periods /Period element in the case of Badminton.

| Element | Attribute | M/O | Value | Comments |
|-----------------|-----------------|-----|------------|---|
| Periods /Period | Code | M | CC @Period | Period code, usually there are 3 games and match total. |
| | HomeScore | M | N(1) 0 | Home competitor score up (number of the games won) at the end of this game (@Code period) (e.g.: 2 at the end of Period-2 (Game 2), it has won two games -this game and the previous one-). |
| | AwayScore | M | N(1) 0 | Away competitor score up (number of the games won) at the end of this game (@Code period) (e.g.: 0 at the end of Period-2 (Game 2), it has not won any game -has lost this game and the previous one-). |
| | HomePeriodScore | O | N(2) 90 | Home competitor points just for this game (@Code period, except for match total -TOT period code-) (e.g.: 21 points for Period-2 (Game 2), has won this game). |
| | AwayPeriodScore | O | N(2) 90 | Away competitor points just for this game (@Code period, except for match total -TOT period code-) (e.g.: 18 points for Period-2 (Game 2), has lost this game). |
| | Duration | M | MMM 990 | Duration of this game/match (@Code period), including breaks during the game/s. For match total (TOT period code), will be the sum of games duration plus breaks between games. MMM are minutes. |

The following table describes in more detail the Periods /Period /ExtendedPeriods /ExtendedPeriod element in the case of Badminton (for each period).

| Element: Periods /Period /ExtendedPeriods /ExtendedPeriod | | | | |
|---|----------------|-----|-------------|--|
| Type | Code | Pos | Value | Description |
| EP_BD | BD_LGR_TIME | | SS 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of longest rally. SS is seconds |
| | BD_LGR_STROKES | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of strokes in the longest rally. |
| | BD_AVR_TIME | | SS 90 | For @Type: Send proposed type |
| | | | | |
| | | | | |
| | | | | |



| Element: Periods /Period /ExtendedPeriods /ExtendedPeriod | | | | |
|---|------------------|-----------|---------------------|---|
| Type | Code | Pos | Value | Description |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of average rally. SS is seconds |
| | | | | |
| | BD_AVR_STROKES | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of strokes in the average rally. |
| | BD_SHUTTLES_USED | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of shuttles used. |
| | BD_STATUS | | CC @PeriodStatus | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Status of this period (see codes section) |
| | BD_WINNER | | S(1) (H,A) | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Winner Indicator for this period when it is finished (Ended status). Send 'H' or 'A' if the game/match is won by Home or Away. |
| | BD_IRM | N(1) 0 | CC @IRM | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Indicator of the one who has produced the IRM. Send 1 or 2 for Home or Away competitor. |
| | | | | For @Value: Invalid Result Mark for the particular period (CC @Period). |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|------------|-------------|----------|
|------------|-------------|----------|



| Type /Code | Description | Expected |
|-------------------------|---|-----------------|
| EP_BD /BD_LGR_TIME | Duration in seconds of the longest rally of each period. | Always |
| EP_BD /BD_LGR_STROKES | Number of strokes in the longest rally of each period. | Always |
| EP_BD /BD_AVR_TIME | Duration in seconds of average rally of each period. | Always |
| EP_BD /BD_AVR_STROKES | Number of strokes in the average rally of each period. | Always |
| EP_BD /BD_SHUTTLES_USED | Number of shuttles used of each period. | Always |
| EP_BD /BD_STATUS | Status of each period (game/match). | Always |
| EP_BD /BD_WINNER | Winner Indicator (H-Home, A-Away) for each period when it is finished. | Always |
| EP_BD /BD_IRM | Invalid Result Mark for the particular period (CC @Period), indicating who has produced it (the Home or the Away competitor). The IRM should always be noted in the TOT period, and additionally in the G1/G2/G3 period if the IRM occurs during play. | When it applies |

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions, which should be used for all events.

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|--------------------------|----------------|------------|------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_BD_FLOW | BD_SCORE_CC @PeriodNo | | N(2) 99 | N(2) 99 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Rally counter. Send 1 for the first point of the game, 2 for the second point, etc. |
| | | | | | For @Value: Number of strokes in the rally. |
| | | BD_P_WINNER | | S(1) | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send 'Y' when is the winner of the point at this rally of this game (period number). |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|--|--|----------|
| ER_BD_FLOW /BD_SCORE_CC @PeriodNo | Score flow (point by point) of each period number (game). | Always |
| ER_BD_FLOW /BD_SCORE_CC @PeriodNo /BD_P_WINNER | Indicator of this rally point is the winner within the game. | Always |

The following table describes in more detail the Result /Competitor /Stats /Stat element, which should be used in the case of Doubles events, or the Result /Competitor /Composition /Athlete /Stats /Stat element in the case of Singles events.

| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|--|------|-----|-------|-------------|
| Type | Code | Pos | Value | Description |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|---------------------|--------------|-------|---|
| Type | Code | Pos | Value | Description |
| ST_BD | BD_MT_POINTS | CC @PeriodNo | N(2) | For @Type: |
| | | | 90 | Send proposed type |
| | | | Or | For @Code: |
| | | | blank | Send proposed code |
| | BD_GM_POINTS | CC @PeriodNo | N(2) | For @Pos: |
| | | | | Period Number (usually there are 3 games) |
| | | | | For @Value: |
| | | | | Number of match points for game 2 or 3 only (@Pos period number). |
| | BD_PTS_NOSERVICE | CC @PeriodNo | N(2) | For @Type: |
| | | | | Send proposed type |
| | | | | For @Code: |
| | | | | Send proposed code |
| | BD_PTS_SERVICE | CC @PeriodNo | N(2) | For @Pos: |
| | | | | Period Number |
| | | | | For @Value: |
| | | | | Points scored without service for this game (@Pos period number). |
| | BD_BG_NOSERV_CHANGE | CC @PeriodNo | N(2) | For @Type: |
| | | | | Send proposed type |
| | | | | For @Code: |
| | | | | Send proposed code |
| | BD_BG_LEAD | CC @PeriodNo | N(2) | For @Pos: |
| | | | | Period Number |
| | | | | For @Value: |
| | | | | Biggest scoring run without change of service for this game (@Pos period number). |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|----------------------|--------------|-------------|--|
| Type | Code | Pos | Value | Description |
| | BD_BG_CBACK_WIN | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Biggest comeback to win for this game (@Pos period number). |
| | BD_SERVICE_FAULTS | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Service faults for this game (@Pos period number). |
| | BD_PCARDS_RES | CC @PeriodNo | String | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Penalty cards and the result at penalty for this game (@Pos period number) (e.g.: a yellow card penalty during Game-1 when the result was 4-3, send "Y(4-3)" for @Pos=1, or, two red cards penalty during Game-2, send "R(3-1) R(14-20)" for @Pos=2). |
| | BD_GAMES_WON | | N(1) 0 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the number of games that this competitor (player) has won in the current MATCH |
| | BD_MT_SERVICE_FAULTS | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the number of services faults cumulative throughout the current MATCH by this competitor (player) |
| | BD_GAME_POINT_COUNT | | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|----------------------|-----|------------|---|
| Type | Code | Pos | Value | Description |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the cumulative number of times that this competitor (player) has had the game point advantage in the current MATCH |
| | BD_MATCH_POINT_COUNT | | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the cumulative number of times that this competitor (player) has had the match point advantage in the current MATCH |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------------------|--|---|
| ST_BD /BD_MT_POINTS | Number of match points for a period number, when apply. | Always, if the information is available |
| ST_BD /BD_GM_POINTS | Number of game points for each period number, when apply. | Always, if the information is available |
| ST_BD /BD_PTS_NOSERVICE | Points scored without service for each period number. | Always, if the information is available |
| ST_BD /BD_PTS_SERVICE | Points scored with service for each period number. | Always, if the information is available |
| ST_BD /BD_BG_NOSERV_CHANGE | Biggest scoring run without change of service for each period number. | Always, if the information is available |
| ST_BD /BD_BG_LEAD | Biggest lead for each period number. | Always, if the information is available |
| ST_BD /BD_BG_CBACK_WIN | Biggest comeback to win for each period number, when apply). | Always, if the information is available |
| ST_BD /BD_SERVICE_FAULTS | Service faults for each period number, when apply. | Always, if the information is available |
| ST_BD /BD_PCARDS_RES | Penalty cards and the result at penalty for each period number, when apply. | Always, if the information is available |
| ST_BD /BD_GAMES_WON | Number of games that this competitor (player) has won in the current MATCH. | Always, if the information is available |
| ST_BD /BD_MT_SERVICE_FAULTS | Number of services faults cumulative throughout the current MATCH by this competitor (player). | Always, if the information is available |
| ST_BD /BD_GAME_POINT_COUNT | Cumulative number of times that this competitor (player) has had the game point advantage in the current MATCH. | Always, if the information is available |
| ST_BD /BD_MATCH_POINT_COUNT | Cumulative number of times that this competitor (player) has had the match point advantage in the current MATCH. | Always, if the information is available |

5.1.4.6 Message sort

Please, follow the general definition.



5.1.5 Pool standings

5.1.5.1 Description

This message is the Pool standings competition message as described in the ODF Sport Messages Interface Document.

In the case of Badminton, the message has to be sent for all the competition events, as listed in the header values section.

5.1.5.2 Header Values

The DocumentCode attribute (DDGEEE900) in the ODF header will be sent according for all the competition events at phase level of the preliminaries to the ODF Common Codes document (header values sheet).

The DocumentSubtype attribute will be:

- For Singles (sixteen groups)
 - Group Play Stage A: A
 - Group Play Stage B: B
 - ...
 - Group Play Stage L: L
 - Group Play Stage M: S
 - Group Play Stage N: X
 - Group Play Stage O: O
 - Group Play Stage P: P
- For Doubles (four groups)
 - Group Play Stage A: A
 - Group Play Stage B: B
 - Group Play Stage C: C
 - Group Play Stage D: D

5.1.5.3 Trigger and Frequency

Please, follow the general definition.

- Intermediate:
 - After the draw has been made & signed off
 - After each game of the preliminaries is official of the relevant group
- Official
 - After last game of the preliminaries

5.1.5.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- Result /Competitor /ExtendedResults /ExtendedResult (only for Doubles events)
- Result /Competitor /ExtendedResults /ExtendedResult /Extensions (only for Doubles events)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (only for Singles events)



- Result /Competitor /Composition /Athlete /ExtendedResults/ExtendedResult /Extensions (only for Singles events)

5.1.5.5 Message Values

The following table lists the Pool standings of group in a team competition optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------|-----------|-----|-------------|--|
| Result | Rank | O | Numeric | Rank at the group. The rank is calculated firstly by classification points and secondly by goal average. It is optional because the team can be disqualified |
| | RankEqual | O | S(1) (Y) | Send 'Y' if the Rank is equalled. |
| | IRM | O | CC @IRM | IRM (see codes section) |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the group, if they were to be presented. It is mostly based on the rank, but it should be used to sort out disqualified teams. |

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element and its child element Extensions, which should be used in the case of Doubles events, or the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions in the case of Singles events.

| Element: Result /Competitor /ExtendedResults /ExtendedResult (in the case of Doubles) Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (in the case of Singles) | | | | | |
|--|------------|----------------|-----|-----------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_BD | BD_MATCHES | | | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Do not send anything |
| | | BD_PLAYED | | N(1) 9 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the number of matches played. Do not send anything in case of IRM. |
| | | BD_WON | | N(1) 9 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the number of matches won. Do not send anything in case of IRM. |
| | | BD_LOST | | N(1) 9 | For @Type: Send proposed code (as type) |



| Element: Result /Competitor /ExtendedResults /ExtendedResult (in the case of Doubles) Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (in the case of Singles) | | | | | |
|---|--------------------|----------------|-----|------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| | BD_GAMES BD_PTS | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the number of matches lost. Do not send anything in case of IRM. |
| | | | | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Do not send anything |
| | | BD_WON | | N(2) 99 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Number of Games/Points won. Do not send anything in case of IRM. |
| | | BD_LOST | | N(2) 99 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Humber of Games/Points lost. Do not send anything in case of IRM. |
| | | BD_DIFF | | +/-N(2) +/-99 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Difference of games/points won/lost. Do not send anything in case of IRM. |

For the table above, we have the following additional/summary information:

| Type /Code | Extension Code | Description | Expected |
|-------------------|----------------|---|--------------|
| ER_BD /BD_MATCHES | BD_PLAYED | Number of matches played by the team at the group | If available |
| | BD_WON | Number of matches won by the team at the group | If available |
| | BD_LOST | Number of matches lost by the team at the group | If available |
| ER_BD /BD_GAMES | BD_WON | Total of Games/points won | If available |



| Type /Code | Extension Code | Description | Expected |
|---------------|----------------|-------------------------------------|--------------|
| ER_BD /BD_PTS | BD_LOST | Total of Games/Points lost | If available |
| | BD_DIFF | Difference of games/points won/lost | If available |

5.1.5.6 Message sort

Please, follow the general definition.



5.1.6 Statistics

5.1.6.1 Description

This message is the Statistics message as described in the ODF Sport Messages Interface Document.

In the case of Badminton, the message has to be sent for all the competition events, as listed in the header values section.

5.1.6.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

Moreover, header attribute DocumentSubtype will be informed, categorizing different types of statistics reports. We will have the following different DocumentSubtype header attributes:

- ANALYSIS: For the cumulative data of match analysis for both the Singles and Doubles statistics, for all the competitors who have reached the Semi-final or the Final phase. Send the DocumentCode at Eventunit level (DDGEEPUU) and only for the Semi-final and Final (Gold and Bronze medal match) phases.
- TOU: Tournament statistics, at event level. Send the DocumentCode at event level (DDGEEE000).
- CUM: Penalties statistics per player (although is participating as Singles or as Doubles), at discipline level. Send the DocumentCode at discipline level (DD0000000).

5.1.6.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following:

- For Cumulative Match analysis statistics (ANALYSIS):
 - Message sent the evening before any day of competition where the day contains Semi-Final or Final (Gold/Silver or Bronze) matches.
- For Tournament statistics (TOU):
 - Message sent after the last match in each phase for all events has been completed and made official.
- For Penalty statistics (CUM):
 - Two (2) minutes after result of each match is approved (If penalty was imposed during the match).

5.1.6.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- Stats /StatsItems /StatsItem (for all events in Tournament statistics - TOU)
- Stats /StatsItems /StatsItem /ExtendedStat (for all events in Tournament statistics - TOU)
- Stats /Competitor /StatsItems /StatsItem (only for Doubles events in Match statistics - ANALYSIS)



- Stats /Competitor /StatsItems /StatsItem /ExtendedStat (only for Doubles events in Match statistics - ANALYSIS)
- Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (only for Singles events in Match statistics - ANALYSIS, and for all events in Penalty statistics - CUM)
- Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat (only for Singles events in Match statistics - ANALYSIS, and for all events in Penalty statistics - CUM)

5.1.6.5 Message Values

The following table lists the “Statistics” optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------|-----------|-----|----------------|--|
| Stats | Code | M | CC @Statistics | A code to identify the statistics being listed (see codes section) |

The following table describes in more detail the Stats /StatsItems /StatsItem element and its child element ExtendedStat, this information is for the Tournament Statistics.

| Element: Stats /StatsItems /StatsItem | | | | | |
|---------------------------------------|---------------|-------------------|-------------|--------------|--|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| ST_BD | BD_NO_MATCHES | | CC @RoundNo | N(2) 90 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total)) (see codes section) |
| | | | | | For @Value: Number of matches for this Round (@Pos round number). |
| | BD_NO_GAMES | | CC @RoundNo | N(3) 990 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Number of games for this Round (@Pos round number). |
| | BD_TP_SCORED | | CC @RoundNo | N(4) 9990 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and |



| Element: Stats /StatsItems /StatItem | | | | | |
|--------------------------------------|------------|-------------------|-------------|-------|---|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| | | | | | according to events, and the Total). |
| | | | | | For @Value: Total points scored for this Round (@Pos round number). |
| | BD_TD_TIME | | CC @RoundNo | HH:MM | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Total duration time (hours) for this Round (@Pos round number). HH is hours, MM is minutes |
| | BD_AVM_DUR | | CC @RoundNo | MM' | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Average match duration (minutes) for this Round (@Pos round number). MM is minutes |
| | BD_LGM_DUR | | CC @RoundNo | MM' | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Longest match duration (minutes) for this Round (@Pos round number). MM is minutes |
| | | BD_MATCH_NO | | S(5) | For @Type: Send proposed code (as type) |
| | BD_SHM_DUR | | CC @RoundNo | MM' | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Match Number (as event code + number of the match) corresponding to longest match duration, (e.g.: "WS326" for Women's Singles Match 326, "MS138" for Men's Singles Match 138...). |
| | | | | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |



| Element: Stats /StatsItems /StatItem | | | | | |
|--------------------------------------|-------------|-------------------|-------------|-------------------|---|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| | | | | | For @Value: Shortest match duration (minutes) for this Round (@Pos round number). MM is minutes |
| | | BD_MATCH_NO | | S(5) | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Match Number (as event code + number of the match) corresponding to shortest match duration (e.g.: "WS326" for Women's Singles Match 326, "MS138" for Men's Singles Match 138...). |
| | BD_TSU_USED | | CC @RoundNo | N(3) 990 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Total shuttles used for this Round (@Pos round number). |
| | BD_ASM_USED | | CC @RoundNo | N(2).N(1) 99.9 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Average number of shuttles used per match for this Round (@Pos round number). |
| | BD_PT_YCARD | | CC @RoundNo | N(1) 0 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Number of yellow penalty cards for this Round (@Pos round number). |
| | BD_PT_RCARD | | CC @RoundNo | N(1) 0 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Round Number (for each phase and according to events, and the Total). |
| | | | | | For @Value: Number of red penalty cards for this |



| Element: Stats /StatsItems /StatItem | | | | | |
|--------------------------------------|----------------|-------------------|-------------|-------------|---|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| | | | | | Round (@Pos round number). |
| | BD_PT_BCARD | | CC @RoundNo | N(1) 0 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Round Number (for each phase and according to events, and the Total). For @Value: Number of black penalty cards for this Round (@Pos round number). |
| | BD_LGR_TIME | | CC @RoundNo | SSS" | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Round Number (for each phase and according to events, without the Total). For @Value: Longest rally (seconds) for this Round (@Pos round number). |
| | BD_LGR_STROKES | | CC @RoundNo | N(3) 990 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Round Number (for each phase and according to events, without the Total). For @Value: Highest number of strokes in the longest rally for this Round (@Pos round number). |

For the table above, we have the following additional/summary information:

| Type /Code /ExtendedStat Code | Description | Expected |
|--------------------------------|--|--|
| ST_BD /BD_NO_MATCHES | Number of Matches for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_NO_GAMES | Number of Games for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_TP_SCORED | Total Points scored for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_TD_TIME | Total duration time (hours) for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_AVM_DUR | Average match duration (minutes) for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_LGM_DUR /BD_MATCH_NO | Longest match duration (minutes) with the corresponding match number, for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_SHM_DUR /BD_MATCH_NO | Shortest match duration (minutes) with the corresponding match number, for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_TSU_USED | Total shuttles used for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |



| Type /Code /ExtendedStat Code | Description | Expected |
|-------------------------------|--|--|
| ST_BD /BD_ASM_USED | Average shuttles used per match for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_PT_YCARD | Penalties (Yellow card) for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_PT_RCARD | Penalties (Red card) for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_PT_BCARD | Penalties (Black card) for each round and total, in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_LGR_TIME | Longest rally (seconds) for each round <u>without total</u> , in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |
| ST_BD /BD_LGR_STROKES | Number of strokes in the longest rally for each round <u>without total</u> , in Tournament statistics. | Always for the complete rounds, in the case of TOU statistics. |

The following table describes in more detail the Stats /Competitor /StatsItems /StatsItem element and its child element ExtendedStat, which should be used in the case of Doubles events in Match statistics - ANALYSIS, or the Stats /Competitor /Composition /Athlete /StatsItems /StatsItem element and its child element ExtendedStat, in the case of Singles events in Match statistics – ANALYSIS (and also should be used for all events in Penalty statistics - CUM).

| Element: Stats /Competitor /StatsItems /StatItem (for Doubles events) Stats /Competitor /Composition /Athlete /StatsItems /StatItem (for Singles events / for all events in Penalty statistics) | | | | | |
|---|----------|-------------------|-----|------------|--|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| ST_BD | BD_GAMES | | | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Do not send anything |
| | | BD_WON | | N(2) 90 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the number of games for (won) |
| | | BD_LOST | | N(2) 90 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the number of games against (lost) |
| | BD_RES | | | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |



| Element: Stats /Competitor /StatsItems /StatItem (for Doubles events) Stats /Competitor /Composition /Athlete /StatsItems /StatItem (for Singles events / for all events in Penalty statistics) | | | | | |
|---|-----------------------------|-------------------|-----------|---|---|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| | | | | | For @Value: Do not send anything |
| | | BD_WON | | N(3) 990 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the total number of points won |
| | | BD_LOST | | N(3) 990 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send the total number of points conceded (when lost) |
| | BD_PTY_CARDS | | N(1) 0 | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Sequential number to indicate the different type of penalty cards (from 1 to 3, 0 for no penalty cards). |
| | | | | | For @Value: Do not send anything |
| | BD_CARD_CC @CardType | | | N(2) 90 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Number of cards for this type of penalty card. |
| | BD_PTY_CARD_CC @CardType | | N(1) 9 | Concatenation of the following: CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Sequential number to differentiate when this card is imposed more than once in the same match. |
| | | | | | For @Value: RSC of the Event Unit, in the match where the disciplinary penalty is imposed. |
| | | BD_TIME | | MillisTime | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |



| Element: Stats /Competitor /StatsItems /StatItem (for Doubles events) Stats /Competitor /Composition /Athlete /StatsItems /StatItem (for Singles events / for all events in Penalty statistics) | | | | | |
|--|------|-------------------|-----|-------------|--|
| Type | Code | ExtendedStat Code | Pos | Value | Description |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: The time of penalty. |
| | | BD_OFFENCE | | CC @Offence | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Related offence to the penalty. |
| | | BD_SCORE | | String | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Score at offence (e.g.: an offence is produced at game-2, send the result at this time: "21-19, 7-7") |

For the table above, we have the following additional/summary information:

| Type /Code /ExtendedStat Code | Description | Expected |
|--|---|---|
| ST_BD /BD_GAMES /BD_WON | Number of Games For, in Match analysis statistics, for competitors up to the phases semi-final and final. | Always, in the case of ANALYSIS statistics |
| ST_BD /BD_GAMES /BD_LOST | Number of Games Against, in Match analysis statistics, for competitors up to the phases semi-final and final. | Always, in the case of ANALYSIS statistics |
| ST_BD /BD_RES /BD_WON | Number of Points Won, in Match analysis statistics, for competitors up to the phases semi-final and final. | Always, in the case of ANALYSIS statistics |
| ST_BD /BD_RES /BD_CONCEDED | Number of Points Conceded, in Match analysis statistics, for competitors up to the phases semi-final and final. | Always, in the case of ANALYSIS statistics |
| ST_BD /BD_PTY_CARDS /BD_CARD_CC @CardType | Number of penalty cards for each card type, in Match analysis statistics, for competitors up to the phases semi-final and final. | Always, in the case of ANALYSIS statistics |
| ST_BD /BD_PTY_CARD_CC @CardType /BD_TIME /BD_OFFENCE /BD_SCORE | Disciplinary penalty information (the event unit -RSC of the match-, time, offence and score at penalty) for each card type imposed, in Penalty statistics. | Always, if the information is available in the case of CUM statistics |

5.1.6.6 Message sort

Please, follow the general definition.



5.1.7 Brackets

5.1.7.1 Description

This message is the Brackets message as described in the ODF Sport Messages Interface Document.

In the case of Badminton, the message has to be sent for all the competition events, as listed in the header values section.

5.1.7.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.7.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following:

- After the last match of preliminaries is officialised.
- After every match during final phases.

5.1.7.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (it should be included when the competitor is not yet known)
- Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor and its child element (it should be included only when the competitor is known)

Moreover, the following should be considered:

- Bracket /BracketItems /BracketItem /NextUnit should be informed in the case of Singles events (Round of 16), Quarterfinals and Semi-finals.
- Bracket /BracketItems /BracketItem /NextUnitLoser should be informed just in the case of the Semi-finals.
- Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit should be informed in the case of the Final (Gold Medal Match and the Bronze Medal Match), Semi-finals, and also for Singles events (Quarterfinals).

5.1.7.5 Message Values

The following table lists the “Brackets” optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|-----------------------|-----------|-----|------------------|--|
| Bracket | Code | M | CC @Bracket | Bracket code to identify a bracket item. It should be always a bracket of finals. |
| Bracket /BracketItems | Code | M | CC @BracketItems | Bracket code to identify a set of bracket items. (see codes section) It is referred to the phase of event (round). It will be sent round of 16, ..., quarterfinals, semi-finals or final phase (e.g.: R16 Round of 16 -only for singles-... QFL Quarterfinals...) |



| Element | Attribute | M/O | Value | Comments |
|---|-----------|-----|---------------------|--|
| Bracket /BracketItems /BracketItem | Code | M | S(5) | Bracket code to identify a bracket item. It is referred to the related unit of phase. It will be sent the Match number (event code + number of match) for each bracket item, (e.g.: for Men's Singles events: MS110, MS112..., MS116 in R16, ..., MS141..., MS144 in QFL, etc.). |
| Bracket /BracketItems /BracketItem /CompetitorPlace | Code | O | CC @CompetitorPlace | It will be sent when there is no competitor for this bracket item (BYE) or when it is not known yet (UNK). |

The following table describes in more detail the Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace element.

| Element: Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace | | | | |
|---|-------------|----------|-------|---|
| Type | Code | Pos | Value | Description |
| ECP_BD | BD_COMP_INF | CC @Desc | S(5) | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Send if the competitor is the winner or the loser of (@Value) (see codes section) |
| | | | | For @Value: Send the Match number (event code + number of match) from the preceding phase for this bracket item. |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|---------------------|--|---|
| ECP_BD /BD_COMP_INF | The information in the place of the bracket regarding the rule to access to this place (the competitor is the winner or the loser of a match from the preceding phase, e.g.: "Loser MS135" in Men's Singles, etc.) | Just when the competitor is not known yet (when the CompetitorPlace @Code is UNK) |

5.1.7.6 Message sort

Please, follow the general definition.



5.1.8 Event's Medallists

5.1.8.1 Description

This message is the Event's Medallists message as described in the ODF Sport Messages Interface Document.

In the case of Badminton, the message has to be sent for all the competition events, as listed in the header values section.

5.1.8.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.8.3 Trigger and Frequency

Please, follow the general definition.

5.1.8.4 Message Structure

Please, follow the general definition.

5.1.8.5 Message Values

Please, follow the general definition.

5.1.8.6 Message sort

Please, follow the general definition.



5.1.9 Discipline/venue good morning

5.1.9.1 Description

This message is the Discipline/venue good morning message as described in the ODF Sport Messages Interface Document.

5.1.9.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.9.3 Trigger and Frequency

Please, follow the general definition.

5.1.9.4 Message Structure

Please, follow the general definition.

5.1.9.5 Message Values

Please, follow the general definition.

5.1.9.6 Message sort

Please, follow the general definition.



5.1.10 Discipline/venue good night

5.1.10.1 Description

This message is the Discipline/venue good night message as described in the ODF Sport Messages Interface Document.

5.1.10.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.10.3 Trigger and Frequency

Please, follow the general definition.

5.1.10.4 Message Structure

Please, follow the general definition.

5.1.10.5 Message Values

Please, follow the general definition.

5.1.10.6 Message sort

Please, follow the general definition.



5.1.11 Discipline configuration

5.1.11.1 Description

This message is the Discipline Configuration message as described in the ODF Sport Messages Interface Document.

5.1.11.2 Header Values

Please, follow the general definition.

5.1.11.3 Trigger and Frequency

Please, follow the general definition.

5.1.11.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- Configs /Config /ExtendedConfig /ExtendedConfigItem

5.1.11.5 Message Values

Send the attributes and codes according to the tables described in this section.

The following table lists the “Discipline configuration” optional attributes (defined in the ODF Sport Messages Interface Document) that are used in the case of Badminton, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|-----------------|-----------|-----|----------------------|---|
| Configs /Config | Gender | M | CC @DisciplineGender | Gender code of the RSC. |
| | Event | M | CC @Event | Event code of the RSC. |
| | Phase | O | CC @Phase | Phase code of the RSC. There are the following phases for: -Competition phases: (A) Group A (B) Group B (C) Group C (D) Group D (E)...(P) Group E...Group P (only for Singles) (4) Round of 16 (only for Singles) (3) Quarterfinals (2) Semi-finals (1) Finals -Daily schedule phase: (Y) Competition Day |
| | Unit | O | CC @Unit | It should be informed just in the case that the information is by Event Unit. It will be applied to the data of Session (@Code=BD_SESSION_DATA) for the daily schedule phase (@Phase='Y'). In this case, for phase 'Y', the event unit will be DD, the day of the month that the data contained in the message refers to. Values could be from 01 to 31. And also it will be applied to Match Number and Session number (@Code = BD_MATCH_NUMBER and BD_SESSION) for the rest of phases (Competition phases). In this case, the unit will be NN (a sequential number). |



The following table describes in more detail the Configs /Config /ExtendedConfig element and its child element ExtendedConfigItem.

| Element: Configs /Config /ExtendedConfig | | | | | |
|--|--|-------------------------|------------|------------|--|
| Type | Code | ExtendedConfigItem Code | Pos | Value | Description |
| EC_BD | BD_NUM_COURTS (Send by Session) | | | N(1) 9 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos : Do not send anything |
| | | | | | For @Value: Total number of courts per session |
| | BD_SESSION_DATA (Send by Event Unit-day) | | N(2) 90 | N(2) 90 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Session Number. Numeric from 1 to 19 for each of the session |
| | | | | | For @Value: Total number of matches per each session |
| | CC @EventCode | | | N(2) 90 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Total number of matches per each event code (see codes section) for this session. (e.g.: for event code WS (Women's Singles): 6 (matches)) |
| | BD_MATCH_NUMBER (Send by Event Unit of competition phase) | | | S(5) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos : Do not send anything |
| | | | | | For @Value: Match Number (as event code + number of the match) (e.g.: "WS326" for Women's Singles Match 326, "MS138" for Men's Singles Match 138...). |
| | BD_SESSION (Send by Event Unit of competition phase) | | | N(2) 90 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos : Do not send anything |
| | | | | | For @Value: Session Number. |

For the table above, we have the following additional/summary information



| Type /Code /ExtendedConfigItem Code | Description | Expected |
|--|--|---|
| EC_BD /BD_NUM_COURTS | It's the total number of courts for the competition by session. | Send by session, one time at the beginning of the games. |
| EC_BD /BD_SESSION_DATA /CC @EventCode | Data of each of the sessions per competition day (as Number of Matches per event's code and Total Number of matches per session number). | Send by event unit per day, always that the information is available. |
| EC_BD /BD_MATCH_NUMBER | Match number by event unit (as event code and the number of match). | Send by event unit per competition phase, just if this information is available (after the draw). |
| EC_BD /BD_SESSION | Session number by event unit (it will be the session where the previous match will be included). | Send by event unit per competition phase, just if this information is available (after the draw). |

5.1.11.6 Message sort

Please, follow the general definition.



6 Real time

The following chapter describes the ODF-RT part of Badminton.

6.1 Real Time Applicable Messages

The next table is a full list of all ODF-RT messages and describes the list of messages used in Badminton the same way as it is done in the table of chapter 4.

| Message Type | Message name | Message documented | Message used in this sport | Message extended in this document |
|-------------------------|----------------------------------|--------------------|----------------------------|-----------------------------------|
| DT_RT_GM | RT Discipline/Venue good morning | Sports | X | |
| DT_RT_GN | RT Discipline/venue good night | Sports | X | |
| DT_RT_KA | RT Discipline/venue keep alive | Sports | X | |
| DT_RT_RESULT | RT Event Unit Results | Sports | X | X |
| DT_RT_CUMULATIVE_RESULT | RT Cumulative Results | Sports | | |



6.1.1 RT Event Unit Results

6.1.1.1 Description

This message is the RT Event Unit Results message as described in the ODF Sport Messages Interface Document.

6.1.1.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

6.1.1.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger after any changes in match information.
 - T2: Trigger following any statistical changes.
 - T3: Trigger when the game finishes
 - T4: Trigger after match finishes
 - T5: Trigger at the beginning of each game
- ResultStatus="LIVE_FULL"
 - This value should be suggested to test frequency values around the average time used by the athlete to complete their participation in the course
- For other ResultStatus, follow the general definition.

6.1.1.4 Message Structure

The optional elements defined for this message in the ODF Sport Messages Interface Document that should be included in the case of Badminton are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- Periods /Period
- Periods /Period /ExtendedPeriods /ExtendedPeriod
- Result /Competitor /ExtendedResults /ExtendedResult (only for Doubles events)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (only for Singles events)
- Result /Competitor /Stats /Stat (only for Doubles events)
- Result /Competitor /Composition /Athlete /Stats /Stat (only for Singles events)

Please, follow the general considerations for all ResultStatus.

In the next section (message values), there is a more detailed definition.



6.1.1.5 Message Values

The following table describes in more detail the Result element.

| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|---------|------------|-----|-------------------|---|---------------------------------|
| Result | ResultType | O | CC @ResultType | Result type, either points or IRM with points for the corresponding event unit –match- (see codes section). Only will be informed (it is mandatory) at the end of the match. | T4 |
| | Result | O | N(1) 0 | Result for the particular event unit, i.e. the number of games won in the corresponding match. Send either in the case @ResultType is points or IRM with points (see codes section). | T4 |
| | IRM | O | CC @IRM | Invalid Result Mark (or suspension) for the particular event unit, in case it is assigned. Send just in the case @ResultType is both IRM and Points for some period; the match will have finished (see codes section). | T1, T4 |
| | WLT | O | S(1) | The code whether a competitor won (W), lost (L) the match. Only will be informed (it is mandatory) at the end of the match. | T4 |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the Home (1) and of the Away (2), and for the ended matches with the order of the Winner (1) and of the Loser (2). | T1, T2, T3, T4 |

The following table describes in more detail the UnitInfos /UnitInfo element in the case of Badminton.

| Element: UnitInfos /UnitInfo | | | | |
|------------------------------|----------------|-----|------------------|--|
| Type | Code | Pos | Value | Description |
| UI_BD | BD_M_DURATION | | MMM 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of the Match. MMM is minutes |
| | BD_M_STATUS | | CC @PeriodStatus | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Status of the match (see code section) |
| | BD_GM_COMPLETE | | N(1) | For @Type: |



| Element: UnitInfos /UnitInfo | | | | |
|------------------------------|------------------|-----|-------------|---|
| Type | Code | Pos | Value | Description |
| | | | 9 | Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of complete Games at the end of the match (from 2 to 3 games, according to the score system). |
| | BD_SHUTTLES_USED | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of shuttles used in the match. |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-------------------------|--|----------|
| UI_BD /BD_M_DURATION | Duration in minutes of the match. | T1, T4 |
| UI_BD /BD_M_STATUS | Status of the current Match. | T1, T4 |
| UI_BD /BD_GM_COMPLETE | Number of complete games in this match. | T1, T4 |
| UI_BD /BD_SHUTTLES_USED | Number of shuttles used for the current match. | T1, T4 |

The following table describes in more detail the Periods /Period element in the case of Badminton.

| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|-----------------|-----------------|-----|------------|--|---------------------------------|
| Periods /Period | Code | M | CC @Period | Period code, usually there are 3 games and match total. | T1, T3, T4 |
| | HomeScore | M | N(1) 0 | Home competitor score up (number of the games won) at the end of this game (@Code period) (e.g.: 2 at the end of Period-2 (Game 2), it has won two games - this game and the previous one-). | T1, T3, T4 |
| | AwayScore | M | N(1) 0 | Away competitor score up (number of the games won) at the end of this game (@Code period) (e.g.: 0 at the end of Period-2 (Game 2), it has not won any game - has lost this game and the previous one-). | T1, T3, T4 |
| | HomePeriodScore | O | N(2) 90 | Home competitor points just for this game (@Code period, except for match total -TOT period code-) (e.g.: 21 points for Period-2 (Game 2), has won this game). | T1, T3 |
| | AwayPeriodScore | O | N(2) 90 | Away competitor points just for this game (@Code period, except for match total -TOT period code-) (e.g.: 18 points for Period-2 (Game 2), has lost this game). | T1, T3 |



| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|---------|-----------|-----|------------|---|---------------------------------|
| | Duration | M | MMM 990 | Duration of this game/match (@Code period), including breaks during the game/s. For match total (TOT period code), will be the sum of games duration plus breaks between games. MMM are minutes. | T1, T3, T4 |

The following table describes in more detail the Periods /Period /ExtendedPeriods /ExtendedPeriod element in the case of Badminton (for each period).

| Element: Periods /Period /ExtendedPeriods /ExtendedPeriod | | | | |
|---|------------------|-----|------------------|--|
| Type | Code | Pos | Value | Description |
| EP_BD | BD_LGR_TIME | | SS 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of longest rally. SS is seconds |
| | BD_LGR_STROKES | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of strokes in the longest rally. |
| | BD_AVR_TIME | | SS 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Duration of average rally. SS is seconds |
| | BD_AVR_STROKES | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of strokes in the average rally. |
| | BD_SHUTTLES_USED | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Number of shuttles used. |
| | BD_STATUS | | CC @PeriodStatus | For @Type: |



| Element: Periods /Period /ExtendedPeriods /ExtendedPeriod | | | | |
|---|-----------|-----------|---------------|---|
| Type | Code | Pos | Value | Description |
| | | | | Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Status of this period (see codes section) |
| | BD_WINNER | | S(1) (H,A) | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Winner Indicator for this period when it is finished (Ended status). Send 'H' or 'A' if the game/match is won by Home or Away. |
| | BD_IRM | N(1) 0 | CC @IRM | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Indicator of the one who has produced the IRM. Send 1 or 2 for Home or Away competitor. |
| | | | | Invalid Result Mark for the particular period (CC @Period). |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------------|---|----------|
| EP_BD /BD_LGR_TIME | Duration in seconds of the longest rally of each period. | T3 |
| EP_BD /BD_LGR_STROKES | Number of strokes in the longest rally of each period. | T3 |
| EP_BD /BD_AVR_TIME | Duration in seconds of average rally of each period. | T3 |
| EP_BD /BD_AVR_STROKES | Number of strokes in the average rally of each period. | T3 |
| EP_BD /BD_SHUTTLES | Number of shuttles used of each period. | T3 |
| EP_BD /BD_STATUS | Status of each period (game/match). | T1, T3 |
| EP_BD /BD_WINNER | Winner Indicator (H-Home, A-Away) for each period when it is finished. | T3 |
| EP_BD /BD_IRM | Invalid Result Mark for the particular period (CC @Period), indicating who has produced it (the Home or the Away competitor). The IRM should always be noted in the TOT period, and additionally in the G1/G2/G3 period if the IRM occurs during play. | T1, T3 |

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element, which should be used in the case of Doubles events, or the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element in the case of Singles events.



| Element: Result /Competitor /ExtendedResults /ExtendedResult (in the case of Doubles) Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (in the case of Singles) | | | | | |
|---|----------------------|----------------|-----|---------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_BD | BD_SERVICE_INDICATOR | | | S(1) (Y,N) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send 'Y' if the competitor has the service, and "N" otherwise (if not and it has changed). |
| | BD_GAME_POINT | | | S(1) (Y,N) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send 'Y' if the competitor has the Game Point, and "N" otherwise (if not and it has changed). |
| | BD_MATCH_POINT | | | S(1) (Y,N) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Send 'Y' if the competitor has the Match Point, and "N" otherwise (if not and it has changed). |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------------------|--|----------|
| ER_BD /BD_SERVICE_INDICATOR | Indicates which player is currently serving. | T1 |
| ER_BD /BD_GAME_POINT | Indicates that this player has the advantage in winning the current GAME. | T1 |
| ER_BD /BD_MATCH_POINT | Indicates that this player has the advantage in winning the current MATCH. | T1 |

The following table describes in more detail the Result /Competitor /Stats /Stat element, which should be used in the case of Doubles events, or the Result /Competitor /Composition /Athlete /Stats /Stat element in the case of Singles events.

| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|--------------|--------------|------------|----------------------------------|
| Type | Code | Pos | Value | Description |
| ST_BD | BD_MT_POINTS | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | Or | For @Code: Send proposed code |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|---------------------|--------------|------------|--|
| Type | Code | Pos | Value | Description |
| | | | blank | For @Pos: Period Number (usually there are 3 games) |
| | | | | For @Value: Number of match points for game 2 or 3 only (@Pos period number). |
| | BD_GM_POINTS | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Number of game points for this game (@Pos period number). |
| | BD_PTS_NOSERVICE | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Points scored without service for this game (@Pos period number). |
| | BD_PTS_SERVICE | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Points scored with service for this game (@Pos period number). |
| | BD_BG_NOSERV_CHANGE | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Biggest scoring run without change of service for this game (@Pos period number). |
| | BD_BG_LEAD | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Biggest lead for this game (@Pos period number). |
| | BD_BG_CBACK_WIN | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|--|----------------------|--------------|-------------|--|
| Type | Code | Pos | Value | Description |
| | | | | Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Biggest comeback to win for this game (@Pos period number). |
| | BD_SERVICE_FAULTS | CC @PeriodNo | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Service faults for this game (@Pos period number). |
| | BD_PCARDS_RES | CC @PeriodNo | String | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Period Number |
| | | | | For @Value: Penalty cards and the result at penalty for this game (@Pos period number) (e.g.: a yellow card penalty during Game-1 when the result was 4-3, send "Y(4-3)" for @Pos=1, or, two red cards penalty during Game-2, send "R(3-1) R(14-20)" for @Pos=2). |
| | BD_GAMES_WON | | N(1) 0 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the number of games that this competitor (player) has won in the current MATCH |
| | BD_MT_SERVICE_FAULTS | | N(3) 990 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |
| | | | | For @Value: Send the number of services faults cumulative throughout the current MATCH by this competitor (player) |
| | BD_GAME_POINT_COUNT | | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos: Do not send anything |



| Element: Result /Competitor /Stats /Stat (in the case of Doubles) Result /Competitor /Composition /Athlete /Stats /Stat (in the case of Singles) | | | | |
|---|----------------------|-----|------------|--|
| Type | Code | Pos | Value | Description |
| | | | | For @Value: Send the cumulative number of times that this competitor (player) has had the game point advantage in the current MATCH |
| | BD_MATCH_POINT_COUNT | | N(2) 90 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Send the cumulative number of times that this competitor (player) has had the match point advantage in the current MATCH |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------------------|--|----------|
| ST_BD /BD_MT_POINTS | Number of match points for a period number, when apply. | T2, T5 |
| ST_BD /BD_GM_POINTS | Number of game points for each period number, when apply. | T2, T5 |
| ST_BD /BD_PTS_NOSERVICE | Points scored without service for each period number. | T2, T5 |
| ST_BD /BD_PTS_SERVICE | Points scored with service for each period number. | T2, T5 |
| ST_BD /BD_BG_NOSERV_CHANGE | Biggest scoring run without change of service for each period number. | T2, T5 |
| ST_BD /BD_BG_LEAD | Biggest lead for each period number. | T2, T5 |
| ST_BD /BD_BG_CBACK_WIN | Biggest comeback to win for each period number, when apply). | T2, T5 |
| ST_BD /BD_SERVICE_FAULTS | Service faults for each period number, when apply. | T2, T5 |
| ST_BD /BD_PCARDS_RES | Penalty cards and the result at penalty for each period number, when apply. | T2 |
| ST_BD /BD_GAMES_WON | Number of games that this competitor (player) has won in the current MATCH. | T2 |
| ST_BD /BD_MT_SERVICE_FAULTS | Number of services faults cumulative throughout the current MATCH by this competitor (player). | T2 |
| ST_BD /BD_GAME_POINT_COUNT | Cumulative number of times that this competitor (player) has had the game point advantage in the current MATCH. | T2 |
| ST_BD /BD_MATCH_POINT_COUNT | Cumulative number of times that this competitor (player) has had the match point advantage in the current MATCH. | T2 |

6.1.1.6 Message sort

Please, follow the general definition.



DOCUMENT CONTROL

Version history

| Version | Date | Comments |
|----------------|--------------------|---|
| R2 v1.0 | 03 Jul 2009 | Submitted for review version |
| R2 v2.0 | 31 Jul 2009 | Changes after IDM, added the copyright and Submitted for Approval version |
| R2 v3.0 | 28 Aug 2009 | Approved version |
| R2 v3.1 | 04 Jun 2010 | Some minor corrections |
| R2 v4.0 | 23 Sep 2010 | ORIS Release 5 version 1.1 changes and some minor issues |
| R2 v4.1 | 11 Feb 2011 | Some minor issues/improvements |
| R2 v5.0 | 11 Mar 2011 | IR22 and some minor issues |
| R2 v5.1 | 08 Apr 2011 | Some minor issues |
| R2 v5.2 | 06 May 2011 | Some defects |
| R2 v6.0 | 08 Jul 2011 | CR3236 and some minor issues |
| R2 v6.1 | 03 Oct 2011 | Some minor issues |
| R2 v7.0 | 09 Jan 2012 | IR101 |
| R2 v7.1 | 20 Jan 2012 | Some minor issues |
| R2 v7.2 | 12 Mar 2012 | Some minor issues |
| R2 v7.3 | 13 Apr 2012 | Some minor issues |

File reference: ODF/INT022-R2-v7.3 APP (BD)



Change Log

| Version | Status | Changes on version |
|---------|--------|---|
| R2 v1.0 | SFR | <ul style="list-style-type: none">First version |
| R2 v2.0 | SFA | <ul style="list-style-type: none">Submitted for approval versionAfter IDM meeting:<ul style="list-style-type: none">Codes: CC @PeriodStatus: added the codes "SCH" for 'Scheduled', "RCH" for 'Rescheduled' and "D" for 'Delayed'.Start List: the code EUE_BD /BD_CLOTHING has been deleted (it is not necessary) from the Competitor/EventUnitEntry (for Doubles events).Added the copyright.Changed the name of the DT_PARTIC_HORSES_UPDATE message to "List of horses update". |
| R2 v3.0 | APP | <ul style="list-style-type: none">Approved version |
| R2 v3.1 | APP | <ul style="list-style-type: none">Event Unit Results / RT Event Unit Results: has been changed the @Pos attribute to have a numeric value (1 or 2, instead of a string "H" or "A") for the code BD_IRM in the Periods/Period/ExtendedPeriods/ExtendedPeriod element. |
| R2 v4.0 | APP | <ul style="list-style-type: none">Added DT_POOL_STANDING message |
| R2 v4.1 | APP | <ul style="list-style-type: none">Event Unit Results: Added elements to unify with Real Time.Codes: CC @BracketItems: included the comment "(only for Singles)" in the code 'R16' for "Round of 16". Added the code entity CC @Hand to have the codes of handedness. CC @RoundCode: eliminated the codes 'R/64' for "Round of 64" and 'R/32' for "Round of 32" (they are not necessary). And the codes of groups for the group play stage have been added as: 'A', 'B', 'C', 'D', 'E', 'F'... to 'P', and including the comment "(only for Singles)" for the codes of 'E' to 'P' as well as in the code 'R16' for "Round of 16". CC @RoundNo: eliminated the codes '6' for "Round of 64" and '5' for "Round of 32", added the code '9' for "Group play stage", and including the comment "(only for Singles)" in the code '4' for "Round of 16".List of participants by discipline (and update):<ul style="list-style-type: none">The value of the code E_HAND has been changed to a code @CC Hand from the element Participant/Discipline/RegisteredEvent/EventEntry,Added the new code E_MQS for the ranking points in the element Participant/Discipline/RegisteredEvent/EventEntry.List of teams by discipline (and the update): Added the new code E_MQS for the team's ranking points in the element Team/Discipline/RegisteredEvent/EventEntry.Start List / Pool standings / Statistics / Brackets / Discipline configuration: To adapt the whole document to eliminate the phases of R64 and R32 and to include those of the groups of the Group play stage.Start List: Updated the attribute StartOrder to have the same value for all phases (i.e.: 1 for Home and 2 for Away), instead of to have the draw number for Singles events in the Round of 16.Statistics / Brackets / Discipline configuration: Changed the value of the Match number (event code + number of match) to S(5) (from S(4)), due to match numbers have been updated to S(3).(IR008): Changed the attribute DocumentCode of the Pool Standings message, it will be to phase level of the preliminaries (9).Discipline configuration:<ul style="list-style-type: none">A new trigger (when changes at some data) has been added since it might change a match in a session for example.The code BD_RANKING_DATE (Date of the World Ranking of each event) has been removed; since does not have sense to define it.RT Event Unit Results: A new trigger T5 (at the beginning of each game) has been added for send the competitors' stats by period with the initial value. And have been included the triggers T2 and T3 to the attribute @SortOrder. |



File reference: ODF/INT022-R2-v7.3 APP (BD)

Change Log

| Version | Status | Changes on version |
|---------|--------|---|
| R2 v5.0 | APP | <ul style="list-style-type: none">Results: Merge RT data in PiT.IR022: Changes after the WNPA meeting:<ul style="list-style-type: none">Change the triggers and frequency as the revision of WNPA meetingCodes: add a format column to Section 3 of the Data Dictionaries |
| R2 v5.1 | APP | <ul style="list-style-type: none">Event Unit Results, Statistics and Brackets: Triggers have been modified. |
| R2 v5.2 | APP | <ul style="list-style-type: none">Codes: Codes M and N have been changed to X and X in CC @RoundCode.List of participants by discipline and update: E_ENTRY /E_SHIRT_NAME code has been removed because it was not necessary.Event Unit Results, Statistics, Brackets: Header Values and Trigger and Frequency sections have been updated. |
| R2 v6.0 | APP | <ul style="list-style-type: none">CR3236:<ul style="list-style-type: none">Codes: WDN code has been added in CC @IRM and SUS code has been removed.Pool standings:<ul style="list-style-type: none">Result /IRM attribute has been added.All BD_MATCHES, BD_GAMES and BD_PTS values have been updated because they could be null.RT Event Unit Results: comments about ResultStatus have been updated. |
| R2 v6.1 | APP | <ul style="list-style-type: none">Codes:<ul style="list-style-type: none">Code has been changed to "5" in CC @RoundNo for Group play stage as per common codes.List of teams by discipline:<ul style="list-style-type: none">International FederationId element has been removed as it is not needed for teams.Event Unit Results:<ul style="list-style-type: none">Description has been updated for ER_BD_FLOW /BD_SCORE_CC code.Event Unit Results & RT Event Unit Results:<ul style="list-style-type: none">BD_MT_POINTS value and description have been updated.Pool Standings:<ul style="list-style-type: none">A trigger has been added.RankEqual comment has been updated.Brackets:<ul style="list-style-type: none">Trigger and Frequency section has been updated to follow IR022.ECP_BD /BD_COMP_INF value has been changed to "S(5)" to allow the length of a match number. |
| R2 v7.0 | APP | <ul style="list-style-type: none">IR101: DT_SERIAL message added in the PiT messages. |
| R2 v7.1 | APP | <ul style="list-style-type: none">Discipline configuration:<ul style="list-style-type: none">EC_BD /BD_NUM_COURTS code should be sent by session instead of by phase. |
| R2 v7.2 | APP | <ul style="list-style-type: none">List of participants:<ul style="list-style-type: none">InternationalFederationId: BWF number has been changed to BWF ID and it is now optional.E_ENTRY /E_MQS value has been changed to N(5).N(4).Event Unit Results & RT Event Unit Results:<ul style="list-style-type: none">EP_BD /BD_IRM description has been updated to explain what is expected. |
| R2 v7.3 | APP | <ul style="list-style-type: none">List of participants: |



File reference: ODF/INT022-R2-v7.3 APP (BD)

Change Log

| Version | Status | Changes on version |
|---------|--------|--|
| | | <ul style="list-style-type: none">▪ It has been specified that the entries E_RANK, E_SEED and E_MQS only apply for Individual Participant and not for Participant on Team (#67145).▪ E_ENTRY /E_MQS value has been changed to N(6).N(4) (#66848). |



This page has been intentionally left blank