

Modifications from London ODF versions are highlighted in **green**

Olympic Data Feed

Baku 2015

ODF Swimming Data Dictionary

ODF/INT432 R-SEG-2015 V1.5 APP - 19 March 2015
Technology and Information Department

© International Olympic Committee



Baku 2015
1ST EUROPEAN GAMES

This document is based on information provided by the IOC to Baku 2015 and is subject to the terms and conditions of the license agreement entered into between the IOC and Baku 2015, which is reproduced hereafter. The copyright of such document belongs to the IOC

License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.

TABLE OF CONTENT

| | | |
|------------|--|-----------|
| 1 | Introduction | 6 |
| 1.1 | This document..... | 6 |
| 1.2 | Objective | 6 |
| 1.3 | Main Audience..... | 6 |
| 1.4 | Glossary | 6 |
| 1.5 | Related Documents..... | 6 |
| 2 | Overall Perspective | 8 |
| 2.1 | Objective | 8 |
| 2.2 | End to End data flow | 8 |
| 3 | Codes | 9 |
| 3.1 | Schedule Status: Triggers for 'Getting Ready' & 'Running' status..... | 10 |
| 4 | Swimming Data Extension | 11 |
| 4.1 | General Issues | 11 |
| 4.1.1 | ODF header | 11 |
| 4.1.2 | Attributes Definition..... | 11 |
| 5 | Point in Time..... | 12 |
| 5.1 | Point in Time Applicable Messages | 12 |
| 5.1.1 | List of participants by discipline / List of participants by discipline update | 14 |
| 5.1.1.1 | Description..... | 14 |
| 5.1.1.2 | Header Values..... | 14 |
| 5.1.1.3 | Trigger and Frequency | 14 |
| 5.1.1.4 | Message Structure | 14 |
| 5.1.1.5 | Message Values | 14 |
| 5.1.1.6 | Message sort | 15 |
| 5.1.2 | List of teams by discipline / List of teams by discipline update | 16 |
| 5.1.2.1 | Description..... | 16 |
| 5.1.2.2 | Header Values..... | 16 |
| 5.1.2.3 | Trigger and Frequency | 16 |
| 5.1.2.4 | Message Structure | 16 |
| 5.1.2.5 | Message Values | 16 |
| 5.1.2.6 | Message sort | 17 |
| 5.1.3 | Historical records | 18 |
| 5.1.3.1 | Description..... | 18 |
| 5.1.3.2 | Header Values..... | 18 |
| 5.1.3.3 | Trigger and Frequency | 18 |
| 5.1.3.4 | Message Structure | 18 |
| 5.1.3.5 | Message Values | 18 |
| 5.1.3.6 | Message sort | 19 |
| 5.1.4 | Start List..... | 20 |
| 5.1.4.1 | Description..... | 20 |
| 5.1.4.2 | Header Values..... | 20 |
| 5.1.4.3 | Trigger and Frequency | 20 |
| 5.1.4.4 | Message Structure | 20 |
| 5.1.4.5 | Message Values | 20 |
| 5.1.4.6 | Message sort | 23 |
| 5.1.5 | Event Unit Results | 24 |
| 5.1.5.1 | Description..... | 24 |

| | | |
|----------|-------------------------------------|----|
| 5.1.5.2 | Header Values | 24 |
| 5.1.5.3 | Trigger and Frequency | 24 |
| 5.1.5.4 | Message Structure | 24 |
| 5.1.5.5 | Message Values | 24 |
| 5.1.5.6 | Message sort | 29 |
| 5.1.6 | Phase Results | 30 |
| 5.1.6.1 | Description | 30 |
| 5.1.6.2 | Header Values | 30 |
| 5.1.6.3 | Trigger and Frequency | 30 |
| 5.1.6.4 | Message Structure | 30 |
| 5.1.6.5 | Message Values | 30 |
| 5.1.6.6 | Message sort | 32 |
| 5.1.7 | Cumulative Results | 33 |
| 5.1.7.1 | Description | 33 |
| 5.1.7.2 | Header Values | 33 |
| 5.1.7.3 | Trigger and Frequency | 33 |
| 5.1.7.4 | Message Structure | 33 |
| 5.1.7.5 | Message Values | 33 |
| 5.1.7.6 | Message sort | 35 |
| 5.1.8 | Event's Medallists | 36 |
| 5.1.8.1 | Description | 36 |
| 5.1.8.2 | Header Values | 36 |
| 5.1.8.3 | Trigger and Frequency | 36 |
| 5.1.8.4 | Message Structure | 36 |
| 5.1.8.5 | Message Values | 36 |
| 5.1.8.6 | Message sort | 36 |
| 5.1.9 | Records | 37 |
| 5.1.9.1 | Description | 37 |
| 5.1.9.2 | Header Values | 37 |
| 5.1.9.3 | Trigger and Frequency | 37 |
| 5.1.9.4 | Message Structure | 37 |
| 5.1.9.5 | Message Values | 37 |
| 5.1.9.6 | Message sort | 39 |
| 5.1.10 | Discipline/venue good morning | 40 |
| 5.1.10.1 | Description | 40 |
| 5.1.10.2 | Header Values | 40 |
| 5.1.10.3 | Trigger and Frequency | 40 |
| 5.1.10.4 | Message Structure | 40 |
| 5.1.10.5 | Message Values | 40 |
| 5.1.10.6 | Message sort | 40 |
| 5.1.11 | Discipline/venue good night | 41 |
| 5.1.11.1 | Description | 41 |
| 5.1.11.2 | Header Values | 41 |
| 5.1.11.3 | Trigger and Frequency | 41 |
| 5.1.11.4 | Message Structure | 41 |
| 5.1.11.5 | Message Values | 41 |
| 5.1.11.6 | Message sort | 41 |
| 5.1.12 | Discipline configuration | 42 |
| 5.1.12.1 | Description | 42 |
| 5.1.12.2 | Header Values | 42 |
| 5.1.12.3 | Trigger and Frequency | 42 |
| 5.1.12.4 | Message Structure | 42 |
| 5.1.12.5 | Message Values | 42 |
| 5.1.12.6 | Message sort | 45 |

6 Real time **46**

| | | |
|-------|-------------------------------------|----|
| 6.1 | Real Time Applicable Messages | 46 |
| 6.1.1 | RT Event Unit Results | 47 |

| | | |
|-------------------------------|-----------------------------|-----------|
| 6.1.1.1 | Description..... | 47 |
| 6.1.1.2 | Header Values..... | 47 |
| 6.1.1.3 | Trigger and Frequency | 47 |
| 6.1.1.4 | Message Structure | 47 |
| 6.1.1.5 | Message Values | 48 |
| 6.1.1.6 | Message sort..... | 54 |
| 6.1.2 | RT Cumulative Results | 55 |
| 6.1.2.1 | Description..... | 55 |
| 6.1.2.2 | Header Values..... | 55 |
| 6.1.2.3 | Trigger and Frequency | 55 |
| 6.1.2.4 | Message Structure | 55 |
| 6.1.2.5 | Message Values | 55 |
| 6.1.2.6 | Message sort..... | 58 |
| DOCUMENT CONTROL | | 59 |

1 Introduction

1.1 This document

This document includes the ODF Swimming Data Dictionary. This Data Dictionary refines the messages described in the ODF1 General Messages Interface Document specifically for Swimming, as well as defines the codes used in these messages.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Swimming Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Swimming competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News and Press Agencies, Rights Holding Broadcasters and International European Federations.

1.4 Glossary

The following abbreviations are used in this document

- **EOC** – European Olympic Committee
- **FINA** – “Fédération Internationale de Natation”
- **IF** – International Federation
- **IOC** – International Olympic Committee
- **NOC** – National Olympic Committee
- **ODF** – Olympic Data Feed
- **ODF-RT** – Olympic Data Feed Real Time
- **RSC** – Results System Codes
- **SW** – Swimming
- **WNPA** – World News Press Agencies

1.5 Related Documents

| Document Reference | Document Title | Document Description |
|--------------------|---|---|
| ODF/INT401 | ODF Principles for the Baku 2015 European | This document describes the general technical standards |

| Document Reference | Document Title | Document Description |
|--------------------|--|--|
| | Games | to be used at the European Games in Baku 2105 |
| ODF/COD404 | ODF Common Codes | This document describes the ODF codes used across the rest of the ODF documents |
| ODF/COD405 | ODF Header Value | This document details the header values, showing which RSCs are used in which messages |
| ODF/INT402 | ODF1 General Messages Interface Document | This document describes the ODF central and sport messages |

2 Overall Perspective

2.1 Objective

The objective of this document is to focus on the formal definition of the ODF1 Swimming Data Dictionary.

2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF1 General Messages Interface Document, since this ODF Swimming Data Dictionary is a particularization of this document.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Swimming.

Please note, that Swimming ODF is provided as described in the document in an ODF1 format for all the sports messages.

3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise. Please refer to ODF Sport Codes Document to know the format of these codes.

| Code Entity | Code Entity Set of Values | |
|--|---|----------------------------------|
| CC @Country | Defined in ODF Common Codes Document See entity Country <ul style="list-style-type: none"> The entity's attribute to be used is Code | |
| CC @Discipline | Defined in ODF Common Codes Document See entity Discipline <ul style="list-style-type: none"> The entity's attribute to be used is Discipline However, valid disciplines will be those which Non-Sport attribute='N' | |
| CC @DisciplineGender | Defined in ODF Common Codes Document See entity Discipline Gender <ul style="list-style-type: none"> The entity's attribute to be used is Gender It will be related to Discipline | |
| CC @Event | Defined in ODF Common Codes Document See entity Event <ul style="list-style-type: none"> The entity's attribute to be used is Event It will be related to Discipline and Gender | |
| CC @IRM | Code | Description |
| (The codes order provided is according to the sport rules. In case of several IRM of the same code, sort by bib numbers in ascending order). | DNS | Did not start |
| | DNF | Did not finish |
| | DSQ | Disqualified |
| | OTL | Over Time Limit |
| | pd | Pending for disqualification |
| CC @Organisation | Defined in ODF Common Codes Document See entity Organisation <ul style="list-style-type: none"> The entity's attribute to be used is Code | |
| CC @PerformanceCategory | Code | Description |
| | WRP | World Record Chronology |
| | ALL | Top 10 - All Time |
| | CUY | Top 10 - Current Year Performers |
| CC @Phase | Defined in ODF Common Codes Document | |

| Code Entity | Code Entity Set of Values | |
|-----------------------|---|--|
| | See entity Phase <ul style="list-style-type: none"> The entity's attribute to be used is Phase It will be related to Discipline, Gender and Event | |
| CC @QualificationMark | Code | Description |
| | Q | Qualified for the next phase (semi-final or final) |
| | ? | Involved in swim-off |
| CC @RecordType | Defined in ODF Common Codes Document See entity Record Type <ul style="list-style-type: none"> The entity's attribute to be used is Type It will be related to Discipline | |
| CC @ResultType | Code | Description |
| | IRM | Invalid Result Mark |
| | TIME | Performance as a Time value |
| CC @Stroke | Code | Description |
| | 1 | Freestyle |
| | 2 | Butterfly |
| | 3 | Breaststroke |
| | 4 | Backstroke |
| CC @Unit | Defined in ODF Common Codes See entity Unit <ul style="list-style-type: none"> The entity's attribute to be used is Event Unit It will be related to Discipline, Gender, Event and Phase | |
| | | |

3.1 Schedule Status: Triggers for 'Getting Ready' & 'Running' status

Swimming ODF is provided as described in the document in an ODF1 format for all the sports messages and for Swimming

a new Schedule Status "Getting Ready" (code 3) has been introduced as mentioned in the in the ODF1 General Messages Interface document and in the Common Codes document.

These are the triggers used for changing the Schedule Status to Getting Ready and Running.

| Sport | Event | Phase | Trigger for ScheduleStatus 'Getting Ready' (code 3) | Trigger for ScheduleStatus "Running" (code 4) |
|-------|-------|-------|---|---|
| SW | all | all | Athletes entering the pool area | Start signal (and clock begins) |

4 Swimming Data Extension

4.1 General Issues

The following sections extend and complete the information to be sent in each of the messages for this particular discipline, if some particularization is needed. If there are special considerations for any of the message types that have to be sent for this discipline, then they should be considered in the following sections. If nothing is mentioned for a particular message type, then the general rules, as defined in the ODF1 General Messages Interface Document, should be respected for the messages described in the chapter 4 of this document.

4.1.1 ODF header

Regarding to the ODF header values, you should follow the description in the ODF Principles for the Baku 2015 European Games Document. However, the following attributes could be refined for each message type regarding to the header values:

- ODF Header: DocumentCode.

4.1.2 Attributes Definition

The attributes types are explained in the section “Formats used in ODF” of the ODF Principles for the Baku 2015 European Games Document. Please, refer to that document for further information

5 Point in Time

5.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Swimming, as well as the category of each message, which identifies if the message structure definition can be found either in the Central Messages or Sport Messages paragraph of the ODF1 General Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Paragraph documented” indicates the paragraph in the ODF1 General Messages Interface Document where you should go to have the general definition for a particular Message type
- The column “Message used in this sport” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended in this document” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

| Message Type | Message name | Paragraph documented | Message used in this sport | Message extended in this document |
|------------------------|---|----------------------|----------------------------|-----------------------------------|
| DT_SCHEDULE | Competition schedule | Central | X | |
| DT_SCHEDULE_UPDATE | Competition schedule update | Central | X | |
| DT_PARTIC | List of participants by discipline | Central | X | X |
| DT_PARTIC_UPDATE | List of participants by discipline update | Central | X | X |
| DT_PARTIC_TEAMS | List of teams | Central | X | X |
| DT_PARTIC_TEAMS_UPDATE | List of teams update | Central | X | X |
| DT_MEDALS | Medal standings | Central | Global (ODF2 format) | |
| DT_MEDALLISTS_DAY | Medallists of the day | Central | Global (ODF2 format) | |
| DT_HISTORIC_RECORD | Historical records | Central | X | X |
| DT_GLOBAL_GM | Global good morning | Central | Global | |

| Message Type | Message name | Paragraph documented | Message used in this sport | Message extended in this document |
|--------------------------|---|----------------------|----------------------------|-----------------------------------|
| | | | (ODF2 format) | |
| DT_GLOBAL_GN | Global good night | Central | Global (ODF2 format) | |
| DT_START_LIST | Start List | Sports | X | X |
| DT_RESULT | Event Unit Results | Sports | X | X |
| DT_PHASE_RESULT | Phase Results | Sports | X | X |
| DT_CUMULATIVE_RESULT | Cumulative Results | Sports | X | X |
| DT_POOL_STANDING | Pool Standings of group in a team competition | Sports | | |
| DT_RANKING | Event Final ranking | Sports | X | |
| DT_STATS | Statistics table | Sports | | |
| DT_MEDALLISTS | Medallists of one event | Sports | X | X |
| DT_MEDALLISTS_DISCIPLINE | Medallists by discipline | Sports | X | |
| DT_RECORD | Records | Sports | X | X |
| DT_COMMUNICATION | Official Communication | Sports | X | |
| DT_BRACKETS | Brackets | Sports | | |
| DT_GM | Discipline/venue good morning | Sports | X | X |
| DT_GN | Discipline/venue good night | Sports | X | X |
| DT_CONFIG | Discipline configuration | Sports | X | X |
| DT_WEATHER | Event Unit Weather conditions | Sports | | |

5.1.1 List of participants by discipline / List of participants by discipline update

5.1.1.1 Description

This message is the List of participants (current athletes, officials and historical athletes) by discipline (and the update) as described in the ODF1 General Messages Interface Document.

5.1.1.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.1.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.1.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Participant /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.1.5 Message Values

The following table lists the “List of participants by discipline / update” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|-------------|-----------|-----|-------------|---|
| Participant | BirthDate | O | YYYYMMDD | Date of birth. It will be included if this information is available. |
| | Height | O | N(3) 999 | Height in centimetres. It will be included if this information is available. |
| | Weight | O | N(3) 999 | Weight in kilograms. It will be included if this information is available. |

The following table describes in more detail the Participant /Discipline /RegisteredEvent /EventEntry element in the case of Swimming.

| Element: Participant /Discipline /RegisteredEvent /EventEntry | | | | |
|---|---------------------|-----|----------------------|--|
| Type | Code | Pos | Value | Description |
| E_ENTRY | E_Q_TIME | | MM:SS.tt 99:90.00 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Athlete's Season Best Qualifying Time . |
| | | | | Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| | E_Q_DATE | | YYYYMMDD | For @Type: Send proposed type |

| Element: Participant /Discipline /RegisteredEvent /EventEntry | | | | |
|---|-------------|-----|-------------|--|
| Type | Code | Pos | Value | Description |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Date of Athlete's Qualification |
| | E_Q_CITY | | S(25) | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: City (Location) of Athlete's Qualification |
| | E_Q_COUNTRY | | CC @Country | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Country ID of the Athlete's Qualification city (location) |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|----------------------|---|---|
| E_ENTRY /E_Q_TIME | Athlete's Qualifying Time. Only applies for Individuals. | Always, as soon as this information is known (it can be sent in both messages). Not required for Marathon. |
| E_ENTRY /E_Q_DATE | Date of Athlete's Qualification. Only applies for Individuals. | Always, as soon as this information is known (it can be sent in both messages). |
| E_ENTRY /E_Q_CITY | City (Location) of Athlete's Qualification. Only applies for Individuals. | Always, as soon as this information is known (it can be sent in both messages). |
| E_ENTRY /E_Q_COUNTRY | Country ID of the Athlete's Qualification city (location). Only applies for Individuals. | Always, as soon as this information is known (it can be sent in both messages). |

5.1.1.6 Message sort

Please, follow the general definition.

5.1.2 List of teams by discipline / List of teams by discipline update

5.1.2.1 Description

This message is the List of teams by discipline (and the update) as described in the ODF1 General Messages Interface Document.

5.1.2.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.2.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.2.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Team /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.2.5 Message Values

The following table describes in more detail the Team /Discipline /RegisteredEvent /EventEntry element in the case of Swimming.

| Element: Team /Discipline /RegisteredEvent /EventEntry | | | | |
|--|----------|-----|----------------------|--|
| Type | Code | Pos | Value | Description |
| E_ENTRY | E_Q_TIME | | MM:SS.tt 99:90.00 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Team's Qualifying Time. Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| E_Q_DATE | | | YYYYMMDD | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Date of Team's Qualification |
| E_Q_CITY | | | S(25) | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: City (Location) of Team's Qualification |
| E_Q_COUNTRY | | | CC @Country | For @Type: Send proposed type |
| | | | | For @Code: |

| Element: Team /Discipline /RegisteredEvent /EventEntry | | | | |
|--|------|-----|-------|---|
| Type | Code | Pos | Value | Description |
| | | | | Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Country ID of the Team's Qualification city (location) |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|----------------------|---|---|
| E_ENTRY /E_Q_TIME | Team's Qualifying Time. | Always, as soon as this information is known (this information can be sent in both messages). |
| E_ENTRY /E_Q_DATE | Date of Team's Qualification. | Always, as soon as this information is known (this information can be sent in both messages). |
| E_ENTRY /E_Q_CITY | City (Location) of Team's Qualification. | Always, as soon as this information is known (this information can be sent in both messages). |
| E_ENTRY /E_Q_COUNTRY | Country ID of the Team's Qualification city (location). | Always, as soon as this information is known (this information can be sent in both messages). |

5.1.2.6 Message sort

Please, follow the general definition.

5.1.3 Historical records

5.1.3.1 Description

This message is the Historical records as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, according to the ODF Common Codes document (record codes values sheet).

5.1.3.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.3.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.3.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- HistoricalRecords /Record /RecordType /ExtRecords /ExtRecord
- HistoricalRecords /Record /RecordType /Competitor /RecordData (for Relay event units)
- HistoricalRecords /Record /RecordType /Competitor /Composition /Athlete /RecordData (for all event units except for Relay events)

In the next section (message values), there is a more detailed definition.

5.1.3.5 Message Values

The following table lists the “Historical records” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---|------------|-----|-------------------------|--|
| HistoricalRecords /Record /RecordType | Code | M | CC @RecordType | Record type. |
| | Subcode | O | WRC order if Code="WRC" | Mandatory in case of Code="WRC" |
| HistoricalRecords /Record /RecordType /RecordData | ResultType | M | CC @ResultType | "TIME" Indicate that the result type for the record is a time. |
| | Result | M | MM:SS.tt 99:90.00 | The result of the competitor for the record. Use Time format: MM is minutes SS is seconds tt is hundredths of second |

| Element | Attribute | M/O | Value | Comments |
|--|-----------|-----|-------------|--|
| HistoricalRecords /Record /RecordType /Competitor /RecordData (just for team competitor's record) | Country | M | CC @Country | Country code where the record was broken. |
| | Place | M | S(40) | The place (town or city) where the record was broken. |
| | Date | M | YYYYMMDD | The date where the record was broken. |
| | Event | O | S(40) | Text of the event name where the record was broken (e.g.: "2008 Olympic Games"). It will be sent if this information is available. |
| HistoricalRecords /Record /RecordType /Competitor /Composition /Athlete /RecordData (just for individual athlete's record) | Country | M | CC @Country | Country code where the record was broken. |
| | Place | M | S(40) | The place (town or city) where the record was broken. |
| | Date | M | YYYYMMDD | The date where the record was broken. |
| | Event | O | S(40) | Text of the event name where the record was broken (e.g.: "2008 Olympic Games"). It will be sent if this information is available. |

The following table describes in more detail the HistoricalRecords /Record /RecordType /Competitor /ExtRecords /ExtRecord element in the case of Swimming.

| Element: HistoricalRecords /Record /RecordType /Competitor /ExtRecords /ExtRecord | | | | |
|---|----------|------------|----------------------|---|
| Type | Code | Pos | Value | Description |
| HER_RECORD | SW_SPLIT | N(2) 99 | MM:SS.tt 99:90.00 | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Sequential number from 1 to 99 for each split in the record, to indicate its number. It can be one or more (depending on the distance of the event unit). i.e.: for 50m - does not have split, for 100m - 1 split, for 200m - 3 splits, ... For @Value: Split Time in the record Use Time format: MM is minutes SS is seconds tt is hundredths of second |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|----------------------|----------------------------|--|
| HER_RECORD /SW_SPLIT | Splits time in the record. | If it applies. Just for events units which have splits time in the record. |

5.1.3.6 Message sort

Please, follow the general definition.

5.1.4 Start List

5.1.4.1 Description

This message is the Start List message as described in the ODF1 General Messages Interface Document.

5.1.4.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.4.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.4.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- UnitInfos /UnitInfo /Extensions
- UnitInfos /UnitInfo /Competitor can be included or not for UnitInfos /UnitInfo /Extensions /Extension code SW_ID (for Relay event units when the competitor's ID is not known for some performance category code)
- UnitInfos /UnitInfo /Competitor /Composition can be included or not for UnitInfos /UnitInfo /Extensions /Extension code SW_ID (for all events units except Relay when the athlete's ID is not known for some performance category code)
- Start /Competitor /EventUnitEntry (for Relay event units)
- Start /Competitor /Composition /Athlete /EventUnitEntry (for all event units except for Relay events)

In the next section (message values), there is a more detailed definition.

5.1.4.5 Message Values

The following table lists the "Start List" optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------|------------|-----|---------|---|
| Start | StartOrder | O | Numeric | Lane assignment or start order of the competitor in the start list. |
| | SortOrder | M | Numeric | Lane order or bib order. |

The following table describes in more detail the UnitInfos /UnitInfo element and its child element Extensions in the case of Swimming.

| Element: UnitInfos /UnitInfo (for all events except for Marathon) | | | | | |
|---|---------|----------------|-----|------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| UI_BEST_CC @PerformanceCategory | SW_RANK | | | N(2) 90 | For @Type: Send proposed type (see codes section) For @Code: |

| Element: UnitInfos /UnitInfo (for all events except for Marathon) | | | | | |
|---|------|----------------|-----|------------------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Performer's result Rank at this performance category (for top 10 in each one), from 1 to 10. |
| | | SW_ID | | S(20) with no leading zeroes | For @Type: Send proposed code (as type) |
| | | | | Or | For @Code: Send proposed extension code |
| | | | | blank | For @Pos: Do not send anything |
| | | | | | For @Value: Competitor's ID at the performer's rank per this category. It could be the Team's ID for Relay event units or Athlete's ID (to identify an athlete) for the rest of event units. Send blank when competitor (in both cases) does not compete in the games. |
| | | SW_RESULT | | MM:SS.tt 99:90.00 | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Result time at performer's rank per this category. Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| | | SW_CITY | | S(30) | For @Type: Send proposed code (as type) |
| | | | | | For @Code: Send proposed extension code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: City (location) at the performer's rank per this category. |
| | | SW_DATE | | YYYYMMDD | For @Type: Send proposed code (as type) |
| | | | | Or | For @Code: Send proposed extension code |
| | | | | MMDD | For @Pos: Do not send anything |
| | | | | | For @Value: Result Date at the performer's rank per this category. For the performance category "CUY" (Current Year Performers), do not send the year. |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|---|--|---|
| UI_BEST_CC @PerformanceCategory /SW_RANK /SW_ID /SW_RESULT /SW_CITY /SW_DATE | Best performers (top 10) for each rank (competitor's ID, result time, city and date) of each performance category. | Always, when this information is available (except for Marathon event). |

The following table describes in more detail the optional attributes for UnitInfos /UnitInfo /Competitor (and UnitInfos /UnitInfo /Competitor /Composition when the person is an Athlete, not for team event units) that will have to be included when the competitor's ID is not known in UnitInfos /UnitInfo /Extensions /Extension (code SW_ID and @Value is blank), both for athletes and for teams.

| Element | Attribute | M/O | Value | Comments |
|---|--------------|-----|---------------------|--|
| UnitInfos /UnitInfo /Competitor | Organisation | M | CC @Organisation | Organisation ID of the person (both for athletes and for teams) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category. |
| UnitInfos /UnitInfo /Competitor /Composition /Athlete | FamilyName | M | S(25) | Family name of the person (athlete) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category. |
| | GivenName | M | S(25) | Given name of the person (athlete) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category. |

The following table describes in more detail the Start /Competitor /EventUnitEntry element, which should be used in the case of Relay event units, or the Start /Competitor /Composition /Athlete /EventUnitEntry element, in the case of the rest of events.

| Element: Start /Competitor /EventUnitEntry (in the case of Relay) Start /Competitor /Composition /Athlete /EventUnitEntry (for all events except for Relay) | | | | |
|---|---------|-----|-------------|--|
| Type | Code | Pos | Value | Description |
| EUE_SW | SW_HEAT | | N(2) 90 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| SW_LANE | | | N(2) 90 | For @Value: Heat number (it will correspond with the unit of the DocumentCode attribute in the ODF header). |
| | | | | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| SW_SUBSTITUTE | | | S(1) (Y) | For @Type: Send proposed type |
| | | | | For @Value: Lane number of the competitor |

| Element: Start /Competitor /EventUnitEntry (in the case of Relay) Start /Competitor /Composition /Athlete /EventUnitEntry (for all events except for Relay) | | | | |
|---|-----------|-----|----------------------|--|
| Type | Code | Pos | Value | Description |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Send "Y" if the competitor (athlete or team) is a reserve for Semi-final or Final |
| | SW_IRM | | CC @IRM | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Indicator as supplied by OVR for DNS or other possible results before the race. |
| | SW_Q_TIME | | MM:SS.tt 99:90.00 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Do not send anything |
| | | | | For @Value: Competitor's (athlete or team) Qualifying Time. According to the phase it could be: the entry qualification time (for the heats), the result time for the phase in which the tied occurred (for a swim-off), or the result time from the previous phase (for final). Use Time format: MM is minutes SS is seconds tt is hundredths of second |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|-----------------------|--|--|
| EUE_SW /SW_HEAT | Competition Heat Number (not for the substitutes). | If applies, for all event units (except for Marathon) |
| EUE_SW /SW_LANE | Competitor's Lane Number (not for the substitutes). | Always for competitors, when this information is known for all event units (except for Marathon) |
| EUE_SW /SW_SUBSTITUTE | Flag that indicates when the competitor is a substitute (alternative). | Always, as soon as this information is known (just for Semi-final and Final event units). |
| EUE_SW /SW_IRM | Invalid result mark supplied by OVR before the race. | If applies, in the case of the team does not compete (just for Relay event units). |
| EUE_SW /SW_Q_TIME | Competitor's Qualifying time. | Always, as soon as this information is known (except for Marathon). |

5.1.4.6 Message sort

Please, follow the general definition.

5.1.5 Event Unit Results

5.1.5.1 Description

This message is the Event Unit Results message as described in the ODF1 General Messages Interface Document.

5.1.5.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.5.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following:

For Pool swimming event:

- Official: At the end of each heat.

5.1.5.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element, however being @EndDate mandatory for Marathon event)
- Result /RecordIndicators /RecordIndicator (except for Marathon event)
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /ExtendedResults /ExtendedResult /Extensions (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units; in the case of Relay, team members' detailed results).
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extensions (for all event units; in the case of Relay, team members' detailed results).

5.1.5.5 Message Values

The following table lists the "Event Unit Results" optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------|------------|-----|----------------|--|
| Result | Rank | O | Text | Rank of the competitor in the corresponding event unit. This attribute is optional because the competitor could get an invalid rank mark or in case of PHOTO (in these cases, it will be blank). |
| | RankEqual | O | S(1) (Y) | Send 'Y' if the Rank is equalled. |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the corresponding event unit (see codes section) |

| Element | Attribute | M/O | Value | Comments |
|---|------------|-----|--|---|
| | Result | O | HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00 | Total result for the particular event unit. Send just in the case @ResultType is Time (see codes section). Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for the rest of event units): MM is minutes, SS is seconds, tt is hundredths of second |
| | IRM | O | CC @IRM | IRM for the particular event unit. Send just in the case @ResultType is IRM (see codes section) |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. |
| Result /RecordIndicators /RecordIndicator | Order | M | Numeric | Order is always "1" for records broken/equalled in this Event Unit. |
| | Code | M | CC @RecordCode | Code which describes the record broken by the result value. |
| | RecordType | M | CC @RecordType | Code which specifies the level at which the record is broken. |

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element and its child element Extensions (only for Relay event units).

| Element: Result /Competitor /ExtendedResults /ExtendedResult | | | | | |
|--|--------------|----------------|-----------|----------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_SW | SW_DIFF | | | MM:SS.tt 99:90.00 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | SW_LEG_CYCLE | | N(1) 9 | N(1) 9 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Number of cycle, two per leg. It's a sequential number from 1 to 8, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.) |
| | | | | | For @Value: Number of the leg (team members), from 1 to 4, for Relay. |
| | | SW_T_RANK | | N(1) | For @Type: |

| Element: Result /Competitor /ExtendedResults /ExtendedResult | | | | | |
|--|------|----------------|-----------|----------------------|--|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | 9 | Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Rank of cumulative split at this leg (for the team). |
| | | SW_T_ERANK | | S(1) (Y) | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this leg (for the team) has been equalled, send "Y" in this case. |
| | | SW_T_TIME | | MM:SS.tt 99:90.00 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the cumulative split time at this leg (for the team). Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| | | SW_RECORD_MARK | N(1) 9 | CC @RecordType | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Send "1" for the current Record or incremental (send "2") for the handling of Olympic record that is also an Area (Continental) record. For @Value: Send the record broken at this split point (when swimmer's cumulative split time is a World, Olympic or Area/Continental record respectively), by the first leg of the team. If the cumulative time is an Olympic record, it may also be an Area (Continental) record; in this case send both. |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|----------------------------|--|---|
| ER_SW /SW_DIFF | Result time difference for the whole team behind of the leader | Always, just for Relay event units (do not send for result @Rank=1) |

| | | |
|-------------------------------------|---|--|
| ER_SW /SW_LEG_CYCLE | Team's performance at each cycle per leg (at the middle and at the exchange/finish, (two for each leg), and according to the cycles defined in the message "Discipline Configuration" (SW_CYCLE attribute). | Just for Relay event units |
| ER_SW /SW_LEG_CYCLE /SW_T_RANK | Rank of the team at this leg | Always |
| ER_SW /SW_LEG_CYCLE /SW_T_ERANK | Equalled rank indicator of the team at this leg. | Always (if it applies) |
| ER_SW /SW_LEG_CYCLE /SW_T_TIME | Result time of the team at this leg | Always |
| ER_SW /SW_LEG_CYCLE /SW_RECORD_MARK | Record mark at this split for cumulative split time when break a World, an Olympic or an Area/Continental record. In the case of Olympic record plus an Area (Continental) record, if it applies. | If it applies (only for the first leg of the team) |

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions (for all event units).

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------------------|----------------|------------|--------------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_SW | SW_REACTION_TIME | | | S.tt 0.00 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @ Pos: Do not send anything |
| | | | | | For @Value: Reaction time of the athlete |
| | | | | | Use Time format: S is seconds tt is hundredths of second |
| | SW_SPLIT | | N(2) 90 | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: The number that identifies the split point, from 1 to the total number of splits result points. |
| | | | | | For @Value: Do not send anything |
| | | SW_SPLIT_TIME | | HH:MM:SS.t 99:99:90.0 | For @Type: Send proposed code (as type) |
| | | | | Or | For @Code: Send proposed extension code |
| | | | | MM:SS.tt 99:90.00 | For @Pos: Do not send anything |
| | | | | | For @Value: Send the split result time (from this split point to the previous one). Not cumulative time. Don't send for the first split in Individual events. |
| | | | | | Use Time format: (for Marathon event): |

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------|-----------------|-----------|--|--|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for Individual event units): MM is minutes, SS is seconds, tt is hundredths of second |
| | | SW_RANK | | N(1) 9 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Cumulative rank at this split point. |
| | | SW_ERANK | | S(1) (Y) | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this split point has been equalled, send "Y" in this case. |
| | | SW_TIME | | HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Time result from the start of the race up to this split point. Is a cumulative result time. Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for the rest of event units): MM is minutes, SS is seconds, tt is hundredths of second |
| | | SW_SPLIT_RECORD | N(1) 9 | CC @RecordType | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Send "1" for the current Record or incremental (send "2") for the handling of Olympic record that is also an Area (Continental) record. For @Value: Send the record broken at this split point (when swimmer's cumulative split time is a World or Olympic record respectively for Individual events, or a World, Olympic or Area/Continental record respectively |

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------|----------------|-----|-------|--|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | for the first leg of the team in Relay events). If the cumulative time is an Olympic record, it may also be an Area (Continental) record; in this case send both. |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|----------------------------------|---|--|
| ER_SW /SW_REACTION_TIME | Reaction time of the athlete | Always, except for Marathon event |
| ER_SW /SW_SPLIT | Athlete's split data for each of the split points defined in the event (from 1 to n, according to the event distance defined in the "Discipline Configuration" message as: 1..2 for 100m events, 1..3 for 150m events, etc, or 1..6 for Marathon event). | Individual event units (except for 50m), Relay event units and Marathon event |
| ER_SW /SW_SPLIT /SW_SPLIT_TIME | Split result time (from this split point to the previous one). | Always (don't send for first split in Individual events), except for Relay event units |
| ER_SW /SW_SPLIT /SW_RANK | Cumulative rank at this split point. | Always, except for Relay event units |
| ER_SW /SW_SPLIT /SW_ERANK | Equalled rank indicator at this split point. | Always (if it applies), except for Relay event units |
| ER_SW /SW_SPLIT /SW_TIME | Time result from the start of the race up to this split point. | Always |
| ER_SW /SW_SPLIT /SW_SPLIT_RECORD | The record broken at this split point (when swimmer's cumulative split time is a World or Olympic record respectively for Individual events or a World, Olympic or Continental record respectively for first leg of the team in Relay events). In the case of Olympic record plus an Area (Continental) record, if it applies. | If it applies (for Individual event units and just for the first leg of the team in Relay event units) |

5.1.5.6 Message sort

Please, follow the general definition.

5.1.6 Phase Results

5.1.6.1 Description

This message is the Phase Results message as described in the ODF1 General Messages Interface Document.

This message is sent just for the different phases (Heats and Semi-finals) of Individual and Relay events.

5.1.6.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.6.3 Trigger and Frequency

Please, follow the general definition.

5.1.6.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Result /RecordIndicators /RecordIndicator
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units except for Relay events)

5.1.6.5 Message Values

The following table lists the “Phase Results” optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|---------|-------------------|-----|---|---|
| Result | Rank | O | Text | Rank of the competitor in the corresponding phase. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank). |
| | RankEqual | O | S(1) (Y) | Send 'Y' if the Rank is equalled. |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the corresponding phase (see codes section) |
| | Result | O | MM:SS.tt 99:90.00 | Total result for the particular phase. Send just in the case @ResultType is Time (see codes section). Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| | IRM | O | CC @IRM | IRM for the particular phase. Send just in the case @ResultType is IRM (see codes section) |
| | QualificationMark | O | CC @QualificationMark Or blank | The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified. |

| Element | Attribute | M/O | Value | Comments |
|---|------------|-----|----------------|--|
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. |
| Result /RecordIndicators /RecordIndicator | Order | M | Numeric | Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase. |
| | Code | M | CC @RecordCode | Code which describes the record broken by the result value. |
| | RecordType | M | CC @RecordType | Code which specifies the level at which the record is broken. |

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element (only for Relay event units).

| Element: Result /Competitor /ExtendedResults /ExtendedResult | | | | | |
|--|---------|----------------|-----|----------------------|--|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_SW | SW_DIFF | | | MM:SS.tt 99:90.00 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Time difference for the whole team behind of the leader (do not send for Result @Rank=1) Use Time format: MM is minutes SS is seconds tt is hundredths of second |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|----------------|--|---|
| ER_SW /SW_DIFF | Result time difference for the whole team behind of the leader | Always, just for Relay event units (do not send for result @Rank=1) |

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element (for all event units except for Relay).

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|---------|----------------|-----|----------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_SW | SW_DIFF | | | MM:SS.tt 99:90.00 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Time difference for the athlete behind of the leader (do not send for Result @Rank=1) Use Time format MM is minutes |

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------|----------------|-----|-------|--|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | SS is seconds, tt is hundredths of second |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|----------------|---|--|
| ER_SW /SW_DIFF | Result time difference for the athlete to the leader. | Always (do not send for result @Rank=1), except for Relay event units |

5.1.6.6 Message sort

Please, follow the general definition.

5.1.7 Cumulative Results

5.1.7.1 Description

This message is the Cumulative Results message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent up to the end of an event unit within a phase (just for the phases Heats and Semi-finals) of Individual and Relay events.

The Cumulative Results message is used to send an interim summary of results (including rank) part way through a phase. In this case, the DocumentSubtype is used to specify the last phase or event unit that contributed results to the message.

5.1.7.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

Moreover, the header's attribute DocumentSubtype will be informed at event unit level, would be the cumulative results up to the end of the referenced event unit for the phases of Heats and Semi-finals (DDGEEEEPUU, where EEE will be for the events of Individuals and Relays, and P will be '9' for Heats phase and '2' for Semi-finals phase).

5.1.7.3 Trigger and Frequency

Please, follow the general definition.

5.1.7.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- ExtendedInfos /ExtendedInfo
- CumulativeResult /RecordIndicators /RecordIndicator
- CumulativeResult /ResultItems /ResultItem /Result

5.1.7.5 Message Values

The following table lists the Cumulative Results optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|------------------|------------|-----|----------------|---|
| CumulativeResult | Rank | O | Text | Rank of the competitor in the cumulative result in the corresponding phase (at the end of each event unit within a phase). This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank). |
| | RankEqual | O | S(1) (Y) | Send 'Y' if the Rank is equalled. |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the cumulative result within the corresponding phase (see codes section) |

| Element | Attribute | M/O | Value | Comments |
|---|-------------------|-----|---|---|
| | Result | O | MM:SS.tt 99:90.00 | The cumulative result within the corresponding phase. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second |
| | IRM | O | CC @IRM | The invalid rank mark (IRM) within the corresponding phase, in case it is assigned. Send just in the case @ResultType is IRM (see codes section) |
| | QualificationMark | O | CC @QualificationMark Or blank | The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified. |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results within the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. |
| CumulativeResult /RecordIndicators /RecordIndicator | Order | M | Numeric | Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase. |
| | Code | M | CC @RecordCode | Code which describes the record broken by the CumulativeResult /Result value. |
| | RecordType | M | CC @RecordType | Code which specifies the level at which the record is broken. |
| CumulativeResult /ResultItems /ResultItem | Phase | M | CC @Phase | Phase code of the latest RSC schedule item (either phase or unit) to which the cumulative result is updated to. Possible values are: (9) Heats (2) Semi-finals |
| | Unit | M | CC @Unit | Unit code of the latest RSC schedule item to which the cumulative results is updated to. |
| CumulativeResult /ResultItems /ResultItem /Result | Rank | O | Text | Rank of the competitor in the result for the event unit. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank). |
| | RankEqual | O | S(1) (Y) | Send 'Y' if the Rank is equalled. |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the event unit (see codes section) |
| | Result | O | MM:SS.tt 99:90.00 | The result of the competitor for the event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second |
| | IRM | O | CC @IRM | The invalid rank mark (IRM) for the event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section) |

The following table describes in more detail the ExtendedInfos /ExtendedInfo element in the case of Swimming.

Element: ExtendedInfos /ExtendedInfo

| Type | Code | Extension Code | Pos | Value | Description |
|-------|--------------|----------------|-----|------------------------------|---|
| EI_SW | SW_LAST_QUAL | | | S(20) with no leading zeroes | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Competitor's ID, to identify an athlete or a team according to the event, for the last qualified at this phase (it would be based on the rank of the competitor in the cumulative result at the end of each event unit within a phase). |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|----------------------------|--|--|
| EI_SW /SW_LAST_QUAL | The competitor ID for the last qualified at the corresponding phase (based in the cumulative result at the end of each event unit within a phase). | Always (for Individual and Relay events) |

5.1.7.6 Message sort

Please, follow the general definition.

5.1.8 Event's Medallists

5.1.8.1 Description

This message is the Event's Medallists message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, as listed in the header values section.

5.1.8.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.8.3 Trigger and Frequency

In the case of Swimming, the message has to be sent two (2) minutes after the results of the final are approved.

5.1.8.4 Message Structure

Please, follow the general definition.

5.1.8.5 Message Values

Please, follow the general definition.

5.1.8.6 Message sort

Please, follow the general definition.

5.1.9 Records

5.1.9.1 Description

This message is the Records message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, according to the ODF Common Codes document (record codes values sheet).

5.1.9.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.9.3 Trigger and Frequency

- As soon as a record is broken and at any change.

5.1.9.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Record /RecordType /RecordEntries /RecordEntry /ExtRecords /ExtRecord
- Record /RecordType /RecordEntries /RecordEntry /Competitor /RecordData (for Relay event units)
- Record /RecordType /RecordEntries /RecordEntry /Competitor /Composition /Athlete /RecordData (for all event units except for Relay events).

In the next section (message values), there is a more detailed definition.

5.1.9.5 Message Values

The following table lists the “Records” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|--|------------|-----|-------------------------|--|
| Record /RecordType | Code | M | CC @RecordType | Record type. |
| | Subcode | O | WRC order if Code="WRC" | Mandatory in case of Code="WRC" |
| Record /RecordType /RecordEntries /RecordEntry /RecordData | ResultType | M | CC @ResultType | "TIME" Indicate that the result type for the record is a time. |
| | Result | M | MM:SS.tt 99:90.00 | The result of the competitor for the record. Use Time format: MM is minutes SS is seconds tt is hundredths of second |

| Element | Attribute | M/O | Value | Comments |
|---|------------|-----|---|---|
| Record /RecordType /RecordEntries /RecordEntry /Competitor /RecordData (just for team competitor's record) | Historical | M | S(1) (Y, N) | Indicates if the record is achieved during the current competition or not. Send 'Y' if not (it is from a previous competition). |
| | RSC | O | Concatenation of the following: CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit | RSC of the Event Unit for the current competition where the record is reached. Send always, is mandatory, in the case @Historical='N' (current competition). |
| | Time | O | MillisTime | The time where the record was broken in. Send always, is mandatory, in the case @Historical='N' (current competition). |
| | Country | M | CC @Country | Country code where the record was broken. |
| | Place | M | S(40) | The place (town or city) where the record was broken. |
| | Date | M | YYYYMMDD | The date where the record was broken (for the current competition, the date will be assumed as the date for the @RSC attribute according to its schedule) |
| | Event | O | S(40) | Text of the event name where the record was broken in a previous competition (e.g.: "2008 Olympic Games"). Send if it is available when @Historical='Y'. |
| Record /RecordType /RecordEntries /RecordEntry /Competitor /Composition /Athlete /RecordData (just for individual athlete's record) | Historical | M | S(1) (Y, N) | Indicates if the record is achieved during the current competition or not. Send 'Y' if not (it is from a previous competition). |
| | RSC | O | Concatenation of the following: CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit | RSC of the Event Unit for the current competition where the record is reached. Send always, is mandatory, in the case @Historical='N' (current competition). |
| | Time | O | MillisTime | The time where the record was broken in. Send always, is mandatory, in the case @Historical='N' (current competition). |
| | Country | M | CC @Country | Country code where the record was broken. |
| | Place | M | S(40) | The place (town or city) where the record was broken. |
| | Date | M | YYYYMMDD | The date where the record was broken (for the current competition, the date will be assumed as the date for the @RSC attribute according to its schedule) |
| | Event | O | S(40) | Text of the event name where the record was broken in a previous competition (e.g.: "2008 Olympic Games"). Send if it is available when @Historical='Y'. |

The following table describes in more detail the Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord element in the case of Swimming.

| Element: Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord | | | | |
|--|----------|------------|----------------------|--|
| Type | Code | Pos | Value | Description |
| ER_RECORD | SW_SPLIT | N(2) 99 | MM:SS.tt 99:90.00 | For @Type: Send proposed type |
| | | | | For @Code: Send proposed code |
| | | | | For @Pos : Sequential number from 1 to 99 for each split in |

| Element: Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord | | | | |
|--|------|-----|-------|--|
| Type | Code | Pos | Value | Description |
| | | | | the record, to indicate its number. It can be one or more (depending on the distance of the event unit). |
| | | | | For @Value: Split Time in the record |
| | | | | Use Time format: MM is minutes SS is seconds tt is hundredths of second |

For the table above, we have the following additional/summary information:

| Type /Code | Description | Expected |
|---------------------|---------------------------|--|
| ER_RECORD /SW_SPLIT | Splits time in the record | If it applies. Just for events units which have splits time in the record. |

5.1.9.6 Message sort

Please, follow the general definition.

5.1.10 Discipline/venue good morning

5.1.10.1 Description

This message is the Discipline/venue good morning message as described in the ODF1 General Messages Interface Document.

5.1.10.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.10.3 Trigger and Frequency

Please, follow the general definition.

5.1.10.4 Message Structure

Please, follow the general definition.

5.1.10.5 Message Values

Please, follow the general definition.

5.1.10.6 Message sort

Please, follow the general definition.

5.1.11 Discipline/venue good night

5.1.11.1 Description

This message is the Discipline/venue good night message as described in the ODF1 General Messages Interface Document.

5.1.11.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.11.3 Trigger and Frequency

Please, follow the general definition.

5.1.11.4 Message Structure

Please, follow the general definition.

5.1.11.5 Message Values

Please, follow the general definition.

5.1.11.6 Message sort

Please, follow the general definition.

5.1.12 Discipline configuration

5.1.12.1 Description

This message is the Discipline configuration message as described in the ODF1 General Messages Interface Document.

5.1.12.2 Header Values

Please, follow the general definition.

5.1.12.3 Trigger and Frequency

Please, follow the general definition.

5.1.12.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Configs /Config /ExtendedConfig /ExtendedConfigItem

5.1.12.5 Message Values

Send the attributes and codes according to the tables described in this section.

The following table lists the “Discipline Configuration” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

| Element | Attribute | M/O | Value | Comments |
|-----------------|-----------|-----|----------------------|--|
| Configs /Config | Gender | M | CC @DisciplineGender | Gender code of the RSC. |
| | Event | M | CC @Event | Event code of the RSC. |
| | Phase | M | CC @Phase | Phase code of the RSC. There are the following phases for: (9) Heats (2) Semi-finals (1) Final |

The following table describes in more detail the Configs /Config /ExtendedConfig element and its child element ExtendedConfigItem.

| Element: Configs /Config /ExtendedConfig | | | | | |
|--|----------------------------------|-------------------------|-----|------------|---|
| Type | Code | ExtendedConfigItem Code | Pos | Value | Description |
| EC_SW | SW_EVENT_NO (Send by event) | | | N(2) 90 | For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Event Number to identify whole event (e.g.: 16 for “Men’s 100m Freestyle”, 20 for “Women’s 100m Freestyle”, etc.) |
| | SW_NUM_GROUPS (Send by phase) | | | N(2) 90 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything |

| Element: Configs /Config /ExtendedConfig | | | | | |
|--|-------------------------------------|--------------------------|------------|--|---|
| Type | Code | ExtendedConfig Item Code | Pos | Value | Description |
| | | | | | For @Value: Total number of groups per phase (except for the Final), i.e.: -for Heats phase: the total number of heats, -for Semi-finals: the total number of semi-finals. |
| | SW_RACE_DISTANCE (Send by event) | | | N(4) 9990 Or N(2).N 90,0 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Distance for the event, from start until finish line (in meters). |
| | SW_SPLIT (Send by event) | | N(2) 90 | | For @Type: Send proposed type For @Code: Send proposed code For @Pos Send the number that identifies each of the split points (according to the Individual/Relay event and Marathon event distance, from 1 to n, where n is when the race finishes). (e.g.: for 100m events, 2 splits: (1): 50m, (2): 100m -the finish- -for 150m events, 3 splits: (1): 50m, (2): 100m, (3): 150m -the finish- For @Value: Do not send anything |
| | | SW_DISTANCE | | N(4) 9990 Or N(2).N 90.0 (for Marathon event) | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Distance from start at this split point (for Marathon event in kilometres, for the rest in meters). |
| | | SW_LAST | | S(1) (Y) | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send 'Y' for the last split point (the finish). |
| | | SW_STROKE | | CC @Stroke | For @Type: Send proposed code (as type) For @Code: Send proposed extension code |

| Element: Configs /Config /ExtendedConfig | | | | | |
|--|---|--------------------------|-----------|------------|--|
| Type | Code | ExtendedConfig Item Code | Pos | Value | Description |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Stroke for the split in Individual Medley events. There are 4 strokes as follows for: (1) Freestyle (2) Butterfly (3) Breaststroke (4) Backstroke |
| | SW_CYCLE (Send by event) | | N(1) 9 | S(10) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Send the number of each cycle for Relay events, from 1 to 8. There will be always 2 cycles per leg, independent of the total distance of the event for the team (400m for 4x100m or 800m for 4x200m) |
| | | | | | For @Value: Send the label for each cycle related to the splits points included in each one (1 or 2, according to the total distance of the event for the team). (e.g.: for 4x100m (1 split per cycle): "50m", "100m", "150m", ..., "400m" for 4x200m (2 splits per cycle): "50m/100m", "150m/200m", "250m/300m", ..., "750m/800m") |
| EC_QUALIFICATION_RULE | QR_RANK_QUALIFY_NEXT_ROUND (Send by phase) | | N(1) 9 | N(2) 90 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code for the qualification rule. QR_RANK_QUALIFY_NEXT_ROUND is the code that indicates the qualification for next round based on rank. |
| | | | | | For @Pos: Send 1 to indicate first rank included in the @Code rule. Send 2 to indicate last rank included in the @Code rule. |
| | | | | | For @Value: Send the rank according to @Code rule and @Pos (i.e.: for Individual – heats phase, will be: Pos=1, Value=1 Pos=2, Value=16 It means 1-16 ranks from the current phase will qualify to the next phase). |

For the table above, we have the following additional/summary information

| Type /Code /ExtendedConfigItem Code | Description | Expected |
|--|--|--|
| EC_SW /SW_EVENT_NO | It's the Event number by gender and event. | Send by event, always that the information is available (except for Marathon). |
| EC_SW /SW_NUM_GROUPS | It's the total number of groups (heats or semi-finals) per phase if apply. | Send by phase (except for Final), when it is available (except for Marathon). |
| EC_SW /SW_RACE_DISTANCE | Final distance for the event, from start until finish line. For relay events, the total distance of the event for the team (400m for 4x100m or 800m for 4x200m) | Always, send by event (however has more sense for the events without split points, as Marathon or 50m Individuals) |
| EC_SW /SW_SPLIT /SW_DISTANCE /SW_LAST | Split points defined for event, according to the event distance (split number, distance from start and indicating which the last one is). | Always, send by event (except for 50m Individual events). |
| EC_SW /SW_SPLIT /SW_STROKE | Split points defined for event, according to the event distance (stroke for each one in Individual Medley). | Always, send by event (just for Individual Medley events). |
| EC_SW /SW_CYCLE | Cycles defined for Relay events, 8 in total (2 cycles per leg), related to the splits points included in each one (1 or 2, according to the total distance of the event for the team). | Send by event (just for Relay events) |
| EC_QUALIFICATION_RULE / QR_RANK_QUALIFY_NEXT_ROUND | Qualification rule for next round based on rank. | Send by phase (except for Finals), always if the rule applies to the competition. |

5.1.12.6 Message sort

Please, follow the general definition.

6 Real time

The following chapter describes the ODF-RT part of Swimming.

6.1 Real Time Applicable Messages

The next table is a full list of all ODF-RT messages and describes the list of messages used in Swimming the same way as it is done in the table of chapter 4.

| Message Type | Message name | Paragraph documented | Message used in this sport | Message extended in this document |
|-------------------------|----------------------------------|----------------------|----------------------------|-----------------------------------|
| DT_RT_GM | RT Discipline/Venue good morning | Sports | X | |
| DT_RT_GN | RT Discipline/venue good night | Sports | X | |
| DT_RT_KA | RT Discipline/venue keep alive | Sports | X | |
| DT_RT_RESULT | RT Event Unit Results | Sports | X | X |
| DT_RT_CUMULATIVE_RESULT | RT Cumulative Results | Sports | X | X |

6.1.1 RT Event Unit Results

6.1.1.1 Description

This message is the RT Event Unit Results message as described in the ODF1 General Messages Interface Document.

6.1.1.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

6.1.1.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger at the beginning of the race.
 - T2: Trigger when an athlete completes a split.
 - T3: Trigger when the leader completes a split.
 - T4: Trigger when an athlete finishes a leg (there is a change of athletes) for Relay events only.
 - T5: Trigger when an athlete or team breaks a Record or equalled.
 - T6: Trigger when a competitor obtains an invalid result mark (during the race).
 - T7: Trigger when an athlete or team (the last competitor) arrives to finish.
 - T8: Trigger when a race finishes
- ResultStatus="LIVE_FULL"
 - This value should be suggested and sent in the DT_RT_GM message after further testing.
- For other ResultStatus, follow the general definition.

6.1.1.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- UnitInfos /UnitInfo /Extensions
- Result /RecordIndicators /RecordIndicator (except for Marathon event)
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /ExtendedResults /ExtendedResult /Extensions (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units; in the case of Relay, team members' detailed results).

- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extensions (for all event units; in the case of Relay, team members' detailed results).

Please, follow the general considerations for all ResultStatus, taking into account that: Result information for one competitor is known in the finish line (time and rank).

In the next section (message values), there is a more detailed definition.

6.1.1.5 Message Values

The following table describes in more detail the Result element.

| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|---|------------|-----|----------------------|---|---|
| Result | Rank | O | Text | Rank of the competitor in the corresponding event unit. This attribute is optional because the competitor could get an invalid rank mark or in case of PHOTO (in these cases, it will be blank). | Individual/Relay events: T2 or T3 All events: T7, T8 |
| | RankEqual | O | S(1) (Y,N) | Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore. | Individual/Relay events: T2 or T3 All events: T7, T8 |
| | ResultType | O | CC @ResultType | Result type, either time or IRM for the corresponding event unit (see codes section) | T6, T7, T8 |
| | Result | O | MM:SS.tt 99:90.00 | Result for the particular event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second | T7, T8 |
| | IRM | O | CC @IRM | The invalid result mark (IRM) for the particular event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section) | T6, T7, T8 |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. | T2 or T3 T7 T8 |
| Result /RecordIndicators /RecordIndicator | Order | M | Numeric | Order is always "1" for records broken/equalled in this Event Unit. | T5, T7, T8 |
| | Code | M | CC @RecordCode | Code which describes the record broken by the result value. | T5, T7, T8 |
| | RecordType | M | CC @RecordType | Code which specifies the level at which the record is broken. | |

The following table describes in more detail the UnitInfos /UnitInfo element and its child element Extensions in the case of Swimming.

Element: UnitInfos /UnitInfo

| Type | Code | Extension Code | Pos | Value | Description | |
|------------|------------------|----------------|-----|------------------|---|---|
| UI_RESULTS | SW_CURRENT_SPLIT | | | N(2) 90 | For @Type: Send proposed type | |
| | | | | | For @Code: Send proposed code | |
| | | | | | For @Pos: Do not send anything | |
| | | | | | For @Value: Number of the current split result point (according to the SW_SPLIT @Pos of "Discipline Configuration" message). | |
| | SW_CURRENT_CYCLE | | | | N(1) 9 | For @Type: Send proposed type |
| | | | | | | For @Code: Send proposed code |
| | | | | | | For @Pos: Do not send anything |
| | | | | | | For @Value: Number of the current cycle result point (according to the SW_CYCLE @Pos of "Discipline Configuration" message). |
| | SW_LEADER_SPLIT | | | N(2) 90 | | For @Type: Send proposed type |
| | | | | | | For @Code: Send proposed code |
| | | | | | | For @Pos: Send number of the current split point. |
| | | | | | | For @Value: Do not send anything |
| SW_LEADER | | | | | S(20) with no leading zeroes | For @Type: Send proposed code (as type) |
| | | | | | | For @Code: Send proposed extension code |
| | | | | | | For @Pos: Do not send anything |
| | | | | | | For @Value: Athlete's ID, to identify an athlete, for the leader at this split point. |
| SW_DIFF_WC | | | | -SS.tt -90.00 | For @Type: Send proposed type | |
| | | | | | For @Code: Send proposed code | |
| | | | | | For @Pos: Do not send anything | |
| | | | | | For @Value: Time behind the WR (World Record) for leader and all under WR split based on this split point. | |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|------------------------------|--|--|
| UI_RESULTS /SW_CURRENT_SPLIT | Number of current split point (for Individual events except 50m), according to the | Individual events (except 50m) and Marathon event: |

| | | |
|--|---|--|
| | SW_SPLIT @Pos of the "Discipline Configuration" message | T1, T2 or T3 |
| UI_RESULTS /SW_CURRENT_CYCLE | Number of current cycle split point (for Relay event units), according to the SW_CYCLE @Pos of the "Discipline Configuration" message | Just for Relay events: T1, T2 or T3, T4 |
| UI_RESULTS /SW_LEADER_SPLIT /SW_LEADER /SW_DIFF_WC | Send the athlete ID for leader at the current split point with the time behind the WR (World Record). | Just for Individual events (except 50m): T3 (for each split except for the last-at finish-) |

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element and its child element Extensions (only for Relay event units).

| Element: Result /Competitor /ExtendedResults /ExtendedResult | | | | | | |
|--|--------------|----------------|------------|----------------------|--|--|
| Type | Code | Extension Code | Pos | Value | Description | |
| ER_SW | SW_LEG_CYCLE | | N(2) 90 | N(1) 9 | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Number of cycle, two per leg. It's a sequential number from 1 to 16, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.) For @Value: Number of the leg (team members), from 1 to 4, for Relay. | |
| | | SW_T_RANK | | N(1) 9 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Rank of cumulative split at this leg (for the team). | |
| | | SW_T_ERANK | | S(1) (Y, N) | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this leg (for the team) has been equalled (send "Y" in this case), or not and has changed (send "N"). | |
| | | SW_T_TIME | | MM:SS.tt 99:90.00 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the cumulative split time at this leg (for the team). | |

| Element: Result /Competitor /ExtendedResults /ExtendedResult | | | | | |
|--|------------------|----------------|------------|-------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | Use Time format: MM is minutes SS is seconds tt is hundredths of second |
| | | SW_RECORD_MARK | | CC @RecordType | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the record broken at this split point (when swimmer's cumulative split time is an Official record), by the first leg of the team. |
| | SW_LAST_FINISHED | | N(2) 90 | S(1) (Y,N) | For @Type: Send proposed type For @Code: Send proposed code For @ Pos: Number of cycle, two per leg. It's a sequential number from 1 to 16, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.) Send '0' when the team has finished the race. For @Value: Send "Y" when the last time corresponds to this competitor (finishes the race), "N" otherwise. |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|-------------------------------------|---|--|
| ER_SW /SW_LEG_CYCLE | Team's performance at each cycle (two for each leg) with their corresponding splits points, and according to the cycles defined in the message "Discipline Configuration" (SW_CYCLE attribute). | Just for Relay event units: T2, T4, T7 and T5 (if it applies) |
| ER_SW /SW_LEG_CYCLE /SW_T_RANK | Rank of the team at this leg. | Always |
| ER_SW /SW_LEG_CYCLE /SW_T_ERANK | Equalled rank indicator of the team at this leg. | Always (if it applies) |
| ER_SW /SW_LEG_CYCLE /SW_T_TIME | Result time of the team at this leg. | Always |
| ER_SW /SW_LEG_CYCLE /SW_RECORD_MARK | Record mark at this split for cumulative split time when break an Official record (World, Olympic or Area/Continental record). | If applies: T5 (only for the first leg of the team) |
| ER_SW /SW_LAST_FINISHED | Indicates that this competitor has just finished the race. | Just for Relay event units: T2, T4, T7 and T5 (if it applies) |

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions (for all event units).

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------------------|----------------|------------|----------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| ER_SW | SW_DIFF | | | +MM:SS.t +99:90.0 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Time difference for the athlete behind the leader, with "+" before. Do not send for result @Rank=1. Send blank in case of PHOTO. Use Time format MM is minutes, SS is seconds, t is tenths of second |
| | SW_REACTION_TIME | | | S.tt 0.00 | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @ Pos: Do not send anything |
| | | | | | For @Value: Reaction time of the athlete Use Time format: S is seconds tt is hundredths of second |
| | SW_FLAG | | | S(1) (R, Y) | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: Do not send anything |
| | | | | | For @Value: Flag indication in the Marathon event when some incident occurred. Send "R" for the Red flag (disqualification) and "Y" for the Yellow flag (warning). |
| | SW_SPLIT | | N(2) 90 | | For @Type: Send proposed type |
| | | | | | For @Code: Send proposed code |
| | | | | | For @Pos: The number that identifies the split point, from 1 to the total number of splits result points. |
| | | | | | For @Value: Do not send anything |
| | | | | | SW_RANK |
| For @Code: Send proposed extension code | | | | | |
| For @Pos: Do not send anything | | | | | |
| SW_ERANK | | | | S(1) | For @Type: |

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|-----------------------|-----------------|-----------|--|--|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | (Y, N) | Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this split point has been equalled (send "Y" in this case), or not and has changed (send "N"). |
| | | SW_TIME | | HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00 | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Time result from the start of the race up to this split point. Is a cumulative result time. Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for Individual event units): MM is minutes, SS is seconds, tt is hundredths of second |
| | | SW_SPLIT_RECORD | | CC @RecordType | For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the record broken at this split point (when swimmer's split time is a World or Olympic record respectively). |
| | SW_LAST_FINISHED | | N(1) 9 | S(1) (Y,N) | For @Type: Send proposed type For @Code: Send proposed code For @ Pos: The number that identifies the split point, from 1 to the total number of splits result points. Send '0' when the athlete has finished the race. For @Value: Send "Y" when the last time corresponds to this competitor (completes/finishes a split or finishes the race), "N" otherwise. |
| | SW_CURRENT_COMPETITOR | | | S(1) (Y,N) | For @Type: Send proposed type For @Code: Send proposed code |

| Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult | | | | | |
|--|------|----------------|-----|-------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| | | | | | For @ Pos: Do not send anything |
| | | | | | For @Value: Send "Y" when this competitor is currently swimming, and "N" otherwise (if not and it has changed) |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|----------------------------------|---|---|
| ER_SW /SW_DIFF | Result time difference for the athlete to the leader. | Marathon event: T7 Do not send for result @Rank=1. Send blank in case of PHOTO. |
| ER_SW /SW_REACTION_TIME | Reaction time of the athlete | Individual and Relay events: T1, T4 |
| ER_SW /SW_FLAG | Flag indication in the Marathon event when some incident occurred. | |
| ER_SW /SW_SPLIT | Athlete's split data for each of the split points in the event (from 1 to n, according to the Individual event distance defined in the "Discipline Configuration" message as: 1..2 for 100m events, 1..3 for 150m events, etc, or 1..6 for Marathon event) except for the last split (so i.e.: 1 for 100m events, 1..2 for 150m events, etc, or 1..5 for the Marathon). | Individual events (except 50m) and Marathon event: T2 (except for the last split) |
| ER_SW /SW_SPLIT /SW_RANK | Cumulative rank at this split point. | Always |
| ER_SW /SW_SPLIT /SW_ERANK | Equalled rank indicator at this split point. | Always (if it applies) |
| ER_SW /SW_SPLIT /SW_TIME | Time result from the start of the race up to this split point. | Always |
| ER_SW /SW_SPLIT /SW_SPLIT_RECORD | The record broken at this split point (when swimmer's split time is a World or Olympic record respectively). | Just for Individual events (If it applies) |
| ER_SW /SW_LAST_FINISHED | Indicates that this competitor has just finished a split or the race. | Marathon event: T7 Rest of events: T2 |
| ER_SW /SW_CURRENT_COMPETITOR | Number corresponding to the athlete/leg (as a team member) currently in the pool. | Just for Relay events: T1, T4 |

6.1.1.6 Message sort

Please, follow the general definition.

6.1.2 RT Cumulative Results

6.1.2.1 Description

This message is the RT Cumulative Results message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent up to the end of an event unit within a phase (just for the phases Heats and Semi-finals) of Individual and Relay events.

The RT Cumulative Results message is used to send an interim summary of results (including rank) part way through a phase. In this case, the DocumentSubtype is used to specify the last phase or event unit that contributed results to the message.

6.1.2.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

Moreover, the header's attribute DocumentSubtype will be informed at event unit level, would be the cumulative results up to the end of the referenced event unit for the phases of Heats and Semi-finals (DDGEEEEPUU, where EEE will be for the events of Individuals and Relays, and P will be '9' for Heats phase and '2' for Semi-finals phase).

6.1.2.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger at the beginning of the race
 - T2: Trigger when a race finishes
- ResultStatus="LIVE_FULL"
 - This value should be suggested and sent in the DT_RT_GM message after further testing.
- For other ResultStatus, follow the general definition.

6.1.2.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- ExtendedInfos /ExtendedInfo
- CumulativeResult /RecordIndicators /RecordIndicator
- CumulativeResult /ResultItems /ResultItem /Result

Please, follow the general considerations for all ResultStatus, taking into account that: Result information for one competitor is known in the finish line (time and rank).

In the next section (message values), there is a more detailed definition.

6.1.2.5 Message Values

The following table describes in more detail the CumulativeResult element and its child elements RecordsIndicators and ResultItems.

| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|---|-------------------|-----|---|---|---------------------------------------|
| CumulativeResult | Rank | O | Text | Rank of the competitor in the cumulative result in the corresponding phase (at the end of each event unit within a phase). This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank). | Individual/Relay events: T1, T2 |
| | RankEqual | O | S(1) (Y,N) | Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore. | |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the cumulative result within the corresponding phase (see codes section) | |
| | Result | O | MM:SS.tt 99:90.00 | The cumulative result within the corresponding phase. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second | |
| | IRM | O | CC @IRM | The invalid rank mark (IRM) within the corresponding phase, in case it is assigned. Send just in the case @ResultType is IRM (see codes section) | |
| | QualificationMark | O | CC @Qualification Mark Or blank | The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified. | |
| | SortOrder | M | Numeric | This attribute is a sequential number with the order of the results within the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. | |
| CumulativeResult /RecordIndicators /RecordIndicator | Order | M | Numeric | Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase. | Individual/Relay events: T1, T2 |
| | Code | M | CC @RecordCode | Code which describes the record broken by the CumulativeResult /Result value. | |
| | RecordType | M | CC @RecordType | Code which specifies the level at which the record is broken. | |
| CumulativeResult /ResultItems /ResultItem | Phase | M | CC @Phase | Phase code of the latest RSC schedule item (either phase or unit) to which the cumulative result is updated to. Possible values are: (9) Heats (2) Semi-finals | Individual/Relay events: T2 |

| Element | Attribute | M/O | Value | Comments | LIVE_UPDATE RT trigger expected |
|--|------------|-----|----------------------|--|---------------------------------------|
| | Unit | M | CC @Unit | Unit code of the latest RSC schedule item to which the cumulative results is updated to. | |
| CumulativeResult /ResultItems /ResultItem /Result | Rank | O | Text | Rank of the competitor in the result for the event unit. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank). | Individual/Relay events: T2 |
| | RankEqual | O | S(1) (Y,N) | Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore. | |
| | ResultType | M | CC @ResultType | Result type, either time or IRM for the event unit (see codes section) | |
| | Result | O | MM:SS.tt 99:90.00 | The result of the competitor for the event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second | |
| | IRM | O | CC @IRM | The invalid rank mark (IRM) for the event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section) | |

The following table describes in more detail the ExtendedInfos /ExtendedInfo element in the case of Swimming.

| Element: ExtendedInfos /ExtendedInfo | | | | | |
|--------------------------------------|--------------|----------------|-----|------------------------------|---|
| Type | Code | Extension Code | Pos | Value | Description |
| EI_SW | SW_LAST_QUAL | | | S(20) with no leading zeroes | For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Competitor's ID, to identify an athlete or a team according to the event, for the last qualified at this phase (it would be based on the rank of the competitor in the cumulative result at the end of each event unit within a phase). |

For the table above, we have the following additional/summary information:

| Type /Code /Extension Code | Description | Expected |
|-------------------------------|--|---|
| EI_SW /SW_LAST_QUAL | The competitor ID for the last qualified at the corresponding phase (based in the cumulative result at the end of each event unit within a phase). | Just for Individual and Relay events: T1, T2 |

6.1.2.6 Message sort

Please, follow the general definition.

DOCUMENT CONTROL

Version history

| Version | Date | Comments |
|-----------------|------------------|---|
| R-SEG-2015 V1.0 | 1 July 2014 | Submitted for review version |
| R-SEG-2015 V1.1 | 3 July 2014 | Submitted for approval version and some minor issues/comments |
| R-SEG-2015 V1.2 | 11 July 2014 | 1 st Approved version |
| R-SEG-2015 V1.3 | 22 August 2014 | Minor modifications and modifications in look & feel |
| R-SEG-2015 V1.4 | 9 September 2014 | 2 nd Approved version |
| R-SEG-2015 V1.5 | 19 March 2015 | 3 rd Approved version |

File reference: ODF/INT432 R-SEG-2015 V1.5 APP

Change Log

| Version | Status | Changes on version |
|-----------------|--------|---|
| R-SEG-2015 V1.0 | SFR | <ul style="list-style-type: none"> • First version |
| R-SEG-2015 V1.1 | SFA | <ul style="list-style-type: none"> • Submitted for approval • Generally, the reference to the London ODF Central/Sport Messages Interface has changed to ODF General Messages Interface • Whatever is added/modified from the London ODF version is highlighted in green • Any reference/attribute to the Marathon event - that is not part of the Baku European Games - has been removed |
| R-SEG-2015 V1.2 | APP | <ul style="list-style-type: none"> • Approved version |
| R-SEG-2015 V1.3 | APP | <ul style="list-style-type: none"> • DT_GM / DT_GN messages: <ul style="list-style-type: none"> • The titles of the messages 'Discipline/venue start transmission' and 'Discipline/venue stop transmission' have been replaced back to 'Discipline/venue good morning' and 'Discipline/venue good night', correspondingly |
| R-SEG-2015 V1.4 | APP | <ul style="list-style-type: none"> • Updated the Common code document reference with COD404 • Updated <i>ODF General Messages Interface Document</i> in <i>ODF1 General Messages Interface Document</i> • Added reference to ODF Header Values document • Updated table under 5.1Point in Time Applicable Messages adding the ODF format where necessary |
| R-SEG-2015 V1.5 | APP | <ul style="list-style-type: none"> • DT_PARTIC: The description of the E_Q_TIME is modified so to adapt the European Games • DT_PARTIC: The attributes 'E_Q_DATE', 'E_Q_CITY' and 'E_Q_COUNTRY' are removed since no data will ever be available for them • The sentence in §1.3 Main Audience is adapted to the European Games • The reference to WNPA is removed |

This page has been intentionally left blank