

Modifications from London ODF versions are highlighted in **green**

Olympic Data Feed

Baku 2015

ODF Swimming Data Dictionary

ODF/INT432 R-SEG-2015 V1.5 APP - 19 March 2015
Technology and Information Department

© International Olympic Committee



Baku 2015
1ST EUROPEAN GAMES

This document is based on information provided by the IOC to Baku 2015 and is subject to the terms and conditions of the license agreement entered into between the IOC and Baku 2015, which is reproduced hereafter. The copyright of such document belongs to the IOC

License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.

2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.

3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.

4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.

TABLE OF CONTENT

1	Introduction	6
1.1	This document.....	6
1.2	Objective	6
1.3	Main Audience.....	6
1.4	Glossary	6
1.5	Related Documents.....	6
2	Overall Perspective	8
2.1	Objective	8
2.2	End to End data flow	8
3	Codes	9
3.1	Schedule Status: Triggers for 'Getting Ready' & 'Running' status.....	10
4	Swimming Data Extension	11
4.1	General Issues	11
4.1.1	ODF header	11
4.1.2	Attributes Definition.....	11
5	Point in Time.....	12
5.1	Point in Time Applicable Messages	12
5.1.1	List of participants by discipline / List of participants by discipline update	14
5.1.1.1	Description.....	14
5.1.1.2	Header Values.....	14
5.1.1.3	Trigger and Frequency	14
5.1.1.4	Message Structure	14
5.1.1.5	Message Values	14
5.1.1.6	Message sort	15
5.1.2	List of teams by discipline / List of teams by discipline update	16
5.1.2.1	Description.....	16
5.1.2.2	Header Values.....	16
5.1.2.3	Trigger and Frequency	16
5.1.2.4	Message Structure	16
5.1.2.5	Message Values	16
5.1.2.6	Message sort	17
5.1.3	Historical records	18
5.1.3.1	Description.....	18
5.1.3.2	Header Values.....	18
5.1.3.3	Trigger and Frequency	18
5.1.3.4	Message Structure	18
5.1.3.5	Message Values	18
5.1.3.6	Message sort	19
5.1.4	Start List.....	20
5.1.4.1	Description.....	20
5.1.4.2	Header Values.....	20
5.1.4.3	Trigger and Frequency	20
5.1.4.4	Message Structure	20
5.1.4.5	Message Values	20
5.1.4.6	Message sort	23
5.1.5	Event Unit Results	24
5.1.5.1	Description.....	24

5.1.5.2	Header Values	24
5.1.5.3	Trigger and Frequency	24
5.1.5.4	Message Structure	24
5.1.5.5	Message Values	24
5.1.5.6	Message sort	29
5.1.6	Phase Results	30
5.1.6.1	Description	30
5.1.6.2	Header Values	30
5.1.6.3	Trigger and Frequency	30
5.1.6.4	Message Structure	30
5.1.6.5	Message Values	30
5.1.6.6	Message sort	32
5.1.7	Cumulative Results	33
5.1.7.1	Description	33
5.1.7.2	Header Values	33
5.1.7.3	Trigger and Frequency	33
5.1.7.4	Message Structure	33
5.1.7.5	Message Values	33
5.1.7.6	Message sort	35
5.1.8	Event's Medallists	36
5.1.8.1	Description	36
5.1.8.2	Header Values	36
5.1.8.3	Trigger and Frequency	36
5.1.8.4	Message Structure	36
5.1.8.5	Message Values	36
5.1.8.6	Message sort	36
5.1.9	Records	37
5.1.9.1	Description	37
5.1.9.2	Header Values	37
5.1.9.3	Trigger and Frequency	37
5.1.9.4	Message Structure	37
5.1.9.5	Message Values	37
5.1.9.6	Message sort	39
5.1.10	Discipline/venue good morning	40
5.1.10.1	Description	40
5.1.10.2	Header Values	40
5.1.10.3	Trigger and Frequency	40
5.1.10.4	Message Structure	40
5.1.10.5	Message Values	40
5.1.10.6	Message sort	40
5.1.11	Discipline/venue good night	41
5.1.11.1	Description	41
5.1.11.2	Header Values	41
5.1.11.3	Trigger and Frequency	41
5.1.11.4	Message Structure	41
5.1.11.5	Message Values	41
5.1.11.6	Message sort	41
5.1.12	Discipline configuration	42
5.1.12.1	Description	42
5.1.12.2	Header Values	42
5.1.12.3	Trigger and Frequency	42
5.1.12.4	Message Structure	42
5.1.12.5	Message Values	42
5.1.12.6	Message sort	45

6 Real time **46**

6.1	Real Time Applicable Messages	46
6.1.1	RT Event Unit Results	47

6.1.1.1	Description.....	47
6.1.1.2	Header Values.....	47
6.1.1.3	Trigger and Frequency	47
6.1.1.4	Message Structure	47
6.1.1.5	Message Values	48
6.1.1.6	Message sort.....	54
6.1.2	RT Cumulative Results	55
6.1.2.1	Description.....	55
6.1.2.2	Header Values.....	55
6.1.2.3	Trigger and Frequency	55
6.1.2.4	Message Structure	55
6.1.2.5	Message Values	55
6.1.2.6	Message sort.....	58
DOCUMENT CONTROL		59

1 Introduction

1.1 This document

This document includes the ODF Swimming Data Dictionary. This Data Dictionary refines the messages described in the ODF1 General Messages Interface Document specifically for Swimming, as well as defines the codes used in these messages.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Swimming Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Swimming competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News and Press Agencies, Rights Holding Broadcasters and International European Federations.

1.4 Glossary

The following abbreviations are used in this document

- **EOC** – European Olympic Committee
- **FINA** – “Fédération Internationale de Natation”
- **IF** – International Federation
- **IOC** – International Olympic Committee
- **NOC** – National Olympic Committee
- **ODF** – Olympic Data Feed
- **ODF-RT** – Olympic Data Feed Real Time
- **RSC** – Results System Codes
- **SW** – Swimming
- **WNPA** – World News Press Agencies

1.5 Related Documents

Document Reference	Document Title	Document Description
ODF/INT401	ODF Principles for the Baku 2015 European	This document describes the general technical standards

Document Reference	Document Title	Document Description
	Games	to be used at the European Games in Baku 2105
ODF/COD404	ODF Common Codes	This document describes the ODF codes used across the rest of the ODF documents
ODF/COD405	ODF Header Value	This document details the header values, showing which RSCs are used in which messages
ODF/INT402	ODF1 General Messages Interface Document	This document describes the ODF central and sport messages

2 Overall Perspective

2.1 Objective

The objective of this document is to focus on the formal definition of the ODF1 Swimming Data Dictionary.

2.2 End to End data flow

The general rules as described in the documents referenced in the section 1.5 will have to be considered for a complete and formal definition. It is especially important the ODF1 General Messages Interface Document, since this ODF Swimming Data Dictionary is a particularization of this document.

In the following sections, for each ODF sport message it will be explained in further detail those elements, attributes, codes, ODF header, the trigger and frequency for each message generation, as well as the sort of the message that are particular in the case of Swimming.

Please note, that Swimming ODF is provided as described in the document in an ODF1 format for all the sports messages.

3 Codes

Several codes are used in the definition of the messages in this document. Any code will be referenced the following way:

CC @CodeEntity

CodeEntity is the name of the entity that identifies a particular set of codes.

The following table describes the codes entities used in document sorted by name, indicating whether the set of values can be found in the ODF Common Codes Document, or listed in the table itself, otherwise. Please refer to ODF Sport Codes Document to know the format of these codes.

Code Entity	Code Entity Set of Values	
CC @Country	Defined in ODF Common Codes Document See entity Country <ul style="list-style-type: none"> The entity's attribute to be used is Code 	
CC @Discipline	Defined in ODF Common Codes Document See entity Discipline <ul style="list-style-type: none"> The entity's attribute to be used is Discipline However, valid disciplines will be those which Non-Sport attribute='N' 	
CC @DisciplineGender	Defined in ODF Common Codes Document See entity Discipline Gender <ul style="list-style-type: none"> The entity's attribute to be used is Gender It will be related to Discipline 	
CC @Event	Defined in ODF Common Codes Document See entity Event <ul style="list-style-type: none"> The entity's attribute to be used is Event It will be related to Discipline and Gender 	
CC @IRM	Code	Description
(The codes order provided is according to the sport rules. In case of several IRM of the same code, sort by bib numbers in ascending order).	DNS	Did not start
	DNF	Did not finish
	DSQ	Disqualified
	OTL	Over Time Limit
	pd	Pending for disqualification
CC @Organisation	Defined in ODF Common Codes Document See entity Organisation <ul style="list-style-type: none"> The entity's attribute to be used is Code 	
CC @PerformanceCategory	Code	Description
	WRP	World Record Chronology
	ALL	Top 10 - All Time
	CUY	Top 10 - Current Year Performers
CC @Phase	Defined in ODF Common Codes Document	

Code Entity	Code Entity Set of Values	
	See entity Phase <ul style="list-style-type: none"> The entity's attribute to be used is Phase It will be related to Discipline, Gender and Event 	
CC @QualificationMark	Code	Description
	Q	Qualified for the next phase (semi-final or final)
	?	Involved in swim-off
CC @RecordType	Defined in ODF Common Codes Document See entity Record Type <ul style="list-style-type: none"> The entity's attribute to be used is Type It will be related to Discipline 	
CC @ResultType	Code	Description
	IRM	Invalid Result Mark
	TIME	Performance as a Time value
CC @Stroke	Code	Description
	1	Freestyle
	2	Butterfly
	3	Breaststroke
	4	Backstroke
CC @Unit	Defined in ODF Common Codes See entity Unit <ul style="list-style-type: none"> The entity's attribute to be used is Event Unit It will be related to Discipline, Gender, Event and Phase 	

3.1 Schedule Status: Triggers for 'Getting Ready' & 'Running' status

Swimming ODF is provided as described in the document in an ODF1 format for all the sports messages and for Swimming

a new Schedule Status "Getting Ready" (code 3) has been introduced as mentioned in the in the ODF1 General Messages Interface document and in the Common Codes document.

These are the triggers used for changing the Schedule Status to Getting Ready and Running.

Sport	Event	Phase	Trigger for ScheduleStatus 'Getting Ready' (code 3)	Trigger for ScheduleStatus "Running" (code 4)
SW	all	all	Athletes entering the pool area	Start signal (and clock begins)

4 Swimming Data Extension

4.1 General Issues

The following sections extend and complete the information to be sent in each of the messages for this particular discipline, if some particularization is needed. If there are special considerations for any of the message types that have to be sent for this discipline, then they should be considered in the following sections. If nothing is mentioned for a particular message type, then the general rules, as defined in the ODF1 General Messages Interface Document, should be respected for the messages described in the chapter 4 of this document.

4.1.1 ODF header

Regarding to the ODF header values, you should follow the description in the ODF Principles for the Baku 2015 European Games Document. However, the following attributes could be refined for each message type regarding to the header values:

- ODF Header: DocumentCode.

4.1.2 Attributes Definition

The attributes types are explained in the section “Formats used in ODF” of the ODF Principles for the Baku 2015 European Games Document. Please, refer to that document for further information

5 Point in Time

5.1 Point in Time Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Swimming, as well as the category of each message, which identifies if the message structure definition can be found either in the Central Messages or Sport Messages paragraph of the ODF1 General Messages Interface Document.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Paragraph documented” indicates the paragraph in the ODF1 General Messages Interface Document where you should go to have the general definition for a particular Message type
- The column “Message used in this sport” indicates whether a message is used in particular for this sport or not. If it is not ticked (X), then the message should not be used for this sport.
- The column “Message extended in this document” indicates whether a particular message has extended definition in regards to those that are general for all sports. Any message ticked (X) in this column should also be ticked in the “Message used in this sport column”. If one message has extended definition, it should be considered both, the extensions as well as the general rules for one message that is used in the case of the sport. However, if one particular message is not extended, then it should follow the general definition rules.

Message Type	Message name	Paragraph documented	Message used in this sport	Message extended in this document
DT_SCHEDULE	Competition schedule	Central	X	
DT_SCHEDULE_UPDATE	Competition schedule update	Central	X	
DT_PARTIC	List of participants by discipline	Central	X	X
DT_PARTIC_UPDATE	List of participants by discipline update	Central	X	X
DT_PARTIC_TEAMS	List of teams	Central	X	X
DT_PARTIC_TEAMS_UPDATE	List of teams update	Central	X	X
DT_MEDALS	Medal standings	Central	Global (ODF2 format)	
DT_MEDALLISTS_DAY	Medallists of the day	Central	Global (ODF2 format)	
DT_HISTORIC_RECORD	Historical records	Central	X	X
DT_GLOBAL_GM	Global good morning	Central	Global	

Message Type	Message name	Paragraph documented	Message used in this sport	Message extended in this document
			(ODF2 format)	
DT_GLOBAL_GN	Global good night	Central	Global (ODF2 format)	
DT_START_LIST	Start List	Sports	X	X
DT_RESULT	Event Unit Results	Sports	X	X
DT_PHASE_RESULT	Phase Results	Sports	X	X
DT_CUMULATIVE_RESULT	Cumulative Results	Sports	X	X
DT_POOL_STANDING	Pool Standings of group in a team competition	Sports		
DT_RANKING	Event Final ranking	Sports	X	
DT_STATS	Statistics table	Sports		
DT_MEDALLISTS	Medallists of one event	Sports	X	X
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	Sports	X	
DT_RECORD	Records	Sports	X	X
DT_COMMUNICATION	Official Communication	Sports	X	
DT_BRACKETS	Brackets	Sports		
DT_GM	Discipline/venue good morning	Sports	X	X
DT_GN	Discipline/venue good night	Sports	X	X
DT_CONFIG	Discipline configuration	Sports	X	X
DT_WEATHER	Event Unit Weather conditions	Sports		

5.1.1 List of participants by discipline / List of participants by discipline update

5.1.1.1 Description

This message is the List of participants (current athletes, officials and historical athletes) by discipline (and the update) as described in the ODF1 General Messages Interface Document.

5.1.1.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.1.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.1.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Participant /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.1.5 Message Values

The following table lists the “List of participants by discipline / update” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Participant	BirthDate	O	YYYYMMDD	Date of birth. It will be included if this information is available.
	Height	O	N(3) 999	Height in centimetres. It will be included if this information is available.
	Weight	O	N(3) 999	Weight in kilograms. It will be included if this information is available.

The following table describes in more detail the Participant /Discipline /RegisteredEvent /EventEntry element in the case of Swimming.

Element: Participant /Discipline /RegisteredEvent /EventEntry				
Type	Code	Pos	Value	Description
E_ENTRY	E_Q_TIME		MM:SS.tt 99:90.00	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Athlete's Season Best Qualifying Time .
				Use Time format: MM is minutes SS is seconds tt is hundredths of second
	E_Q_DATE		YYYYMMDD	For @Type: Send proposed type

Element: Participant /Discipline /RegisteredEvent /EventEntry				
Type	Code	Pos	Value	Description
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Date of Athlete's Qualification
	E_Q_CITY		S(25)	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: City (Location) of Athlete's Qualification
	E_Q_COUNTRY		CC @Country	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Country ID of the Athlete's Qualification city (location)

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
E_ENTRY /E_Q_TIME	Athlete's Qualifying Time. Only applies for Individuals.	Always, as soon as this information is known (it can be sent in both messages). Not required for Marathon.
E_ENTRY /E_Q_DATE	Date of Athlete's Qualification. Only applies for Individuals.	Always, as soon as this information is known (it can be sent in both messages).
E_ENTRY /E_Q_CITY	City (Location) of Athlete's Qualification. Only applies for Individuals.	Always, as soon as this information is known (it can be sent in both messages).
E_ENTRY /E_Q_COUNTRY	Country ID of the Athlete's Qualification city (location). Only applies for Individuals.	Always, as soon as this information is known (it can be sent in both messages).

5.1.1.6 Message sort

Please, follow the general definition.

5.1.2 List of teams by discipline / List of teams by discipline update

5.1.2.1 Description

This message is the List of teams by discipline (and the update) as described in the ODF1 General Messages Interface Document.

5.1.2.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.2.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.2.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Team /Discipline /RegisteredEvent /EventEntry

In the next section (message values), there is a more detailed definition.

5.1.2.5 Message Values

The following table describes in more detail the Team /Discipline /RegisteredEvent /EventEntry element in the case of Swimming.

Element: Team /Discipline /RegisteredEvent /EventEntry				
Type	Code	Pos	Value	Description
E_ENTRY	E_Q_TIME		MM:SS.tt 99:90.00	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Team's Qualifying Time. Use Time format: MM is minutes SS is seconds tt is hundredths of second
E_Q_DATE			YYYYMMDD	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Date of Team's Qualification
E_Q_CITY			S(25)	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: City (Location) of Team's Qualification
E_Q_COUNTRY			CC @Country	For @Type: Send proposed type
				For @Code:

Element: Team /Discipline /RegisteredEvent /EventEntry				
Type	Code	Pos	Value	Description
				Send proposed code
				For @Pos : Do not send anything
				For @Value: Country ID of the Team's Qualification city (location)

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
E_ENTRY /E_Q_TIME	Team's Qualifying Time.	Always, as soon as this information is known (this information can be sent in both messages).
E_ENTRY /E_Q_DATE	Date of Team's Qualification.	Always, as soon as this information is known (this information can be sent in both messages).
E_ENTRY /E_Q_CITY	City (Location) of Team's Qualification.	Always, as soon as this information is known (this information can be sent in both messages).
E_ENTRY /E_Q_COUNTRY	Country ID of the Team's Qualification city (location).	Always, as soon as this information is known (this information can be sent in both messages).

5.1.2.6 Message sort

Please, follow the general definition.

5.1.3 Historical records

5.1.3.1 Description

This message is the Historical records as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, according to the ODF Common Codes document (record codes values sheet).

5.1.3.2 Header Values

The definition in the ODF1 General Messages Interface Document is valid.

5.1.3.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.3.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- HistoricalRecords /Record /RecordType /ExtRecords /ExtRecord
- HistoricalRecords /Record /RecordType /Competitor /RecordData (for Relay event units)
- HistoricalRecords /Record /RecordType /Competitor /Composition /Athlete /RecordData (for all event units except for Relay events)

In the next section (message values), there is a more detailed definition.

5.1.3.5 Message Values

The following table lists the “Historical records” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
HistoricalRecords /Record /RecordType	Code	M	CC @RecordType	Record type.
	Subcode	O	WRC order if Code="WRC"	Mandatory in case of Code="WRC"
HistoricalRecords /Record /RecordType /RecordData	ResultType	M	CC @ResultType	"TIME" Indicate that the result type for the record is a time.
	Result	M	MM:SS.tt 99:90.00	The result of the competitor for the record. Use Time format: MM is minutes SS is seconds tt is hundredths of second

Element	Attribute	M/O	Value	Comments
HistoricalRecords /Record /RecordType /Competitor /RecordData (just for team competitor's record)	Country	M	CC @Country	Country code where the record was broken.
	Place	M	S(40)	The place (town or city) where the record was broken.
	Date	M	YYYYMMDD	The date where the record was broken.
	Event	O	S(40)	Text of the event name where the record was broken (e.g.: "2008 Olympic Games"). It will be sent if this information is available.
HistoricalRecords /Record /RecordType /Composition /Athlete /RecordData (just for individual athlete's record)	Country	M	CC @Country	Country code where the record was broken.
	Place	M	S(40)	The place (town or city) where the record was broken.
	Date	M	YYYYMMDD	The date where the record was broken.
	Event	O	S(40)	Text of the event name where the record was broken (e.g.: "2008 Olympic Games"). It will be sent if this information is available.

The following table describes in more detail the HistoricalRecords /Record /RecordType /Competitor /ExtRecords /ExtRecord element in the case of Swimming.

Element: HistoricalRecords /Record /RecordType /Competitor /ExtRecords /ExtRecord				
Type	Code	Pos	Value	Description
HER_RECORD	SW_SPLIT	N(2) 99	MM:SS.tt 99:90.00	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Sequential number from 1 to 99 for each split in the record, to indicate its number. It can be one or more (depending on the distance of the event unit). i.e.: for 50m - does not have split, for 100m - 1 split, for 200m - 3 splits, ...
				For @Value: Split Time in the record Use Time format: MM is minutes SS is seconds tt is hundredths of second

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
HER_RECORD /SW_SPLIT	Splits time in the record.	If it applies. Just for events units which have splits time in the record.

5.1.3.6 Message sort

Please, follow the general definition.

5.1.4 Start List

5.1.4.1 Description

This message is the Start List message as described in the ODF1 General Messages Interface Document.

5.1.4.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.4.3 Trigger and Frequency

The definition in the ODF1 General Messages Interface Document is valid.

5.1.4.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- UnitInfos /UnitInfo /Extensions
- UnitInfos /UnitInfo /Competitor can be included or not for UnitInfos /UnitInfo /Extensions /Extension code SW_ID (for Relay event units when the competitor's ID is not known for some performance category code)
- UnitInfos /UnitInfo /Competitor /Composition can be included or not for UnitInfos /UnitInfo /Extensions /Extension code SW_ID (for all events units except Relay when the athlete's ID is not known for some performance category code)
- Start /Competitor /EventUnitEntry (for Relay event units)
- Start /Competitor /Composition /Athlete /EventUnitEntry (for all event units except for Relay events)

In the next section (message values), there is a more detailed definition.

5.1.4.5 Message Values

The following table lists the "Start List" optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Start	StartOrder	O	Numeric	Lane assignment or start order of the competitor in the start list.
	SortOrder	M	Numeric	Lane order or bib order.

The following table describes in more detail the UnitInfos /UnitInfo element and its child element Extensions in the case of Swimming.

Element: UnitInfos /UnitInfo (for all events except for Marathon)					
Type	Code	Extension Code	Pos	Value	Description
UI_BEST_CC @PerformanceCategory	SW_RANK			N(2) 90	For @Type: Send proposed type (see codes section) For @Code:

Element: UnitInfos /UnitInfo (for all events except for Marathon)					
Type	Code	Extension Code	Pos	Value	Description
					Send proposed code
					For @Pos: Do not send anything
					For @Value: Performer's result Rank at this performance category (for top 10 in each one), from 1 to 10.
		SW_ID		S(20) with no leading zeroes	For @Type: Send proposed code (as type)
				Or	For @Code: Send proposed extension code
				blank	For @Pos: Do not send anything
					For @Value: Competitor's ID at the performer's rank per this category. It could be the Team's ID for Relay event units or Athlete's ID (to identify an athlete) for the rest of event units. Send blank when competitor (in both cases) does not compete in the games.
		SW_RESULT		MM:SS.tt 99:90.00	For @Type: Send proposed code (as type)
					For @Code: Send proposed extension code
					For @Pos: Do not send anything
					For @Value: Result time at performer's rank per this category. Use Time format: MM is minutes SS is seconds tt is hundredths of second
		SW_CITY		S(30)	For @Type: Send proposed code (as type)
					For @Code: Send proposed extension code
					For @Pos: Do not send anything
					For @Value: City (location) at the performer's rank per this category.
		SW_DATE		YYYYMMDD	For @Type: Send proposed code (as type)
				Or	For @Code: Send proposed extension code
				MMDD	For @Pos: Do not send anything
					For @Value: Result Date at the performer's rank per this category. For the performance category "CUY" (Current Year Performers), do not send the year.

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
UI_BEST_CC @PerformanceCategory /SW_RANK /SW_ID /SW_RESULT /SW_CITY /SW_DATE	Best performers (top 10) for each rank (competitor's ID, result time, city and date) of each performance category.	Always, when this information is available (except for Marathon event).

The following table describes in more detail the optional attributes for UnitInfos /UnitInfo /Competitor (and UnitInfos /UnitInfo /Competitor /Composition when the person is an Athlete, not for team event units) that will have to be included when the competitor's ID is not known in UnitInfos /UnitInfo /Extensions /Extension (code SW_ID and @Value is blank), both for athletes and for teams.

Element	Attribute	M/O	Value	Comments
UnitInfos /UnitInfo /Competitor	Organisation	M	CC @Organisation	Organisation ID of the person (both for athletes and for teams) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category.
UnitInfos /UnitInfo /Competitor /Composition /Athlete	FamilyName	M	S(25)	Family name of the person (athlete) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category.
	GivenName	M	S(25)	Given name of the person (athlete) associated to the UnitInfos /UnitInfo /Extensions /Extension at the performer's rank per category.

The following table describes in more detail the Start /Competitor /EventUnitEntry element, which should be used in the case of Relay event units, or the Start /Competitor /Composition /Athlete /EventUnitEntry element, in the case of the rest of events.

Element: Start /Competitor /EventUnitEntry (in the case of Relay) Start /Competitor /Composition /Athlete /EventUnitEntry (for all events except for Relay)				
Type	Code	Pos	Value	Description
EUE_SW	SW_HEAT		N(2) 90	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
SW_LANE			N(2) 90	For @Value: Heat number (it will correspond with the unit of the DocumentCode attribute in the ODF header).
				For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
SW_SUBSTITUTE			S(1) (Y)	For @Type: Send proposed type
				For @Value: Lane number of the competitor

Element: Start /Competitor /EventUnitEntry (in the case of Relay) Start /Competitor /Composition /Athlete /EventUnitEntry (for all events except for Relay)				
Type	Code	Pos	Value	Description
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Send "Y" if the competitor (athlete or team) is a reserve for Semi-final or Final
	SW_IRM		CC @IRM	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Indicator as supplied by OVR for DNS or other possible results before the race.
	SW_Q_TIME		MM:SS.tt 99:90.00	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Do not send anything
				For @Value: Competitor's (athlete or team) Qualifying Time. According to the phase it could be: the entry qualification time (for the heats), the result time for the phase in which the tied occurred (for a swim-off), or the result time from the previous phase (for final). Use Time format: MM is minutes SS is seconds tt is hundredths of second

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
EUE_SW /SW_HEAT	Competition Heat Number (not for the substitutes).	If applies, for all event units (except for Marathon)
EUE_SW /SW_LANE	Competitor's Lane Number (not for the substitutes).	Always for competitors, when this information is known for all event units (except for Marathon)
EUE_SW /SW_SUBSTITUTE	Flag that indicates when the competitor is a substitute (alternative).	Always, as soon as this information is known (just for Semi-final and Final event units).
EUE_SW /SW_IRM	Invalid result mark supplied by OVR before the race.	If applies, in the case of the team does not compete (just for Relay event units).
EUE_SW /SW_Q_TIME	Competitor's Qualifying time.	Always, as soon as this information is known (except for Marathon).

5.1.4.6 Message sort

Please, follow the general definition.

5.1.5 Event Unit Results

5.1.5.1 Description

This message is the Event Unit Results message as described in the ODF1 General Messages Interface Document.

5.1.5.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.5.3 Trigger and Frequency

Please, follow the general definition, taking also into account the following:

For Pool swimming event:

- Official: At the end of each heat.

5.1.5.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element, however being @EndDate mandatory for Marathon event)
- Result /RecordIndicators /RecordIndicator (except for Marathon event)
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /ExtendedResults /ExtendedResult /Extensions (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units; in the case of Relay, team members' detailed results).
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extensions (for all event units; in the case of Relay, team members' detailed results).

5.1.5.5 Message Values

The following table lists the "Event Unit Results" optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	Text	Rank of the competitor in the corresponding event unit. This attribute is optional because the competitor could get an invalid rank mark or in case of PHOTO (in these cases, it will be blank).
	RankEqual	O	S(1) (Y)	Send 'Y' if the Rank is equalled.
	ResultType	M	CC @ResultType	Result type, either time or IRM for the corresponding event unit (see codes section)

Element	Attribute	M/O	Value	Comments
	Result	O	HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00	Total result for the particular event unit. Send just in the case @ResultType is Time (see codes section). Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for the rest of event units): MM is minutes, SS is seconds, tt is hundredths of second
	IRM	O	CC @IRM	IRM for the particular event unit. Send just in the case @ResultType is IRM (see codes section)
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.
Result /RecordIndicators /RecordIndicator	Order	M	Numeric	Order is always "1" for records broken/equalled in this Event Unit.
	Code	M	CC @RecordCode	Code which describes the record broken by the result value.
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken.

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element and its child element Extensions (only for Relay event units).

Element: Result /Competitor /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_DIFF			MM:SS.tt 99:90.00	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
	SW_LEG_CYCLE		N(1) 9	N(1) 9	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Number of cycle, two per leg. It's a sequential number from 1 to 8, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.)
		SW_T_RANK		N(1)	For @Value: Number of the leg (team members), from 1 to 4, for Relay.
					For @Type:

Element: Result /Competitor /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
				9	Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Rank of cumulative split at this leg (for the team).
		SW_T_ERANK		S(1) (Y)	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this leg (for the team) has been equalled, send "Y" in this case.
		SW_T_TIME		MM:SS.tt 99:90.00	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the cumulative split time at this leg (for the team). Use Time format: MM is minutes SS is seconds tt is hundredths of second
		SW_RECORD_MARK	N(1) 9	CC @RecordType	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Send "1" for the current Record or incremental (send "2") for the handling of Olympic record that is also an Area (Continental) record. For @Value: Send the record broken at this split point (when swimmer's cumulative split time is a World, Olympic or Area/Continental record respectively), by the first leg of the team. If the cumulative time is an Olympic record, it may also be an Area (Continental) record; in this case send both.

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
ER_SW /SW_DIFF	Result time difference for the whole team behind of the leader	Always, just for Relay event units (do not send for result @Rank=1)

ER_SW /SW_LEG_CYCLE	Team's performance at each cycle per leg (at the middle and at the exchange/finish, (two for each leg), and according to the cycles defined in the message "Discipline Configuration" (SW_CYCLE attribute).	Just for Relay event units
ER_SW /SW_LEG_CYCLE /SW_T_RANK	Rank of the team at this leg	Always
ER_SW /SW_LEG_CYCLE /SW_T_ERANK	Equalled rank indicator of the team at this leg.	Always (if it applies)
ER_SW /SW_LEG_CYCLE /SW_T_TIME	Result time of the team at this leg	Always
ER_SW /SW_LEG_CYCLE /SW_RECORD_MARK	Record mark at this split for cumulative split time when break a World, an Olympic or an Area/Continental record. In the case of Olympic record plus an Area (Continental) record, if it applies.	If it applies (only for the first leg of the team)

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions (for all event units).

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_REACTION_TIME			S.tt 0.00	For @Type: Send proposed type
					For @Code: Send proposed code
					For @ Pos: Do not send anything
					For @Value: Reaction time of the athlete
					Use Time format: S is seconds tt is hundredths of second
	SW_SPLIT		N(2) 90		For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: The number that identifies the split point, from 1 to the total number of splits result points.
					For @Value: Do not send anything
		SW_SPLIT_TIME		HH:MM:SS.t 99:99:90.0	For @Type: Send proposed code (as type)
				Or	For @Code: Send proposed extension code
				MM:SS.tt 99:90.00	For @Pos: Do not send anything
					For @Value: Send the split result time (from this split point to the previous one). Not cumulative time. Don't send for the first split in Individual events.
					Use Time format: (for Marathon event):

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for Individual event units): MM is minutes, SS is seconds, tt is hundredths of second
		SW_RANK		N(1) 9	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Cumulative rank at this split point.
		SW_ERANK		S(1) (Y)	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this split point has been equalled, send "Y" in this case.
		SW_TIME		HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Time result from the start of the race up to this split point. Is a cumulative result time. Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for the rest of event units): MM is minutes, SS is seconds, tt is hundredths of second
		SW_SPLIT_RECORD	N(1) 9	CC @RecordType	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Send "1" for the current Record or incremental (send "2") for the handling of Olympic record that is also an Area (Continental) record. For @Value: Send the record broken at this split point (when swimmer's cumulative split time is a World or Olympic record respectively for Individual events, or a World, Olympic or Area/Continental record respectively

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					for the first leg of the team in Relay events). If the cumulative time is an Olympic record, it may also be an Area (Continental) record; in this case send both.

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
ER_SW /SW_REACTION_TIME	Reaction time of the athlete	Always, except for Marathon event
ER_SW /SW_SPLIT	Athlete's split data for each of the split points defined in the event (from 1 to n, according to the event distance defined in the "Discipline Configuration" message as: 1..2 for 100m events, 1..3 for 150m events, etc, or 1..6 for Marathon event).	Individual event units (except for 50m), Relay event units and Marathon event
ER_SW /SW_SPLIT /SW_SPLIT_TIME	Split result time (from this split point to the previous one).	Always (don't send for first split in Individual events), except for Relay event units
ER_SW /SW_SPLIT /SW_RANK	Cumulative rank at this split point.	Always, except for Relay event units
ER_SW /SW_SPLIT /SW_ERANK	Equalled rank indicator at this split point.	Always (if it applies), except for Relay event units
ER_SW /SW_SPLIT /SW_TIME	Time result from the start of the race up to this split point.	Always
ER_SW /SW_SPLIT /SW_SPLIT_RECORD	The record broken at this split point (when swimmer's cumulative split time is a World or Olympic record respectively for Individual events or a World, Olympic or Continental record respectively for first leg of the team in Relay events). In the case of Olympic record plus an Area (Continental) record, if it applies.	If it applies (for Individual event units and just for the first leg of the team in Relay event units)

5.1.5.6 Message sort

Please, follow the general definition.

5.1.6 Phase Results

5.1.6.1 Description

This message is the Phase Results message as described in the ODF1 General Messages Interface Document.

This message is sent just for the different phases (Heats and Semi-finals) of Individual and Relay events.

5.1.6.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.6.3 Trigger and Frequency

Please, follow the general definition.

5.1.6.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Result /RecordIndicators /RecordIndicator
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units except for Relay events)

5.1.6.5 Message Values

The following table lists the “Phase Results” optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Result	Rank	O	Text	Rank of the competitor in the corresponding phase. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank).
	RankEqual	O	S(1) (Y)	Send 'Y' if the Rank is equalled.
	ResultType	M	CC @ResultType	Result type, either time or IRM for the corresponding phase (see codes section)
	Result	O	MM:SS.tt 99:90.00	Total result for the particular phase. Send just in the case @ResultType is Time (see codes section). Use Time format: MM is minutes SS is seconds tt is hundredths of second
	IRM	O	CC @IRM	IRM for the particular phase. Send just in the case @ResultType is IRM (see codes section)
	QualificationMark	O	CC @QualificationMark Or blank	The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified.

Element	Attribute	M/O	Value	Comments
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.
Result /RecordIndicators /RecordIndicator	Order	M	Numeric	Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase.
	Code	M	CC @RecordCode	Code which describes the record broken by the result value.
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken.

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element (only for Relay event units).

Element: Result /Competitor /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_DIFF			MM:SS.tt 99:90.00	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Time difference for the whole team behind of the leader (do not send for Result @Rank=1) Use Time format: MM is minutes SS is seconds tt is hundredths of second

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_SW /SW_DIFF	Result time difference for the whole team behind of the leader	Always, just for Relay event units (do not send for result @Rank=1)

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element (for all event units except for Relay).

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_DIFF			MM:SS.tt 99:90.00	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Time difference for the athlete behind of the leader (do not send for Result @Rank=1) Use Time format MM is minutes

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					SS is seconds, tt is hundredths of second

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_SW /SW_DIFF	Result time difference for the athlete to the leader.	Always (do not send for result @Rank=1), except for Relay event units

5.1.6.6 Message sort

Please, follow the general definition.

5.1.7 Cumulative Results

5.1.7.1 Description

This message is the Cumulative Results message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent up to the end of an event unit within a phase (just for the phases Heats and Semi-finals) of Individual and Relay events.

The Cumulative Results message is used to send an interim summary of results (including rank) part way through a phase. In this case, the DocumentSubtype is used to specify the last phase or event unit that contributed results to the message.

5.1.7.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

Moreover, the header's attribute DocumentSubtype will be informed at event unit level, would be the cumulative results up to the end of the referenced event unit for the phases of Heats and Semi-finals (DDGEEEEPUU, where EEE will be for the events of Individuals and Relays, and P will be '9' for Heats phase and '2' for Semi-finals phase).

5.1.7.3 Trigger and Frequency

Please, follow the general definition.

5.1.7.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- ExtendedInfos /ExtendedInfo
- CumulativeResult /RecordIndicators /RecordIndicator
- CumulativeResult /ResultItems /ResultItem /Result

5.1.7.5 Message Values

The following table lists the Cumulative Results optional and/or extended attributes (defined in the ODF1 General Messages Interface Document), as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
CumulativeResult	Rank	O	Text	Rank of the competitor in the cumulative result in the corresponding phase (at the end of each event unit within a phase). This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank).
	RankEqual	O	S(1) (Y)	Send 'Y' if the Rank is equalled.
	ResultType	M	CC @ResultType	Result type, either time or IRM for the cumulative result within the corresponding phase (see codes section)

Element	Attribute	M/O	Value	Comments
	Result	O	MM:SS.tt 99:90.00	The cumulative result within the corresponding phase. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second
	IRM	O	CC @IRM	The invalid rank mark (IRM) within the corresponding phase, in case it is assigned. Send just in the case @ResultType is IRM (see codes section)
	QualificationMark	O	CC @QualificationMark Or blank	The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified.
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results within the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.
CumulativeResult /RecordIndicators /RecordIndicator	Order	M	Numeric	Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase.
	Code	M	CC @RecordCode	Code which describes the record broken by the CumulativeResult /Result value.
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken.
CumulativeResult /ResultItems /ResultItem	Phase	M	CC @Phase	Phase code of the latest RSC schedule item (either phase or unit) to which the cumulative result is updated to. Possible values are: (9) Heats (2) Semi-finals
	Unit	M	CC @Unit	Unit code of the latest RSC schedule item to which the cumulative results is updated to.
CumulativeResult /ResultItems /ResultItem /Result	Rank	O	Text	Rank of the competitor in the result for the event unit. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank).
	RankEqual	O	S(1) (Y)	Send 'Y' if the Rank is equalled.
	ResultType	M	CC @ResultType	Result type, either time or IRM for the event unit (see codes section)
	Result	O	MM:SS.tt 99:90.00	The result of the competitor for the event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second
	IRM	O	CC @IRM	The invalid rank mark (IRM) for the event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section)

The following table describes in more detail the ExtendedInfos /ExtendedInfo element in the case of Swimming.

Element: ExtendedInfos /ExtendedInfo

Type	Code	Extension Code	Pos	Value	Description
EI_SW	SW_LAST_QUAL			S(20) with no leading zeroes	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Competitor's ID, to identify an athlete or a team according to the event, for the last qualified at this phase (it would be based on the rank of the competitor in the cumulative result at the end of each event unit within a phase).

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
EI_SW /SW_LAST_QUAL	The competitor ID for the last qualified at the corresponding phase (based in the cumulative result at the end of each event unit within a phase).	Always (for Individual and Relay events)

5.1.7.6 Message sort

Please, follow the general definition.

5.1.8 Event's Medallists

5.1.8.1 Description

This message is the Event's Medallists message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, as listed in the header values section.

5.1.8.2 Header Values

The DocumentCode attribute in the ODF header will be sent according for all the competition events to the ODF Common Codes document (header values sheet).

5.1.8.3 Trigger and Frequency

In the case of Swimming, the message has to be sent two (2) minutes after the results of the final are approved.

5.1.8.4 Message Structure

Please, follow the general definition.

5.1.8.5 Message Values

Please, follow the general definition.

5.1.8.6 Message sort

Please, follow the general definition.

5.1.9 Records

5.1.9.1 Description

This message is the Records message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent for all the competition events, according to the ODF Common Codes document (record codes values sheet).

5.1.9.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the ODF Common Codes document (header values sheet).

5.1.9.3 Trigger and Frequency

- As soon as a record is broken and at any change.

5.1.9.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Record /RecordType /RecordEntries /RecordEntry /ExtRecords /ExtRecord
- Record /RecordType /RecordEntries /RecordEntry /Competitor /RecordData (for Relay event units)
- Record /RecordType /RecordEntries /RecordEntry /Competitor /Composition /Athlete /RecordData (for all event units except for Relay events).

In the next section (message values), there is a more detailed definition.

5.1.9.5 Message Values

The following table lists the “Records” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Record /RecordType	Code	M	CC @RecordType	Record type.
	Subcode	O	WRC order if Code="WRC"	Mandatory in case of Code="WRC"
Record /RecordType /RecordEntries /RecordEntry /RecordData	ResultType	M	CC @ResultType	"TIME" Indicate that the result type for the record is a time.
	Result	M	MM:SS.tt 99:90.00	The result of the competitor for the record. Use Time format: MM is minutes SS is seconds tt is hundredths of second

Element	Attribute	M/O	Value	Comments
Record /RecordType /RecordEntries /RecordEntry /Competitor /RecordData (just for team competitor's record)	Historical	M	S(1) (Y, N)	Indicates if the record is achieved during the current competition or not. Send 'Y' if not (it is from a previous competition).
	RSC	O	Concatenation of the following: CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit	RSC of the Event Unit for the current competition where the record is reached. Send always, is mandatory, in the case @Historical='N' (current competition).
	Time	O	MillisTime	The time where the record was broken in. Send always, is mandatory, in the case @Historical='N' (current competition).
	Country	M	CC @Country	Country code where the record was broken.
	Place	M	S(40)	The place (town or city) where the record was broken.
	Date	M	YYYYMMDD	The date where the record was broken (for the current competition, the date will be assumed as the date for the @RSC attribute according to its schedule)
	Event	O	S(40)	Text of the event name where the record was broken in a previous competition (e.g.: "2008 Olympic Games"). Send if it is available when @Historical='Y'.
Record /RecordType /RecordEntries /RecordEntry /Competitor /Composition /Athlete /RecordData (just for individual athlete's record)	Historical	M	S(1) (Y, N)	Indicates if the record is achieved during the current competition or not. Send 'Y' if not (it is from a previous competition).
	RSC	O	Concatenation of the following: CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit	RSC of the Event Unit for the current competition where the record is reached. Send always, is mandatory, in the case @Historical='N' (current competition).
	Time	O	MillisTime	The time where the record was broken in. Send always, is mandatory, in the case @Historical='N' (current competition).
	Country	M	CC @Country	Country code where the record was broken.
	Place	M	S(40)	The place (town or city) where the record was broken.
	Date	M	YYYYMMDD	The date where the record was broken (for the current competition, the date will be assumed as the date for the @RSC attribute according to its schedule)
	Event	O	S(40)	Text of the event name where the record was broken in a previous competition (e.g.: "2008 Olympic Games"). Send if it is available when @Historical='Y'.

The following table describes in more detail the Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord element in the case of Swimming.

Element: Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord				
Type	Code	Pos	Value	Description
ER_RECORD	SW_SPLIT	N(2) 99	MM:SS.tt 99:90.00	For @Type: Send proposed type
				For @Code: Send proposed code
				For @Pos : Sequential number from 1 to 99 for each split in

Element: Record /RecordType /RecordEntries /RecordEntry /Competitor /ExtRecords /ExtRecord				
Type	Code	Pos	Value	Description
				the record, to indicate its number. It can be one or more (depending on the distance of the event unit).
				For @Value: Split Time in the record
				Use Time format: MM is minutes SS is seconds tt is hundredths of second

For the table above, we have the following additional/summary information:

Type /Code	Description	Expected
ER_RECORD /SW_SPLIT	Splits time in the record	If it applies. Just for events units which have splits time in the record.

5.1.9.6 Message sort

Please, follow the general definition.

5.1.10 Discipline/venue good morning

5.1.10.1 Description

This message is the Discipline/venue good morning message as described in the ODF1 General Messages Interface Document.

5.1.10.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.10.3 Trigger and Frequency

Please, follow the general definition.

5.1.10.4 Message Structure

Please, follow the general definition.

5.1.10.5 Message Values

Please, follow the general definition.

5.1.10.6 Message sort

Please, follow the general definition.

5.1.11 Discipline/venue good night

5.1.11.1 Description

This message is the Discipline/venue good night message as described in the ODF1 General Messages Interface Document.

5.1.11.2 Header Values

The DocumentCode attribute in the ODF header will be sent according to the discipline/venue pairs as described in the ODF Common Codes document.

5.1.11.3 Trigger and Frequency

Please, follow the general definition.

5.1.11.4 Message Structure

Please, follow the general definition.

5.1.11.5 Message Values

Please, follow the general definition.

5.1.11.6 Message sort

Please, follow the general definition.

5.1.12 Discipline configuration

5.1.12.1 Description

This message is the Discipline configuration message as described in the ODF1 General Messages Interface Document.

5.1.12.2 Header Values

Please, follow the general definition.

5.1.12.3 Trigger and Frequency

Please, follow the general definition.

5.1.12.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- Configs /Config /ExtendedConfig /ExtendedConfigItem

5.1.12.5 Message Values

Send the attributes and codes according to the tables described in this section.

The following table lists the “Discipline Configuration” optional attributes (defined in the ODF1 General Messages Interface Document) that are used in the case of Swimming, as well as the attributes that have an extended definition.

Element	Attribute	M/O	Value	Comments
Configs /Config	Gender	M	CC @DisciplineGender	Gender code of the RSC.
	Event	M	CC @Event	Event code of the RSC.
	Phase	M	CC @Phase	Phase code of the RSC. There are the following phases for: (9) Heats (2) Semi-finals (1) Final

The following table describes in more detail the Configs /Config /ExtendedConfig element and its child element ExtendedConfigItem.

Element: Configs /Config /ExtendedConfig					
Type	Code	ExtendedConfigItem Code	Pos	Value	Description
EC_SW	SW_EVENT_NO (Send by event)			N(2) 90	For @Type: Send proposed type For @Code: Send proposed code For @Pos : Do not send anything For @Value: Event Number to identify whole event (e.g.: 16 for “Men’s 100m Freestyle”, 20 for “Women’s 100m Freestyle”, etc.)
	SW_NUM_GROUPS (Send by phase)			N(2) 90	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything

Element: Configs /Config /ExtendedConfig					
Type	Code	ExtendedConfig Item Code	Pos	Value	Description
					For @Value: Total number of groups per phase (except for the Final), i.e.: -for Heats phase: the total number of heats, -for Semi-finals: the total number of semi-finals.
	SW_RACE_DISTANCE (Send by event)			N(4) 9990 Or N(2).N 90,0	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Distance for the event, from start until finish line (in meters).
	SW_SPLIT (Send by event)		N(2) 90		For @Type: Send proposed type For @Code: Send proposed code For @Pos Send the number that identifies each of the split points (according to the Individual/Relay event and Marathon event distance, from 1 to n, where n is when the race finishes). (e.g.: for 100m events, 2 splits: (1): 50m, (2): 100m -the finish- -for 150m events, 3 splits: (1): 50m, (2): 100m, (3): 150m -the finish- For @Value: Do not send anything
		SW_DISTANCE		N(4) 9990 Or N(2).N 90.0 (for Marathon event)	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Distance from start at this split point (for Marathon event in kilometres, for the rest in meters).
		SW_LAST		S(1) (Y)	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send 'Y' for the last split point (the finish).
		SW_STROKE		CC @Stroke	For @Type: Send proposed code (as type) For @Code: Send proposed extension code

Element: Configs /Config /ExtendedConfig					
Type	Code	ExtendedConfig Item Code	Pos	Value	Description
					For @Pos: Do not send anything
					For @Value: Stroke for the split in Individual Medley events. There are 4 strokes as follows for: (1) Freestyle (2) Butterfly (3) Breaststroke (4) Backstroke
	SW_CYCLE (Send by event)		N(1) 9	S(10)	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Send the number of each cycle for Relay events, from 1 to 8. There will be always 2 cycles per leg, independent of the total distance of the event for the team (400m for 4x100m or 800m for 4x200m)
					For @Value: Send the label for each cycle related to the splits points included in each one (1 or 2, according to the total distance of the event for the team). (e.g.: for 4x100m (1 split per cycle): "50m", "100m", "150m", ..., "400m" for 4x200m (2 splits per cycle): "50m/100m", "150m/200m", "250m/300m", ..., "750m/800m")
EC_QUALIFICATION_RULE	QR_RANK_QUALIFY_NEXT_ROUND (Send by phase)		N(1) 9	N(2) 90	For @Type: Send proposed type
					For @Code: Send proposed code for the qualification rule. QR_RANK_QUALIFY_NEXT_ROUND is the code that indicates the qualification for next round based on rank.
					For @Pos: Send 1 to indicate first rank included in the @Code rule. Send 2 to indicate last rank included in the @Code rule.
					For @Value: Send the rank according to @Code rule and @Pos (i.e.: for Individual – heats phase, will be: Pos=1, Value=1 Pos=2, Value=16 It means 1-16 ranks from the current phase will qualify to the next phase).

For the table above, we have the following additional/summary information

Type /Code /ExtendedConfigItem Code	Description	Expected
EC_SW /SW_EVENT_NO	It's the Event number by gender and event.	Send by event, always that the information is available (except for Marathon).
EC_SW /SW_NUM_GROUPS	It's the total number of groups (heats or semi-finals) per phase if apply.	Send by phase (except for Final), when it is available (except for Marathon).
EC_SW /SW_RACE_DISTANCE	Final distance for the event, from start until finish line. For relay events, the total distance of the event for the team (400m for 4x100m or 800m for 4x200m)	Always, send by event (however has more sense for the events without split points, as Marathon or 50m Individuals)
EC_SW /SW_SPLIT /SW_DISTANCE /SW_LAST	Split points defined for event, according to the event distance (split number, distance from start and indicating which the last one is).	Always, send by event (except for 50m Individual events).
EC_SW /SW_SPLIT /SW_STROKE	Split points defined for event, according to the event distance (stroke for each one in Individual Medley).	Always, send by event (just for Individual Medley events).
EC_SW /SW_CYCLE	Cycles defined for Relay events, 8 in total (2 cycles per leg), related to the splits points included in each one (1 or 2, according to the total distance of the event for the team).	Send by event (just for Relay events)
EC_QUALIFICATION_RULE / QR_RANK_QUALIFY_NEXT_ROUND	Qualification rule for next round based on rank.	Send by phase (except for Finals), always if the rule applies to the competition.

5.1.12.6 Message sort

Please, follow the general definition.

6 Real time

The following chapter describes the ODF-RT part of Swimming.

6.1 Real Time Applicable Messages

The next table is a full list of all ODF-RT messages and describes the list of messages used in Swimming the same way as it is done in the table of chapter 4.

Message Type	Message name	Paragraph documented	Message used in this sport	Message extended in this document
DT_RT_GM	RT Discipline/Venue good morning	Sports	X	
DT_RT_GN	RT Discipline/venue good night	Sports	X	
DT_RT_KA	RT Discipline/venue keep alive	Sports	X	
DT_RT_RESULT	RT Event Unit Results	Sports	X	X
DT_RT_CUMULATIVE_RESULT	RT Cumulative Results	Sports	X	X

6.1.1 RT Event Unit Results

6.1.1.1 Description

This message is the RT Event Unit Results message as described in the ODF1 General Messages Interface Document.

6.1.1.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

6.1.1.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger at the beginning of the race.
 - T2: Trigger when an athlete completes a split.
 - T3: Trigger when the leader completes a split.
 - T4: Trigger when an athlete finishes a leg (there is a change of athletes) for Relay events only.
 - T5: Trigger when an athlete or team breaks a Record or equalled.
 - T6: Trigger when a competitor obtains an invalid result mark (during the race).
 - T7: Trigger when an athlete or team (the last competitor) arrives to finish.
 - T8: Trigger when a race finishes
- ResultStatus="LIVE_FULL"
 - This value should be suggested and sent in the DT_RT_GM message after further testing.
- For other ResultStatus, follow the general definition.

6.1.1.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- UnitInfos /UnitDateTime (following the general rules for this element)
- UnitInfos /UnitInfo
- UnitInfos /UnitInfo /Extensions
- Result /RecordIndicators /RecordIndicator (except for Marathon event)
- Result /Competitor /ExtendedResults /ExtendedResult (for Relay event units)
- Result /Competitor /ExtendedResults /ExtendedResult /Extensions (for Relay event units)
- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (for all event units; in the case of Relay, team members' detailed results).

- Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extensions (for all event units; in the case of Relay, team members' detailed results).

Please, follow the general considerations for all ResultStatus, taking into account that: Result information for one competitor is known in the finish line (time and rank).

In the next section (message values), there is a more detailed definition.

6.1.1.5 Message Values

The following table describes in more detail the Result element.

Element	Attribute	M/O	Value	Comments	LIVE_UPDATE RT trigger expected
Result	Rank	O	Text	Rank of the competitor in the corresponding event unit. This attribute is optional because the competitor could get an invalid rank mark or in case of PHOTO (in these cases, it will be blank).	Individual/Relay events: T2 or T3 All events: T7, T8
	RankEqual	O	S(1) (Y,N)	Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore.	Individual/Relay events: T2 or T3 All events: T7, T8
	ResultType	O	CC @ResultType	Result type, either time or IRM for the corresponding event unit (see codes section)	T6, T7, T8
	Result	O	MM:SS.tt 99:90.00	Result for the particular event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second	T7, T8
	IRM	O	CC @IRM	The invalid result mark (IRM) for the particular event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section)	T6, T7, T8
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.	T2 or T3 T7 T8
Result /RecordIndicators /RecordIndicator	Order	M	Numeric	Order is always "1" for records broken/equalled in this Event Unit.	T5, T7, T8
	Code	M	CC @RecordCode	Code which describes the record broken by the result value.	T5, T7, T8
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken.	

The following table describes in more detail the UnitInfos /UnitInfo element and its child element Extensions in the case of Swimming.

Element: UnitInfos /UnitInfo

Type	Code	Extension Code	Pos	Value	Description	
UI_RESULTS	SW_CURRENT_SPLIT			N(2) 90	For @Type: Send proposed type	
					For @Code: Send proposed code	
					For @Pos: Do not send anything	
					For @Value: Number of the current split result point (according to the SW_SPLIT @Pos of "Discipline Configuration" message).	
	SW_CURRENT_CYCLE				N(1) 9	For @Type: Send proposed type
						For @Code: Send proposed code
						For @Pos: Do not send anything
						For @Value: Number of the current cycle result point (according to the SW_CYCLE @Pos of "Discipline Configuration" message).
	SW_LEADER_SPLIT			N(2) 90		For @Type: Send proposed type
						For @Code: Send proposed code
						For @Pos: Send number of the current split point.
						For @Value: Do not send anything
SW_LEADER					S(20) with no leading zeroes	For @Type: Send proposed code (as type)
						For @Code: Send proposed extension code
						For @Pos: Do not send anything
						For @Value: Athlete's ID, to identify an athlete, for the leader at this split point.
SW_DIFF_WC				-SS.tt -90.00	For @Type: Send proposed type	
					For @Code: Send proposed code	
					For @Pos: Do not send anything	
					For @Value: Time behind the WR (World Record) for leader and all under WR split based on this split point.	

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
UI_RESULTS /SW_CURRENT_SPLIT	Number of current split point (for Individual events except 50m), according to the	Individual events (except 50m) and Marathon event:

	SW_SPLIT @Pos of the "Discipline Configuration" message	T1, T2 or T3
UI_RESULTS /SW_CURRENT_CYCLE	Number of current cycle split point (for Relay event units), according to the SW_CYCLE @Pos of the "Discipline Configuration" message	Just for Relay events: T1, T2 or T3, T4
UI_RESULTS /SW_LEADER_SPLIT /SW_LEADER /SW_DIFF_WC	Send the athlete ID for leader at the current split point with the time behind the WR (World Record).	Just for Individual events (except 50m): T3 (for each split except for the last-at finish-)

The following table describes in more detail the Result /Competitor /ExtendedResults /ExtendedResult element and its child element Extensions (only for Relay event units).

Element: Result /Competitor /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_LEG_CYCLE		N(2) 90	N(1) 9	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Number of cycle, two per leg. It's a sequential number from 1 to 16, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.) For @Value: Number of the leg (team members), from 1 to 4, for Relay.
		SW_T_RANK		N(1) 9	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Rank of cumulative split at this leg (for the team).
		SW_T_ERANK		S(1) (Y, N)	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this leg (for the team) has been equalled (send "Y" in this case), or not and has changed (send "N").
		SW_T_TIME		MM:SS.tt 99:90.00	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the cumulative split time at this leg (for the team).

Element: Result /Competitor /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					Use Time format: MM is minutes SS is seconds tt is hundredths of second
		SW_RECORD_MARK		CC @RecordType	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the record broken at this split point (when swimmer's cumulative split time is an Official record), by the first leg of the team.
	SW_LAST_FINISHED		N(2) 90	S(1) (Y,N)	For @Type: Send proposed type For @Code: Send proposed code For @ Pos: Number of cycle, two per leg. It's a sequential number from 1 to 16, between different legs of the team. (e.g.: Pos=1..2 for 1 st leg, Pos=3..4 for 2 nd leg, etc.) Send '0' when the team has finished the race. For @Value: Send "Y" when the last time corresponds to this competitor (finishes the race), "N" otherwise.

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
ER_SW /SW_LEG_CYCLE	Team's performance at each cycle (two for each leg) with their corresponding splits points, and according to the cycles defined in the message "Discipline Configuration" (SW_CYCLE attribute).	Just for Relay event units: T2, T4, T7 and T5 (if it applies)
ER_SW /SW_LEG_CYCLE /SW_T_RANK	Rank of the team at this leg.	Always
ER_SW /SW_LEG_CYCLE /SW_T_ERANK	Equalled rank indicator of the team at this leg.	Always (if it applies)
ER_SW /SW_LEG_CYCLE /SW_T_TIME	Result time of the team at this leg.	Always
ER_SW /SW_LEG_CYCLE /SW_RECORD_MARK	Record mark at this split for cumulative split time when break an Official record (World, Olympic or Area/Continental record).	If applies: T5 (only for the first leg of the team)
ER_SW /SW_LAST_FINISHED	Indicates that this competitor has just finished the race.	Just for Relay event units: T2, T4, T7 and T5 (if it applies)

The following table describes in more detail the Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult element and its child element Extensions (for all event units).

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
ER_SW	SW_DIFF			+MM:SS.t +99:90.0	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Time difference for the athlete behind the leader, with "+" before. Do not send for result @Rank=1. Send blank in case of PHOTO. Use Time format MM is minutes, SS is seconds, t is tenths of second
	SW_REACTION_TIME			S.tt 0.00	For @Type: Send proposed type
					For @Code: Send proposed code
					For @ Pos: Do not send anything
					For @Value: Reaction time of the athlete Use Time format: S is seconds tt is hundredths of second
	SW_FLAG			S(1) (R, Y)	For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: Do not send anything
					For @Value: Flag indication in the Marathon event when some incident occurred. Send "R" for the Red flag (disqualification) and "Y" for the Yellow flag (warning).
	SW_SPLIT		N(2) 90		For @Type: Send proposed type
					For @Code: Send proposed code
					For @Pos: The number that identifies the split point, from 1 to the total number of splits result points.
					For @Value: Do not send anything
					SW_RANK
For @Code: Send proposed extension code					
For @Pos: Do not send anything					
SW_ERANK				S(1)	For @Type:

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
				(Y, N)	Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: It identifies if the rank at this split point has been equalled (send "Y" in this case), or not and has changed (send "N").
		SW_TIME		HH:MM:SS.t 99:99:90.0 Or MM:SS.tt 99:90.00	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Time result from the start of the race up to this split point. Is a cumulative result time. Use Time format (for Marathon event): HH is hours, MM is minutes, SS is seconds, t is tenths of second or (for Individual event units): MM is minutes, SS is seconds, tt is hundredths of second
		SW_SPLIT_RECORD		CC @RecordType	For @Type: Send proposed code (as type) For @Code: Send proposed extension code For @Pos: Do not send anything For @Value: Send the record broken at this split point (when swimmer's split time is a World or Olympic record respectively).
	SW_LAST_FINISHED		N(1) 9	S(1) (Y,N)	For @Type: Send proposed type For @Code: Send proposed code For @ Pos: The number that identifies the split point, from 1 to the total number of splits result points. Send '0' when the athlete has finished the race. For @Value: Send "Y" when the last time corresponds to this competitor (completes/finishes a split or finishes the race), "N" otherwise.
	SW_CURRENT_COMPETITOR			S(1) (Y,N)	For @Type: Send proposed type For @Code: Send proposed code

Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult					
Type	Code	Extension Code	Pos	Value	Description
					For @ Pos: Do not send anything
					For @Value: Send "Y" when this competitor is currently swimming, and "N" otherwise (if not and it has changed)

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
ER_SW /SW_DIFF	Result time difference for the athlete to the leader.	Marathon event: T7 Do not send for result @Rank=1. Send blank in case of PHOTO.
ER_SW /SW_REACTION_TIME	Reaction time of the athlete	Individual and Relay events: T1, T4
ER_SW /SW_FLAG	Flag indication in the Marathon event when some incident occurred.	
ER_SW /SW_SPLIT	Athlete's split data for each of the split points in the event (from 1 to n, according to the Individual event distance defined in the "Discipline Configuration" message as: 1..2 for 100m events, 1..3 for 150m events, etc, or 1..6 for Marathon event) except for the last split (so i.e.: 1 for 100m events, 1..2 for 150m events, etc, or 1..5 for the Marathon).	Individual events (except 50m) and Marathon event: T2 (except for the last split)
ER_SW /SW_SPLIT /SW_RANK	Cumulative rank at this split point.	Always
ER_SW /SW_SPLIT /SW_ERANK	Equalled rank indicator at this split point.	Always (if it applies)
ER_SW /SW_SPLIT /SW_TIME	Time result from the start of the race up to this split point.	Always
ER_SW /SW_SPLIT /SW_SPLIT_RECORD	The record broken at this split point (when swimmer's split time is a World or Olympic record respectively).	Just for Individual events (If it applies)
ER_SW /SW_LAST_FINISHED	Indicates that this competitor has just finished a split or the race.	Marathon event: T7 Rest of events: T2
ER_SW /SW_CURRENT_COMPETITOR	Number corresponding to the athlete/leg (as a team member) currently in the pool.	Just for Relay events: T1, T4

6.1.1.6 Message sort

Please, follow the general definition.

6.1.2 RT Cumulative Results

6.1.2.1 Description

This message is the RT Cumulative Results message as described in the ODF1 General Messages Interface Document.

In the case of Swimming, the message has to be sent up to the end of an event unit within a phase (just for the phases Heats and Semi-finals) of Individual and Relay events.

The RT Cumulative Results message is used to send an interim summary of results (including rank) part way through a phase. In this case, the DocumentSubtype is used to specify the last phase or event unit that contributed results to the message.

6.1.2.2 Header Values

The ODF header will be sent according to the ODF Common Codes document.

Moreover, the header's attribute DocumentSubtype will be informed at event unit level, would be the cumulative results up to the end of the referenced event unit for the phases of Heats and Semi-finals (DDGEEEEPUU, where EEE will be for the events of Individuals and Relays, and P will be '9' for Heats phase and '2' for Semi-finals phase).

6.1.2.3 Trigger and Frequency

The following is the trigger for this message in ODF-RT:

- ResultStatus="LIVE_UPDATE"
 - T1: Trigger at the beginning of the race
 - T2: Trigger when a race finishes
- ResultStatus="LIVE_FULL"
 - This value should be suggested and sent in the DT_RT_GM message after further testing.
- For other ResultStatus, follow the general definition.

6.1.2.4 Message Structure

The optional elements defined for this message in the ODF1 General Messages Interface Document that should be included in the case of Swimming are:

- ExtendedInfos /ExtendedInfo
- CumulativeResult /RecordIndicators /RecordIndicator
- CumulativeResult /ResultItems /ResultItem /Result

Please, follow the general considerations for all ResultStatus, taking into account that: Result information for one competitor is known in the finish line (time and rank).

In the next section (message values), there is a more detailed definition.

6.1.2.5 Message Values

The following table describes in more detail the CumulativeResult element and its child elements RecordsIndicators and ResultItems.

Element	Attribute	M/O	Value	Comments	LIVE_UPDATE RT trigger expected
CumulativeResult	Rank	O	Text	Rank of the competitor in the cumulative result in the corresponding phase (at the end of each event unit within a phase). This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank).	Individual/Relay events: T1, T2
	RankEqual	O	S(1) (Y,N)	Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore.	
	ResultType	M	CC @ResultType	Result type, either time or IRM for the cumulative result within the corresponding phase (see codes section)	
	Result	O	MM:SS.tt 99:90.00	The cumulative result within the corresponding phase. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second	
	IRM	O	CC @IRM	The invalid rank mark (IRM) within the corresponding phase, in case it is assigned. Send just in the case @ResultType is IRM (see codes section)	
	QualificationMark	O	CC @Qualification Mark Or blank	The code which gives an indication on the qualification of the competitor for the next round of the competition. (see codes section) Blank for non-qualified.	
	SortOrder	M	Numeric	This attribute is a sequential number with the order of the results within the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.	
CumulativeResult /RecordIndicators /RecordIndicator	Order	M	Numeric	Order is always "1" for the latest (best) record of each type broken/equalled up to the current phase.	Individual/Relay events: T1, T2
	Code	M	CC @RecordCode	Code which describes the record broken by the CumulativeResult /Result value.	
	RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken.	
CumulativeResult /ResultItems /ResultItem	Phase	M	CC @Phase	Phase code of the latest RSC schedule item (either phase or unit) to which the cumulative result is updated to. Possible values are: (9) Heats (2) Semi-finals	Individual/Relay events: T2

Element	Attribute	M/O	Value	Comments	LIVE_UPDATE RT trigger expected
	Unit	M	CC @Unit	Unit code of the latest RSC schedule item to which the cumulative results is updated to.	
CumulativeResult /ResultItems /ResultItem /Result	Rank	O	Text	Rank of the competitor in the result for the event unit. This attribute is optional because the competitor could get an invalid rank mark (in this case, it will be blank).	Individual/Relay events: T2
	RankEqual	O	S(1) (Y,N)	Send 'Y' if the Rank is equalled. Send "N" only if Rank was equalled in previous RT message and is not equalled anymore.	
	ResultType	M	CC @ResultType	Result type, either time or IRM for the event unit (see codes section)	
	Result	O	MM:SS.tt 99:90.00	The result of the competitor for the event unit. This attribute is optional, send just in the case @ResultType is Time (see codes section). Use Time format MM is minutes, SS is seconds, tt is hundredths of second	
	IRM	O	CC @IRM	The invalid rank mark (IRM) for the event unit, in case it is assigned. Send just in the case @ResultType is IRM (see codes section)	

The following table describes in more detail the ExtendedInfos /ExtendedInfo element in the case of Swimming.

Element: ExtendedInfos /ExtendedInfo					
Type	Code	Extension Code	Pos	Value	Description
EI_SW	SW_LAST_QUAL			S(20) with no leading zeroes	For @Type: Send proposed type For @Code: Send proposed code For @Pos: Do not send anything For @Value: Competitor's ID, to identify an athlete or a team according to the event, for the last qualified at this phase (it would be based on the rank of the competitor in the cumulative result at the end of each event unit within a phase).

For the table above, we have the following additional/summary information:

Type /Code /Extension Code	Description	Expected
EI_SW /SW_LAST_QUAL	The competitor ID for the last qualified at the corresponding phase (based in the cumulative result at the end of each event unit within a phase).	Just for Individual and Relay events: T1, T2

6.1.2.6 Message sort

Please, follow the general definition.

DOCUMENT CONTROL

Version history

Version	Date	Comments
R-SEG-2015 V1.0	1 July 2014	Submitted for review version
R-SEG-2015 V1.1	3 July 2014	Submitted for approval version and some minor issues/comments
R-SEG-2015 V1.2	11 July 2014	1 st Approved version
R-SEG-2015 V1.3	22 August 2014	Minor modifications and modifications in look & feel
R-SEG-2015 V1.4	9 September 2014	2 nd Approved version
R-SEG-2015 V1.5	19 March 2015	3 rd Approved version

File reference: ODF/INT432 R-SEG-2015 V1.5 APP

Change Log

Version	Status	Changes on version
R-SEG-2015 V1.0	SFR	<ul style="list-style-type: none"> • First version
R-SEG-2015 V1.1	SFA	<ul style="list-style-type: none"> • Submitted for approval • Generally, the reference to the London ODF Central/Sport Messages Interface has changed to ODF General Messages Interface • Whatever is added/modified from the London ODF version is highlighted in green • Any reference/attribute to the Marathon event - that is not part of the Baku European Games - has been removed
R-SEG-2015 V1.2	APP	<ul style="list-style-type: none"> • Approved version
R-SEG-2015 V1.3	APP	<ul style="list-style-type: none"> • DT_GM / DT_GN messages: <ul style="list-style-type: none"> • The titles of the messages 'Discipline/venue start transmission' and 'Discipline/venue stop transmission' have been replaced back to 'Discipline/venue good morning' and 'Discipline/venue good night', correspondingly
R-SEG-2015 V1.4	APP	<ul style="list-style-type: none"> • Updated the Common code document reference with COD404 • Updated <i>ODF General Messages Interface Document</i> in <i>ODF1 General Messages Interface Document</i> • Added reference to ODF Header Values document • Updated table under 5.1 Point in Time Applicable Messages adding the ODF format where necessary
R-SEG-2015 V1.5	APP	<ul style="list-style-type: none"> • DT_PARTIC: The description of the E_Q_TIME is modified so to adapt the European Games • DT_PARTIC: The attributes 'E_Q_DATE', 'E_Q_CITY' and 'E_Q_COUNTRY' are removed since no data will ever be available for them • The sentence in §1.3 Main Audience is adapted to the European Games • The reference to WNPA is removed

This page has been intentionally left blank