



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BMF-1.3 APP

# Olympic Data Feed

## **Cycling BMX Freestyle ODF Data Dictionary**

Technology and Information Department  
© International Olympic Committee

SOG-2020-BMF-1.3 APP  
1 May 2020



## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BMF-1.3 APP

the Document.

6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



## Table of Contents

1 Introduction.....	5
1.1 This document.....	5
1.2 Objective.....	5
1.3 Main Audience.....	5
1.4 Glossary.....	5
1.5 Related Documents.....	5
2 Messages.....	7
2.1 Applicable Messages.....	7
2.2 Messages.....	8
2.2.1 List of participants by discipline / List of participants by discipline update.....	8
2.2.1.1 Description.....	8
2.2.1.2 Header Values.....	8
2.2.1.3 Trigger and Frequency.....	9
2.2.1.4 Message Structure.....	9
2.2.1.5 Message Values.....	11
2.2.1.6 Message Sort.....	14
2.2.2 Event Unit Start List and Results.....	15
2.2.2.1 Description.....	15
2.2.2.2 Header Values.....	15
2.2.2.3 Trigger and Frequency.....	16
2.2.2.4 Message Structure.....	16
2.2.2.5 Message Values.....	18
2.2.2.6 Message Sort.....	24
2.2.3 Event Final Ranking.....	25
2.2.3.1 Description.....	25
2.2.3.2 Header Values.....	25
2.2.3.3 Trigger and Frequency.....	26
2.2.3.4 Message Structure.....	26
2.2.3.5 Message Values.....	27
2.2.3.6 Message Sort.....	29
3 Message Timeline.....	31
4 Document Control.....	32

# 1 Introduction

## 1.1 This document

This document includes the ODF Cycling BMX Freestyle Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Cycling BMX Freestyle.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Cycling BMX Freestyle Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Cycling BMX Freestyle competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BMF-1.3 APP



## 2 Messages

### 2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Cycling BMX Freestyle.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.
- Message responsibilities appears in the ODF Foundation Principles Appendices

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	/ Competition schedule / Competition schedule update	
DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_RESULT	Event Unit Start List and Results	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_COMMUNICATION	Communication	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	

## 2.2 Messages

### 2.2.1 List of participants by discipline / List of participants by discipline update

#### 2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascendant number





FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.1.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

### 2.2.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>				
	Gen			
	Sport			
	Codes			
	<a href="#">Participant (1,N)</a>			



Code	
Parent	
Status	
GivenName	
FamilyName	
PassportGivenName	
PassportFamilyName	
PrintName	
PrintInitialName	
TVName	
TVInitialName	
TVFamilyName	
LocalFamilyName	
LocalGivenName	
Gender	
Organisation	
BirthDate	
Height	
Weight	
PlaceofBirth	
CountryofBirth	
PlaceofResidence	
CountryofResidence	
Nationality	
MainFunctionId	
Current	
OlympicSolidarity	
ModificationIndicator	
<a href="#">Discipline (1,1)</a>	
	Code
	IFId
	<a href="#">RegisteredEvent (0,N)</a>
	Event



### 2.2.1.5 Message Values

Element Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Sample (General)

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-BMF-1.10" Codes="SOG-2020-1.20" >
```

Element Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the</p>



			<p>participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	<a href="#">CC @ParticStatus</a>	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender
Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not



			needed in the case of officials/referees. Do not send attribute if data not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	<a href="#">CC @Country</a>	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	<a href="#">CC @Country</a>	Country ID of Residence
Nationality	O	<a href="#">CC @Country</a>	Participant's nationality.  Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	<a href="#">CC @ResultsFunction</a>	Main function  In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only  N-New participant (in the case that this information comes as a late entry) U-Update participant  If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants  If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants  To delete a participant, a specific value of the Status attribute is used.

#### Element Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody



			@DocumentCode attribute.
IFId	0	S(16)	UCI code (competitor's federation number for the discipline).

**Element Participant /Discipline /RegisteredEvent (0,N)**

**All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.**

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event

### 2.2.1.6 Message Sort

The message is sorted by Participant @Code

## 2.2.2 Event Unit Start List and Results

### 2.2.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

### 2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values) with one message per unit.
DocumentSubcode	N/A	Not used in BMF
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	Not used in BMF
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST LIVE (used during the competition when nothing else applies) INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNOFFICIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.



		<p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.2.3 Trigger and Frequency

This message is sent with ResultStatus 'START\_LIST' as soon as the expected information is available and any changes to the information. Possible information is:

- \* As soon as the start list is available and any changes [inc. IRMs] (START\_LIST)

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates.

- \* When the competition starts and all changes/additions in data (LIVE)

This message is also sent when the event unit finishes and the results are still unofficial. Also, this message is expected when the results become official. The official/unofficial status is included in the ODF headers (ResultStatus attribute).

- \* After each run where there are multiple runs (INTERMEDIATE)
- \* When the last competitor finishes (UNOFFICIAL)
- \* After the results for the unit are approved (OFFICIAL)


Trigger also after any change.


### 2.2.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">UnitDateTime (0,1)</a>					
			StartDate				







### 2.2.2.5 Message Values

Element Competition (0,1)			
Attribute	M/O	Value	Description



Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

**Element ExtendedInfos /UnitDateTime (0,1)**

Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date and time. Do not include until unit has started.

**Element ExtendedInfos /ExtendedInfo (0,N)**

Type	Code	Pos	Description
DISPLAY	CURRENT	Numeric 0	Pos Description: Send run number  Element Expected: When competitor starts in a run. Keep the value until there is a new current and while the unit is LIVE.
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Value	M	S(20) with no leading zeroes	Athlete's ID, to identify an athlete, for the current rider in this run.
<b>Sub Element ExtendedInfos /ExtendedInfo /Extension Expected Only during second round of preliminaries</b>			
<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
Code	NEED		
Pos	Numeric 0	Sequential number for ranks 1, 2, 3	
Value	String	Score (with format ##0.00) needed to reach the rank related to @Pos.  Send "-" if the competitor is already ranked at this rank or higher. (this situation is very unlikely as scoring 0 will halve the athletes score). Send "x" if not possible to attain this rank	
DISPLAY	CURRENT_RUN	N/A	Element Expected: At the beginning of each run where there are multiple runs. Not included when official.
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>



	Value	M	Numeric #	The number that identifies the current Run for this event unit, according to the defined number of runs per phase.
DISPLAY		LAST_COMP	Numeric 0	Pos Description: Send run number  Element Expected: When competitor finishes a run. Keep the value until there is a new last competitor or the unit becomes OFFICIAL
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) with no leading zeroes	Athlete's ID, to identify an athlete, for the most recently finished rider in this run.

### Sample (General)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-08T15:40:00+01:00" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT_RUN" Value="1" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Pos="1" Value="6427469" />
  <ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Pos="1" Value="6368126" />
  ...
</ExtendedInfos>
```

#### Element ExtendedInfos /SportDescription (0,1)

##### Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes

#### Element ExtendedInfos /VenueDescription (0,1)

##### Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes



Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

### Element Result (1,N)

**For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.**

Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding event unit. Must be included when a competitor has at least one run with a score.
RankEqual	O	S(1)	Identifies if a rank has been equalled (Y). Only send if applicable.
Result	O	Numeric ###.00	Total result for the particular event unit. Send just in the case @ResultType is Points, according to expected result in this event phase. Send the score considering both runs but is always included after the competitor has completed at least one run with a score.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned.  Send just in the case @ResultType is IRM or both points and IRM.
SortOrder	M	Numeric	Used to sort all the results of an event unit.  This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.  Before the start of any event unit this will be the same as the StartSortOrder and is used as the primary sort except in the case where a Rank is available (from earlier event units) and in this case the SortOrder will consider Rank in the same way as if the competition had already started.  During the event unit any sort order change from the initial start list order for any competitor will be provided in this attribute regardless the competitor is ranked or not.
StartOrder	M	Numeric	Displayed start order. Do not send anything in case a rider gets a DSQ in a previous run.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.



			Generally the same @StartOrder, except that the attribute should be sent even in case of DSQ, following sport rules.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute, either time or IRM with/without points for the corresponding event unit.

Element Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	WARNING	N/A	Element Expected: Send for any athlete in case of Warning
Attribute	M/O	Value	Description
Value	M	S(1)	Warning indicator. Send 'Y' when it has received a Warning else do not send.

Element Result /ResultItems /ResultItem (1,N)			
Attribute	M/O	Value	Description
Order	M	Numeric #0	Order of the result items
Unit	M	<a href="#">SC @Run</a>	Run code

Element Result /ResultItems /ResultItem /Result (1,1)			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding run identified by /ResultItems /ResultItem.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send 'Y' if applicable else do not send.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute for the event unit identified by /ResultItems /ResultItem, either time or IRM with/without points.
Result	O	Numeric ###.00	Total result for the particular event unit.  Send just in the case @ResultType is Points, according to expected result in this event phase.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned for the event unit identified by /ResultItems /ResultItem. Send just in the case @ResultType is IRM or both points and IRM.



SortOrder	M	Numeric	Used to sort all the results of the run.
StartOrder	O	Numeric	Start order of the competitor in the start list.
StartSortOrder	O	Numeric	Used to sort all start list competitors in an event unit. Generally the same @StartOrder, except that the attribute should be sent even in case of DSQ, following sport rules.

### Sample (Start List)

```
<Result SortOrder="2" StartSortOrder="2" StartOrder="2">
  <ResultItems>
    <ResultItem Unit="RUN1" Order="1">
      <Result StartOrder="2" StartSortOrder="2" SortOrder="2" />
    </ResultItem>
    <ResultItem Unit="RUN2" Order="2">
      <Result StartOrder="2" StartSortOrder="2" SortOrder="2" />
    </ResultItem>
  </ResultItems>
  <Competitor Code="9060078" Type="A" Organisation="GER">
    <Composition>
      <Athlete Bib="2" Code="9060078" Order="1">
        <Description GivenName="Lara" FamilyName="Lessmann" Gender="F" Organisation="GER"
        BirthDate="1974-07-18" IFId="10064792849" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

### Sample (Results)

```
<Result Rank="2" Result="90.70" ResultType="POINTS" SortOrder="2" StartOrder="3"
StartSortOrder="3">
  <ResultItems>
    <ResultItem Unit="RUN1" Order="1">
      <Result Rank="1" Result="92.60" ResultType="POINTS" SortOrder="1" StartOrder="3"
      StartSortOrder="3"/>
    </ResultItem>
    <ResultItem Unit="RUN2" Order="2">
      <Result Rank="3" Result="88.80" ResultType="POINTS" SortOrder="3" StartOrder="3"
      StartSortOrder="3"/>
    </ResultItem>
  </ResultItems>
  ...
</Result>
```

**Element Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult (1,N)  
Include for finals**



Type	Code	Pos	Description	
ER	SCORE	N/A	Element Expected: In finals where the score is included and is not an IRM	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	S(1)	Send Y if this is the best score for the competitor at the current time.
	Discard	O	S(1)	Send Y if the score is not an IRM and is to be discarded (not best score)

#### Element Result /Competitor (1,1)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available.
Type	M	S(1)	A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation

#### Element Result /Competitor /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric	Send 1 if Competitor @Type="A".

#### Element Result /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

### 2.2.2.6 Message Sort

Sort by Result @SortOrder



## 2.2.3 Event Final Ranking

### 2.2.3.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Result Mark (disqualified, etc.), or both.

### 2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC of the Event	
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.  For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.



		Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.3.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

Trigger also after any change.

### 2.2.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0,1)</a>						
	Gen					
	Sport					
	Codes					
	<a href="#">ExtendedInfos (0,1)</a>					
		<a href="#">SportDescription (0,1)</a>				
			DisciplineName			
			EventName			
			Gender			
		<a href="#">VenueDescription (0,1)</a>				
			Venue			
			VenueName			
	<a href="#">Result (1,N)</a>					
		Rank				
		RankEqual				
		ResultType				
		Result				
		IRM				
		SortOrder				
		<a href="#">Competitor (1,1)</a>				
			Code			
			Type			
			Organisation			



<a href="#">Composition (1,1)</a>	
<a href="#">Athlete (0,N)</a>	Code
	Order
	<a href="#">Description (1,1)</a>
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFld

### 2.2.3.5 Message Values

Element Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit. Must be included if it is a single gender

Element ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

### Element Result (1,N)



**For any event final ranking message, there should be at least one competitor being awarded a result for the event.**

Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send "Y" only if applicable.
ResultType	M	<a href="#">SC @ResultType</a>	Type of the @Result attribute. Result type, points or IRM with/without points for the corresponding event.
Result	O	Numeric ##0.00	Score of the competitor, i.e.: Total points achieved in the final.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

**Element Result /Competitor (1,1)**

**Competitor related to one final event result.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known

**Element Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute. Send 1 when Competitor @Type="A".

**Element Result /Competitor /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BMF-1.3 APP

			if the data is available
IFId	0	S(16)	International Federation ID

### 2.2.3.6 Message Sort

Sort by Result @SortOrder



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BMF-1.3 APP



### 3 Message Timeline

Legend						
<b>D</b> Discipline	<b>E</b> Event	<b>P</b> Phase	<b>S</b> Session	<b>U</b> Unit	<b>x</b> Sent on that level	<b>o</b> Includes info from that level



## 4 Document Control

Version history		
Version	Date	Comments
V1.0	18 Apr 2019	First version (Previously included within BMX combined document)
V1.1	14 Aug 2019	Updated, CRs. First version as a full document
V1.2	27 Mar 2020	Updated after Homologation
V1.3	1 May 2020	Updated

### File Reference: SOG-2020-BMF-1.3 APP

Change Log		
Version	Status	Changes on version
V1.0	APP	First version
V1.1	APP	CR16640: Add ODF Version @Competition. CR17809: Change Participant/OlympicSolidarity to disallow N. First version as a full document
V1.2	APP	DT_PARTIC: Remove Substitute at Participant /Discipline /RegisteredEvent [189089] DT_PARTIC: Update the description of Participant/Weight [CR18565]
V1.3	APP	DT_RESULT: Add ER/SCORE at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult DT_RESULT: Clarify when to include Result/Rank and Result/Result