



INTERNATIONAL
OLYMPIC
COMMITTEE

SOG-2020-CLB-2.5 APP

Olympic Data Feed



ODF Sport Climbing Data Dictionary
Tokyo 2020 – Games of the XXXII Olympiad
Technology and Information Department
© International Olympic Committee

SOG-2020-CLB-2.5 APP
6 February 2020



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



INTERNATIONAL
OLYMPIC
COMMITTEE

SOG-2020-CLB-2.5 APP



Table of Contents

1 Introduction.....	6
1.1 This document.....	6
1.2 Objective.....	6
1.3 Main Audience.....	6
1.4 Glossary.....	6
1.5 Related Documents.....	6
2 Messages.....	7
2.1 Applicable Messages.....	7
2.2 Messages.....	9
2.2.1 List of participants by discipline / List of participants by discipline update.....	9
2.2.1.1 Description.....	9
2.2.1.2 Header Values.....	9
2.2.1.3 Trigger and Frequency.....	10
2.2.1.4 Message Structure.....	10
2.2.1.5 Message Values.....	12
2.2.1.6 Message Sort.....	16
2.2.2 Event Unit Start List and Results.....	17
2.2.2.1 Description.....	17
2.2.2.2 Header Values.....	17
2.2.2.3 Trigger and Frequency.....	18
2.2.2.4 Message Structure.....	18
2.2.2.5 Message Values.....	21
2.2.2.6 Message Sort.....	29
2.2.3 Cumulative Results.....	30
2.2.3.1 Description.....	30
2.2.3.2 Header Values.....	30
2.2.3.3 Trigger and Frequency.....	31
2.2.3.4 Message Structure.....	31
2.2.3.5 Message Values.....	33
2.2.3.6 Message Sort.....	36
2.2.4 Brackets.....	37
2.2.4.1 Description.....	37
2.2.4.2 Header Values.....	37
2.2.4.3 Trigger and Frequency.....	38
2.2.4.4 Message Structure.....	38
2.2.4.5 Message Values.....	40
2.2.4.6 Message Sort.....	44
2.2.5 Records.....	45
2.2.5.1 Description.....	45
2.2.5.2 Header Values.....	45
2.2.5.3 Trigger and Frequency.....	46
2.2.5.4 Message Structure.....	46
2.2.5.5 Message Values.....	48
2.2.5.6 Message Sort.....	51
2.2.6 Event Final Ranking.....	52



2.2.6.1	Description.....	52
2.2.6.2	Header Values.....	52
2.2.6.3	Trigger and Frequency.....	53
2.2.6.4	Message Structure.....	53
2.2.6.5	Message Values.....	54
2.2.6.6	Message Sort.....	56
2.2.7	Configuration.....	57
2.2.7.1	Description.....	57
2.2.7.2	Header Values.....	57
2.2.7.3	Trigger and Frequency.....	58
2.2.7.4	Message Structure.....	58
2.2.7.5	Message Values.....	58
2.2.7.6	Message Sort.....	59
3	Message Timeline.....	60
4	Document Control.....	60

1 Introduction

1.1 This document

This document includes the ODF Sport Climbing Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Sport Climbing.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Sport Climbing Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Sport Climbing competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

2 Messages

2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Sport Climbing.

- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_MEDALS	Medal standings	
DT_RESULT	Event Unit Start List and Results	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_BRACKETS	Brackets	X
DT_RECORD	Records	X
DT_RANKING	Event Final Ranking	X
DT_COMMUNICATION	Communication	
DT_CONFIG	Configuration	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	



INTERNATIONAL
OLYMPIC
COMMITTEE

SOG-2020-CLB-2.5 APP

DT_KA	Keep Alive	
-------	------------	--

2.2 Messages

2.2.1 List of participants by discipline / List of participants by discipline update

2.2.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message



Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.2.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				



Sport	
Codes	
Participant (1,N)	
	Code
	Parent
	Status
	GivenName
	FamilyName
	PassportGivenName
	PassportFamilyName
	PrintName
	PrintInitialName
	TVName
	TVInitialName
	TVFamilyName
	LocalFamilyName
	LocalGivenName
	Gender
	Organisation
	BirthDate
	Height
	Weight
	PlaceofBirth
	CountryofBirth
	PlaceofResidence
	CountryofResidence
	Nationality
	MainFunctionId
	Current
	OlympicSolidarity
	ModificationIndicator
	Discipline (1,1)



Code	
IFld	
RegisteredEvent (0..N)	
Event	
Bib	
Substitute	
EventEntry (0..N)	
Code	
Type	
Pos	
Value	

2.2.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Sample (General)

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-CLB-1.10" Codes="SOG-2020-1.20" >
```

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time. It is used to link other messages to the participant's information. Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent



			<p>attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	CC @ParticStatus	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name



TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. Do not send attribute if data not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only



			<p>N-New participant (in the case that this information comes as a late entry) U-Update participant</p> <p>If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants</p> <p>If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
--	--	--	--

Element: Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline
IFId	O	S(16)	Competitor's federation number for the corresponding discipline.

Element: Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event
Bib	O	S(4)	Bib number, only available in the UPDATE message. Send only in the Case of Current="true".
Substitute	O	S(1)	Substitute information. Send "Y" if substitute else do not send.

Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N)

Send if there are specific athlete's event entries.

Type	Code	Pos	Description
------	------	-----	-------------



ENTRY		SEED	N/A	Element Expected: When data available (only expected in the update message)
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Olympic Seed
ENTRY		QUAL_TYPE	N/A	Element Expected: When data is available. (this information can be sent in both messages)
	Attribute	M/O	Value	Description
	Value	M	SC @QualifyingType	Qualifying Type
ENTRY		QUAL_RANK	N/A	Element Expected: When data is available. (this information can be sent in both messages)
	Attribute	M/O	Value	Description
	Value	M	S(4)	Qualifying Ranking

2.2.1.6 Message Sort

The message is sorted by Participant @Code

2.2.2 Event Unit Start List and Results

2.2.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent according to the ODF Common Codes document (header values) with one message per unit.
DocumentSubcode	N/A	Not used in CLB
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	Not used in CLB
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST (as soon as the start list is known and with any changes / IRMs before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNOFFICIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.2.3 Trigger and Frequency

This message is sent with ResultStatus 'START_LIST' as soon as the expected information is available and any changes to the information. Possible information is:

- * As soon as the start list is available and any changes [inc. IRMs] (START_LIST)

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates. The message is also sent with ResultStatus 'UNCONFIRMED' when the competition finishes if not yet OFFICIAL.

This message is also sent when the event unit finishes and the results are still unofficial. Also, this message is expected when the results become official.

- * After the race is finished (UNOFFICIAL / OFFICIAL)

Trigger also after any change.


2.2.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					



ExtendedInfos (0,1)	
UnitDateTime (0,1)	
	StartDate
ExtendedInfo (0,N)	
	Type
	Code
	Pos
	Value
	Extension (0,N)
	Code
	Pos
	Value
SportDescription (0,1)	
	DisciplineName
	EventName
	Gender
	SubEventName
VenueDescription (0,1)	
	Venue
	VenueName
	Location
	LocationName
Result (1,N)	
	Rank
	RankEqual
	Result
	IRM
	SortOrder
	StartOrder
	StartSortOrder
	ResultType
	ExtendedResults (0,1)
	ExtendedResult (1,N)





	Code
	Pos
	Value

2.2.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /UnitDateTime (0,1)			
Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date and time. Do not include until unit has started.

Element: ExtendedInfos /ExtendedInfo (0,N)			
Type	Code	Pos	Description
SPEED	HEAT	Numeric #0	Pos Description: Sequential number in the message to differentiate TYPE/CODE Element Expected: Always in Speed
Attribute	M/O	Value	Description
Value	M	Numeric ##0 or SC @Round	Send the heat number in qualification or the round in the finals (QFNL1, QFNL2, ...)
Sub Element: ExtendedInfos /ExtendedInfo /Extension Expected: Always in Speed			
Attribute	Value	Description	
Code	ID		
Pos	Numeric 0	Position of the competitor in the heat 1 or 2 In Qualification 1 = Lane A, 2 = Lane B	



			In Finals 1 is the first competitor in the bracket and 2 is the second competitor in the bracket.	
	Value	S(20) with no leading zeroes	Competitor's ID (to identify an athlete) that competes in this heat.	
DISPLAY		CURRENT	Numeric 0	Pos Description: Send the boulder number in bouldering. Element Expected: In all units for the current round or competitor
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0 or SC @Round or S(20)	In speed send the current heat number in qualification or the round in the finals (QFNL1, QFNL2, ...) In bouldering and lead send the current competitor ID.
DISPLAY		NEXT	Numeric 0	Pos Description: Send the boulder number in bouldering. Element Expected: In all units for the current round or competitor
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0 or SC @Round or S(20)	Send the next heat number in qualification or the round in the finals (QFNL1, QFNL2, ...) In bouldering and lead send the next competitor ID.
DISPLAY		LAST_COMP	Numeric 0	Pos Description: Send the boulder number in bouldering. Element Expected: In all units for the current round or competitor
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0 or SC @Round or	Send the last completed heat number in qualification or the round in the finals (QFNL1, QFNL2, ...) In bouldering and lead send the last scored competitor ID.



			S(20)	
UI		ISOLATION_OPEN	N/A	Element Expected: Always in Bouldering and Lead, when applicable in Speed.
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Send the isolation opening time.
UI		ISOLATION_CLOSE	N/A	Element Expected: Always in Bouldering and Lead, when applicable in Speed.
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Send the isolation closing time.
UI		OBSERVE_TIME	N/A	Element Expected: In Lead and Bouldering Final.
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Send the allowed observation time.
UI		CLIMB_TIME	N/A	Element Expected: In Lead and Bouldering.
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Send the allowed climbing time.

Sample (Speed Qualification)



```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T11:01:00+01:00" />
  <ExtendedInfo Type="UI" Code="ISOLATION_OPEN" Value="17:00" />
  <ExtendedInfo Type="UI" Code="ISOLATION_CLOSE" Value="18:00" />
  <ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="3" />
  <ExtendedInfo Type="SPEED" Code="HEAT" Pos="1" Value="1" >
    <Extension Code="ID" Pos="1" Value="1123054" />
    <Extension Code="ID" Pos="2" Value="1056610" />
  </ExtendedInfo>
  <ExtendedInfo Type="SPEED" Code="HEAT" Pos="2" Value="2" >
    <Extension Code="ID" Pos="1" Value="1086721" />
    <Extension Code="ID" Pos="2" Value="1123054" />
  </ExtendedInfo>
  <ExtendedInfo Type="SPEED" Code="HEAT" Pos="3" Value="3" >
    <Extension Code="ID" Pos="1" Value="1066055" />
    <Extension Code="ID" Pos="2" Value="1086721" />
  </ExtendedInfo>
  ...
  <ExtendedInfo Type="SPEED" Code="HEAT" Pos="20" Value="20">
    <Extension Code="ID" Pos="1" Value="1100005" />
    <Extension Code="ID" Pos="2" Value="1100025" />
  </ExtendedInfo>
  <ExtendedInfo Type="UI" Code="ISOLATION_OPEN" Value="9:00" />
  <ExtendedInfo Type="UI" Code="ISOLATION_CLOSE" Value="10:00" />
  ...
</ExtendedInfos>
```

Element: ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	CC @Location	Location code



LocationName	M	S(30)	Location short name (not code) from Common Codes
--------------	---	-------	--

Element: Result (1,N)

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding event unit.
RankEqual	O	S(1)	Identifies if a rank has been equalled (Y). Only send if applicable.
Result	O	Numeric #0.00	The result of the competitor in the event unit. This is the points scored in the unit which is carried to the cumulative score. Send just in the case @ResultType is POINTS.
IRM	O	SC @IRM	The invalid result mark, in case it is assigned for the particular event unit. Send just in the case @ResultType is IRM.
SortOrder	M	Numeric	Used to sort all the results of an event unit This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Before the start it is the same as the StartSortOrder.
StartOrder	O	Numeric	The order at the start of the unit. In Speed use the reverse order of bib. In Bouldering and Lead it is the order on the start list.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit, according to the sport rules. In Speed use the reverse order of bib. In Bouldering and Lead it is the order on the start list.
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Result /ExtendedResults /ExtendedResult (1,N)



Type	Code	Pos	Description	
ER	TIME	N/A	Element Expected: In Lead and qualification in Speed	
	Attribute	M/O	Value	Description
	Value	O	s.ff or s.fff or m:ss (lead)	Fastest time in Speed Time in Lead
	IRM	O	SC @IRM	Send appropriate IRM code if applicable
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: In Speed qualification				
	Attribute	Value	Description	
	Code	LANE		
	Pos	S(1)	Code to indicate the lane, A or B	
	Value	s.ff or s.fff or SC @IRM	Time of the competitor in the corresponding lane or IRM	
ER	YC	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send Y is yellow card given.
LEAD	HOLD	N/A	Element Expected: In Lead	
	Attribute	M/O	Value	Description
	Value	M	S(10)	Highest hold reached
BOULDER	RESULT	N/A	Element Expected: In Bouldering	
	Attribute	M/O	Value	Description
	Value	M	S(10)	Bouldering result
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: In Bouldering				
	Attribute	Value	Description	
	Code	ATTEMPTS		
	Pos	N/A		



Value	Numeric #0	Number of attempts
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: In Bouldering		
Attribute	Value	Description
Code	ATTEMPTS_ZONE	
Pos	N/A	
Value	Numeric #0	Number of attempts to zone
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: In Bouldering		
Attribute	Value	Description
Code	BOULDER	
Pos	Numeric #0	Boulder number, 1, 2 ... following the number in DT_CONFIG.
Value	S(10)	Result for this boulder

Sample (Speed Qualification)

```
<Result Rank="1" Result="1.00" SortOrder="1" StartOrder="2" StartSortOrder="2" ResultType="POINTS">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TIME" Value="5.96" >
      <Extension Code="LANE" Pos="A" Value="5.96" />
      <Extension Code="LANE" Pos="B" Value="5.98" />
    </ExtendedResult>
  </ExtendedResults>
  ...
```

Element: Result /RecordIndicators /RecordIndicator (1,N)

Result's record indicator. Applicable in Speed only.

Attribute	M/O	Value	Description
Order	M	Numeric	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @RecordType for reference).
Code	M	CC @RecordCode	Code which describes the record broken by the result value.
RecordType	M	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "OR").
Equalled	O	S(1)	Send "Y" in the case that the record has been equalled else do not send.

Element: Result /Competitor (1,1)



Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	Send 1 if Competitor @Type="A".
Bib	O	S(4)	Bib number

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)			
Individual athletes entry information.			
Type	Code	Pos	Description
EUE	START_TIME	N/A	Element Expected: Always for Bouldering Qualification
	Attribute	M/O	Value
	Value	M	hh:mm:ss
			Send the Start time for the competitor. Do not remove leading zeros.
EUE	QUAL_RANK	N/A	Element Expected: In Speed Finals



Attribute	M/O	Value	Description
Value	M	Numeric 0	Rank from qualification round.

Sample (Bouldering Qualification)

```
<Competitor Code="1106825" Type="A" Organisation="NOC" Bib="4">  
  <Composition>  
    <Athlete Code="1106825" Order="1">  
      <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI"  
BirthDate="1996-12-12" IFId="33195"/>  
      <EventUnitEntry Type="EUE" Code="START_TIME" Value="14:20" />  
    </Athlete>  
  ...
```

2.2.2.6 Message Sort

Sort by Result @SortOrder

2.2.3 Cumulative Results

2.2.3.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units either in a single phase or over a number of phases. This message is used when the competitor scores accumulate over the different units.

In Sport Climbing there will be two separate cumulative results. One for the qualification and another for the final.

2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the phase (qualification and final)
DocumentSubcode	N/A	Not used in CLB
DocumentType	DT_CUMULATIVE_RES ULT	Cumulative Results message
DocumentSubtype	N/A	Not used in CLB
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	It indicates the status of the results LIVE INTERMEDIATE UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a



		<p>session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.

2.2.3.3 Trigger and Frequency


The cumulative results accumulate results over a number of units so are generally sent after each DT_RESULT message (ie send with ResultStatus LIVE when DT_RESULT ResultStstus is LIVE) if the cumulative message applies. When there is no unit in progress the cumulative results will have INTERMEDIATE status before the end of the competition.

The first version should be triggered at the same time as the start list of the first unit is triggered and then after each unit is finished.

2.2.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					
		Progress (0,1)				
			LastUnit			
		SportDescription (0,1)				
			DisciplineName			
			EventName			
			Gender			
		VenueDescription (0,1)				
			Venue			





	Bib Description (1.1) GivenName FamilyName Gender Organisation BirthDate IFId
--	--

2.2.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	M	CC @Unit	Send the full RSC of the most recently completed unit included in the message.

Element: ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	CC @DisciplineGender	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text. Only include if competition is in a single venue.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code



VenueName	M	S(25)	Venue short name (not code) from Common Codes
-----------	---	-------	---

Element: Result (1,N)

For any cumulative results message, there should be at least one competitor being awarded a cumulative result after one event unit or phase.

Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the cumulative result. This attribute is optional because the competitor could get an invalid result mark.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Only send if applicable, in that case send "Y".
ResultType	O	SC @ResultType	Type of the @Result attribute. Result type, either points or IRM for the cumulative result.
Result	O	Numeric ##0.00	The cumulative result of the competitor. Send just in the case @ResultType is POINTS
IRM	O	SC @IRM	The invalid result mark for the cumulative result, if applicable. Only in the case where @ResultType is IRM
QualificationMark	O	SC @QualificationMark	Indicates in the competitor the qualification of the competitor for the final. Do not send for final.
Diff	O	Numeric ###0.00	Points behind leader. 0 for the leader (combined events)
SortOrder	M	Numeric	Used to sort all cumulative results. It is mainly used for display purposes. This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Result /ExtendedResults /ExtendedResult (1,N)

Competitor's extended results.

Type	Code	Pos	Description
ER	YC	N/A	Element Expected: If applicable
	Attribute	M/O	Value
	Value	M	S(1)
			Description
			Send Y if the competitor has a



				yellow card else extension not sent.
--	--	--	--	--------------------------------------

Element: Result /ResultItems /ResultItem (1,N)

Identifier of unit, for the schedule item to which it is going to be included the result summary. ResultItem /Result will be for one particular previous unit.

Attribute	M/O	Value	Description
Unit	M	CC @Unit	Full RSC of the unit.
Order	M	Numeric #0	Logical order of the sub-units, usually schedule order.

Element: Result /ResultItems /ResultItem /Result (1,1)

For any Event Unit Results message, there should be at least one competitor being awarded a result for the event unit.

Attribute	M/O	Value	Description
ResultType	O	SC @ResultType	Type of the @Result attribute for the event unit identified by /ResultItems /ResultItem. POINTS or IRM if applicable
Result	O	S(10)	The result of the competitor in the event unit for the event unit identified by /ResultItems /ResultItem. Send the points or "-" if appropriate.
IRM	O	SC @IRM	The invalid result mark, in case it is assigned for the event unit identified by /ResultItems /ResultItem. Send just in the case @ResultType is IRM.
SortOrder	M	Numeric	Used to sort all results in the phase identified by @Unit at /ResultItems /ResultItem.

Element: Result /Competitor (1,1)

Competitor related to one cumulative result.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	M	CC @Organisation	Competitor's organisation

Element: Result /Competitor /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading	Athlete's ID



		zeroes	
Order	M	Numeric	Send 1 if the competitor is an athlete.
Bib	O	S(4)	Bib number

Element: Result /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample (Final)

```
<Result Rank="1" ResultType="POINTS" Result="1.00" Diff="0.00" SortOrder="1">
  <ResultItems>
    <ResultItem Unit="CLBMCOMBINED-----FNL-0001SP--" Order="1">
      <Result Result="1.00" ResultType="POINTS" SortOrder="1" />
    </ResultItem>
    <ResultItem Unit="CLBMCOMBINED-----FNL-0001BL--" Order="2">
      <Result ResultType="POINTS" Result="4.00" SortOrder="4" />
    </ResultItem>
  </ResultItems>
  <Competitor Code="2021732" Type="A" Organisation="SUI">
    <Composition>
      <Athlete Code="20217432" Order="1" Bib="5">
        <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="SUI"
        BirthDate="1994-12-15" IFId="30279"/>
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...
```

2.2.3.6 Message Sort

Sort by Result @SortOrder then Result /ResultItems /ResultItem /Result @SortOrder

2.2.4 Brackets

2.2.4.1 Description

The Brackets message contains the brackets information for an event or component of an event (phase or unit). It is used where there is a necessity to know the progress of a competition. In the early stages of the competition, it indicates how the competition progress will proceed from the winners/losers.

In the case of Sport Climbing the message only applies to the speed final.

2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the event unit
DocumentType	DT_BRACKETS	Brackets message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Status of the message. Expected statuses are: START_LIST (when the draw initially made) INTERMEDIATE (during the competition after each race) OFFICIAL (when all races official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or



		Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.4.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available after the draw (START_LIST).

Send as INTERMEDIATE when a race is completed (except last race), including Official status. The message should be updated including information on each competitor in the different bracket items.

Send as OFFICIAL after last race.


The @ResultStatus attribute will vary depending on the competition status and follows the DT_RESULT.

Trigger also after any change.

2.2.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10
Competition (0,1)									
	Gen								
	Sport								
	Codes								
	ExtendedInfos (0,1)								
		Progress (0,1)							
			LastUnit						
			UnitsTotal						
			UnitsComplete						
		SportDescription (0,1)							
			DisciplineName						
			EventName						
			Gender						
		VenueDescription (0,1)							
			Venue						





	Code
	Order
	Description (1,1)
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFId

2.2.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	O	CC @Unit	Full RSC of the last unit completed (or in progress if applicable) related to the message's content
UnitsTotal	M	Numeric ##0	Total number of races in the bracket.
UnitsComplete	M	Numeric ##0	Total number of races in the bracket which are complete and included in the message.

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes.



Gender	M	CC @DisciplineGender	Gender code for the event unit
--------	---	--------------------------------------	--------------------------------

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Bracket (1,N)

Attribute	M/O	Value	Description
Code	M	SC @Bracket	Bracket code to identify a bracket item (finals). There should be a different code for each bracket based on sport/ORIS presentation of the bracket.

Element: Bracket /BracketItems (1,N)

Attribute	M/O	Value	Description
Code	M	SC @BracketItems	Bracket code to identify a set of bracket items. Each BracketItems should include all BracketItem grouped by their SC @BracketItems.

Element: Bracket /BracketItems /BracketItem (1,N)

Attribute	M/O	Value	Description
Code	O	SC @Round	Bracket code to identify a bracket item. Send the round (QFNL1, QFNL2, ...)
Order	M	Numeric	Sequential number inside of BracketItems to indicate the order, always start at 1
Position	M	Numeric #0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position.
Date	O	Date	Date of match (example: YYYY-MM-DD). Must include if the data is available
Time	O	S(5)	Time of match (example HH:MM). Must include if the data is available.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.
- If they are not yet known, it contains some information (on the rule to access to this bracket...)



Attribute	M/O	Value	Description
Pos	M	Numeric ###	This attribute is a sequential number to place the different competitors in the bracket (1, 2 ...).
Code	O	SC @CompetitorPlace	Send when there is no competitor (BYE) or when it is not known yet (TBD).
WLT	O	SC @WLT	Indicates the winner or loser of the bracket item. Always send when known
Result	O	S(10)	The result of the competitor in the event unit (race)
IRM	O	SC @IRM	The invalid result mark, if applicable
StrikeOut	O	S(1)	If the competitor should be struck out in this bracket item send Y, usually only used for DQB.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)

Type	Code	Pos	Description
ECP	YC	N/A	Element Expected: If applicable
	Attribute	M/O	Value
	Value	M	S(1)
	Description	Send Y if the competitor has a yellow card else extension not sent.	
ECP	QUAL	N/A	Element Expected: In the first round only
	Attribute	M/O	Value
	Value	M	Numeric 0
	Description	Send the rank in qualification.	
ECP	RECORD	N/A	Element Expected: Only if record applies
	Attribute	M/O	Value
	Value	M	CC @RecordType
	Description	Send the record type (send only highest if multiple)	
ECP	RECORD_EQ	N/A	Element Expected: Only if RECORD is equalled
	Attribute	M/O	Value
	Value	M	S(1)
	Description	Send Y if RECORD is equalled.	

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the [CompetitorPlace@Pos](#) competitor of the current bracket item. It is always informed except for the bracket items whose [CompetitorPlace@Pos](#) competitor do not



have preceding races.

Attribute	M/O	Value	Description
Value	O	SC @Round	If the competitor in the current unit is unknown due to coming from previous races then fill this field with the round as appropriate.
WLT	O	SC @WLT	If the competitor in the current unit is unknown and coming from an earlier bracketitem then fill this field with the W or L indication winner or loser of the previous unit if the information is known. Do not send if competitor comes from a pool.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)

CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitors' organisation if known.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute, use 1 if Competitor @Type="A".

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID



INTERNATIONAL
OLYMPIC
COMMITTEE

SOG-2020-CLB-2.5 APP

2.2.4.6 Message Sort

The following order applies:

- * Bracket @Code if more than one '@Code'.
- * BracketItems according to its @Code attribute.
- * Then, the BracketItem /Unit @Unit are sorted according to their scheduled start time.

2.2.5 Records

2.2.5.1 Description

The message contains the list of all records from the start of the Games (events depending on header).

Special Situations - Not Established Records:

There are some situations where there are no records for a particular event. This can happen, for example, when the sport rules change (different weights or distances) or new events are introduced.

If this occurs then the NotEstablished flag is used to indicate this situation.

If a record is established for this event in the current competition then the NotEstablished flag and description will not be sent when a new record is established.

2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC of the Discipline
DocumentSubcode	CC @RecordCode	If the message is sent as a result of a record being modified (broken, equalled or re-instated) then this attribute will be included and is the Record Event for the modification.
DocumentType	DT_RECORD	Records message
DocumentSubtype	FULL, PARTIAL	Send "FULL" if all records included. Send "PARTIAL" if only one record code is included.
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a



		<p>session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	SC @Source	Code indicating the system which generated the message.


2.2.5.3 Trigger and Frequency

The DT_RECORD (without DocumentSubcode) message is sent as a bulk message (all records in a discipline) prior to the competition. Any new version of the DT_RECORD message should replace all previous record information, either for the RecordCode specified in DocumentSubcode or all if no DocumentSubcode is specified. Send as soon as appropriate within the rules of the sport.

2.2.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0,1)								
	Gen							
	Sport							
	Codes							
	ExtendedInfos (0,1)							
		SportDescription (0,1)						
			DisciplineName					
	Record (1,N)							
		Code						
		Description (1,1)						
			Name					
		RecordType (1,N)						
			Order					
			RecordType					
			Shared					





	IFld
--	------

2.2.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes

Element: Record (1,N)			
Attribute	M/O	Value	Description
Code	M	CC @RecordCode	Record code. Send all record codes in the bulk message else this must match the DocumentSubcode, that is, only one per message.

Element: Record /Description (1,1)			
Attribute	M/O	Value	Description
Name	M	S(40)	Record description (not code) from Common Codes

Element: Record /RecordType (1,N)			
It is possible to have more than one element with the same type (as in the case of National Records).			
Attribute	M/O	Value	Description
Order	M	Numeric #0	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @RecordType to assist in case several records are broken, from high priority to low priority but must still use 1 to n).



RecordType	M	CC @RecordType	Record type.
Shared	M	S(1)	Y-There is more than one competitor sharing the record N-There is just one competitor holding the record
NotEstablished	O	S(1)	Send "Y" in the case there is no record in this category else do not send.
NotEstablishedLabel	O	S(25)	The description to be used in the case that NotEstablished="Y".

Element: Record /RecordType /RecordData (0,N)

RecordData is not sent for NotEstablished Records unless a "standard" applies

Attribute	M/O	Value	Description
Order	M	Numeric #0	In the case that a record (RecordType) is provided several times in the message, then Order is the chronological order for the records (1,N). 1 will be usually the historical record and for each record broken during the competition a new order value will be provided. Usually first time the record is broken will have Order="2", second time Order="3" etc. Send 1 for records (RecordType) not shared (historical records)
ResultType	M	SC @ResultType	Result type for the corresponding event unit
Result	M	s.ff or s.fff	Send always unless the record is not established (can be sent for not established if there is a standard). The performance of the competitor for the record.
Unit	O	CC @Unit	Include the event unit in the current competition where the record was broken. It is the full RSC Send always (Mandatory) in the case Historical="N".
Country	O	CC @Country	Always send for new records and where known for historical records. Not applicable for not established records. Country code where the record was broken
Place	O	S(40)	Always send for new records and where known for historical records. Not applicable for not established records. Place (town or city) where the record was broken (example: "Salt Lake City").



Date	O	YYYY-MM-DD	Always send for new records and where known for historical records. Not applicable for not established records. Date when the record was broken (for the current competition, the date will be assumed to be the date scheduled for the @Unit attribute)
Time	O	Time	Time the record was set. Send always (Mandatory) in the case of Historical="N".
Equalled	O	S(1)	Send "Y" if the existing record is equalled. Do not send if the record is not equalled.
Unconfirmed	O	S(1)	Send only in the case that Historical="Y" and if it is required in the specific discipline, since some historical records / record types may not be confirmed. Send "Y" if the record is Unconfirmed else do not send. The normal situation is do not send.
Competition	O	S(40)	Send the text of the competition name where the record was broken (example: "2013 World Championships", "2012 Olympic Games", etc.).
Historical	M	S(1)	Send "Y" if the record for competitor was not achieved during the current competition. Send "N" if the record for the competitor was achieved during the current competition.
Current	O	S(1)	Send "Y" in the case that this is the current record else do not send (may be multiple in the case of a shared record).
ModificationIndicator	O	S(1)	The possible values are: "N" = New broken record (not provided in a previous message) "R" = This record is re-instated/re-established as the current record in this message (following an invalidation or similar). Do not send this attribute for other records included in the message (not broken or not re-instated)

Element: Record /RecordType /RecordData /Competitor (0,1)

Competitor to whom the record is assigned.

Athlete's information should be in DT_PARTIC (Historic) for Competitor @Type="A"

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	"A" for athlete



Organisation	O	CC @Organisation	Competitors' organisation if known
--------------	---	----------------------------------	------------------------------------

Element: Record /RecordType /RecordData /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric #0	Send 1 if Competitor @Type="A".

Element: Record /RecordType /RecordData /Competitor /Composition /Athlete /Description (0,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

2.2.5.6 Message Sort

The following order applies:

- Record @Code
- RecordType @Order
- RecordData @Order

2.2.6 Event Final Ranking

2.2.6.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Result Mark (disqualified, etc.), or both.

2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC of the Event	
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	SC @ResultStatus	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or



		Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the message.

2.2.6.3 Trigger and Frequency

This message is only triggered after a unit or phase which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.


The message is expected to be sent as PARTIAL after the qualification is complete and then UNOFFICIAL/OFFICAL after the finals.

Trigger also after any change.

2.2.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					
		SportDescription (0,1)				
			DisciplineName			
			EventName			
			Gender			
		VenueDescription (0,1)				
			Venue			
			VenueName			
	Result (1,N)					
		Rank				
		RankEqual				
		ResultType				
		Result				
		IRM				
		SortOrder				



2.2.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in text			



Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @DisciplineGender	Gender code for the event unit. Must be included if it is a single gender

Element: ExtendedInfos /VenueDescription (0,1)

Venue Names in text

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Result (1,N)

For any event final ranking message, there should be at least one competitor being awarded a result for the event.

Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send "Y" only if applicable.
ResultType	O	SC @ResultType	Type of the @Result attribute, either POINTS or IRM for the corresponding event.
Result	O	Numeric	Result for the highest phase reached.
IRM	O	SC @IRM	The invalid result mark, in case it is assigned
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Result /ExtendedResults /ExtendedResult (1,N)

Type	Code	Pos	Description
ER	PHASE	N/A	Element Expected: Always
	Attribute	M/O	Value
	Value	M	CC @Phase
			Description
			Full RSC Phase code of the highest phase reached.



Element: Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute. Send 1 if Competitor @Type="A".
Bib	O	S(4)	Athlete Bib

Element: Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

2.2.6.6 Message Sort

Sort by Result @SortOrder

2.2.7 Configuration

2.2.7.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit in separate messages where applicable.

2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	Full RSC	Sent this message for each Unit.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2). The end of the logical day is defined by default at 03:00 a.m. For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction. Logical Date is expressed in the local time zone where the message was produced.
Source	SC @Source	Code indicating the system which generated the



	message.
--	----------

2.2.7.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration for one particular phase must be provided before the start list. If there is a change then DT_RESULT must be sent immediately afterward.

2.2.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	Gen Sport Codes Configs (1,1)	Config (1,N)	Unit ExtendedConfig (1,N)	Type Code Pos Value

2.2.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Configs /Config (1,N)			
Attribute	M/O	Value	Description



Unit	M	CC @Unit	Full RSC of the unit.
------	---	--------------------------	-----------------------

Element: Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
EC	BOULDER	Numeric #0	Pos Description: Send the number that identifies the boulder, from 1, 2 .. n Element Expected: In Bouldering	
	Attribute	M/O	Value	Description
	Value	M	S(2)	Boulder name (usually number, 1..)
QUALIFICATION	QUAL_RULE	N/A	Element Expected: In qualification if applicable.	
	Attribute	M/O	Value	Description
	Value	M	String	Qualification rule text (long version).

Sample (Bouldering Final)

```
<Config Unit="CLBMCOMBINED-----FNL-0001BL--">
  <ExtendedConfig Type="EC" Code="BOULDER" Pos="1" Value="1" />
  <ExtendedConfig Type="EC" Code="BOULDER" Pos="2" Value="2" />
  <ExtendedConfig Type="EC" Code="BOULDER" Pos="3" Value="3" />
</Config>
```

2.2.7.6 Message Sort

There is no message sorting rule.

3 Message Timeline

Legend						
D Discipline	E Event	P Phase	S Session	U Unit	x Sent on that level	o Includes info from that level

4 Document Control

Version history		
Version	Date	Comments
V1.0	20 Feb 2018	First version
V1.1	26 Jul 2018	Updated after Omega review
V2.0	08 Aug 2018	Updated, CRs
V2.1	24 Jan 2019	Updated
V2.2	30 May 2019	Updated, CR
V2.3	14 Aug 2019	Updated. First version as a full document
V2.4	20 Dec 2019	Updated CR 18635
V2.5	6 Feb 2020	Updated

File Reference: SOG-2020-CLB-2.5 APP

Change Log		
Version	Status	Changes on version
V1.0	SFR	First version
V1.1	SFA	DT_RESULT: Correct typo INSOLATION -> ISOLATION DT_RESULT: Correct type CLIMB TIME -> CLIMB_TIME DT_RESULT: Correct typo in Result /Competitor /Composition /Athlete /EventUnitEntry (applicable in bouldering). DT_RESULT: Update ExtendedInfos DISPLAY to support the competition format in bouldering DT_BRACKET: Bracket /BracketItems /BracketItem @Result removed (typo) DT_BRACKET: Update to clarify it is only needed for the speed final. Section 1.4: Note that records not applicable in Youth Olympic Games.



V2.0	SFA	CR15039: Add DT_PARTIC_NAME to applicable messages. CR16671: Add TVFamilyName in DT_PARTIC message. CR16537: Move LAST_UNIT to ExtendedInfos/Progress in cumulative results CR16628: DT_BRACKETS: Add attributes to remove some extensions. Clarify previous unit.
V2.1	APP	DT_RESULT: In ExtendedInfos /ExtendedInfo add @Pos in SPEED/HEAT DT_RESULT: In ExtendedInfos /ExtendedInfo add DISPLAY/LAST_COMP DT_RESULT: Update EUE/START_TIME to only be applicable in bouldering qualification. DT_BRACKETS: Add RECORD flag and allow for LL in WLT. DT_BRACKETS: Type ER changed to ECP. Fixing minor typographical errors. Youth Olympic Games references removed.
V2.2	APP	DT_RESULT: Add IRM in ER/TIME DT_RESULT: In ExtendedInfos update expected for CLIMB_TIME and OBSERVE_TIME CR16640: Add ODF Version @Competition
V2.3	APP	CR17809: Change Participant/OlympicSolidarity to disallow N. First version as a full document.
V2.4	APP	CR18565: DT_PARTIC: Update the description of Participant/Weight CR18635: DT_RESULT: Update Value at BOULDER/RESULT/BOULDER @Result /ExtendedResults /ExtendedResult CR18635: DT_CUMULATIVE_RESULT: Update Value at Result/Result and Result/Diff CR18635: DT_CUMULATIVE_RESULT: Update Value at Result /ResultItems /ResultItem /Result /Result CR18635: DT_BRACKETS: Add ExtendedInfos /Progress CR18635: DT_RECORD: Update triggering Editorial improvements without changing the intent
V2.5	APP	DT_RESULT: Change the format of Result/Result (183938) DT_CUMULATIVE_RESULT: Change the format of Result/Result and Result/Diff (183950) DT_RESULT: Update description at Result /RecordIndicators /RecordIndicator /RecordType (184038)