



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BDM-2.6 APP

# Olympic Data Feed



**ODF Badminton Data Dictionary**  
**Tokyo 2020 – Games of the XXXII Olympiad**  
Technology and Information Department  
© International Olympic Committee

SOG-2020-BDM-2.6 APP  
11 November 2019



## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BDM-2.6 APP



## Table of Contents

1 Introduction.....	6
1.1 This document.....	6
1.2 Objective.....	6
1.3 Main Audience.....	6
1.4 Glossary.....	6
1.5 Related Documents.....	6
2 Messages.....	7
2.1 Applicable Messages.....	7
2.2 Messages.....	9
2.2.1 Competition schedule / Competition schedule update.....	9
2.2.1.1 Description.....	9
2.2.1.2 Header Values.....	10
2.2.1.3 Trigger and Frequency.....	11
2.2.1.4 Message Structure.....	12
2.2.1.5 Message Values.....	14
2.2.1.6 Message Sort.....	20
2.2.2 List of participants by discipline / List of participants by discipline update.....	21
2.2.2.1 Description.....	21
2.2.2.2 Header Values.....	21
2.2.2.3 Trigger and Frequency.....	22
2.2.2.4 Message Structure.....	22
2.2.2.5 Message Values.....	24
2.2.2.6 Message Sort.....	29
2.2.3 List of teams / List of teams update.....	30
2.2.3.1 Description.....	30
2.2.3.2 Header Values.....	30
2.2.3.3 Trigger and Frequency.....	31
2.2.3.4 Message Structure.....	31
2.2.3.5 Message Values.....	32
2.2.3.6 Message Sort.....	35
2.2.4 Event Unit Start List and Results.....	36
2.2.4.1 Description.....	36
2.2.4.2 Header Values.....	36
2.2.4.3 Trigger and Frequency.....	37
2.2.4.4 Message Structure.....	37
2.2.4.5 Message Values.....	40
2.2.4.6 Message Sort.....	56
2.2.5 Play by Play.....	57
2.2.5.1 Description.....	57
2.2.5.2 Header Values.....	57
2.2.5.3 Trigger and Frequency.....	58
2.2.5.4 Message Structure.....	58
2.2.5.5 Message Values.....	59
2.2.5.6 Message Sort.....	60
2.2.6 Pool Standings.....	61



2.2.6.1	Description.....	61
2.2.6.2	Header Values.....	61
2.2.6.3	Trigger and Frequency.....	62
2.2.6.4	Message Structure.....	62
2.2.6.5	Message Values.....	65
2.2.6.6	Message Sort.....	70
2.2.7	Brackets.....	71
2.2.7.1	Description.....	71
2.2.7.2	Header Values.....	71
2.2.7.3	Trigger and Frequency.....	72
2.2.7.4	Message Structure.....	72
2.2.7.5	Message Values.....	74
2.2.7.6	Message Sort.....	79
2.2.8	Statistics.....	80
2.2.8.1	Description.....	80
2.2.8.2	Header Values.....	80
2.2.8.3	Trigger and Frequency.....	81
2.2.8.4	Message Structure.....	81
2.2.8.5	Message Values.....	83
2.2.8.6	Message Sort.....	96
2.2.9	Event Final Ranking.....	97
2.2.9.1	Description.....	97
2.2.9.2	Header Values.....	97
2.2.9.3	Trigger and Frequency.....	98
2.2.9.4	Message Structure.....	98
2.2.9.5	Message Values.....	99
2.2.9.6	Message Sort.....	102
2.2.10	Configuration.....	103
2.2.10.1	Description.....	103
2.2.10.2	Header Values.....	103
2.2.10.3	Trigger and Frequency.....	104
2.2.10.4	Message Structure.....	104
2.2.10.5	Message Values.....	104
2.2.10.6	Message Sort.....	105
3	Message Timeline.....	106
4	Document Control.....	106

# 1 Introduction

## 1.1 This document

This document includes the ODF Badminton Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for Badminton.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Badminton Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the Badminton competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

## 2 Messages

### 2.1 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in Badminton.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it should follow the general definition rules.

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	/ Competition schedule / Competition schedule update	X
DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	/ List of teams / List of teams update	X
DT_MEDALS	Medal standings	
DT_MEDALLISTS_DAY	Medallists of the day	
DT_GLOBAL_GM	Global good morning	
DT_GLOBAL_GN	Global good night	
DT_RESULT	Event Unit Start List and Results	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_POOL_STANDING	Pool Standings	X
DT_BRACKETS	Brackets	X
DT_STATS	Statistics	X
DT_RANKING	Event Final Ranking	X
DT_COMMUNICATION	Communication	
DT_CONFIG	Configuration	X



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BDM-2.6 APP

DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_KA	Keep Alive	



## 2.2 Messages

### 2.2.1 Competition schedule / Competition schedule update

#### 2.2.1.1 Description

The Competition schedule is a bulk message provided for one discipline. As a general rule, it contains the complete schedule information for all event units needed to run a competition and excludes event units for activities such as unofficial training and press conferences.

This message contains the competition timetable for a complete discipline as well as status for each competition unit and is updated from OVR via the schedule update message.

All event units in codes which have the 'schedule' flag set to 'Y' are included in schedule messages regardless of status (those without status must be sent as UNSCHEDULED if the schedule flag is 'Y').

The arrival of the competition schedule message resets all the previous schedule information for one discipline.

The StartList component of the message is only included in the case that the Unit Type is one of HATH, HCOUP, HNOC or HTEAM and at least one of the competitors are known.

The Composition component (i.e. listing athletes) is only included in the case that the Unit Type is one of HATH or HCOUP.

For reference the applicable unit types (from common codes) are:

HATH Individual Head to Head units (e.g. ARC, BDM, TEN, SBD etc)  
HCOUP Pairs/Couples Head to Head units (e.g. BDM, TEN etc)  
HNOC NOC Head to Head units (e.g. ARC, ALP )  
HTEAM Teams Head to Head units (e.g. BKB, VBV, HBL, CUR, IHO etc)

Managing when start times are not known.

In some disciplines the start time of each unit is not known and the unit are managed by order rather than time.

In these disciplines only the time of the first unit (or first unit per location) is known and distributed. In this case all units should be sent with the same start time and those following units flagged as HideStartDate (and finish). To be able to correctly order these units then the Order attribute is used (and must be sent from the venue).

To ensure there are no incorrectly ordered units then the start time must not be updated to the actual start time (there is an actual start time field to cater for this). For example:

Start Time	Display	Unit	HideStartDate	Location	Order
------------	---------	------	---------------	----------	-------



in message

12:00	12:00	Unit 1	N	Court 2	1
12:00	Match 2	Court 2	Unit 2	Y	Court 2 2
12:00	Match 3	Court 2	Unit 3	Y	Court 2 3
16:30	Not before 16:30	Unit 4	Y	Court 2	4

If the discipline requires some text describing the order then StartText is used. Typical uses include 'Not before 17:00' or 'SUN 29 - 2nd match on CC' or 'Follows'.

Advice for end users - how to sort event units and use DT\_SCHEDULE:

- When displaying the schedule users must use the following sort order to display as intended:

1. By day (or filter by day)
2. By location if applicable (in a small number of sports, when EventOrder = LOC in Discipline codes)
3. By Time (regardless if HideStartDate='Y')
4. By Order

- The Order is sent for all units where HideStartDate='Y' or if special ordering is required else not sent. Start with 1 each new session each day

- End users should display StartText if HideStartDate='Y'

If a StartText value of 'Not before hh:mm' is used then it is expected that the StartDate sent is the same hh:mm.

Competition schedule update:

Competition schedule update is an update message. It is not a complete schedule information message, but only the schedule data being modified.

The arrival of this message updates the previous schedule information for one particular event unit(s) or sessions(s), but does not notify any other change for the rest of the event units/sessions except for those contained in the message.

The key of the information updated is Unit @Code. Therefore, any new unit, deleted unit or updated unit will be identified by all this attribute.

It has to be understood that if one DT\_SCHEDULE message arrives, then all previous DT\_SCHEDULE\_UPDATE messages should be discarded.

When message is sent from Competition Schedule application in advance of the Games the element ExtendedInfos/EntendedInfo will contain following information:

- Type=CS, Code=VERSION, the attribute Value will indicate the version details from the competition schedule application

- Type=CS, Code=STATUS the attribute Value will indicate the status details from the competition schedule application

### 2.2.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition



DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule bulk / update
Version	1...V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Refer to the ODF header definition
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.1.3 Trigger and Frequency

The competition schedule will be sent as a bulk message (DocumentType='DT\_SCHEDULE') when available before the Games and then sent multiple times until a date to be confirmed after which only update messages will be sent (DocumentType='DT\_SCHEDULE\_UPDATE') by OVR. There is no automatic triggering and this (DT\_SCHEDULE) message must not be sent after the transfer of control to OVR.

The competition schedule update message should be triggered at any time there has been a competition schedule modification for any previously sent competition schedule bulk message or update message including the addition of start list details (H2H).



Generally start list details for H2H units should be sent immediately when officially known which should be as soon as possible after the preceding unit changes to official.

If any text descriptions change in a message (as opposed to the code) then this message is not resent to correct previous messages however the new data is to be used in future messages.

### 2.2.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
<u>Competition (0,1)</u>								
	Gen							
	Sport							
	Codes							
	<u>Session (0,N)</u>							
		SessionCode						
		StartDate						
		EndDate						
		Leadin						
		Venue						
		VenueName						
		ModificationIndicator						
		SessionStatus						
		SessionType						
		<u>SessionName (1,N)</u>						
			Language					
			Value					
	<u>Unit (0,N)</u>							
		Code						
		PhaseType						
		UnitNum						
		ScheduleStatus						
		StartDate						
		HideStartDate						
		EndDate						
		HideEndDate						



ActualStartDate
ActualEndDate
Order
Medal
Venue
Location
MediaAccess
SessionCode
ModificationIndicator
<u>StartText (0.N)</u>
Language
Value
<u>ItemName (1.N)</u>
Language
Value
<u>ItemDescription (0.N)</u>
Language
-
<u>VenueDescription (1.1)</u>
VenueName
LocationName
<u>StartList (0.1)</u>
<u>Start (1.N)</u>
StartOrder
SortOrder
PreviousWLT
PreviousUnit
<u>Competitor (1.1)</u>
Code
Type
Organisation
<u>Description (0.1)</u>
TeamName



### 2.2.1.5 Message Values

#### Element: Competition (0,1)

**Table Note: "Competition schedule" and "Competition schedule update" share the same message structure and message attributes, except for the two ModificationIndicator attributes, which are specific to the "Competition schedule update message".**

Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Element: Competition /Session (0,N)

Attribute	M/O	Value	Description
SessionCode	M	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
StartDate	M	DateTime	Start date.



			Example: 2006-02-26T10:00:00+01:00
EndDate	M	DateTime	End date. Example: 2006-02-26T10:00:00+01:00
Leadin	O	m:ss	Amount of time from session start to first scheduled unit.
Venue	M	<a href="#">CC @VenueCode</a>	Venue where the session takes place
VenueName	M	S(25)	Name of venue
ModificationIndicator	O	S(1)	Attribute is mandatory in the DT_SCHEDULE_UPDATE message.  N = New or U = Update.
SessionStatus	O	<a href="#">CC @ScheduleStatus</a>	Only use CANCELLED if applicable. All other sessions are assumed to be scheduled. There is no change to running or finished.
SessionType	O	<a href="#">CC @SessionType</a>	Session type of the Session.

**Element: Competition /Session /SessionName (1,N)**

Attribute	M/O	Value	Description
Language	M	<a href="#">CC @Language</a>	Language of the Session Description
Value	M	S(40)	Name of the sports competition session

**Sample (General)**

```
<Session SessionCode="BDM01" StartDate="2020-07-30T08:00:00+09:00" EndDate="2020-07-30T14:00:00+09:00" Leadin="5:00" Venue="MFS" VenueName="Musashino Forest Sp Plaza" >
  <SessionName Language="ENG" Value="Badminton Session 1" />
</Session>
<Session SessionCode="BDM02" StartDate="2020-07-30T15:30:00+09:00" EndDate="2020-07-30T18:30:00+09:00" Leadin="0:00" Venue="MFS" VenueName="Musashino Forest Sp Plaza" >
  <SessionName Language="ENG" Value="Badminton Session 2" />
</Session>
...
```

**Element: Competition /Unit (0,N)**

Attribute	M/O	Value	Description
Code	M	Full RSC for the unit	
PhaseType	M	<a href="#">CC @PhaseType</a>	Phase type for the unit
UnitNum	O	S(15)	Match number as appropriate
ScheduleStatus	M	<a href="#">CC @ScheduleStatus</a>	Unit Status
StartDate	O	DateTime	Start date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED. For other statuses the StartDate is expected otherwise



			<p>ordering is display is incorrert (including CANCELLED and POSTPONED.</p> <p>This is the scheduled Start date and time and will not be updated when an event unit starts (updated only with RESCHEDULED status)</p> <p>Where HideStartDate="Y" then this should be filled with the session start time or the start time of a group of units for all similar units and Order used for sorting. This method is not used in team sports where HideStartDate="Y" is only used temporarily to remove times.</p> <p>Example: 2006-02-26T10:00:00+01:00</p>
HideStartDate	O	S(1)	<p>Send 'Y' if StartDate (scheduled start time) should not be displayed. It may be an estimate or 'fake' time.</p> <p>Do not send if StartDate (scheduled start time) is to be displayed.</p> <p>Start times of some units depend on the finalisation of previous event units and therefore there is no fixed start time in these cases this field is set to 'Y'.</p> <p>When the flag is set to 'Y' then the time is used for sorting purposes but should not be displayed.</p>
EndDate	O	DateTime	<p>End date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED, POSTPONED or CANCELLED.</p> <p>Example: 2006-02-26T10:00:00+01:00</p>
HideEndDate	O	S(1)	<p>Send 'Y' if EndDate scheduled end time is not to be displayed.</p> <p>Some event units have a scheduled end time well bounded, however, some event units in some circumstances have a scheduled end time not quite variable (example, some press conferences or tennis matches, etc.) in these cases this field is set to 'Y' and should not be displayed.</p>
ActualStartDate	O	DateTime	<p>This attribute is expected once the event unit has started.</p> <p>Example: 2006-02-26T10:03:22+01:00</p>





ActualEndDate	O	DateTime	This attribute is expected once the event unit has finished. Example: 2006-02-26T12:43:51+01:00
Order	O	Numeric ###0	Order of the units when displayed. This field is considered in two situations:  1. If HideStartDate = 'Y' then send at least for all Units in an affected session though it is suggested to be sent for all units in a discipline where the concept is used in the discipline.  2. If some units start at the same time and a particular order of the units is expected.  It is generally recommended to start at 1 in each session each day though may be ordered independently by location starting at 1 for each location in each session (where the schedule is ordered by location) or using other numbers to ensure the order of two using starting at the same time are displayed in the appropriate order.
Medal	O	<a href="#">SC @UnitMedalType</a>	Indicator of medal awarded for this unit. Do not send if not a medal event unit.
Venue	O	<a href="#">CC @VenueCode</a>	Venue where the unit takes place Mandatory unless UNSCHEDULED Can use TBD if the Venue is not known yet (see CC).
Location	O	<a href="#">CC @Location</a>	Location where the unit takes place. Mandatory unless UNSCHEDULED. Can use TBD if the Location is not known yet or a generic code for the discipline (see CC).
MediaAccess	O	S(6)	Only applicable for non-competition. If unit is open to media send "Open", if the unit is closed then send "Closed".
SessionCode	O	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
ModificationIndicator	O	N, U	Attribute is mandatory in the DT_SCHEDULE_UPDATE message only  N-New event unit U-Update event unit If ModificationIndicator='N', then include new



			<p>event unit. It will be rarely used as most added units were available in "UNSCHEDULED" status.</p> <p>If ModificationIndicator="U", then update the event unit.</p>
--	--	--	--

**Element: Competition /Unit /StartText (0,N)**

This element is only used for Competition Schedules when HideStartDate is 'Y'. In this case, English Language is mandatory.

Attribute	M/O	Value	Description
Language	M	<a href="#">CC @Language</a>	Code Language of the @Value
Value	M	S(20)	Text to be displayed in the case that StartDate is not to be displayed (e.g. "After M.1" or "Followed by").

**Element: Competition /Unit /ItemName (1,N)**

Attribute	M/O	Value	Description
Language	M	<a href="#">CC @Language</a>	Code Language of the @Value
Value	M	S(40)	<p>Item Name / Unit Description.</p> <p>For competition units show the short unit description from common codes which matches the RSC. As in all messages with a description only the ENG description is expected.</p> <p>For non-competition schedules (where the item description is not in common codes) then add the description.</p>

**Element: Competition /Unit /ItemDescription (0,N)**

Attribute	M/O	Value	Description
Language	M	<a href="#">CC @Language</a>	Code Language of the @Value
-	M	Free Text	Item Description for non-competition schedule

**Element: Competition /Unit /VenueDescription (1,1)**

Attribute	M/O	Value	Description
VenueName	M	S(25)	Venue name in first language. This is the CC value from unit/venue
LocationName	M	S(30)	Location name in first language. This is the CC value from unit/location.



**Element: Competition /Unit /StartList /Start (1,N)**

**StartList information is only sent in the case that the Unit type is one of HATH, HCOUP, HNOC or HTEAM and at least one of the competitors are known. (Sent as soon as known for applicable units)**

Attribute	M/O	Value	Description
StartOrder	O	Numeric	Competitor's start order
SortOrder	M	Numeric	Used to sort competitors in an event unit (for example, if there is no StartOrder). It is mainly used for display purposes.
PreviousWLT	O	S(1)	W or L for winner of loser of a particular previous unit plays in this unit. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real teams are known.
PreviousUnit	O	S(34)	The full RSC of the unit where this competitor came from. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real teams are known.

**Element: Competition /Unit /StartList /Start /Competitor (1,1)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes, TBD or NOCOMP.	Competitor's ID, TBD in case that the competitor is not known at this time AND the other competitor is known. NOCOMP is sent when there is no competitor (and will not come later)
Type	M	S(1)	T for team A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Should be sent when known

**Element: Competition /Unit /StartList /Start /Competitor /Description (0,1)**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Team Name where known, must send when available
IFId	O	S(16)	Team IF number, send if available

**Element: Competition /Unit /StartList /Start /Competitor /Composition /Athlete (1,N)**

**Only send in the case that the Unit type is one of HATH (ARC, BDM, TEN, etc.) or HCOUP (BDM, TEN, etc.).**



In case of the Competitor @Code='TBD' this element should not be sent.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete in the event unit.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". (same order as defined in ORIS)

Element: Competition /Unit /StartList /Start /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case). Send if not null.
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender
Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth.
IFId	O	S(16)	Athlete IF number, send if available, only for the current discipline.
Class	O	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games).  This attribute is optional because it is not used in events without such athletes.

### 2.2.1.6 Message Sort

Sort by Session @SessionCode.

The message is sorted by Unit@StartDate then by Unit@Order then Unit@Code.

In case of event unit with no Unit@StartDate defined (example, they are in an event unit status such as UNSCHEDULED), they will be listed at the end in Unit@Code order.

## 2.2.2 List of participants by discipline / List of participants by discipline update

### 2.2.2.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

### 2.2.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was



		produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.2.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

### 2.2.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0,1)</a>					
	Gen				
	Sport				
	Codes				
	<a href="#">Participant (1,N)</a>				
		Code			
		Parent			
		Status			



GivenName
FamilyName
PassportGivenName
PassportFamilyName
PrintName
PrintInitialName
TVName
TVInitialName
TVFamilyName
LocalFamilyName
LocalGivenName
Gender
Organisation
BirthDate
Height
Weight
PlaceofBirth
CountryofBirth
PlaceofResidence
CountryofResidence
Nationality
MainFunctionId
Current
OlympicSolidarity
ModificationIndicator
<a href="#">Discipline (1.1)</a>
Code
IFId
<a href="#">RegisteredEvent (0.N)</a>
Event
Class
Substitute



<a href="#">EventEntry (0.N)</a> Code Type Pos Value	<a href="#">OfficialFunction (0.N)</a> FunctionId
--	--

### 2.2.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

**Sample (General)**

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-BDM-1.10" Codes="SOG-2020-1.20" >

Element: Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C"</p>





			when Coach and "O" when Official.
Parent	M	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.  The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".
Status	O	<a href="#">CC @ParticStatus</a>	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".  To delete a participant, a specific value of the Status attribute is used.
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the



			appropriate case for the local language (usually mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender
Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. "-" may be used where the data is not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	<a href="#">CC @Country</a>	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	<a href="#">CC @Country</a>	Country ID of Residence
Nationality	O	<a href="#">CC @Country</a>	Participant's nationality.  Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	<a href="#">CC @ResultsFunction</a>	Main function  In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only  N-New participant (in the case that this information comes as a late entry) U-Update participant



			<p>If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants</p> <p>If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
--	--	--	--

**Element: Participant /Discipline (1,1)**

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline
IFld	O	S(16)	Competitor's federation number for the corresponding discipline.

**Element: Participant /Discipline /RegisteredEvent (0,N)**

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event
Class	O	<a href="#">CC @SportClass</a>	Code to identify the handicap class in the case of events with handicapped athletes (e.g: paralympic games).  This attribute is optional because is not used in other type of events without handicapped athletes. Send only in the Case of Current="true".
Substitute	O	S(1)	Flag that indicates when the competitor is an alternate. Send "Y" if the competitor is an alternate player.

**Element: Participant /Discipline /RegisteredEvent /EventEntry (0,N)**

Send if there are specific athlete's event entries.

Type	Code	Pos	Description
------	------	-----	-------------



ENTRY		RANK_PTS	N/A	Element Expected: If available (this information can be sent in both messages).  Only for Individual Participant.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #####0.0000	Send the athlete's World Badminton Ranking Points.
ENTRY		RANK_WLD	N/A	Element Expected: If applicable (this information can be sent in both messages).  Only for Individual events.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(4)	Player's world ranking.
ENTRY		SEED	N/A	Element Expected: If applicable as soon as this information is known (this information only will be sent in the update message).  Only for Individual events.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(6)	Seed: Could have the format "3/12"
ENTRY		HAND	N/A	Element Expected: If available (this information can be sent in both messages).  Only for Individual Participant.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	<a href="#">SC @Hand</a>	Handedness

**Element: Participant /OfficialFunction (0,N)**

Send if the official has optional functions. Do not send, otherwise.

Attribute	M/O	Value	Description
FunctionId	M	<a href="#">CC @ResultsFunction</a>	Additional officials' function code

**Sample (General)**



```
<Discipline Code="BDM-----" IFId="203258" >  
  <RegisteredEvent Event="BDMMSINGLES-----" >  
    <EventEntry Type="ENTRY" Code="HAND" Value="L" />  
    <EventEntry Type="ENTRY" Code="RANK_WLD" Value="7" />  
  </RegisteredEvent>  
</Discipline>
```

### 2.2.2.6 Message Sort

The message is sorted by Participant @Code

## 2.2.3 List of teams / List of teams update

### 2.2.3.1 Description

The List of teams message contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. Pairs are also defined as team of two competitors. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams. Badminton has two types of teams, pairs and "team" in the team competition.

List of teams (DT\_PARTIC\_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT\_PARTIC\_TEAMS\_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

### 2.2.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (discipline level)	Full RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all



		<p>messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.3.3 Trigger and Frequency

The DT\_PARTIC\_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_TEAMS\_UPDATE messages are sent.

The DT\_PARTIC\_TEAMS\_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

### 2.2.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0,1)</a>					
	Gen				
	Sport				
	Codes				
	<a href="#">Team (1,N)</a>				
		Code			
		Organisation			
		Number			
		Name			
		TVTeamName			
		Gender			
		Current			
		ModificationIndicator			



### 2.2.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID.  When the Team is an historical one, then this ID starts with "T".
Organisation	M	<a href="#">CC @Organisation</a>	Team organisation's ID
Number	O	Numeric #0	Team's number.  If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc.





			Required in the case of current teams.
Name	M	S(73)	Team name.  If there is no rule for the discipline then send the Description of the code CC@Organisation.
TVTeamName	M	S(21)	Team's TV Name. In events with teams of two this should be in the format JONES/SMITH [max char(10) per name] else it is the organisation name unless a special rule applies for the discipline.
Gender	M	<a href="#">CC@DisciplineGender</a>	Discipline Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only  N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team  If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams  If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams  If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

**Element: Team /Composition /Athlete (0,N)**

In the case of current teams the number of athletes is 2 or more.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID of the listed team's member.  Therefore, he/she makes part of the team's composition.
Order	O	Numeric	Team member order (same as defined in ORIS)

**Element: Team /Discipline (0,1)**

Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"



Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline

**Element: Team /Discipline /RegisteredEvent (0,1)**

Each current team is assigned to one event. Historical teams will not be registered to any event.

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event

**Element: Team /Discipline /RegisteredEvent /EventEntry (0,N)**

Send if there are specific team's event entries.

Type	Code	Pos	Description
ENTRY	RANK_WLD	N/A	Element Expected: If available (this information can be sent in both messages).
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	S(4)
	<b>Description</b>	Send the team's World Badminton Ranking.	
ENTRY	RANK_PTS	N/A	Element Expected: If available (this information can be sent in both messages).
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric #####0.0000
	<b>Description</b>	Send the teams's World Badminton Ranking Points.	
ENTRY	SEED	N/A	Element Expected: If available (this information can be sent in both messages).
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	S(6)
	<b>Description</b>	Team Seed Number Could have the format "3/12"	

**Sample (General)**



```
<Team Code="BDMMDOUBLES-AUS01" Organisation="AUS" Number="1" Name="Australia"  
TVTeamName="CHAU/SERASINGHE" Gender="M" Current="true">  
  <Composition>  
    <Athlete Code="1063192" Order="1"/>  
    <Athlete Code="1063249" Order="2"/>  
  </Composition>  
  <Discipline Code="BDM-----" >  
    <RegisteredEvent Event="BDMMDOUBLES-----" >  
      <EventEntry Type="ENTRY" Code="RANK_WLD" Value="46" />  
    </RegisteredEvent>  
  </Discipline>  
</Team>
```

### 2.2.3.6 Message Sort

The message is sorted by Team @Code.

## 2.2.4 Event Unit Start List and Results

### 2.2.4.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

### 2.2.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the event unit
DocumentSubcode	N/A	Not used in BDM
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	Not used in BDM
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	It indicates whether the result is official or unofficial (or intermediate etc.). START_LIST LIVE (used during the competition when nothing else applies). INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNOFFICIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.



		<p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.4.3 Trigger and Frequency

This message is sent with ResultStatus 'START\_LIST' as soon as the start list (competitors) are known and any changes to the information.  
This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates.


For each match:


- As soon as each competitor is known and any changes in start list data (START\_LIST)
- When the unit starts and after every change in any data (LIVE)
- At the end of each game (INTERMEDIATE)
- After the unit is over (UNOFFICIAL / OFFICIAL)


### 2.2.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">UnitDateTime (0,1)</a>					
			StartDate				
			Duration				







### 2.2.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description





Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

**Element: ExtendedInfos /UnitDateTime (0,1)**

Attribute	M/O	Value	Description
StartDate	O	DateTime	Actual start date and time. Do not include until unit has started.
Duration	O	mmm	Match duration. Duration of the Match in minutes. Update with each message after the start of the match.

**Element: ExtendedInfos /ExtendedInfo (0,N)**

Type	Code	Pos	Description
UI	RES_CODE	N/A	Element Expected: Always when available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	<a href="#">SC @ResultCode</a> Send the Result Code of the Match. Used only for Bye or W/O.
UI	RALLY_TIME_MAX	N/A	Element Expected: Always when available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	ss Duration (sec) of the longest rally in the match.
UI	RALLY_STROKES_MAX	N/A	Element Expected: Always when available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric ##0 Strokes in the longest rally in the match.
UI	RALLY_TIME_AVG	N/A	Element Expected: Always when available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	ss Average time (sec) per rally in the match.
	RALLY_STROKES_	N/A	Element Expected:



UI		AVG		Always when available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Average strokes per rally in the match.
UI		SHUTTLES_USED	N/A	Element Expected: Always, at the end of the match
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of shuttles used in the match.
UI		CURRENT_GAME	N/A	Element Expected: Always when LIVE
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	<a href="#">SC @Period</a>	Current Game
UI		SERVE	N/A	Element Expected: When available when LIVE only for the double events
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(1)	Serve Indicator Send H for Home Team Send A Away Team

#### Sample (singles)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-07-31T13:07:00+01:00" Duration="29" />
  <ExtendedInfo Type="UI" Code="RALLY_TIME_MAX" Value="33" />
  <ExtendedInfo Type="UI" Code="RALLY_STROKES_MAX" Value="26" />
  <ExtendedInfo Type="UI" Code="RALLY_TIME_AVG" Value="11" />
  <ExtendedInfo Type="UI" Code="RALLY_STROKES_AVG" Value="7" />
  <ExtendedInfo Type="UI" Code="SHUTTLES_USED" Value="11" />
</ExtendedInfos>
```

#### Element: ExtendedInfos /SportDescription (0,1)

##### Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	<a href="#">CC</a> <a href="#">@DisciplineGender</a>	Gender code for the event unit
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes



UnitNum	O	S(15)	Match number as appropriate
---------	---	-------	-----------------------------

**Element: ExtendedInfos /VenueDescription (0,1)**

**Venue Names in Text.**

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location short name (not code) from Common Codes

**Element: Officials /Official (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	<a href="#">CC @ResultsFunction</a>	Official's function. Send according to the codes for: -Umpire -Service Judge  Can be different from the function sent in the DT_PARTIC message.
Order	M	Numeric 0	Order of the Officials. According to the sport rules

**Element: Officials /Official /Description (1,1)**

**Officials extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the official
Organisation	M	<a href="#">CC @Organisation</a>	Officials' organisation

**Sample (General)**



```
<Officials>
  <Official Code="1138266" Function="SJ" Order="1">
    <Description GivenName="Jane" FamilyName="Smith" Gender="F" Organisation="SUI" />
  </Official>
  <Official Code="1105079" Function="UM" Order="2">
    <Description GivenName="Ann" FamilyName="Jones" Gender="F" Organisation="ESP" />
  </Official>
</Officials>
```

Element: Periods (0,1)			
Attribute	M/O	Value	Description
Home	M	S(20) with no leading zeroes	Home Competitor ID
Away	M	S(20) with no leading zeroes	Away Competitor ID

Element: Periods /Period (1,N)			
Period in which the event unit message arrives.			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @Period</a>	Game number in case of singles and doubles matches. Do not send TOT.
HomeScore	M	Numeric #0	Home competitor score up (number of games won) at the end of this game (@Code period). Cumulative games won by competitor with order 1 at the game (game number at the Period Code: G1..Gn) in the match.
AwayScore	M	Numeric #0	Away competitor score up (number of games) at the end of this game (@Code period). Cumulative games won by competitor with order 2 at the game (game number at the Period Code: G1..Gn) in the match.
HomePeriodScore	O	Numeric #0	Home competitor points just for this game (@Code period). Points won by competitor with order 1 just for this game (game number at the Period Code: G1..Gn) in the match.
AwayPeriodScore	O	Numeric #0	Away competitor points just for this game (@Code period). Points won by competitor with order 2 just for this game (game number at the Period Code: G1..Gn) in the match.
Duration	O	mm	Duration (minutes) of the game (game number at



			the Period Code: G1..Gn) in the match.
--	--	--	--

Element: Periods /Period /ExtendedPeriods /ExtendedPeriod (1,N)				
ExtendedPeriod information.				
Type		Code	Pos	Description
EP		RALLY_TIME_MAX	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	ss	Duration of longest rally. (ss is seconds)
EP		RALLY_STROKES_MAX	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of strokes in the longest rally.
EP		RALLY_TIME_AVG	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	ss	Duration of average rally. (ss is seconds)
EP		RALLY_STROKES_AVG	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of strokes in the average rally.
EP		SHUTTLES_USED	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of shuttles used.
EP		IRM	Numeric 0	Pos Description: Indicator of the one who has produced the IRM. Send 1 or 2 for Home or Away competitor.  Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>



Value	M	<a href="#">SC @IRM</a>	Invalid Result Mark for the particular period (CC @Period).
-------	---	-------------------------	---

**Sample (General)**

```
<Periods Home="123456" Away="234567" >
  <Period Code="G1" HomeScore="1" AwayScore="0" HomePeriodScore="21" AwayPeriodScore="11"
  Duration="15">
    <ExtendedPeriods>
      <ExtendedPeriod Type="EP" Code="RALLY_TIME_MAX" Value="33" />
      <ExtendedPeriod Type="EP" Code="RALLY_STROKES_MAX" Value="26" />
      <ExtendedPeriod Type="EP" Code="RALLY_TIME_AVG" Value="11" />
      <ExtendedPeriod Type="EP" Code="RALLY_STROKES_AVG" Value="7" />
      <ExtendedPeriod Type="EP" Code="SHUTTLES_USED" Value="7" />
    </ExtendedPeriods>
  </Period>
  <Period Code="G2" HomeScore="2" AwayScore="0" HomePeriodScore="21" AwayPeriodScore="7"
  Duration="13">
    <ExtendedPeriods>
      <ExtendedPeriod Type="EP" Code="RALLY_TIME_MAX" Value="36" />
      <ExtendedPeriod Type="EP" Code="RALLY_STROKES_MAX" Value="34" />
      <ExtendedPeriod Type="EP" Code="RALLY_TIME_AVG" Value="11" />
      <ExtendedPeriod Type="EP" Code="RALLY_STROKES_AVG" Value="7" />
      <ExtendedPeriod Type="EP" Code="SHUTTLES_USED" Value="4" />
    </ExtendedPeriods>
  </Period>
</Periods>
```

**Element: Result (1,N)**

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
Result	O	Numeric #0	The result of the competitor in the event unit, i.e. the number of games won in the corresponding match. Send either in the case @ResultType is points or IRM with points.
IRM	O	<a href="#">SC @IRM</a>	Invalid Result Mark for the event unit, in case it is assigned.  Send just in the case @ResultType is both IRM and Points for some period; the match will have finished.
WLT	O	<a href="#">SC @WLT</a>	The code whether a competitor won (W) or lost (L) the match. Only included (mandatory) at the end of the match.



SortOrder	M	Numeric 0	Used to sort all start list competitors in an event unit. Send 1 for Home and 2 for Away.
StartSortOrder	M	Numeric	Same @SortOrder
ResultType	O	<a href="#">SC @ResultType</a>	Result type, either points or IRM with points for the corresponding match. Only included (mandatory) at the end of the match.

**Element: Result /ExtendedResults /ExtendedResult (1,N)**

Only applicable in singles and doubles.

Type	Code	Pos	Description
ER	GAME_PT_COUNT	SC @Period	Pos Description: Period  Element Expected: If applicable
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric #0
	Send the cumulative number of times that this competitor has held a game point in the game.		
ER	MATCH_PT_COUNT	SC @Period	Pos Description: Period  Element Expected: If applicable
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric #0
	Send the cumulative number of times that this competitor has held a match point the current match.		
ER	SERVE	N/A	Element Expected: When LIVE in singles and doubles.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	S(1)
	Serve Indicator. Send 1 if this player (or first ordered player in doubles) has the serve next. Send 2 for second named (doubles) or do not send.		

**Element: Result /Competitor (1,1)**

Competitor related to the result of one event unit.



Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD or NOCOMP	Competitor's ID (if known): -For Competitor @Type=T, it will be: Team's ID -Otherwise, Athlete's ID (for Competitor @Type=A) (for singles).  Or, TBD (for To Be Determined) in case that the competitor is unknown at this time but will be available.  NOCOMP is sent when there is no competitor (and will not come later).
Type	M	S(1)	T for team A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Result /Competitor /Description (0,1)**

**Competitors extended information (for Team events, when competitor known).**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams.

**Element: Result /Competitor /EventUnitEntry (0,N)**

**For team event information**

Type	Code	Pos	Description
EUE	SEED	N/A	Element Expected: Always, as soon as this information is known and this team has a Seed Number.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric ##
			<b>Description</b>
			Seed Number (for team)

**Sample (doubles)**

```
<EventUnitEntry Type="EUE" Code="SEED" Value="4" />
```

**Element: Result /Competitor /StatsItems /StatsItem (1,N)**

**Only applicable for doubles matches.**

Type	Code	Pos	Description
ST	PTS_PLAYED	SC @Period	Pos Description: Send the Period, not "TOT"





				Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total Points Played
ST		PTS_WON	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total Points Won
ST		PTS_CONSEC	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Most consecutive points won
ST		PTS_MATCH	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total match points
ST		PTS_GAME	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total game points
ST		PTS_NOSERVICE	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available



	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Points scored without service for this period
ST		PTS_SERVICE	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Points scored with service for this period.
ST		LEAD_MAX	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0 or '-'	Biggest lead for this period. Send '-' when no value available.
ST		CBACK_WIN_MAX	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0 or '-'	Biggest comeback to win for this period. Send '-' when no value available.
ST		SERVE_FAULTS	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Service faults for this period.
ST		PTY	SC @Period	Pos Description: All periods played and "TOT"  Element Expected:



				When available
	Attribute	M/O	Value	Description
	Value	M	String	Penalty cards and the result at penalty for this period (e.g.: a yellow card penalty during Game-1 when the result was 4-3, send "Y(4-3)" for @Pos=G1, or, two red cards penalty during Game-2, send "R(3-1) R(14-20)" for @Pos=G2) as in C73 ORIS.
ST		CHALLENGE_WON	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total successful challenges
ST		CHALLENGE_LOST	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total unsuccessful challenges

**Sample (General)**



```
<StatsItems>
  <StatsItem Type="ST" Code="PTS_NOSERVICE" Pos="TOT" Value="7" />
  <StatsItem Type="ST" Code="PTS_SERVICE" Pos="TOT" Value="35" />
  <StatsItem Type="ST" Code="LEAD_MAX" Pos="TOT" Value="33" />
  <StatsItem Type="ST" Code="CBACK_WIN_MAX" Pos="TOT" Value="2" />
  <StatsItem Type="ST" Code="SERVE_FAULTS" Pos="TOT" Value="0" />
  <StatsItem Type="ST" Code="PTS_PLAYED" Pos="G1" Value="25" />
  <StatsItem Type="ST" Code="PTS_WON" Pos="G1" Value="21" />
  <StatsItem Type="ST" Code="PTS_CONSEC" Pos="G1" Value="9" />
  <StatsItem Type="ST" Code="PTS_MATCH" Pos="G1" Value="0" />
  <StatsItem Type="ST" Code="PTS_GAME" Pos="G1" Value="1" />
  <StatsItem Type="ST" Code="PTS_NOSERVICE" Pos="G1" Value="4" />
  <StatsItem Type="ST" Code="PTS_SERVICE" Pos="G1" Value="17" />
  <StatsItem Type="ST" Code="LEAD_MAX" Pos="G1" Value="17" />
  <StatsItem Type="ST" Code="CBACK_WIN_MAX" Pos="G1" Value="-" />
  <StatsItem Type="ST" Code="SERVE_FAULTS" Pos="G1" Value="0" />
  <StatsItem Type="ST" Code="PTS_PLAYED" Pos="G2" Value="26" />
  <StatsItem Type="ST" Code="PTS_WON" Pos="G2" Value="21" />
  <StatsItem Type="ST" Code="PTS_CONSEC" Pos="G2" Value="11" />
  <StatsItem Type="ST" Code="PTS_MATCH" Pos="G2" Value="1" />
  <StatsItem Type="ST" Code="PTS_GAME" Pos="G2" Value="0" />
  <StatsItem Type="ST" Code="PTS_NOSERVICE" Pos="G2" Value="3" />
  <StatsItem Type="ST" Code="PTS_SERVICE" Pos="G2" Value="18" />
  <StatsItem Type="ST" Code="LEAD_MAX" Pos="G2" Value="16" />
  <StatsItem Type="ST" Code="CBACK_WIN_MAX" Pos="G2" Value="2" />
  <StatsItem Type="ST" Code="SERVE_FAULTS" Pos="G2" Value="0" />
  ...

```

**Element: Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID. Can belong to a team member or an individual athlete.
Order	M	Numeric #0	If Competitor @Type="T" then order attribute used to sort team members in a team. (same order as defined in ORIS)  If Competitor @Type="A" then 1

**Element: Result /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)



Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID
Class	O	<a href="#">CC @SportClass</a>	This attribute is required in competitions including athletes with disabilities.

**Element: Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)**

Individual athletes entry information.

Type	Code	Pos	Description	
EUE	SEED	N/A	Element Expected: Always, as soon as this information is known and this athlete has Seed Number.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Seed Number (for athlete)

**Sample (singles)**

```
<EventUnitEntry Type="EUE" Code="SEED" Value="5" />
```

**Element: Result /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)**

Only applicable for single matches.

Type	Code	Pos	Description	
ST	PTS_PLAYED	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Total Points Played
ST	PTS_WON	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric	Total Points Won



			#0	
ST		PTS_CONSEC	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Most consecutive points won
ST		PTS_MATCH	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Total match points
ST		PTS_GAME	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Total game points
ST		PTS_NOSERVICE	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Points scored without service for this period
ST		PTS_SERVICE	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Points scored with service for this period
		LEAD_MAX	SC @Period	Pos Description:



ST				All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0 or '-'	Biggest lead for this period. Send '-' when no value available.
ST		CBACK_WIN_MAX	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0 or '-'	Biggest comeback to win for this period. Send '-' when no value available.
ST		SERVE_FAULTS	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	Service faults for this period
ST		PTY	SC @Period	Pos Description: All periods played and "TOT"  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	String	Penalty cards and the result at penalty for this period (e.g.: a yellow card penalty during Game-1 when the result was 4-3, send "Y(4-3)" for @Pos=G1, or, two red cards penalty during Game-2, send "R(3-1) R(14-20)" for @Pos=G2) as in C73 ORIS.
ST		CHALLENGE_WO N	SC @Period	Pos Description: Send the Period, not "TOT"



				Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total successful challenges
ST		CHALLENGE_LOS T	SC @Period	Pos Description: Send the Period, not "TOT"  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Total unsuccessful challenges

### 2.2.4.6 Message Sort

Sort by Result @SortOrder



## 2.2.5 Play by Play

### 2.2.5.1 Description

The Play by Play is a message containing official raw data from the results provider for each action.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

### 2.2.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Full RSC of the event unit
DocumentSubcode	N/A	Not used in BDM
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	S(8)	Send "ACTION"
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at



		<p>1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.5.3 Trigger and Frequency

The message is sent after every change in score in the unit (not application in team overall) and when the ResultStatus changes.

### 2.2.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4
<a href="#">Competition (0.1)</a>	Gen Sport Codes <a href="#">ExtendedInfos (0.1)</a>	<a href="#">SportDescription (0.1)</a>  <a href="#">VenueDescription (0.1)</a>	DisciplineName EventName SubEventName Gender  Venue VenueName Location LocationName
	<a href="#">Actions (0.1)</a>	Home	



	Away <a href="#">Action (1,N)</a>
	Id Period Order Action ScoreH ScoreA

### 2.2.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
SubEventName	M	S(40)	EventUnit short name (not code) from Common Codes
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text.			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code



LocationName	M	S(30)	Location short name (not code) from Common Codes
--------------	---	-------	--

Element: Actions (0,1)			
Attribute	M/O	Value	Description
Home	M	S(20) with no leading zeroes	Home Competitor ID
Away	M	S(20) with no leading zeroes	Away Competitor ID

Element: Actions /Action (1,N)			
Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message
Period	M	<a href="#">SC @Period</a>	Period of the action within the match.
Order	M	Numeric	Unique sequential number for all of the actions from 1 to n.  It is used to sort Action.
Action	O	S(2)	Scoring indicator H or A for Home / Away. In doubles follow H/A with 1 or 2 indicating player 1 or 2 (H1, etc.) where 1/2 indicates who is serving.
ScoreH	O	Numeric #0	Home competitor score in the period. Only send if there is a score by the home competitor.
ScoreA	O	Numeric #0	Away competitor score in the period. Only send if there is a score by the away competitor.

**Sample (General)**

```
<Actions Home="123456" Away="234567" >
...
  <Action Id="1234561324" Period="G1" Order="3" ScoreH="2" Action="H" />
  <Action Id="1234571325" Period="G1" Order="4" ScoreA="3" Action="A" />
...
</Actions>
```

**2.2.5.6 Message Sort**

Actions /Action @Order.

## 2.2.6 Pool Standings

### 2.2.6.1 Description

The Pool Standings message contains the standings of a group in a competition. It is similar to the Phase Results message, except in the frequency and trigger. Here the message is triggered at the start of OVR operations and then after each event unit (game, match, etc.).

This report is sent independently for each of the groups / pools of the competition in a particular phase, and the group / pool can be determined from the message header (DocumentCode).

### 2.2.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (for the group)	Full RSC for the pool/group
DocumentSubcode	N/A	Not used in BDM
DocumentType	DT_POOL_STANDING	Pool Standings message
DocumentSubtype	N/A	Not used in BDM
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Status of the message. Expected statuses are: START_LIST (before the start of competition) INTERMEDIATE (during the phase) UNOFFICIAL (if last match is unofficial) OFFICIAL (after all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).



		<p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.6.3 Trigger and Frequency

The general rule is that this message is sent:


- Before the start of the competition to build in the initial tables. The message has status START\_LIST.
- When an event unit of the corresponding phase finishes (not waiting for official). The message has status INTERMEDIATE.
- When the phase finishes (there are no more event units/games to compete). The message has status OFFICIAL.


Trigger also after any change.

### 2.2.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">Progress (0,1)</a>					
			LastUnit				
			UnitsTotal				
			UnitsComplete				
		<a href="#">SportDescription (0,1)</a>					
			DisciplineName				
			EventName				
			Gender				
		<a href="#">VenueDescription (0,1)</a>					









	Class
--	-------

### 2.2.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	O	<a href="#">CC @Unit</a>	Send the full RSC of the most recently unit made official for the pool included in this message.
UnitsTotal	O	Numeric ##0	Total number of units (matches) to be played in the pool included in the message.
UnitsComplete	O	Numeric ##0	Total number of units (matches) which are official in the pool included in this message.

Element: ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes
Gender	M	<a href="#">CC @DisciplineGender</a>	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text. Only included where the phase is contested at a single venue			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

**Element: Result (1,N)**  
**For any message, there should be at least one competitor being awarded a result for the pool.**



Attribute	M/O	Value	Description
Rank	O	Text	Rank at the group. It is optional because the competitor can be disqualified.
RankEqual	O	S(1)	Send "Y" if the Rank is equalled else do not send.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned. Send just in the case of an IRM.
QualificationMark	O	<a href="#">SC @QualificationMark</a>	The code which gives an indication on the qualification of the competitor for the next round of the competition.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the group, if they were to be presented. It is mostly based on the rank, but it should be used to sort out disqualified competitors.
Won	O	Numeric #0	Number of matches won by the competitor in the group. Do not send if the competitor has not played.
Lost	O	Numeric #0	Number of matches lost by the competitor in the group. Do not send if the competitor has not played.
Played	O	Numeric #0	Number of matches played by the competitor in the group. Send 0 if not played.
For	O	Numeric ###0	Total number of points won. Do not send if the competitor has not played.
Against	O	Numeric ###0	Total number of points lost. Do not send if the competitor has not played.
Diff	O	Numeric ##0 or -Numeric -##0	Points difference, between points won and lost. Do not send if the competitor has not played.

Element: Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	GAMES	N/A	Element Expected: If available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	N/A
<b>Sub Element: Result /ExtendedResults /ExtendedResult /Extension</b>			



Expected: If available		
Attribute	Value	Description
Code	DIFF	
Pos	N/A	
Value	Numeric +/-#0	Difference of games won/lost. Do not send anything in case of IRM.
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: If available		
Attribute	Value	Description
Code	LOST	
Pos	N/A	
Value	Numeric #0	Number of Games lost. Do not send anything in case of IRM.
Sub Element: Result /ExtendedResults /ExtendedResult /Extension Expected: If available		
Attribute	Value	Description
Code	WON	
Pos	N/A	
Value	Numeric #0	Number of Games won. Do not send anything in case of IRM.

Element: Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	T for team A for athlete
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation

Element: Result /Competitor /Description (0,1)			
Competitors extended information.			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team, if a team.

Element: Result /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading	Athlete's ID, corresponding to either a team



		zeroes	member or an individual athlete
Order	M	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". (same order as defined in ORIS)

**Element: Result /Competitor /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID
Class	O	CC @SportClass	This attribute is required in competitions including athletes with disabilities.

**Element: Result /Competitor /Opponent (0,N)**

Details of the opposing competitor in competitions within the pool. (The Opponent of the competitor in the Opponent @Pos column of the Pool)

Type	Code	Pos	Description
T for team or A for athlete	S(20) with no leading zeroes or TBD	Numeric #0	Code Description: Competitor ID or TBD if unknown  Pos Description: 1 to n. Normally expected to be the same as SortOrder for the same competitor.  Element Expected: Always
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation (code). Must include if the data is available
Date	M	Date	Date of match between the competitor and opponent (example: YYYY-MM-DD). Must include if the data is available, send even after the match is complete.
Time	O	S(5)	Time of match (example HH:MM)



			Must include if the data is available and allowed to display, send even after the match is complete.
Unit	O	<a href="#">CC @Unit</a>	Full RSC of the Unit for the Pool Item
HomeAway	O	S(1)	Home / Away indicator. Send H if the opponent is the home team, send A if the opponent is the away team.
Result	O	S(50)	Result of the match if match is complete and formatted as in ORIS (separator & order). Must include if the data is available and the match is complete. The order of the result data is relative to the competitor and may be reversed for other competitor or depending on home/away display rules.

**Element: Result /Competitor /Opponent /Description (0,1)**

**Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the opposition team, if a team

**Element: Result /Competitor /Opponent /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID, corresponding to either a team member or an individual athlete
Order	M	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". (same order as defined in ORIS)

**Element: Result /Competitor /Opponent /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available



IFid	O	S(16)	International Federation ID
Class	O	CC @SportClass	This attribute is required in competitions including athletes with disabilities.

**Sample (General)**

```
<Result Rank="1" SortOrder="1" Played="3" Won="3" Lost="0" For="128" Against="80" Diff="48">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="GAMES">
      <Extension Code="WON" Value="6" />
      <Extension Code="LOST" Value="0" />
      <Extension Code="DIFF" Value="6" />
    </ExtendedResult>
  ...
</Result>
```

### 2.2.6.6 Message Sort

The attribute used to sort the results is Result @SortOrder.

## 2.2.7 Brackets

### 2.2.7.1 Description

The brackets message contains the brackets information for one particular event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

### 2.2.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC (event level)	Full RSC of the Event
DocumentType	DT_BRACKETS	Brackets message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Status of the message. Expected statuses are: START_LIST (before any unit is complete) INTERMEDIATE (during the competition) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.  For messages corrections, like invalidating medals or



		Records, it will be the LogicalDate of the day of the correction.  Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.7.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available.

Send when a match/event unit is completed, including Unofficial and Official status. Therefore it is triggered up to two times (with both status) for each event unit (if unofficial is used). The message should be updated including information on each competitor in the different bracket items.

The @ResultStatus attribute will vary depending on the competition status.

- Send with ResultStatus = 'START\_LIST' before the competition with the empty bracket
- Send with ResultStatus = 'INTERMEDIATE' after every match in the preliminaries which determines a position in the bracket
- Send with ResultStatus = 'INTERMEDIATE' until the last event unit (Gold Medal Match) is Unofficial (i.e. for all event units up until the Gold Medal match is completed for an event)
- Send with ResultStatus = 'UNOFFICIAL' when the last event unit for an event (Gold Medal match) has Unofficial status.
- Send with ResultStatus = 'OFFICIAL' when the last event unit for an event (Gold Medal match) has Official status.


Trigger also after any change.

### 2.2.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10	Level 11
<a href="#">Competition (0,1)</a>										
	Gen									
	Sport									
	Codes									
	<a href="#">ExtendedInfos (0,1)</a>									
		<a href="#">SportDescription (0,1)</a>								
			DisciplineName							
			EventName							







### 2.2.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event name (not code) from Common Codes.
Gender	M	<a href="#">CC</a> <a href="#">@DisciplineGender</a>	Gender code for the event unit

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text.			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Bracket (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @Bracket</a>	Bracket code to identify a bracket item. One for each individual bracket Note for example Gold and Bronze are different brackets.

Element: Bracket /BracketItems (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @BracketItems</a>	Bracket code to identify a set of bracket items. It usually refers to the round in the brackets, for example quarterfinals, semifinals or finals phases, etc.

Element: Bracket /BracketItems /BracketItem (1,N)			
Attribute	M/O	Value	Description
Code	M	S(15)	Bracket code to identify a bracket item. It will be the Match number (event code + number of match) for each bracket item, (e.g.: for Men's Singles events: MS110, MS112..., MS116 in R16, ..., MS141..., MS144 in QFL, etc.).
Order	M	Numeric	Sequential number inside of BracketItems to indicate the order, always start at 1



Position	M	Numeric #0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position.
Date	O	Date	Date of match (example: YYYY-MM-DD). Must be filled if known.
Time	O	S(5)	Time of match (example HH:MM). Must be filled if known.
Unit	O	<a href="#">CC @Unit</a>	Full RSC of the unit for the BracketItem
Result	O	S(50)	Result of the match if the match is complete and formatted as in ORIS (example: 21-15, 21-16 54'). Must include if the data is available and the match is complete.

**Element: Bracket /BracketItems /BracketItem /ExtBracketItems /ExtBracketItem (1,N)**

**ExtBracketItems /ExtBracketItem are optional elements according to competitors' rules.**

Type	Code	Pos	Description
EBI	LOCATION	N/A	Element Expected: Send it always when available.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	<a href="#">CC @Location</a> Location Code

**Element: Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)**

- If the competitors are known, this element is used to place the competitors in the bracket.
- If they are not yet known, it contains some information (on the rule to access to this bracket...)

Attribute	M/O	Value	Description
Pos	M	Numeric 0	This attribute is a sequential number to place the different competitors in the bracket (1 or 2).
Code	O	SC <a href="#">@CompetitorPlace</a> or SC <a href="#">@IRM</a>	When there is no competitor send BYE or when not known yet send TBD or if an Invalid Result Mark (for example, DSQ). Send as appropriate.
WLT	O	<a href="#">SC @WLT</a>	W or L, indicates the winner or loser of the bracket item. Always send when known.
Result	O	S(10)	The result (score) of the competitor in the event unit.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, send DQB if applicable
StrikeOut	O	S(1)	If the competitor should be struck out in this bracket item send Y, usually only used for DQB.



<b>Element: Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)</b>			
<b>Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph unless coming from a pool.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Unit	O	<a href="#">CC @Unit</a>	Full RSC code (unit level) of the previous event unit for the CompetitorPlace@Pos competitor of the bracket item. Must send if a winner/loser from a single unit. If from a pool then this is the RSC of the pool.
WLT	O	<a href="#">SC @WLT</a>	If the competitor in the current unit is unknown and coming from an earlier bracketitem then fill this field with the W or L indication winner or loser of the previous unit if the information is known. Do not send if competitor comes from a pool.

<b>Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)</b>			
<b>CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	T for team A for athlete
Seed	O	Numeric #0	The seed of the competitor or equivalent information. Always when it exists.
Organisation	O	<a href="#">CC @Organisation</a>	Competitors' organisation if known.

<b>Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Description (0,1)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
TeamName	M	S(73)	Name of the team. Only applies for doubles.

<b>Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".



			(same order as defined in ORIS)
--	--	--	---------------------------------

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID
Class	O	CC @SportClass	This attribute is required in competitions including athletes with disabilities.

Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /ExtBracketAths /ExtBracketAth (1,N)				
CompetitorPlace @Pos team member's or individual athlete's extended bracket information, depending on whether Competitor @Type="T" or Competitor @Type="A" according to competitors' rules.				
Type	Code	Pos	Description	
EBA	IRM	N/A	Element Expected: Just when DQB is available	
	Attribute	M/O	Value	Description
	Value	M	<a href="#">SC @IRM</a>	Invalid Result Mark DQB for the particular event unit (individual bout); in the case the DQB is assigned. Send IRM DQB if known before competition.

Sample (singles)



```
<BracketItem Code="MS122" Order="1" Position="1" Date="2020-08-05" Time="08:30" Result="21-15, 21-16 54" Unit="BDMMSINGLES-----QFNL000100--" >
  <ExtBracketItems>
    <ExtBracketItem Type="EBI" Code="Location" Value="BD1" />
  </ExtBracketItems>
  <CompetitorPlace Pos="1">
    <Competitor Code="1126413" Type="A" Organisation="ESP" >
      <Composition>
        <Athlete Code="1126413" Order="1" >
          <Description GivenName="John" FamilyName="Smith" Gender="M"
Organisation="ESP" BirthDate="1994-12-15" />
        </Athlete>
      </Composition>
    </Competitor>
  </CompetitorPlace>
  <CompetitorPlace Pos="2">
    <Competitor Code="1093294" Type="A" Organisation="SUI" >
      <Composition>
        <Athlete Code="1093294" Order="1" >
          <Description GivenName="John" FamilyName="Black" Gender="M"
Organisation="SUI" BirthDate="1992-12-13" />
        </Athlete>
      </Composition>
    </Competitor>
  </CompetitorPlace>
</BracketItem>
```

### 2.2.7.6 Message Sort

Bracket @Code then BracketItems @Code then BracketItems /BracketItem /Unit @Unit are sorted according to their scheduled start time.

## 2.2.8 Statistics

### 2.2.8.1 Description

The Statistics message contains a list of statistics for a competitor (could be an individual athlete or a team), that applies at a DocumentCode level, which could be for an event unit, a phase or an event.

There will be a separate message (identified by the header's DocumentSubtype and DocumentSubcode) for every table where multiple statistics apply.

### 2.2.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Depending on the statistics is could be at any level, though is always full RSC.
DocumentSubcode	N/A	Not used in BDM
DocumentType	DT_STATS	Statistics message
DocumentSubtype	S(20)	<ul style="list-style-type: none"> <li>- ANALYSIS: For the cumulative data of match analysis for both the Singles and Doubles statistics, for all the competitors who have reached the Semi-final or the Final phase. Send the DocumentCode at Eventunit level and only for the Semi-final and Final (Gold and Bronze medal match) phases.</li> <li>- TOU: Tournament statistics, at event level. Send the DocumentCode at event level.</li> <li>- CUM: Penalties statistics per player (although participating in Singles or Doubles), at discipline level. Send the DocumentCode at discipline level.</li> </ul>
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	<p>It indicates whether the result is official or intermediate etc).</p> <p>INTERMEDIATE (used after the competition has started and is not finished but not currently live, typically between units)</p> <p>OFFICIAL (after the last unit which effects the statistics is official)</p>
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.





Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	<p>Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.</p> <p>If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).</p> <p>The end of the logical day is defined by default at 03:00 a.m.</p> <p>For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.</p> <p>Logical Date is expressed in the local time zone where the message was produced.</p>
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.


### 2.2.8.3 Trigger and Frequency


- For Cumulative Match analysis statistics (ANALYSIS):
  - \* Immediately after the semifinal or Final (Gold/Silver or Bronze) match start list has been confirmed.
- For Tournament statistics (TOU):
  - \* Message sent after the last match in each phase for all events completed and made official.
- For Penalty statistics (CUM):
  - \* After each match.

### 2.2.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
<a href="#">Competition (0,1)</a>								
	Gen							
	Sport							
	Codes							
	<a href="#">ExtendedInfos (0,1)</a>							
		<a href="#">Progress (0,1)</a>						
			LastUnit					





### 2.2.8.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message



Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

**Element: ExtendedInfos /Progress (0,1)**

Attribute	M/O	Value	Description
LastUnit	O	<a href="#">CC @Unit</a>	Send full RSC of the most recently unit made official.
UnitsTotal	O	Numeric ##0	The total number of units (matches) to be played.
UnitsComplete	O	Numeric ##0	The total number of units (matches) which are official.

**Element: ExtendedInfos /SportDescription (0,1)**

**Sport Description in Text**

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	O	S(40)	Event name (not code) from Common Codes.

**Element: ExtendedInfos /VenueDescription (0,1)**

**Venue Names in text.**

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

**Element: Stats (1,1)**

Attribute	M/O	Value	Description
Code	M	<a href="#">SC @Statistics</a>	A code to identify the statistics being listed.  It must be the same as the DocumentSubtype attribute in the header.

**Element: Stats /StatsItems /StatsItem (1,N)**

**Statistics for the event unit / phase or event - depending on the headers' DocumentCode.**

Type	Code	Pos	Description
ST	MATCHES_NUM	<a href="#">CC @Phase</a>	Pos Description: Phase Number (for each phase and



				<p>according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))</p> <p>Element Expected: Always for the complete rounds, in the case of TOU statistics.</p>
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of matches for this Round
ST		GAMES_NUM	CC @Phase	<p>Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))</p> <p>Element Expected: Always for the complete rounds, in the case of TOU statistics.</p>
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of games for this Round
ST		PTS_NUM	CC @Phase	<p>Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))</p> <p>Element Expected: Always for the complete rounds, in the case of TOU statistics.</p>
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #####0	Total points scored for this Round



ST	DURATION	CC @Phase	Pos Description: Round Number (for each phase and according to events, and the Total).  Element Expected: Always for the complete rounds, in the case of TOU statistics.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	h:mm	Total duration time (hours) for this Round
	Avg	O	mm	Average match duration (minutes) for this Round (@Pos round number). mm is minutes.
ST	DURATION_MAX	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	mm	Longest match duration (minutes) for this Round
<b>Sub Element: Stats /StatsItems /StatsItem /ExtendedStat</b> <b>Expected: Always for the complete rounds, in the case of TOU statistics.</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	UNIT_NUM		
	Pos	N/A		
	Value	S(15)	Match Number (as event code + number of the match) corresponding to longest match duration, (e.g.: "WS326" for Women's Singles Match 326, "MS138" for Men's Singles Match 138).	
ST	DURATION_MIN	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and	



			for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	mm	Shortest match duration (minutes) for this Round
<b>Sub Element: Stats /StatsItems /StatsItem /ExtendedStat</b> <b>Expected: Always for the complete rounds, in the case of TOU statistics.</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	UNIT_NUM		
	Pos	N/A		
	Value	S(15)	Match Number (as event code + number of the match) corresponding to shortest match duration (e.g.: "WS326" for Women's Singles Match 326, "MS138" for Men's Singles Match 138).	
ST		SHUTTLES_USED	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Total shuttles used for this Round
	Avg	O	Numeric #0.0	Average number of shuttles used per match for this Round (@Pos round number).
ST		YC	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and



				for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric 0	Number of yellow penalty cards for this Round
ST		RC	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric 0	Number of red penalty cards for this Round
ST		BC	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric 0	Number of black penalty cards for this Round
ST		IRS	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or





				Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Number of Instant Review System.
ST		RALLY_TIME_MAX	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	sss	Longest rally (seconds) for this Round
ST		RALLY_STROKES_MAX	CC @Phase	Pos Description: Phase Number (for each phase and according to events, Singles or Doubles, and the Total), (e.g.: from 5 to 0 for Singles events (from Group play stage to the total), and for 5, 3 to 0 for Doubles events (from Group play stage -except R16- to the total))  Element Expected: Always for the complete rounds, in the case of TOU statistics.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Highest number of strokes in the longest rally for this Round

**Sample (TOU)**



```
<Stats Code="TOU">
  <StatsItems>
    <StatsItem Type="ST" Code="MATCHES_NUM" Pos="5" Value="32" />
    <StatsItem Type="ST" Code="GAMES_NUM" Pos="5" Value="71" />
    <StatsItem Type="ST" Code="PTS_NUM" Pos="5" Value="2399" />
    <StatsItem Type="ST" Code="DURATION" Pos="5" Value="20:12" Avg="40" />
    <StatsItem Type="ST" Code="DURATION_MAX" Pos="5" Value="77">
      <ExtendedStat Code="UNIT_NUM" Value="MS116" />
    </StatsItem>
    <StatsItem Type="ST" Code="DURATION_MIN" Pos="5" Value="22">
      <ExtendedStat Code="UNIT_NUM" Value="MS120" />
    </StatsItem>
    <StatsItem Type="ST" Code="SHUTTLES_USED" Pos="5" Value="528" Avg="16.5" />
    <StatsItem Type="ST" Code="YC" Pos="5" Value="0" />
    <StatsItem Type="ST" Code="RC" Pos="5" Value="0" />
    <StatsItem Type="ST" Code="BC" Pos="5" Value="0" />
    <StatsItem Type="ST" Code="IRS" Pos="5" Value="0" />
    <StatsItem Type="ST" Code="RALLY_TIME_MAX" Pos="5" Value="60" />
    <StatsItem Type="ST" Code="RALLY_STROKES_MAX" Pos="5" Value="51" />
    <StatsItem Type="ST" Code="MATCHES_NUM" Pos="4" Value="8" />
  ...
</Stats>
```

**Element: Stats /Competitor (0,N)**

**Competitor of the statistics.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID to be assigned a specific type of statistic.  The competitor should be participating in the event / phase / event unit depending on the DocumentCode in the message's header.
Type	M	S(1) T A	T for team A for athlete
Order	M	Numeric ##0	Order of the competitor in the statistics
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known

**Element: Stats /Competitor /Description (0,1)**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for doubles.

**Element: Stats /Competitor /StatsItems /StatsItem (1,N)**



Team competitor's stats item, according to competitors' rules.			
Type	Code	Pos	Description
ANALYSIS	GAMES	N/A	Element Expected: Always, in the case of ANALYSIS statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	N/A
	<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	LOST	
	Pos	N/A	
	Value	Numeric #0	Send the number of games against (lost)
	<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	WON	
	Pos	N/A	
	Value	Numeric #0	Send the number of games for (won)
ANALYSIS	PTS	N/A	Element Expected: Always, in the case of ANALYSIS statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	N/A
	<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	LOST	
	Pos	N/A	
	Value	Numeric ##0	Send the total number of points conceded (when lost)
	<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	WON	



	Pos	N/A		
	Value	Numeric ##0	Send the total number of points won	
PTY		YC (Yellow) RC (Red) BC (Black)	Numeric	Pos Description: Sequential number to differentiate when this card is imposed more than once in the same match.  Element Expected: Always, if the information is available in the case of CUM statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	<a href="#">CC @Unit</a>	Full RSC of the Event Unit, in the match where the disciplinary penalty is imposed.
<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	OFFENCE		
	Pos	N/A		
	Value	<a href="#">SC @Offence</a>	Related offence to the penalty.	
<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	SCORE		
	Pos	N/A		
	Value	String	Score at offence (e.g.: an offence is produced at game-2, send the result at this time: "21-19, 7-7")	
<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	TIME		
	Pos	N/A		
	Value	Time	The time of penalty.	
<b>Sub Element: Stats /Competitor /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	



Code	UNIT_NUM	
Pos	N/A	
Value	S(15)	The match number

**Sample (ANALYSIS)**

```
<StatsItems>
  <StatsItem Type="ANALYSIS" Code="GAMES">
    <ExtendedStat Code="WON" Value="8" />
    <ExtendedStat Code="LOST" Value="1" />
  </StatsItem>
  <StatsItem Type="ANALYSIS" Code="PTS">
    <ExtendedStat Code="WON" Value="184" />
    <ExtendedStat Code="LOST" Value="114" />
  </StatsItem>
</StatsItems>
```

**Sample (CUM)**

```
<StatsItems>
  <StatsItem Type="PTY" Code="YC" Pos="1" Value="BDMXDOUBLES-----QFNL000300--">
    <ExtendedStat Code="UNIT_NUM" Value="XD925" />
    <ExtendedStat Code="TIME" Value="17:26" />
    <ExtendedStat Code="OFFENCE" Value="OF1" />
    <ExtendedStat Code="SCORE" Value="13-21, 4-9" />
  </StatsItem>
</StatsItems>
```

**Element: Stats /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". (same order as defined in ORIS)

**Element: Stats /Competitor /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation



BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID
Class	O	CC @SportClass	This attribute is required in competitions including athletes with disabilities.

**Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)**

Team member's or individual athlete's stats item, depending on whether Competitor @Type="T" or Competitor @Type="A" according to competitors' rules.

Type	Code	Pos	Description
ANALYSIS	GAMES	N/A	Element Expected: Always, in the case of ANALYSIS statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	N/A
	<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	LOST	
	Pos	N/A	
	Value	Numeric #0	Send the number of games against (lost)
	<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	WON	
	Pos	N/A	
	Value	Numeric #0	Send the number of games for (won)
ANALYSIS	PTS	N/A	Element Expected: Always, in the case of ANALYSIS statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	O	N/A
	<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>		
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	LOST	



	Pos	N/A		
	Value	Numeric ##0		Send the total number of points conceded (when lost)
<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, in the case of ANALYSIS statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	WON		
	Pos	N/A		
	Value	Numeric ##0		Send the total number of points won
PTY		YC (Yellow) RC (Red) BC (Black)	Numeric 0	Pos Description: Sequential number to differentiate when this card is imposed more than once in the same match.  Element Expected: Always, if the information is available in the case of CUM statistics
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	<a href="#">CC @Unit</a>	Full RSC of the Event Unit, in the match where the disciplinary penalty is imposed.
<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	OFFENCE		
	Pos	N/A		
	Value	<a href="#">SC @Offence</a>		Related offence to the penalty.
<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	SCORE		
	Pos	N/A		
	Value	String		Score at offence (e.g.: an offence is produced at game-2, send the result at this time: "21-19, 7-7")
<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>				



Attribute	Value	Description
Code	TIME	
Pos	N/A	
Value	Time	The time of penalty.
<b>Sub Element: Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected: Always, if the information is available in the case of CUM statistics</b>		
Attribute	Value	Description
Code	UNIT_NUM	
Pos	N/A	
Value	S(15)	The match number

### 2.2.8.6 Message Sort

Sort according to the @Order attributes.





## 2.2.9 Event Final Ranking

### 2.2.9.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Result Mark (disqualified, etc.), or both.

### 2.2.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC of the Event	
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascendant number
ResultStatus	<a href="#">SC @ResultStatus</a>	Result status, indicates whether the data is official or partial. OFFICIAL PARTIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.  For messages corrections, like invalidating medals or



		Records, it will be the LogicalDate of the day of the correction.  Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.2.9.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change.

- After any final ranking is known (PARTIAL)
- After the event is finished (OFFICIAL)

Trigger also after any major change.

### 2.2.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">SportDescription (0,1)</a>					
			DisciplineName				
			EventName				
			Gender				
		<a href="#">VenueDescription (0,1)</a>					
			Venue				
			VenueName				
	<a href="#">Result (1,N)</a>						
		Rank					
		RankEqual					
		IRM					
		SortOrder					
		<a href="#">Competitor (1,1)</a>					



### 2.2.9.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

### Element: ExtendedInfos /SportDescription (0,1)



Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline name (not code) from Common Codes
EventName	M	S(40)	Event short description (not code) from Common Codes. Must be included if it is a single event
Gender	M	<a href="#">CC</a> <a href="#">@DisciplineGender</a>	Gender code for the event unit. Must be included if it is a single gender

Element: ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue short name (not code) from Common Codes

Element: Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event. It is optional because the competitor be disqualified.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send "Y" only if applicable.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned.
SortOrder	M	Numeric #0	Unique sort order for all results based on rank to break rank ties. This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes, NOC ID	Competitor's ID. If NOC or NPC, the value will be NOC ID. "NOCOMP" in the case where there is no



			competitor in the rank due to IRM.
Type	M	S(1)	A for athlete T for team
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known

**Element: Result /Competitor /Description (0,1)**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams.

**Element: Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member.  Team members should be participating in the event.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". (same order as defined in ORIS)

**Element: Result /Competitor /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID
Class	O	CC @SportClass	This attribute is required in competitions including athletes with disabilities.

**Element: Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)**

Team member's extended result (only for Team events).

Type	Code	Pos	Description
ER	IRM	N/A	Element Expected: As soon as this information is available and only for individuals in



Attribute	M/O	Value	Description
Value	M	<a href="#">SC @IRM</a>	Send invalid result mark, in case it is assigned to a team member.

**Sample (singles)**

```
<Result Rank="1" SortOrder="1" >
  <Competitor Code="1078935" Type="A" Organisation="ESP" >
    <Composition>
      <Athlete Code="1102342" Order="1">
        <Description GivenName="John" FamilyName="Black" Gender="M"
Organisation="ESP" BirthDate="1994-12-15" IFId="51690" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
<Result Rank="2" SortOrder="2" >
  <Competitor Code="1126413" Type="A" Organisation="USA" >
    <Composition>
      <Athlete Code="1102342" Order="1">
        <Description GivenName="Pat" FamilyName="Smith" Gender="M" Organisation="USA"
BirthDate="1992-12-15" IFId="48962" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

**2.2.9.6 Message Sort**

Sort by Result @SortOrder

## 2.2.10 Configuration

### 2.2.10.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition.

### 2.2.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	Full RSC	Sent this message for each event
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascendant number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight.  If an event unit continues after midnight (24:00), all messages produced will be considered as happening at the logical date on which the event unit began (e.g. for a session which began at 21:00 on Aug 2 and ended at 1:20 on Aug 3, the message will all be dated Aug 2).  The end of the logical day is defined by default at 03:00 a.m.  For messages corrections, like invalidating medals or Records, it will be the LogicalDate of the day of the correction.  Logical Date is expressed in the local time zone where the message was produced.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the



		message.
--	--	----------

### 2.2.10.3 Trigger and Frequency

Send for all events, one message per event.

Send as soon as the bracket size is known (regardless of the competition starts with pools or not).

### 2.2.10.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>	Gen Sport Codes <a href="#">Configs (1,1)</a>	<a href="#">Config (1,N)</a>	Unit <a href="#">ExtendedConfig (1,N)</a>	Type Code Pos Value

### 2.2.10.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	<a href="#">CC @Event</a>	Full RSC of the event.





Element: Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
EC	BRACKET_SIZE	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	<a href="#">SC @BracketItems</a> Send the code for the first bracket phase of the event.

**Sample (singles)**

```

...
<Config Unit="BDMMSINGLES-----" >
  <ExtendedConfig Type="EC" Code="BRACKET_SIZE" Value="R64" />
</Config>

```

**2.2.10.6 Message Sort**

There is no general message sorting rule.

### 3 Message Timeline

Legend						
<b>D</b> Discipline	<b>E</b> Event	<b>P</b> Phase	<b>S</b> Session	<b>U</b> Unit	<b>x</b> Sent on that level	<b>o</b> Includes info from that level

### 4 Document Control

Version history		
Version	Date	Comments
V1.0	23 Nov 2016	First Version
V1.1	09 Jan 2017	Updated with corrections
V1.2	02 Mar 2017	Updated
V1.3	24 Mar 2017	Updated
V1.4	21 May 2017	Updated to correct error
V1.5	21 Jun 2017	Updated
V1.6	15 Sep 2017	Updated
V1.7	18 May 2018	Updated, CR
V2.0	08 Aug 2018	Updated, CRs
V2.1	21 Sep 2018	Updated
V2.2	25 Oct 2018	Approved
V2.3	24 Jan 2019	Updated, CRs
V2.4	30 May 2019	Updated, CRs
V2.5	14 Aug 2019	Updated. First version as a full document
V2.6	11 Nov 2019	Updated, CRs

**File Reference:** SOG-2020-BDM-2.6 APP

Change Log		
Version	Status	Changes on version



V1.0	SFR	First Version
V1.1	SFA	Remove references to Bib throughout (copy/paste error) DT_SCHEDULE: Corrected type at Competition /Unit /StartList /Start /Competitor DT_PARTIC: Removed the status attribute (was included in error) DT_RESULT: Updated description of UnitNum DT_PLAY_BY_PLAY: Corrected typo in the sample DT_PLAY_BY_PLAY: Clarified that 1/2 in Action indicates serving player, not winning player.
V1.2	APP	DT_RESULT: Remove StartListMod from header. DT_POOL_STANDING: Remove DocumentSubtype from the Header
V1.3	APP	DT_RESULT: Corrected Stats to StatsItems
V1.4	APP	DT_RESULT: Correct error in the use of duration in ExtendedInfos. Should be an attribute.
V1.5	APP	DT_RESULT: ExtendedInfos, add information related to the team match.
V1.6	APP	Added applicability to YOG
V1.7	SFA	Removed the exclusion of ranking points for YOG. Removed reference to Commonwealth Games DT_PARTIC: Updated to add Passport names (CR15219)
V2.0	SFA	Added athlete class for Paralympic Games. Removed references to YOG Removed information related to teams as not applicable (not removed doubles) CR15039: Add DT_PARTIC_NAME to applicable messages. CR16671: Add TVFamilyName in DT_PARTIC message. CR16537: ExtendedInfos/Progress to pool standings and statistics to replace the previous extensions. CR16628: DT_BRACKETS: Add attributes to remove some extensions. Clarify previous unit.
V2.1	SFA	DT_POOL_STANDING: Move extension Qualified to attribute. (was an error)
V2.2	APP	Status change
V2.3	APP	DT_SCHEDULE/DT_RESULT: Apply CR16833, in particular to increase size of UnitNum DT_STATS: Increase size of UNIT_NUM to follow OVR implementation (and follow above). DT_BRACKETS: Increase size of Code @ Bracket /BracketItems /BracketItem to follow OVR implementation (and follow above). DT_STATS: Apply CR16928, use attribute Avg.
V2.4	APP	DT_STATS: Update triggering DT_PLAY_BY_PLAY: Update triggering DT_RESULT: Remove reference to suspension @Result/IRM DT_POOL_STANDINGS: Add Gender @ ExtendedInfos /SportDescription CR16640: Add ODF Version @Competition Clarify that team order is the same as defined in ORIS
V2.5	APP	CR17739: Change Name and TVTeamName to mandatory in DT_PARTIC_TEAMS.



INTERNATIONAL  
OLYMPIC  
COMMITTEE

SOG-2020-BDM-2.6 APP

		CR17809: Change Participant/OlympicSolidarity to disallow N. Clarify that team order is the same as defined in ORIS (in the rest of messages). First version as a full document.
V2.6	APP	CR18355: Add ResultStatus START_LIST in DT_POOL_STANDING CR18395: Increase size of SessionCode in DT_SCHEDULE