



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

# Olympic Data Feed



## **Bobsleigh, Luge, Skeleton ODF Data Dictionary**

Technology and Information Department  
© International Olympic Committee

WOG-2022-BOB-LUG-SKN-2.0 APP  
10 September 2021



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



## Table of Contents

1 Introduction.....	5
1.1 This document.....	5
1.2 Objective.....	5
1.3 Main Audience.....	5
1.4 Glossary.....	5
1.5 Related Documents.....	5
2 Messages.....	6
2.1 Bobsleigh, Luge, Skeleton Overview.....	6
2.2 Applicable Messages.....	6
2.3 Messages.....	8
2.3.1 List of participants by discipline / List of participants by discipline update.....	8
2.3.1.1 Description.....	8
2.3.1.2 Header Values.....	8
2.3.1.3 Trigger and Frequency.....	9
2.3.1.4 Message Structure.....	9
2.3.1.5 Message Values.....	10
2.3.1.6 Message Sort.....	13
2.3.2 List of teams / List of teams update.....	14
2.3.2.1 Description.....	14
2.3.2.2 Header Values.....	14
2.3.2.3 Trigger and Frequency.....	15
2.3.2.4 Message Structure.....	15
2.3.2.5 Message Values.....	16
2.3.2.6 Message Sort.....	17
2.3.3 Event Unit Start List and Results.....	18
2.3.3.1 Description.....	18
2.3.3.2 Header Values.....	18
2.3.3.3 Trigger and Frequency.....	18
2.3.3.4 Message Structure.....	19
2.3.3.5 Message Values.....	22
2.3.3.6 Message Sort.....	33
2.3.4 Current Information.....	34
2.3.4.1 Description.....	34
2.3.4.2 Header Values.....	34
2.3.4.3 Trigger and Frequency.....	34
2.3.4.4 Message Structure.....	35
2.3.4.5 Message Values.....	36
2.3.4.6 Message Sort.....	44
2.3.5 Cumulative Results.....	45
2.3.5.1 Description.....	45
2.3.5.2 Header Values.....	45
2.3.5.3 Trigger and Frequency.....	45
2.3.5.4 Message Structure.....	46
2.3.5.5 Message Values.....	48
2.3.5.6 Message Sort.....	52
2.3.6 Records.....	54



2.3.6.1 Description.....	54
2.3.6.2 Header Values.....	54
2.3.6.3 Trigger and Frequency.....	54
2.3.6.4 Message Structure.....	55
2.3.6.5 Message Values.....	56
2.3.6.6 Message Sort.....	59
2.3.7 Event Final Ranking.....	60
2.3.7.1 Description.....	60
2.3.7.2 Header Values.....	60
2.3.7.3 Trigger and Frequency.....	60
2.3.7.4 Message Structure.....	60
2.3.7.5 Message Values.....	61
2.3.7.6 Message Sort.....	63
2.3.8 Configuration.....	64
2.3.8.1 Description.....	64
2.3.8.2 Header Values.....	64
2.3.8.3 Trigger and Frequency.....	64
2.3.8.4 Message Structure.....	64
2.3.8.5 Message Values.....	65
2.3.8.6 Message Sort.....	67
2.3.9 Weather conditions.....	68
2.3.9.1 Description.....	68
2.3.9.2 Header Values.....	68
2.3.9.3 Trigger and Frequency.....	68
2.3.9.4 Message Structure.....	68
2.3.9.5 Message Values.....	69
2.3.9.6 Message Sort.....	70
3 Message Timeline.....	72
3.1 Preparation Phase.....	72
3.2 Before Training.....	72
3.3 During Training.....	72
3.4 After Training.....	73
3.5 Before competition.....	73
3.6 During competition.....	74
3.7 After competition.....	74
4 Document Control.....	76

# 1 Introduction

## 1.1 This document

This document includes the ODF Bobsleigh, Luge, Skeleton Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Bobsleigh, Luge, Skeleton Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

## 2 Messages

### 2.1 Bobsleigh, Luge, Skeleton Overview

#### MESSAGES IN EACH EVENT

\* All events except Luge Relay: DT\_RESULT is sent for the start list and results with DT\_CURRENT sent for each sled and DT\_CUMULATIVE\_RESULT for the overall standings.

\* Luge Relay: DT\_RESULT is sent for the single race and DT\_CURRENT for each sled.

\* All training: DT\_RESULT for each training run and DT\_CURRENT for each sled.

#### SCHEDULE

The DT\_SCHEDULE/DT\_SCHEDULE\_UPDATE message will include only each individual run/heat.

### 2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\nextended
DT_SCHEDULE DT_SCHEDULE_UPDATE	/ Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	/ List of teams / List of teams update	X
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Information	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_RECORD	Records	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

DT_COMMUNICATION	Communication	
DT_WEATHER	Weather conditions	X
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_ACHIEVEMENT	Achievements	
DT_NEWS	News Document	
DT_ESL	Extended Start List	
DT_PIC	Pictures	
DT_PDF	PDF Message	

## 2.3 Messages

### 2.3.1 List of participants by discipline / List of participants by discipline update

#### 2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Discipline</a>	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.





Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.1.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

### 2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0.1)</a>	Gen Sport Codes				
	<a href="#">Participant (1.N)</a>	Code Parent Status GivenName FamilyName PassportGivenName PassportFamilyName PrintName PrintInitialName TVName TVInitialName TVFamilyName LocalFamilyName LocalGivenName Gender Organisation BirthDate			



Height			
Weight			
PlaceofBirth			
CountryofBirth			
PlaceofResidence			
CountryofResidence			
Nationality			
MainFunctionId			
Current			
OlympicSolidarity			
ModificationIndicator			
<a href="#">Discipline (1,1)</a>			
		Code	
		IFId	
		<a href="#">RegisteredEvent (0,N)</a>	
			Event
			Substitute
			<a href="#">EventEntry (0,N)</a>
			Type
			Code
			Pos
			Value

### 2.3.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Sample (General)

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-BOB-1.10" Codes="SOG-2020-1.20" >
```

Element: Competition /Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading	Participant's ID.



		zeroes	<p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	<a href="#">CC @ParticStatus</a>	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender



Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "." may be used where the data is not available.
Weight	O	S(3)	Weight in kilograms. It will be included if this information is available. This information is not needed in the case of officials/referees. Do not send attribute if data not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	<a href="#">CC @Country</a>	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	<a href="#">CC @Country</a>	Country ID of Residence
Nationality	O	<a href="#">CC @Country</a>	Participant's nationality.  Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	<a href="#">CC @ResultsFunction</a>	Main function  In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only  N-New participant (in the case that this information comes as a late entry) U-Update participant  If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants  If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants  To delete a participant, a specific value of the Status attribute is used.

**Element: Competition /Participant /Discipline (1,1)**

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.



IFld	O	S(16)	IF ID (competitor's federation number for the discipline if it is assigned).
------	---	-------	--

**Element: Competition /Participant /Discipline /RegisteredEvent (0,N)**

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event
Substitute	O	S(1)	Send Y if the athlete is a substitute else do not send. Applicable in BOB. Not applicable in LUG & SKN.

**Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)**

Send if there are specific athlete's event entries.

Type	Code	Pos	Description
ENTRY	POSITION	N/A	Element Expected: As soon as it is known. Applicable in BOB & LUG. Not applicable in SKN.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	<a href="#">CC @Position</a>
			<b>Description</b>
			Position Code for the athlete

### 2.3.1.6 Message Sort

The message is sorted by Participant @Code

## 2.3.2 List of teams / List of teams update

### 2.3.2.1 Description

DT\_PARTIC\_TEAMS contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. Pairs (tennis, figure skating, etc.) are also defined as team of two competitors. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams.

A historical team is defined as a group of athletes (team members) competing in the past in a competition event for an organisation. The historical team members appearing in this message will be listed in the list of historical athletes' messages. The list of historical teams just associates historical team members with the corresponding historical teams. Historical teams will not be registered to any event.

List of teams (DT\_PARTIC\_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT\_PARTIC\_TEAMS\_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

How to display Sled Names in BOB and LUG doubles and Team Events.

- In BOB Events and LUG Team Relay, TeamName data field on ODF definition contains the Name of the respective NOC. (TeamType=ORG)

- In LUG doubles (including in team event), Name data field follows the pattern (TeamType=CPLP):

Front Athlete FamilyName GivenName / Back Athlete FamilyName GivenName

For example: LANGE Andre / KUEHN Enrico

### 2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC.@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC.@Discipline</a>	Full RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in



		the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.2.3 Trigger and Frequency

The DT\_PARTIC\_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_TEAMS\_UPDATE messages are sent.

The DT\_PARTIC\_TEAMS\_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

### 2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>	Gen Sport Codes			
	<a href="#">Team (1,N)</a>	Code Organisation Number Name ShortName TVTeamName Gender Current TeamType ModificationIndicator		
		<a href="#">Composition (0,1)</a>		
			<a href="#">Athlete (0,N)</a>	Code Order
		<a href="#">Discipline (0,1)</a>		
			Code IFId <a href="#">RegisteredEvent (0,1)</a>	
				Event



### 2.3.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID (example ATHM4X400M--ESP01, 393553) When the Team is an historical one, then this ID starts with "T".
Organisation	M	<a href="#">CC @Organisation</a>	Team organisation's ID
Number	O	Numeric #0	Team number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.
Name	M	S(73)	Team name
ShortName	M	S(40)	Team Short Name
TVTeamName	M	S(21)	TV Team Name
Gender	M	CC @SportGender	Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
TeamType	M	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Value is CUSTOM in 4 man (Pilot Name) Value is CPLP in 2 person and luge doubles Value is NOC in luge team relay
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

Element: Competition /Team /Composition /Athlete (0,N)			
In the case of current teams the number of athletes is 2 or more.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading	Athlete's ID of the listed team's member.





		zeroes	Therefore, he/she makes part of the team's composition.
Order	M	Numeric	Team member order

Element: Competition /Team /Discipline (0,1)			
Discipline is expected unless ModificationIndicator="D"			
Attribute	M/O	Value	Description
Code	M	<a href="#">CC.@Discipline</a>	Full RSC of the Discipline
IFld	O	S(16)	Federation number for the corresponding discipline (include if the discipline assigns international federation codes to teams)

Element: Competition /Team /Discipline /RegisteredEvent (0,1)			
Each current team is assigned to one event. Historical teams will not be registered to any event.			
Attribute	M/O	Value	Description
Event	M	<a href="#">CC.@Event</a>	Full RSC of the Event

### Sample (Bobsleigh)

```
<Team Code="BOBOTEAM4---AUS01" Organisation="AUS" Number="1" Name="Australia" ShortName="Australia"
TeamType="ORG" Gender="M" Current="true" >
  <Composition>
    <Athlete Code="2005035" Order="1" />
    <Athlete Code="2005037" Order="2" />
    <Athlete Code="2005038" Order="3" />
    <Athlete Code="2005040" Order="4" />
  </Composition>
  <Discipline Code="BOB-----" >
    <RegisteredEvent Event="BOBOTEAM4-----" />
  </Discipline>
</Team>
```

### 2.3.2.6 Message Sort

The message is sorted by Team @Code.



## 2.3.3 Event Unit Start List and Results

### 2.3.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

### 2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit (run), one message per run.
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC @ResultStatus</a>	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST LIVE (used when the competition starts and after every split in the current sled/bob. Also, when a sled/bob has completed the run) INTERMEDIATE (in case of heat interruption) UNCONFIRMED (used after the competition is completed and before either UNOFFICIAL or OFFICIAL. It may be sent multiple times if modifications are required and the status has not changed) UNOFFICIAL OFFICIAL PROTESTED if the result is protested
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.3.3 Trigger and Frequency

This message is sent:

- As soon as the start list is available and after any changes [inc. IRMs] (START\_LIST)
- When the competition starts and after every split in the current sled/bob (LIVE)
- After every sled/bob has completed the run (LIVE)





- After the race is finished (UNCONFIRMED / UNOFFICIAL / OFFICIAL) as applicable.
- Send as PROTESTED if the result is protested according to the sport rules
- After any change


### 2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
<a href="#">Competition (0,1)</a>								
	Gen							
	Sport							
	Codes							
	<a href="#">ExtendedInfos (0,1)</a>							
		<a href="#">UnitDateTime (0,1)</a>						
			StartDate					
		<a href="#">ExtendedInfo (0,N)</a>						
			Type					
			Code					
			Pos					
			Value					
		<a href="#">SportDescription (0,1)</a>						
			DisciplineName					
			EventName					
			Gender					
			SubEventName					
			UnitNum					
		<a href="#">VenueDescription (0,1)</a>						
			Venue					
			VenueName					
			Location					
			LocationName					
			Attendance					
	<a href="#">Officials (0,1)</a>							
		<a href="#">Official (1,N)</a>						
			Code					
			Function					
			Order					
			<a href="#">Description (1,1)</a>					
				GivenName				
				FamilyName				







### 2.3.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)			
Actual start date and time / end date and time. (do not include until unit starts)			
Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date-time. Do not include until unit starts.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)			
Type	Code	Pos	Description
UI	STARTERS	N/A	Element Expected: Always
Attribute	M/O	Value	Description
Value	M	Numeric ##0	Sent the number of competitors on the start list
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension</b>			



Expected Always after status START_LIST and at least one competitor has completed the unit without IRM				
Attribute	Value	Description		
Code	COMPLETE			
Pos	N/A			
Value	Numeric ##0	Send the number of competitors whose event unit is completed (includes IRMs)		
DISPLAY	LAST_COMP	N/A	Element Expected: When available and only when the unit is LIVE or UNOFFICIAL	
Attribute	M/O	Value	Description	
Value	M	S(20) without leading zeroes	Send the competitor ID of the last competitor to compete and receive a result.	
DISPLAY	LAST_SLED	N/A	Element Expected: When available and only when the unit is LIVE or UNOFFICIAL (Team Relay only)	
Attribute	M/O	Value	Description	
Value	M	S(20) without leading zeroes	Send the competitor ID of the last competitor to compete and receive a result.	
BEST	SPEED	S(2)	Pos Description: Speed trap point where the best speed was achieved as defined in DT_CONFIG, 1..N Element Expected: When available	
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.0	Best speed in the current run in km/h	
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When data is available				
Attribute	Value	Description		
Code	COMP			
Pos	N/A			
Value	S(20) without leading zeroes	Send the competitor ID of the sled who achieved the best speed in the current run.		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When data is available				
Attribute	Value	Description		
Code	MPH			
Pos	N/A			
Value	Numeric ##0.0	Speed at this point in mph		

### Sample (General)



```
<ExtendedInfos>
<UnitDateTime StartDate="2012-08-07T11:01:00+01:00" />
<ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Value="2111355" />
<ExtendedInfo Type="BEST" Code="SPEED" Pos="1" Value="122.7" >
  <Extension Code="MPH" Value="77.1" />
  <Extension Code="COMP" Value="2111355" />
</ExtendedInfo>
```

**Element: Competition /ExtendedInfos /SportDescription (0,1)**

**Sport Descriptions in Text.**

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes
UnitNum	O	S(15)	Heat Number

**Element: Competition /ExtendedInfos /VenueDescription (0,1)**

**Venue Names in Text.**

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes
Attendance	O	Numeric #####0	Total attendance (do not send if unknown)

**Element: Competition /Officials /Official (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	<a href="#">CC @ResultsFunction</a>	Official's function (example: referee, etc.). Can be different from the function sent in the DT_PARTIC message.
Order	M	Numeric #0	Order of officials

**Element: Competition /Officials /Official /Description (1,1)**

**Officials extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the official





Organisation	M	<a href="#">CC @Organisation</a>	Official's organisation
IFId	O	S(16)	International Federation ID

<b>Element: Competition /Result (1,N)</b>			
<b>For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.</b>			
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Rank	O	String	Rank of the competitor in the event unit (not cumulative).
RankEqual	O	S(1)	Identifies if a rank has been equalled, send Y if applicable else not sent
Result	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Result for the event unit.
IRM	O	<a href="#">SC @IRM</a>	IRM for the event unit Send only in the case @ResultType is IRM
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder.
StartOrder	O	Numeric	The start order of the unit.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute.
Diff	O	+s.ff (BOB & SKN) +s.fff (LUG)	Time Behind (0.00 / 0.000 for the leader)

<b>Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)</b>				
<b>Type</b>	<b>Code</b>	<b>Pos</b>	<b>Description</b>	
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2...F).  Element Expected: When data is available except luge teams.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Cumulative time at the intermediate point in the current run (not cumulative over all runs). Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send Y if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
	Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Send the time behind the leader at the corresponding intermediate point for the current run. (0.00 /0.000 for leader)
PROGRESS	SC @Leg	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2...F). Element Expected:	



				When data is available in luge teams.
	Attribute	M/O	Value	Description
	Value	O	m:ss.fff	Cumulative time at the intermediate point considering all legs). Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at this point.
	RankEqual	O	S(1)	Send Y if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at this point.
	Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader)
PROGRESS		SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When available except luge teams
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Speed at this point in km/h
	Value2	M	Numeric ##0.0	Speed at this point in mph
PROGRESS		SECTION	S(1)	Pos Description: Intermediate point at the end of the section where section time is taken (S, 1, 2...F). For example 1 is the section from S to 1. Element Expected: When available except luge teams
	Attribute	M/O	Value	Description
	Value	O	s.ff (BOB & SKN) s.fff (LUG)	Time for the section ending at the intermediate point @Pos.
	Rank	O	S(2)	Send the rank of the competitor in the section
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor in the corresponding section
SPEED		MAX	N/A	Element Expected: When data is available except luge teams
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Send the designated maximum speed in kph
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph

### Sample (General)



```
<Result SortOrder="1" ResultType="TIME" Rank="1" Result="1:09.59" Diff="0.00" StartOrder="5" StartSortOrder="5" >
<ExtendedResults>
<ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="S" Value="5.05" Rank="1" SortOrder="1" Diff="0.00" />
<ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="17.50" Rank="1" SortOrder="1" Diff="0.00" />
<ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="28.56" Rank="1" SortOrder="1" Diff="0.00" />
<ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" Value="41.50" Rank="2" SortOrder="2" Diff="+0.02" />
>
<ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="4" Value="51.58" Rank="1" SortOrder="1" Diff="0.00" />
<ExtendedResult Type="PROGRESS" Code="SECTION" Pos="1" Value="12.45" Rank="1" SortOrder="1" />
<ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="11.06" Rank="1" SortOrder="1" />
...
<ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="18.01" Rank="1" SortOrder="1" />
<ExtendedResult Type="SPEED" Code="MAX" Value="134.4" Value2="83.6" />
</ExtendedResults>
<Competitor Type="A" Code="123456" Organisation="AUS" >
```

**Element: Competition /Result /RecordIndicators /RecordIndicator (1,N)**

**Result's record indicator.**

Attribute	M/O	Value	Description
Order	M	Numeric	This will usually always be 1 unless there is both a SR and TR in which case SR=1 and TR=2.
Code	M	<a href="#">CC @RecordCode</a>	Code which describes the record broken by the result value.
RecordType	M	<a href="#">CC @RecordType</a>	Code which specifies the level at which the record is broken (e.g. "TR" or "SR").
Equalled	O	S(1)	Send "Y" in the case that the record has been equalled else do not send.

**Element: Competition /Result /Competitor (1,1)**

**Competitor related to the result of one event unit.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	T for team, A for athlete
Bib	O	S(2)	Team Bib number in BOB & LUG
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Competition /Result /Competitor /Description (0,1)**

**Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team

**Element: Competition /Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete ID. In BOB training runs only include the pilot.
Order	M	Numeric 0	Order within the competitor



Bib	O	S(5)	Bib number. SKN & LUG (not used at this level in BOB). For Team event in Luge the bib for each sled will have values X-Y. This attribute is the individual Bib (Y value). It will be 1 for Women member of the team, 2 for Men and 3 for the Double sled's front athlete.
-----	---	------	---

**Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)**

**Individual athletes entry information.**

Type	Code	Pos	Description
EUE	POSITION	N/A	Element Expected: Always in BOB and applicable events in LUG doubles and team relay
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	<a href="#">CC @Position</a>
			<b>Description</b>
			Position of the athlete in the team.

**Sample (Bobsleigh)**

```
<Athlete Code="1135320" Order="1">
  <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI" BirthDate="1992-12-15" />
  <EventUnitEntry Type="EUE" Code="POSITION" Value="P" />
</Athlete>
```

**Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)**

**This element is only used in the case of the team event in Luge.**

Type	Code	Pos	Description
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (R, 1, 2...F). R is the reaction time and F is the leg finish time. Element Expected: When data is available in luge teams individuals
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	m:ss.fff
			<b>Description</b>
			Cumulative time at the intermediate point in the current leg (not cumulative over all legs).



				Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
	Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader)
PROGRESS		SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When data is available in luge teams individuals
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Speed at this point in km/h
	Value2	M	Numeric ##0.0	Speed at this point in mph
PROGRESS		SECTION	S(1)	Pos Description: Intermediate point at the end of the section where section time is taken (1, 2... F). For example 1 is the section from Start to 1. Element Expected: When data is available in luge teams individuals
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	s.fff	Time for the section ending at the intermediate point @Pos.
	Rank	O	S(2)	Send the rank of the competitor in the section
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor in the corresponding section
SPEED		MAX	N/A	Element Expected: When data is available in luge teams individuals
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Send the designated maximum speed in kph
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph
ER		LEG	N/A	Element Expected: When data is available in luge teams individuals
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	SC @Leg	Leg number, LEG1 or LEG2



Element: Competition /Result /Competitor /Composition /Team (0,N)			
Only applies for the pair in Luge Relay.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	ID of the pair
Order	M	Numeric 0	Order within the competitor, value is 1.

Element: Competition /Result /Competitor /Composition /Team/ExtendedResults/ExtendedResult (1,N)			
Only applies for the pair in Luge Relay			
Type	Code	Pos	Description
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (R, 1, 2...F). R is the reaction time and F is the leg finish time. Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	m:ss.fff
	Rank	O	S(2)
	RankEqual	O	S(1)
	SortOrder	M	Numeric #0
	Diff	O	[+/-]s.fff
PROGRESS	SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric ##0.0
	Value2	M	Numeric ##0.0
PROGRESS	SECTION	S(1)	Pos Description: Intermediate point at the end of the section where section time is taken (1, 2... F). For example 1 is the section from Start to 1. Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	s.fff



	Rank	O	S(2)	Send the rank of the competitor in the section
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor in the corresponding section
SPEED		MAX	N/A	Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Send the designated maximum speed in kph
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph
ER		LEG	N/A	Element Expected: When data is available in luge teams doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	SC @Leg	Leg number, LEG3

**Element: Competition /Result /Competitor /Composition /Team /Composition /Athlete (1,N)**

Only for pair in luge relay

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeros	Athlete ID
Order	M	Numeric 0	Order within the pair
Bib	O	S(5)	Bib number

**Element: Competition /Result /Competitor /Composition /Team /Composition /Athlete /Description (1,1)**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Element: Competition /Result /Competitor /Composition /Team /Composition /Athlete /EventUnitEntry (0,N)**

Type	Code	Pos	Description
EUE	POSITION	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	CC @Position
			<b>Description</b>
			Position of the athlete in the team.

**Sample (Luge Relay)**



```
<Result Rank="1" Result="1:43.212" ResultType="TIME" SortOrder="1" Diff="0.000" StartOrder="5" StartSortOrder="5">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="LEG1" Pos="1" Value="12.356" Rank="2" SortOrder="2" Diff="+0.095" />
    <ExtendedResult Type="PROGRESS" Code="LEG1" Pos="2" Value="24.806" Rank="1" SortOrder="1" Diff="0.000" />
    <ExtendedResult Type="PROGRESS" Code="LEG1" Pos="F" Value="33.200" Rank="1" SortOrder="1" Diff="0.000" />
    ...
    <ExtendedResult Type="PROGRESS" Code="LEG3" Pos="F" Value="1:43.212" Rank="1" SortOrder="1" Diff="0.000" />
  </ExtendedResults>
  <RecordIndicators>
    <RecordIndicator Order="1" Code="LUGXRELAY4-----" RecordType="TR" />
  </RecordIndicators>
  <Competitor Code="LUGXRELAY4--USA01" Type="T" Organisation="USA" Bib="5">
    <Description TeamName="United States of America" />
    <Composition>
      <Athlete Code="8580024" Order="1" Bib="5-1">
        <Description GivenName="Iron" FamilyName="Hemlon" Gender="F" Organisation="USA" />
        <EventUnitEntry Type="SLED" Code="WOMAN" Value="8580024" />
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="12.356" Rank="2" SortOrder="2"
            Diff="+0.095" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="22.450" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="33.200" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="91.8" Value2="57.0" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="91.8" Value2="57.0" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG1" />
        </ExtendedResults>
      </Athlete>
      <Athlete Code="8580027" Order="2" Bib="5-2">
        <Description GivenName="Chros" FamilyName="Mezdzir" Gender="M" Organisation="USA" />
        <EventUnitEntry Type="SLED" Code="MAN" Value="8580027" />
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="R" Value="1.304" Rank="2" SortOrder="2"
            Diff="+0.047" />
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="13.885" Rank="2" SortOrder="2"
            Diff="+0.136" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="21.150" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="31.100" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="84.1" Value2="52.2" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="84.1" Value2="52.2" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG2" />
        </ExtendedResults>
      </Athlete>
      <Team Code="LUGODOUBLES-USA02" Order="1" Bib="5-3">
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="R" Value="1.205" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="13.333" Rank="1" SortOrder="1"
            Diff="0.000" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="23.357" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="28.456" Rank="1" SortOrder="1"
            Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="83.5" Value2="51.9" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="83.5" Value2="51.9" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG3" />
        </ExtendedResults>
      </Team>
    </Composition>
```





INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

### 2.3.3.6 Message Sort

Sort by Result @SortOrder

## 2.3.4 Current Information

### 2.3.4.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information.

This message should only be used to build a standalone current table and not used to merge data with the DT\_RESULT message. If the message is merged there is be conflicts where multiple people can have the same intermediate rank and the full DT\_RESULT is only updated after each athlete.

### 2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_CURRENT	Current message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.4.3 Trigger and Frequency

This message is sent:

- At any time a new competitor receives the green light to start. (This athlete will be considered current)
- Immediately after every addition/change in data during the run
- Immediately after the competitor completes the course and the data is available including result data without changing Previous/Current/Next
- Immediately after DT\_RESULT is sent if a unit is re-started (results removed) to clean existing (now incorrect) data
- If there is any interruption or break in the competition


Each message will only include the competitor most recently finished (previous), currently on the track or about to start and the one to follow.



### 2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0.1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0.1)</a>						
		<a href="#">ExtendedInfo (1.N)</a>					
			Type				
			Code				
			Pos				
			Value				
	<a href="#">Result (0.N)</a>						
		Rank					
		RankEqual					
		Result					
		IRM					
		SortOrder					
		StartOrder					
		StartSortOrder					
		ResultType					
		Diff					
		<a href="#">ExtendedResults (0.1)</a>					
			<a href="#">ExtendedResult (1.N)</a>				
			Type				
			Code				
			Pos				
			Value				
			Value2				
			Rank				
			RankEqual				
			SortOrder				
			Diff				
		<a href="#">Competitor (1.N)</a>					
			Code				
			Type				
			Bib				
			Organisation				



### 2.3.4.5 Message Values

**Element: Competition (0,1)**



Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (1,N)				
Type	Code	Pos	Description	
UI	START_INDIC	N/A	Element Expected: Always	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(7)	Send "GREEN" or "RED" to indication the light on the track.
DISPLAY	PREVIOUS	N/A	Element Expected: When available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) without leading zeroes	Send the competitor ID of the previous athlete. An athlete only becomes Previous when the countdown for the next competitor begins or if there is a delay.
DISPLAY	CURRENT	N/A	Element Expected: When available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) without leading zeroes	Send the competitor ID of the current athlete. An athlete becomes Current when the countdown for the next competitor begins
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When available in all heats except in run 1</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	ADVANTAGE		
	Pos	N/A		
	Value	s.ff (BOB & SKN) s.fff (LUG)	Send the time behind the current leader at the start	
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	STATUS		
	Pos	N/A		
	Value	SC @TrackStatus	Send status according to current sled activity	
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	TO_BEAT		
	Pos	Numeric 0	Send the rank which the competitor is trying to beat (1..3)	



	Value	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Send the time needed (to beat) for the corresponding rank (in @Pos). Do not send minutes if zero.	
DISPLAY		CURRENT_SUB	N/A	Element Expected: Luge relay
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) without leading zeroes	Send the competitor ID of the current or about to start competitor. (in the case of team event this is the individual or double)
DISPLAY		NEXT	N/A	Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) without leading zeroes	Send the competitor ID of the next competitor (the one after the present CURRENT). (in the case of team event this is the team)

### Sample (General)

```
<ExtendedInfos>
<ExtendedInfo Type="UI" Code="START_INDIC" Value="RED" >
<ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="2111355" >
  <Extension Code="TO_BEAT" Pos="1" Value="54.58" />
  <Extension Code="TO_BEAT" Pos="2" Value="55.03" />
  <Extension Code="TO_BEAT" Pos="3" Value="55.17" />
  <Extension Code="ADVANTAGE" Value="-0.92" />
  <Extension Code="STATUS" Value="RUNNING" />
</ExtendedInfo>
<ExtendedInfo Type="DISPLAY" Code="NEXT" Value="2231355" />
</ExtendedInfos>
```

Element: Competition /Result (0,N)				
Attribute	M/O	Value	Description	
Rank	O	String	Rank of the competitor in the event unit (not cumulative)	
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable else not sent.	
Result	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	The result of the competitor in the event unit	
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, if applicable Send if @ResultType is IRM	
SortOrder	M	Numeric #0	This attribute is a sequential number with the start order of the competitors in the unit.	
StartOrder	O	Numeric #0	Competitor's start order	
StartSortOrder	M	Numeric #0	Used to sort all start list competitors in an event unit.	
ResultType	O	SC @ResultType	Type of the @Result attribute.	
Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Time Behind (0.00 / 0.000 for the leader) - for faster than leader, + for slower than leader.	

### Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)



Type	Code	Pos	Description
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2...F). Element Expected: When data is available except luge teams
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Value	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Cumulative time at the intermediate point in the current run (not cumulative over all runs). Do not send minutes if zero.
Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Send the time behind the leader not considering the current sled. This is compared to the leader before the current competitor so will be negative if faster.
PROGRESS	SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When available except luge teams
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Value	M	Numeric ##0.0	Speed at this point in km/h
Value2	M	Numeric ##0.0	Speed at this point in mph
CUMULATIVE	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2...). Element Expected: When available in all heats except heat 1 & except luge teams
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Value	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Cumulative time at the intermediate point considering all runs. Do not send minutes if zero.
Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Send the time behind the leader not considering the current sled but considering all runs. (0.00 / 0.000 for leader). Negative if faster than leader.
PROGRESS	SC @Leg	S(1)	Pos Description: Intermediate point where the intermediate



Attribute	M/O	Value	Description
Value	M	m:ss.fff	Cumulative time at the intermediate point considering all legs). Do not send minutes if zero.
Rank	O	S(2)	Send the rank of the competitor at the intermediate point
RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point
Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader). - means faster than leader, + means behind leader.
SPEED		MAX	N/A
Element Expected: When data is available except luge teams			
Attribute	M/O	Value	Description
Value	M	Numeric ##0.0	Send the designated maximum speed in kph
Value2	M	Numeric ##0.0	Send the designated maximum speed in mph

### Sample (General)

```
<Result SortOrder="1" ResultType="TIME" Rank="1" Result="1:09.59" Diff="0.00" StartOrder="5" >
  <Competitor Type="A" Code="123456" Organisation="AUS" >
    <ExtendedResults>
      <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="S" Value="5.05" Rank="1" SortOrder="1" Diff="0.00" />
      <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="17.50" Rank="1" SortOrder="1" Diff="0.00" />
      <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="28.56" Rank="1" SortOrder="1" Diff="0.00" />
      <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" Value="41.50" Rank="2" SortOrder="2" Diff="+0.02" />
    >
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="4" Value="51.58" Rank="1" SortOrder="1" Diff="0.00" />
  ..
</ExtendedResults>
<Composition>
  <Athlete
```

### Element: Competition /Result /Competitor (1,N)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete, T for team
Bib	O	S(2)	Team Bib number in BOB & LUG
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation





Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID. Can belong to a team member or an individual athlete.
Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
Bib	O	S(5)	Bib number

Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)				
This element is only used in the case of the team event in Luge.				
Type	Code	Pos	Description	
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (R, 1, 2...F). R is the reaction time and F is the leg finish time. Element Expected: When data is available in luge teams individuals	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	m:ss.fff	Cumulative time at the intermediate point in the current leg (not cumulative over all legs). Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
	Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader).
PROGRESS	SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When data is available in luge teams individuals	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Speed at this point in km/h.
	Value2	M	Numeric ##0.0	Speed at this point in mph
CUMULATIVE	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). Where F is the finish of the leg. Element Expected: When data is available in luge teams individuals	



	Attribute	M/O	Value	Description
	Value	O	m:ss.fff	Cumulative time at the intermediate point considering all legs in the event. Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
	Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader).
SPEED		MAX	N/A	Element Expected: When data is available in luge teams individuals
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Send the designated maximum speed in kph.
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph.

Element: Competition /Result /Competitor /Composition /Team (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeros	ID of the pair
Order	M	Numeric 0	Order within the competitor, value is 1.

Element: Competition /Result /Competitor /Composition /Team/ExtendedResults/ExtendedResult (1,N)				
Only applies for the pair in Luge Relay				
Type	Code	Pos	Description	
PROGRESS	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (R, 1, 2...F). R is the reaction time and F is the leg finish time. Element Expected: When data is available in luge relay doubles	
	Attribute	M/O	Value	Description
	Value	M	m:ss.fff	Cumulative time at the intermediate point in the current leg (not cumulative over all legs). Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point
	Diff	O	[+/-]s.fff	Send the time behind the leader at the



				corresponding intermediate point for the current run. (0.000 for leader)
PROGRESS		SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Speed at this point in km/h
	Value2	M	Numeric ##0.0	Speed at this point in mph
CUMULATIVE		INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). Where F is the finish of the leg. Element Expected: When data is available in luge teams doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	m:ss.fff	Cumulative time at the intermediate point considering all legs in the event. Do not send minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send "Y" if rank is equalled, otherwise do not send.
	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point.
	Diff	O	[+/-]s.fff	Send the time behind the leader at the corresponding intermediate point for the current run. (0.000 for leader).
SPEED		MAX	N/A	Element Expected: When data is available in luge relay doubles
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Send the designated maximum speed in kph
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph

Element: Competition /Result /Competitor /Composition /Team /Composition /Athlete (1,N)			
Only for pair in luge relay			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeros	Athlete ID
Order	M	Numeric 0	Order within the pair
Bib	O	S(5)	Bib number

**Sample (Team)**



```

<Result Rank="1" Result="1:43.212" ResultType="TIME" SortOrder="1" Diff="0.000" StartOrder="5" StartSortOrder="5">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="LEG1" Pos="1" Value="12.356" Rank="2" SortOrder="2" Diff="+0.095" />
    <ExtendedResult Type="PROGRESS" Code="LEG1" Pos="2" Value="24.806" Rank="1" SortOrder="1" Diff="0.000" />
    ...
    <ExtendedResult Type="PROGRESS" Code="LEG3" Pos="2" Value="1:34.668" Rank="1" SortOrder="1" Diff="0.000" />
    <ExtendedResult Type="PROGRESS" Code="LEG3" Pos="F" Value="1:43.212" Rank="1" SortOrder="1" Diff="0.000" />
  </ExtendedResults>
  <RecordIndicators>
    <RecordIndicator Order="1" Code="LUGXRELAY4-----" RecordType="TR" />
  </RecordIndicators>
  <Competitor Code="LUGXRELAY4--USA01" Type="T" Organisation="USA" Bib="5">
    <Composition>
      <Athlete Code="8580024" Order="1" Bib="5-1">
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="12.356" Rank="2" SortOrder="2"
Diff="+0.095" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="33.200" Rank="1" SortOrder="1"
Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="91.8" Value2="57.0" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="91.8" Value2="57.0" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG1" />
        </ExtendedResults>
      </Athlete>
      <Athlete Code="8580027" Order="2" Bib="5-2">
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="R" Value="1.304" Rank="2" SortOrder="2"
Diff="+0.047" />
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="13.885" Rank="2" SortOrder="2"
Diff="+0.136" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="84.1" Value2="52.2" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="84.1" Value2="52.2" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG2" />
        </ExtendedResults>
      </Athlete>
      <Team Code="LUGODOUBLES-USA02" Order="1" Bib="5-3">
        <ExtendedResults>
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="R" Value="1.205" Rank="1" SortOrder="1"
Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="13.333" Rank="1" SortOrder="1"
Diff="0.000" />
          ...
          <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="1:43.212" Rank="1" SortOrder="1"
Diff="0.000" />
          <ExtendedResult Type="PROGRESS" Code="SPEED" Pos="1" Value="83.5" Value2="51.9" />
          <ExtendedResult Type="SPEED" Code="MAX" Value="83.5" Value2="51.9" />
          <ExtendedResult Type="ER" Code="LEG" Value="LEG3" />
        </ExtendedResults>
      <Composition>
        <Athlete Code="8580026" Order="1"/>
        <Athlete Code="8580047" Order="2"/>
      </Composition>
    </Competitor>
  </Result>

```

### 2.3.4.6 Message Sort

Sort by Result @SortOrder.

## 2.3.5 Cumulative Results

### 2.3.5.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units. This message is used when the competitor scores accumulate over the different units.

### 2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC.@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC.@Event</a>	Full RSC of the event Note that this message is not applicable for training.
DocumentSubcode	N/A	N/A
DocumentType	DT_CUMULATIVE_RESULT	Cumulative Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC.@ResultStatus</a>	It indicates the status of the results START_LIST LIVE INTERMEDIATE UNCONFIRMED UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC.@Source</a>	Code indicating the system which generated the message.

### 2.3.5.3 Trigger and Frequency


- Send when the start list of the first unit is sent (START\_LIST)
- Send after each competitor passes each intermediate during each run including the first run (LIVE)
- Send after each run is OFFICIAL (INTERMEDIATE)
- Send with ResultStatus INTERMEDIATE if the unit is interrupted following the normal practice in the sport
- Send after the last run complete (UNCONFIRMED/UNOFFICIAL / OFFICIAL as appropriate)
- Send as PROTESTED if the result is protested according to the sport rules



### 2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0,1)</a>							
	Gen						
	Sport						
	Codes						
	<a href="#">ExtendedInfos (0,1)</a>						
		<a href="#">ExtendedInfo (0,N)</a>					
			Type				
			Code				
			Pos				
			Value				
		<a href="#">Progress (0,1)</a>					
			LastUnit				
		<a href="#">SportDescription (0,1)</a>					
			DisciplineName				
			EventName				
			Gender				
		<a href="#">VenueDescription (0,1)</a>					
			Venue				
			VenueName				
			Location				
			LocationName				
	<a href="#">Result (1,N)</a>						
		Rank					
		RankEqual					
		ResultType					
		Result					
		IRM					
		QualificationMark					
		Diff					
		SortOrder					
		<a href="#">ResultItems (0,1)</a>					
			<a href="#">ResultItem (1,N)</a>				
				Unit			
				Order			
				<a href="#">Result (1,1)</a>			
						Rank	





	IFld
--	------

### 2.3.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
EI	LAST_QUAL	N/A	Element Expected: As soon as it is known during the penultimate race.	
	Attribute	M/O	Value	Description
	Value	M	S(20) with no leading zeroes	Send the last qualifying place ID (in penultimate race). In the situation where insufficient competitors have participated to show the last qualifying position then show the current last place.

Element: Competition /ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	M	<a href="#">CC @Unit</a>	Full RSC of the first unit (if not started), current (if live) or most recent unit information included in the message.

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text. DO NOT INCLUDE unless all at single venue and location.			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	O	<a href="#">CC @Location</a>	Location code
LocationName	O	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Result (1,N)			
------------------------------------	--	--	--





For any cumulative results message, there should be at least one competitor being awarded a cumulative result after one event unit or phase.

Attribute	M/O	Value	Description
Rank	O	S(2)	Rank of the competitor in the cumulative result. This attribute is optional because the competitor could get an invalid rank mark. At the start of a new run (2,3,4) this data is removed (for all competitors) until the competitor has completed the run.
RankEqual	O	S(1)	Send "Y" in case of the Rank has been equalled else do not send. At the start of a new run (2,3,4) this data is removed (for all competitors) until the competitor has completed the run and this attribute is applicable.
ResultType	O	<a href="#">SC @ResultType</a>	Result type At the start of a new run (2,3,4) this data is removed (for all competitors) until the competitor has completed the run.
Result	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Cumulative result Send just in the case @ResultType is TIME At the start of a new run (2,3,4) this data is removed (for all competitors) until the competitor has completed the run.
IRM	O	<a href="#">SC @IRM</a>	IRM for the cumulative result. Send just in the case @ResultType is IRM.
QualificationMark	O	<a href="#">SC @QualificationMark</a>	The code which indicates the competitor is qualified for the final run. Only send during/after the penultimate run.
Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Cumulative time behind the leader, send 0.00 for the leader. At the start of a new run (2,3,4) this data is removed (for all competitors) until the competitor has completed the run.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /ResultItems /ResultItem (1,N)

Identifier of unit, for the schedule item to which it is going to be included the result summary. ResultItem /Result will be for one particular previous unit.

Attribute	M/O	Value	Description
Unit	M	<a href="#">CC @Unit</a>	Unit code of the latest RSC schedule item to which the cumulative results is updated to.
Order	M	Numeric #0	Logical order of the sub-units, usually schedule order.

Element: Competition /Result /ResultItems /ResultItem /Result (1,1)

For any Event Unit Results message, there should be at least one competitor being awarded a result for the event unit.

Attribute	M/O	Value	Description
Rank	O	S(2)	Rank of the competitor in the result for the unit identified by @Unit at /ResultItems /ResultItem.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable else not sent.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute for the unit identified by /ResultItems /ResultItem. Send CANCELLED if this unit is cancelled



Result	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	The result of the competitor for the unit identified by @Unit at /ResultItems /ResultItem. Do not send minutes of zero.
IRM	O	<a href="#">SC @IRM</a>	The invalid rank mark, in case it is assigned for the unit identified by /ResultItems /ResultItem. Send just in the case @ResultType is IRM.
Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.fff (LUG)	Time behind the leader for this run, send 0.00 for the leader.
SortOrder	M	Numeric	Used to sort all results in the unit identified /ResultItems /ResultItem.

Element: Competition /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	START	N/A	Element Expected: When available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	s.ff (BOB & SKN) s.fff (LUG)	Start Time
ER	START_BEST	N/A	Element Expected: If Applicable	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(1)	Send "Y" if this run was the best start time for this competitor else do not send.
SPEED	MAX	N/A	Element Expected: When data is available	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Send the designated maximum speed in km/h
	Value2	M	Numeric ##0.0	Send the designated maximum speed in mph
ER	SPEED_BEST	N/A	Element Expected: If Applicable	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(1)	Send "Y" if this run was highest speed for this competitor else do not send.
CUMULATIVE	INTERMEDIATE	S(1)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2...F). Element Expected: For the second and subsequent runs only.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Cumulative time at the intermediate point considering all runs to this point. Do not send minutes if zero. Do not send in first run.
	Rank	O	S(2)	Send the rank
	RankEqual	O	S(1)	Send Y where Rank at this specific ExtendedResult is equalled else not sent



	SortOrder	M	Numeric #0	Send the order of the competitor at the intermediate point
	Diff	O	[+/-]s.ff (BOB & SKN) [+/-]s.ff (LUG)	Cumulative time behind leader at the intermediate point considering all runs to this point.
PROGRESS		SPEED	S(2)	Pos Description: Speed trap point as defined in DT_CONFIG, 1..N for this run Element Expected: When available except luge teams
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0	Speed at this point in km/h
	Value2	M	Numeric ##0.0	Speed at this point in mph

**Element: Competition /Result /ResultItems /ResultItem /Result /RecordIndicators /RecordIndicator (1,N)**

**Result's record indicator.**

Attribute	M/O	Value	Description
Order	M	Numeric	Records are sorted by relevance. If there is more than one then send SR as 1 and TR as 2.
Code	M	<a href="#">CC @RecordCode</a>	Code which describes the record broken by the result value. It applies to the result of one event unit.
RecordType	M	<a href="#">CC @RecordType</a>	Code which specifies the level at which the record is broken. (SR or TR)
Equalled	O	S(1)	Send Y in the case that the record has been equalled else do not send.

**Element: Competition /Result /Competitor (1,1)**

**Competitor related to one cumulative result.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	T for team, A for athlete
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Competition /Result /Competitor /Description (0,1)**

**Competitors extended information.**

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team same as in DT_PARTIC_TEAM. Only applies for teams.

**Element: Competition /Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID



Order	M	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
-------	---	---------	---

**Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information.**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFld	O	S(16)	International Federation ID

**Sample (Skeleton)**

```
<Result Rank="2" ResultType="TIME" Result="2:19.15" SortOrder="2" Diff="0.02">
<ResultItems>
  <ResultItem Unit="SKNMSINGLES-----FNL-000101--" >
    <Result Rank="2" ResultType="TIME" Result="1:09.59" Diff="0.02" >
      <ExtendedResults>
        <ExtendedResult Type="ER" Code="START" Value="5.05" />
        <ExtendedResult Type="ER" Code="START_BEST" Value="Y" />
        <ExtendedResult Type="ER" Code="SPEED" Value="134.4" />
      </ExtendedResults>
    </Result>
  </ResultItem>
  <ResultItem Unit="SKNMSINGLES-----FNL-000102--" >
    <Result Rank="1" ResultType="TIME" Result="1:09.56" Diff="0.00" >
      <ExtendedResults>
        <ExtendedResult Type="ER" Code="START" Value="5.07" />
        <ExtendedResult Type="SPEED" Code="MAX" Value="135.4" />
        <ExtendedResult Type="ER" Code="SPEED_BEST" Value="Y" />
        <ExtendedResult Type="CUMULATIVE" Code="INTERMEDIATE" Pos="S" Value="2:15.02" Diff="0.07" SortOrder="4"
Rank="4"/>
        <ExtendedResult Type="CUMULATIVE" Code="INTERMEDIATE" Pos="1" Value="2:25.34" Diff="0.09" SortOrder="5"
Rank="5"/>
        <ExtendedResult Type="CUMULATIVE" Code="INTERMEDIATE" Pos="2" Value="2:53.45" Diff="0.07" SortOrder="2"
Rank="4"/>
        ...
        <ExtendedResult Type="CUMULATIVE" Code="INTERMEDIATE" Pos="F" Value="2:13.45" Diff="0.08" SortOrder="3"
Rank="3"/>
      </ExtendedResults>
      <RecordIndicators>
        <RecordIndicator Order="1" Code=" SKNMSINGLES-----" RecordType="TR" />
      </RecordIndicators>
    </Result>
  </ResultItem>
</ResultItems>
```

**2.3.5.6 Message Sort**

The ResultItems should be ordered in the same order in which they took place, earliest to latest.



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

Result @SortOrder will be the attribute used to sort the results.

The order should be:

- 1) All athletes finished the current unit ordered by overall rank
- 2) All athletes on course (in the order of their result at the intermediate; in case of several intermediates from the one further down the course to the one nearest to the start)
- 3) All athlete still to start in the current unit (start order)
- 4) All athletes not qualified, but having a score from previous units
- 5) All athletes with IRM (sorting according to Discipline/ORIS standard order)

## 2.3.6 Records

### 2.3.6.1 Description

The message contains the list of all records from the start of the Games (events depending on header).

Special Situations - Not Established Records:

There are some situations where there are no records for a particular event. This can happen, for example, when the sport rules change (different weights or distances) or new events are introduced.

If this occurs then the NotEstablished flag is used to indicate this situation.

If a record is established for this event in the current competition then the NotEstablished flag and description will not be sent when a new record is established.

### 2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC_@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC_@Discipline</a>	Full RSC of the Discipline
DocumentSubcode	CC_@RecordCode	If the message is sent as a result of a record being modified (broken, equalled or re-instated) then this attribute will be included and is the Record Event for the modification.
DocumentType	DT_RECORD	Records message
DocumentSubtype	FULL, PARTIAL	Send "FULL" if all records included. Send "PARTIAL" if only one record code is included.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC_@Source</a>	Code indicating the system which generated the message.

### 2.3.6.3 Trigger and Frequency

The DT\_RECORD (without DocumentSubcode) message is sent as a full message (all records in a discipline) prior to the competition. Any new version of the DT\_RECORD message should replace all previous record information, either for the RecordCode specified in DocumentSubcode or all if no DocumentSubcode is specified.

After competition start it will be triggered with each new record set or equalled.



### 2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
<a href="#">Competition (0.1)</a>								
	Gen							
	Sport							
	Codes							
	<a href="#">ExtendedInfos (0.1)</a>							
		<a href="#">SportDescription (0.1)</a>						
			DisciplineName					
	<a href="#">Record (1.N)</a>							
		Code						
		<a href="#">Description (1.1)</a>						
			Name					
		<a href="#">RecordType (1.N)</a>						
			Order					
			RecordType					
			Shared					
			<a href="#">RecordData (0.N)</a>					
				Order				
				ResultType				
				Result				
				Unit				
				Country				
				Place				
				Date				
				Time				
				Equalled				
				Unconfirmed				
				Competition				
				Historical				
				Current				
				ModificationIndicator				
				<a href="#">Competitor (0.1)</a>				
					Code			
					Type			
					Organisation			
					<a href="#">Description (0.1)</a>			
					TeamName			



### 2.3.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes

Element: Competition /Record (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">CC @RecordCode</a>	Record code. Send all record codes in the bulk message else this must match the DocumentSubcode, that is, only one per message.

Element: Competition /Record /Description (1,1)			
Attribute	M/O	Value	Description
Name	M	S(40)	Record description (not code) from Common Codes

Element: Competition /Record /RecordType (1,N)			
It is possible to have more than one element with the same type (as in the case of National Records).			
Attribute	M/O	Value	Description
Order	M	Numeric #0	The hierarchy (priority) for types of records from 1 to n. Sliding sports do not have a hierarchy as the records are





			different but this is still required.
RecordType	M	<a href="#">CC @RecordType</a>	Record type.
Shared	M	S(1)	Y-There is more than one competitor sharing the record N-There is just one competitor holding the record

Element: Competition /Record /RecordType /RecordData (0,N)			
RecordData is not sent for NotEstablished Records unless a "standard" applies			
Attribute	M/O	Value	Description
Order	M	Numeric #0	In the case that a record (RecordType) is provided several times in the message, then Order is the chronological order for the records (1,N). 1 will be usually the historical record and for each record broken during the competition a new order value will be provided. Usually first time the record is broken will have Order="2", second time Order="3" etc. Send 1 for records (RecordType) not shared (historical records)
ResultType	M	<a href="#">SC @ResultType</a>	TIME
Result	M	s.ff (SR in SKN/BOB) s.fff (SR in LUG) or m:ss.ff (TR in SKN/BOB) m:ss.fff (TR in LUG)	The performance of the competitor for the record.
Unit	O	<a href="#">CC @Unit</a>	Include the event unit in the current competition where the record was broken. Send always (Mandatory) in the case Historical="N".
Country	O	<a href="#">CC @Country</a>	Send always unless the record is not established. Country code where the record was broken
Place	O	S(40)	Send always (when known) unless the record is not established. Place (town or city) where the record was broken (example: "Salt Lake City").
Date	O	YYYY-MM-DD	Send always unless the record is not established. Date when the record was broken (for the current competition, the date will be assumed to be the date scheduled for the @Unit attribute)
Time	O	Time	Time the record was set. Send always (Mandatory) in the case of Historical="N".
Equalled	O	S(1)	Send "Y" if the existing record is equalled. Do not send if the record is not equalled.
Unconfirmed	O	S(1)	Send only in the case that Historical="Y" and if it is required in the specific discipline, since some historical records / record types may not be confirmed. Send "Y" if the record is Unconfirmed else do not send. The normal situation is do not send.
Competition	O	S(40)	Send the text of the competition name where the record was broken (example: "2013 World Championships", "2012 Olympic Games", etc.).
Historical	M	S(1)	Send "Y" if the record for competitor was not achieved during the current competition. Send "N" if the record for the competitor was achieved during the current competition.
Current	O	S(1)	Send "Y" in the case that this is the current record else do not



			send (may be multiple in the case of a shared record).
ModificationIndicator	O	S(1)	The possible values are: "N" = New broken record (not provided in a previous message) "R" = This record is re-instated/re-established as the current record in this message (following an invalidation or similar). Do not send this attribute for other records included in the message (not broken or not re-instated)

**Element: Competition /Record /RecordType /RecordData /Competitor (0,1)**

Competitor to whom the record is assigned.

Athlete's or team's information should be in DT\_PARTIC (Historic) if Competitor @Type="A" or DT\_PARTIC\_TEAMS (Historic) if Competitor @Type="T".

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete, T for team
Organisation	M	<a href="#">CC @Organisation</a>	Competitors' organisation

**Element: Competition /Record /RecordType /RecordData /Competitor /Description (0,1)**

Competitors extended information.

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.
IFId	O	S(16)	Team IF number, send if available.

**Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Numeric #0	Order attribute used to sort team members in a team if Competitor @Type="T" or 1 if Competitor @Type="A".

**Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete /Description (0,1)**

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Sample (Record)**



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

```
<Record Code="SKNMSINGLES-----">
  <Description Name="Men Skeleton" />
  <RecordType Code="TR" Order="1" Shared="N">
    <RecordData Order="1" ResultType="TIME" Result="48.45" Unit="SKNMSINGLES-----FNL-000102--" Country="KOR"
    Place="Sochi" Date="2014-02-12" Time="105830427" Competition="2014 Winter Games" Historical="N" Current="Y"
    ModificationIndicator="N" >
      <Competitor Code="1098720" Type="A" Organisation="NZL" >
        <Composition>
          <Athlete Code="1098720" Order="1">
            <Description FamilyName="John" GivenName="Smith" Gender="M" Organisation="NZL" IFId="12920"
            BirthDate="1989-12-15" />
          </Athlete>
        </Composition>
      </Competitor>
    </RecordData>
  </RecordType>
</RecordType Code="SR" Order="1" Shared="N">
```

### 2.3.6.6 Message Sort

The following order applies:

- Record @Code
- RecordType @Order
- RecordData @Order

## 2.3.7 Event Final Ranking

### 2.3.7.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

### 2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC_@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC_@Event</a>	Full RSC of the Event, one message is sent for each event.
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC_@ResultStatus</a>	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC_@Source</a>	Code indicating the system which generated the message.


### 2.3.7.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

### 2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0,1)</a>						
	Gen					
	Sport					
	Codes					
	<a href="#">ExtendedInfos (0,1)</a>					



### 2.3.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Element: Competition /ExtendedInfos /SportDescription (0,1)



Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit.

Element: Competition /Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	String	Final rank of the competitor in the corresponding event. It is optional because the competitor can be disqualified.
RankEqual	O	S(1)	Send Y if the rank is equalled, else do not send.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute
Result	O	m:ss.ff (BOB & SKN) m:ss.fff (LUG)	Total time for the competitor. Only include if completed the same number of runs as the winner (so times are comparable).
IRM	O	<a href="#">SC @IRM</a>	Send if applicable.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the competitors at the end of the event, if they were to be presented. If known rank: sort by rank, NOC. If no rank: sort DNF, DNS, EXL, DSQ.

Element: Competition /Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	A for athlete, T for team
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known

Element: Competition /Result /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams.
IFId	O	S(16)	Team IF number, send if available

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member. Team members should be participating in the event.
Order	M	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
---	--	--	--



Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

### Sample (General)

```
<Result Rank="16" ResultType="TIME" Result="4:36.26" SortOrder="16" >
  <Competitor Type="A" Code="1067129" Organisation="SUI" >
    <Composition>
      <Athlete Code="1067129" Order="1" />
      <Description GivenName="James" FamilyName="Black" Gender="M" Organisation="SUI" BirthDate="1994-12-18" />
    </Athlete>
  </Composition>
</Competitor>
</Result>
<Result Rank="17" ResultType="TIME" Result="4:37.84" SortOrder="17">
  <Competitor Type="A" Code="1090447" Organisation="NZL" >
    <Composition>
      <Athlete Code="1090447" Order="1">
        <Description GivenName="Jon" FamilyName="Smith" Gender="M" Organisation="NZL" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

### 2.3.7.6 Message Sort

Sort by Result @SortOrder



## 2.3.8 Configuration

### 2.3.8.1 Description

The Configuration is a message containing general configuration.

Send as soon as available for each unit in separate message.

### 2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit, send one message per unit.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.8.3 Trigger and Frequency

- The message is sent prior to any ODF Sports message sending one message for each unit.
- Trigger also after any change, but considering that, if possible, the configuration for each unit must be provided before the start list.
- If a DT\_CONFIG message is sent after a DT\_RESULT in a related unit then the next version of DT\_RESULT must be sent immediately.

### 2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0.1)</a>	Gen Sport Codes			
	<a href="#">Configs (1.1)</a>			
		<a href="#">Config (1.N)</a>		





	Unit <a href="#">ExtendedConfig (1,N)</a>
	Type
	Code
	Pos
	Value

### 2.3.8.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	<a href="#">CC @Unit</a>	Full RSC (34) at unit level.

Element: Competition /Configs /Config /ExtendedConfig (1,N)			
Type	Code	Pos	Description
COURSE	LENGTH	N/A	Element Expected: Always
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>
	Value	M	Numeric ###0
	Description		Send the total length of the track in m.
COURSE	ALTITUDE	N/A	Element Expected: Always
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always</b>			
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	DROP	
	Pos	N/A	
	Value	Numeric ###0	Send the total vertical drop in metres
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always</b>			
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>
	Code	FINISH	
	Pos	N/A	
	Value	Numeric ###0	Send the altitude at the finish in metres



Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always				
Attribute		Value	Description	
Code		START		
Pos		N/A		
Value		Numeric ###0	Send the altitude at the start point in metres	
EC		INTERMEDIATE	S(1)	Pos Description: Send the value that identifies the intermediate point, S for Start Time point, 1 to n for intermediates along the course and F for the finish line. "R" for reaction time. R is only applicable in LUG Team Relay competition. Element Expected: Always
Attribute		M/O	Value	Description
Value		M	Numeric ####0	Send distance in metres at this intermediate point from the start.
EC		INTERMEDIATES_NUM	N/A	Element Expected: Always
Attribute		M/O	Value	Description
Value		M	Numeric 0	Send the total number of intermediate points where the time is recorded including F.
EC		SPEED	Numeric 0	Pos Description: Send the value that identifies the speed trap. Sequential numbering 1..n over all speed traps on the course. (starting from the first point in the track, and following in chronological order) Element Expected: For all Speed traps
Attribute		M/O	Value	Description
Value		M	S(2)	Send T for top speed, S for start speed or the number of the speed (like "1")
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always				
Attribute		Value	Description	
Code		INT_ORDER		
Pos		N/A		
Value		S(2)	The @Pos of the intermediate point at or immediately before this speed trap.	
EC		SPEED_NUM	N/A	Element Expected: Always if not zero.
Attribute		M/O	Value	Description
Value		M	Numeric #0	Send the total number of speed traps.
QUALIFICATION		FROM_RANK	N/A	Element Expected: When applicable, usually only in the penultimate run.



	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the qualifying rank to indicate first rank to qualify
QUALIFICATION		TO_RANK	N/A	Element Expected: When applicable, usually only in the penultimate run.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the qualifying rank to indicate last rank to qualify
QUALIFICATION		QUAL_RULE	N/A	Element Expected: When applicable, usually only in the penultimate run.
	Attribute	M/O	Value	Description
	Value	M	SC @QualRule	Send the code for the qualification rule.

### Sample (General)

```
<Configs>
  <Config>
    <ExtendedConfig Type="COURSE" Code="LENGTH" Value="1500" />
    <ExtendedConfig Type="COURSE" Code="ALTITUDE" >
      <ExtendedConfigItem Code="START" Value="836" />
      <ExtendedConfigItem Code="FINISH" Value="704" />
      <ExtendedConfigItem Code="DROP" Value="132" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="S" Value="50" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="340" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="655" >
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="926" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="4" Value="1273" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="1500" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="6" />
    <ExtendedConfig Type="EC" Code="SPEED" Pos="1" />
      <ExtendedConfigItem Code="INT_ORDER" Value="1" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="SPEED" Pos="2" />
      <ExtendedConfigItem Code="INT_ORDER" Value="3" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="SPEED_NUM" Value="2" />
    <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Value="1" />
    <ExtendedConfig Type="QUALIFICATION" Code="TO_RANK" Value="20" />
  </Config>
</Configs>
```

### 2.3.8.6 Message Sort

There is no general message sorting rule.



## 2.3.9 Weather conditions

### 2.3.9.1 Description

The Weather Conditions is a message containing the current weather conditions in the venue.

### 2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Discipline</a>	Full RSC at discipline level
DocumentSubcode	<a href="#">CC @Location</a>	Location code (venue level)
DocumentType	DT_WEATHER	Weather conditions in the venue
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.9.3 Trigger and Frequency

The message is sent for each session:

\* 30 - 60 minutes before the start of the session and then hourly until the end of the session

### 2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0.1)</a>	Gen			
	Sport			
	Codes			
	<a href="#">Weather (1.1)</a>	Date		
		<a href="#">Conditions (1.N)</a>		
			Code	
			Humidity	



Wind_Direction			
Prec_Type			
<a href="#">Condition (0,3)</a>			Code
			Value
<a href="#">Temperature (0,N)</a>			Code
			Unit
			Value
<a href="#">Wind (0,N)</a>			Code
			Unit
			Value

### 2.3.9.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Weather (1,1)			
Attribute	M/O	Value	Description
Date	M	DateTime	Date/time of the conditions

Element: Competition /Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @WeatherPoint</a>	Weather Points, send GEN, START and FINISH
Humidity	M	Numeric ##0	Humidity in %
Wind_Direction	M	<a href="#">CC @WindDirection</a>	Wind direction
Prec_Type	O	<a href="#">SC @PrecType</a>	Precipitation type

Element: Competition /Weather /Conditions /Condition (0,3)			
Send three times in the case of Winter conditions.			
Attribute	M/O	Value	Description
Code	M	S(3)	Weather condition type, send SKY and ICE
Value	M	CC @WeatherCondition CC @SnowConditions	Use CC @WeatherCondition for SKY Use CC @SnowConditions for ICE



Element: Competition /Weather /Conditions /Temperature (0,N)			
Send with different @Code in the case of winter conditions as needed.			
Attribute	M/O	Value	Description
Code	M	S(3)	Temperature type, send AIR, ICE
Unit	M	<a href="#">SC @TemperatureUnit</a>	Metric system unit for temperature
Value	M	Numeric ##0.0 or ##0.0	Temperature in centigrade degrees (in case of positive temperature, do not send '+')

Element: Competition /Weather /Conditions /Wind (0,N)			
Attribute	M/O	Value	Description
Code	M	S(5)	Wind Speed, send SPEED
Unit	M	<a href="#">SC @WindUnit</a>	Unit for wind. MPH, MS and KMH expected.
Value	M	Numeric ##0.0	Wind speed in @Unit degrees.

### Sample (General)

```
<Weather Date="2006-02-06T13:00:00+01:00" >
<Conditions Code="START" Humidity="40" Wind_Direction="VR">
  <Condition Code="SKY" Value="sun" />
  <Condition Code="ICE" Value="nor" />
  <Temperature Code="AIR" Unit="C" Value="11.0" />
  <Temperature Code="AIR" Unit="F" Value="51" />
  <Temperature Code="ICE" Unit="C" Value="-2.4" />
  <Temperature Code="ICE" Unit="F" Value="27" />
  <Wind Code="SPEED" Unit="MS" Value="0.4" />
  <Wind Code="SPEED" Unit="KMH" Value="1.4" />
</Conditions>
<Conditions Code="FINISH" Humidity="40" Wind_Direction="VR">
  <Condition Code="SKY" Value="sun" />
  <Condition Code="ICE" Value="nor" />
  <Temperature Code="AIR" Unit="C" Value="12.0" />
  <Temperature Code="AIR" Unit="F" Value="53.6" />
  <Temperature Code="ICE" Unit="C" Value="-2.4" />
  <Temperature Code="ICE" Unit="F" Value="27" />
  <Wind Code="SPEED" Unit="MS" Value="0.6" />
  <Wind Code="SPEED" Unit="KMH" Value="2.2" />
</Conditions>
</Weather>
```

### 2.3.9.6 Message Sort

There is no special sort order requirement for this message.



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP



### 3 Message Timeline

#### 3.1 Preparation Phase

Trigger	Message	Status	D	E	P	S	U
As soon as ODF operations start	DT_CODES		x	o	o		o
Periodically as soon as ODF operations start	DT_PARTIC		x				
	DT_PARTIC_TEAMS		x				
	DT_PARTIC_NAME		x				
	DT_RECORD		x				
	DT_SCHEDULE		x				o

#### 3.2 Before Training

Trigger	Message	Status	D	E	P	S	U
After Initial Download - as soon as Participant verification process finishes (C38/C39 process) or after any other change in participant's data	DT_PARTIC_UPDATE		x				
After Initial Download - when OVR becomes owner of data	DT_PDF C30 Number of Entries by NOC		x				
After Initial Download - after any competition schedule change	DT_SCHEDULE_UPDATE		x		o		o
	DT_PDF C08 Schedule		x				
After the Draw/Team Captain's Meeting	DT_PARTIC_TEAM_UPDATE		x				
	DT_PDF C32A Entry List by NOC		x				
	DT_CONFIG			x	o		
	DT_RESULT	START_LIST					x
	DT_PDF C51A				x		

#### 3.3 During Training

Trigger	Message	Status	D	E	P	S	U
At scheduled start time (0')	DT_SCHEDULE_UPDATE	GETTING_READY	x				o
When competition starts (start indicator changes to green for first sled)	DT_SCHEDULE_UPDATE	RUNNING	x				o
Next sled at start changes	DT_RESULT	LIVE					x
	DT_CURRENT						x
Start indicator changes to green	DT_CURRENT						x
When sled starts and after every	DT_RESULT	LIVE					x





update (splits and finish)								
	DT_CURRENT							x
In case of an IRM for a sled	DT_RESULT	LIVE						x
	DT_CURRENT							x

### 3.4 After Training

Trigger	Message	Status	D	E	P	S	U
When competition finishes (last athlete passes the finish line)	DT_SCHEDULE_UPDATE	FINISHED	x				o
	DT_RESULT	UNOFFICIAL					x
Results are approved	DT_RESULT	OFFICIAL					x
	DT_PDF C73A Results (Official Training)	OFFICIAL			x		
	DT_PDF C77A Performance Analysis (Official Training)	OFFICIAL			x		
	DT_PDF C77C Speeds (Official Training)	OFFICIAL			x		
In case of a DSQ and / or DQB	DT_PDF_C68_Official_Communication	OFFICIAL	x				
	DT_RESULT	OFFICIAL					x
	DT_PDF C73A Results (Official Training)	OFFICIAL			x		
	DT_PDF C77A Performance Analysis (Official Training)	OFFICIAL			x		
	DT_PDF C77C Speeds (Official Training)	OFFICIAL			x		
When seeding for next round is confirmed	DT_RESULT	START_LIST					x
	DT_PDF C51A	START_LIST			x		

### 3.5 Before competition

Trigger	Message	Status	D	E	P	S	U
After Initial Download - as soon as Participant verification process finishes (C38/C39 process) or after any other change in participant's data	DT_PARTIC_UPDATE		x				
After Initial Download - when OVR becomes owner of data	DT_PDF C30 Number of Entries by NOC		x				
After Initial Download - after any competition schedule change	DT_SCHEDULE_UPDATE		x				
	DT_PDF C08 Schedule		x				
After the Draw/Team Captain's Meeting	DT_PARTIC_TEAM_UPDATE		x				
	DT_PDF C32A Entry List by NOC		x				
	DT_CONFIG			x	o		
	DT_RESULT	START_LIST					x
	DT_PDF C51B	START_LIST			x		



### 3.6 During competition

Trigger	Message	Status	D	E	P	S	U
At scheduled start time (0')	DT_SCHEDULE_UPDATE	GETTING_READY	x				o
When competition starts (start indicator changes to green for first sled)	DT_SCHEDULE_UPDATE	RUNNING	x				o
Next sled at start changes	DT_RESULT	LIVE					x
	DT_CURRENT						x
Start indicator changes to green	DT_CURRENT						x
When the unit starts and after every update (splits and finish)	DT_RESULT	LIVE					x
When the unit starts and after every update (splits and finish)	DT_RESULT	LIVE					x
	DT_CURRENT						x
	DT_CUMULATIVE_RESULT	LIVE		x			
In case of an IRM for a sled	DT_RESULT	LIVE					x
	DT_CURRENT						x
When needed after each competitor	DT_RECORD (PARTIAL with DocumentSubcode)		x				

### 3.7 After competition

Trigger	Message	Status	D	E	P	S	U
When competition finishes (last athlete passes the finish line)	DT_SCHEDULE_UPDATE	FINISHED	x				
	DT_RESULT	UNCONFIRMED					x
	DT_CUMULATIVE_RESULT	UNCONFIRMED		x			
Results are approved	DT_RESULT	OFFICIAL					x
	DT_RECORD (PARTIAL with DocumentSubcode)		x				
After each unit in the phase	DT_CUMULATIVE_RESULT	OFFICIAL			x		
	DT_PDF C73B Results	OFFICIAL			x		
	DT_PDF C77B Performance Analysis (Competition)	OFFICIAL			x		
	DT_PDF C77D Speeds (Competition)	OFFICIAL			x		
	DT_PDF C81 Records	OFFICIAL	x				
	DT_RANKING	OFFICIAL		x			
In case of a DSQ and / or DQB	DT_PDF_C68_Official_Communication	OFFICIAL	x				
	DT_RESULT	OFFICIAL					x
	DT_RECORD (PARTIAL with DocumentSubcode)		x				
	DT_CUMULATIVE_RESULT	OFFICIAL		x			
	DT_PDF C73B Results	OFFICIAL			x		



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

	DT_PDF C77B Performance Analysis (Competition)	OFFICIAL			x		
	DT_PDF C77D Speeds (Competition)	OFFICIAL			x		
	DT_PDF C81 Records	OFFICIAL		x			
	DT_RANKING	OFFICIAL		x			
After each day	DT_PDF C82 Competition Data	OFFICIAL		x			
When seeding for next round is confirmed	DT_RESULT	START_LIST					x
	DT_PDF C51B	START_LIST			x		
Before Victory/Venue Ceremony	DT_MEDALLISTS	UNOFFICIAL		x			
Before Victory/Venue Ceremony and results are official	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE			x			
	DT_MEDALS			x			
	DT_PDF C92X Medallists	OFFICIAL		x			
	DT_PDF C93 Medallists by Event			x			
	DT_PDF C95 Medal Standings			x			
	DT_PDF C97 IBSF Medal Standings (BSN)			x			
In case of a DSQ and / or DQB	DT_PDF_C68_Official_Communication	OFFICIAL		x			
	DT_RESULT	OFFICIAL					x
	DT_RECORD (PARTIAL with DocumentSubcode)			x			
	DT_CUMULATIVE_RESULT	OFFICIAL		x			
	DT_PDF C73B Results	OFFICIAL			x		
	DT_PDF C77B Performance Analysis (Competition)	OFFICIAL			x		
	DT_PDF C77D Speeds (Competition)	OFFICIAL			x		
	DT_PDF C81 Records	OFFICIAL		x			
	DT_PDF C82 Competition Data	OFFICIAL		x			
	DT_RANKING	OFFICIAL		x			
	DT_PDF C82 Competition Data	OFFICIAL		x			
	DT_PDF C92X Medallists	OFFICIAL		x			
	DT_PDF C93 Medallists by Event	OFFICIAL		x			
	DT_PDF C95 Medal Standings			x			
	DT_PDF C97 IBSF Medal Standings (BSN)			x			

Legend:

**D** Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit  
**x** Sent on that level; **o** Includes info from that level



## 4 Document Control

Version history		
Version	Date	Comments
V1.0	20 Sep 2019	First version
V1.1	27 Feb 2020	Updated after review
V1.2	2 Mar 2020	Updated
V1.3	13 Mar 2020	Updated
V1.4	5 Jun 2020	Updated with CR19497
V1.5	14 Aug 2020	Change to APP
V1.6	30 Oct 2020	CR020624
V1.7	18 Dec 2020	Updated
V1.8	12 Feb 2021	Updated with CR
V1.9	9 Aug 2021	After Homologation
V2.0	10 Sep 2021	DT_ACHIEVEMENT added

### File Reference: WOG-2022-BOB-LUG-SKN-2.0 APP

Change Log		
Version	Status	Changes on version
V1.0	SFR	First version DT_CURRENT: Change DISPLAY/CURRENT/STATUS to use SC @TrackStatus at ExtendedInfos DT_RESULT: Applied teams of teams DT_RESULT: Note only include Pilot in BOB training. DT_RESULT: Added acceleration time DT_CUMULATIVE_RESULT: Added Diff in each run
V1.1	SFR	DT_RANKING: Remove ExtendedInfos /VenueDescription DT_CUMULATIVE_RESULT: Add PROGRESS/SPEED at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult
V1.2	SFA	DT_RESULT: Updated sample for luge relay DT_CURRENT: Updated sample for luge relay
V1.3	SFA	Applicable Messages: Add DT_PIC Applicable Messages: Add note about message responsibilities DT_TEAM_PARTIC: Remove the BOB team name information as NOC name applies DT_RESULT: Add PROTESTED in Header Values ResultStatus & Trigger DT_RESULT: Update triggering for PROTESTED and INTERMEDIATE DT_RESULT: Update Code at PROGRESS/LEGx to PROGRESS/SC @Leg @Result /ExtendedResults /ExtendedResult DT_RESULT: Update Value at ER/LEG to SC @Leg @Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult DT_RESULT: Update Value at ER/LEG to SC @Leg @Result /Competitor /Composition /Team /ExtendedResults /ExtendedResult DT_CURRENT: Update Code at PROGRESS/LEGx to PROGRESS/SC @Leg @Result /ExtendedResults /ExtendedResult DT_CUMULATIVE_RESULT: Add ResultsStatus START_LIST DT_CUMULATIVE_RESULT: Add SPEED/MAX @Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult DT_CUMULATIVE_RESULT: Delete ER/SPEED @Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult Update SortOrder to be mandatory in all ExtendedResults



INTERNATIONAL  
OLYMPIC  
COMMITTEE

WOG-2022-BOB-LUG-SKN-2.0 APP

V1.4	SFA	DT_PARTIC_TEAM: Add Team/ShortName and Team/TeamType [CR19497] DT_CURRENT: Update triggering for re-started units.
V1.5	APP	Add Section 2.1 DT_CUMULATIVE_RESULT: Update Result /ResultItems /ResultItem /Result /ResultType
V1.6	APP	DT_RESULT: Removed acceleration time
V1.7	APP	DT_RECORD: Correct Value at Record /RecordType /RecordData /Result (HPQC194954) Add timeline
V1.8	APP	DT_WEATHER: Update triggering [CR021512] DT_WEATHER: Update Weather/Conditions/Code to add GEN [CR021512]
V1.9	APP	DT_PARTIC_TEAMS: Update description for Team/TeamType [HPQC197706] DT_CURRENT: Add DISPLAY/PREVIOUS at ExtendedInfos /ExtendedInfo [CR023234] DT_CURRENT: Update DISPLAY/NEXT and DISPLAY/CURRENT at ExtendedInfos /ExtendedInfo [CR023234] DT_CURRENT: Update triggering [CR023234]
V2.0	APP	DT_ACHIEVEMENT: Message added. CR023194 (not extended)