

# Olympic Data Feed



## Freestyle Skiing ODF Data Dictionary

Technology and Information Department © International Olympic Committee

WOG-2022-FRS-1.3 APP 14 May 2021



#### License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- 4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



# **Table of Contents**

1 Introduction	<u>5</u>
1.1 This document	<u>5</u>
1.2 Objective	
1.3 Main Audience	
1.4 Glossary	
1.5 Related Documents	
2 Messages	
2.1 Freestyle Skiing Overview	
2.2 Applicable Messages	6
2.3 Messages	
2.3.1 List of participants by discipline / List of participants by discipline update	
2.3.1.1 Description	
2.3.1.2 Header Values	
2.3.1.3 Trigger and Frequency	<u>ç</u>
2.3.1.4 Message Structure	<u>ç</u>
2.3.1.5 Message Values	
2.3.1.6 Message Sort	<u>13</u>
2.3.2 List of teams / List of teams update	<u>14</u>
2.3.2.1 Description	<u>14</u>
2.3.2.2 Header Values	<u>14</u>
2.3.2.3 Trigger and Frequency	<u>14</u>
2.3.2.4 Message Structure	<u>15</u>
2.3.2.5 Message Values	<u>15</u>
2.3.2.6 Message Sort	
2.3.3 Event Unit Start List and Results	
2.3.3.1 Description	<u>18</u>
2.3.3.2 Header Values	
2.3.3.3 Trigger and Frequency	
2.3.3.4 Message Structure	<u>19</u>
2.3.3.5 Message Values	
2.3.3.6 Message Sort	
2.3.4 Current Information	<u>38</u>
2.3.4.1 Description	
2.3.4.2 Header Values	
2.3.4.3 Trigger and Frequency	<u>38</u>
2.3.4.4 Message Structure	
2.3.4.5 Message Values	
2.3.4.6 Message Sort	<u>44</u>
2.3.5 Image	
2.3.5.1 Description	
2.3.5.2 Header Values	
2.3.5.3 Trigger and Frequency	
2.3.5.4 Message Structure	<u>45</u>
2.3.5.5 Message Values	
2.3.5.6 Message Sort	<u>48</u>



2.3.6.1 Description	49
2.3.6.2 Header Values	<u>49</u>
2.3.6.3 Trigger and Frequency	<u>49</u>
2.3.6.4 Message Structure	<u>50</u>
2.3.6.5 Message Values	<u>51</u>
2.3.6.6 Message Sort	<u>54</u>
2.3.7 Event Final Ranking	<u>55</u>
2.3.7.1 Description	<u>55</u>
2.3.7.2 Header Values	
2.3.7.3 Trigger and Frequency	<u>55</u>
2.3.7.4 Message Structure	
2.3.7.5 Message Values	
2.3.7.6 Message Sort	
2.3.8 Configuration.	
2.3.8.1 Description	
2.3.8.2 Header Values	
2.3.8.3 Trigger and Frequency	
2.3.8.4 Message Structure	
2.3.8.5 Message Values	
2.3.8.6 Message Sort	
2.3.9 Weather conditions	
2.3.9.1 Description	
2.3.9.2 Header Values	
2.3.9.3 Trigger and Frequency	
2.3.9.4 Message Structure	
2.3.9.5 Message Values	
2.3.9.6 Message Sort	
3 Message Timeline	
3.1 Preparation Phase	
3.2 Before competition	
3.3 During each Unit	<u>/4</u>
3.5 At the end of a phase	
3.6 At the end of the event	
3.7 Exceptional Situations	
4 Document Control	
T DOGUNGII, OONGOL	<u>1 3</u>



## 1 Introduction

## 1.1 This document

This document includes the ODF Freestyle Skiing Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Freestyle Skiing Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description					
IF	International Federation					
IOC	International Olympic Committee					
NOC	tional Olympic Committee					
ODF	Olympic Data Feed					
RSC	Results System Codes					
WNPA	World News Press Agencies					

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



# 2 Messages

## 2.1 Freestyle Skiing Overview

#### MESSAGES IN EACH EVENT

#### \* Big Air, Half Pipe, Slopestyle

Each of these events can be conducted with single heat or two heats in qualification (best of two runs), and up to 3 Runs during the Final.

Each run (or each run in each heat if heats apply) in the competition is scheduled as a separate schedule item. Some can also be conducted in "double-up" format where athletes in qualification are in two heats running alternately. Or two genders running alternately.

Note that Slopestyle default judging format is Section-by-Section, but it can be conducted as overall judging (no sections).

The messages containing results information are separated into two message, one DT\_RESULT for qualification and one DT\_RESULT for the finals. These messages contain all the competitors participating in the phase, with their results, regardless of the number of runs or heats or formats. The runs and heats are scheduled separately.

#### \* Ski Cross

The initial phase will be qualification or seeding depending on the number of competitors. There are up to two runs. There is a single DT\_RESULT for qualification.

The finals consist of multiple heats with leaders progressing to the next phase. There is one DT\_RESULT per heat in addition to a DT\_BRACKETS message.

#### \* Individual Aerials

Qualification in aerials is conducted with two rounds, Qualification 1 and Qualification 2. There is a single DT\_RESULT for qualification including both qualification 1 & 2. In the finals there are two independent rounds, Final 1 and Final 2. There is a single DT\_RESULT for each of the two finals final.

Note that qualification and final 1 includes 2 jumps, and final 2 is one jump only but both use the same structure.

## \* Team Aerials

Team aerials has straight finals there are two independent rounds, Final 1 and Final 2. There is a single DT RESULT for each final. Individual athlete results appear under the athlete element, not by run.

#### \* Moguls

Qualification in moguls is conducted with two rounds, Qualification 1 and Qualification 2. There is a single DT\_RESULT for qualification including both qualification 1 & 2. In the finals there are three independent runs, Final 1, Final 2 and Final 3. There is a single DT\_RESULT for each run.

#### **SCHEDULE**

The DT\_SCHEDULE/DT\_SCHEDULE\_UPDATE will include every heat & run/jump in qualification and finals as well as at phase level (matching the DT\_RESULT messages above).

# 2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this

Olympic Data Feed - © IOC

Applicable Messages



## discipline.

- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\ nextended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of teams / List of teams update	X
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Information	X
DT_IMAGE	Image	X
DT_PRESSPHOTOFINISH_LK	Press Photofinish	
DT_BRACKETS	Brackets	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_WEATHER	Weather conditions	X
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_ESL	Extended Start List	
DT_PIC	Pictures	
DT_PDF	PDF Message	



## 2.3 Messages

## 2.3.1 List of participants by discipline / List of participants by discipline update

## 2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in



		the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.1.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

## 2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			
		BirthDate			
		Height			
		Weight			



PlaceofBirth CountryofBirth PlaceofResidence CountryofResidence Nationality MainFunctionId Current OlympicSolidarity ModificationIndicator Discipline (1,1) Code IFId RegisteredEvent (0,N) Event Bib EventEntry (0,N) Туре Code Pos Value

## 2.3.1.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

## Sample (Version)

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-FRS-1.10" Codes="SOG-2020-1.20" >

Element: Competition /Participant (1,N)						
Attribute	M/O		Val	ue		Description
Code	М	S(20) v zeroes	with	no	leading	Participant's ID.  It identifies an athlete or an official and the holding participant's valid information for one particular period of time.

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline



			It is used to link other messages to the participant's information.
			Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.
			When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.
Parent	М	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.
			The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.  The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".
Status	0	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".
			To delete a participant, a specific value of the Status attribute is used.
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	0	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	0	S(25)	Passport Family Name (Uppercase).
PrintName	М	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	М	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	М	S(35)	TV name
TVInitialName	М	S(18)	TV initial name
TVFamilyName	М	S(25)	TV family name
LocalFamilyName	0	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	0	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	М	CC @PersonGender	Participant's gender
Organisation	М	CC @Organisation	Organisation ID
BirthDate	0	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update



Height	0	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees.  "-" may be used where the data is not available.
Weight	0	S(3)	Weight in kilograms. It will be included if this information is available.  This information is not needed in the case of officials/referees.  Do not send attribute if data not available.
PlaceofBirth	0	S(75)	Place of Birth
CountryofBirth	0	CC @Country	Country ID of Birth
PlaceofResidence	0	S(75)	Place of Residence
CountryofResidence	0	CC @Country	Country ID of Residence
Nationality	0	CC @Country	Participant's nationality.
			Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	0	CC @ResultsFunction	Main function
			In the Case of Current="true" this attribute is Mandatory.
Current	М	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	0	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	М	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only
			N-New participant (in the case that this information comes as a late entry) U-Update participant
			If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants
			If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants
			To delete a participant, a specific value of the Status attribute is used.

## Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	0	S(16)	IF ID (competitor's federation number for the discipline).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update

**Technology and Information Department** 

14 May 2021



accredited without any associated event.					
Attribute	M/O	Value	Description		
Event	М	CC @Event	Full RSC of the Event		
Bib	0	S(5)	Bib number from OVR.		

Elem	lement: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)							
	Type	Code	Pos	Description				
ENTR	RY	RANK_WLD	N/A	Element Expected: When available				
	Attribute	M/O	Value	Description				
	Value	M	S(4)	World Rank of the athlete				
ENTR	RY	RANK_PTS	N/A	Element Expected: When available.				
	Attribute	M/O	Value	Description				
	Value	M	S(7)	FIS points (for this event) Usually in format ###0.00				
ENTR	RY	SEED	N/A	Element Expected: When available				
	Attribute	M/O	Value	Description				
	Value	M	S(4)	FIS Seed Rank (for this event). Usually in format ###0				

## 2.3.1.6 Message Sort

The message is sorted by Participant @Code



## 2.3.2 List of teams / List of teams update

### 2.3.2.1 Description

DT\_PARTIC\_TEAMS contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will different teams.

List of teams (DT\_PARTIC\_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT\_PARTIC\_TEAMS\_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

#### 2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode CC @Competition		Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE		List of participant teams message
Version 1V		Version number associated to the message's content. Ascending number
FeedFlag "P"-Production "T"-Test		Test message or production message.
Date Date		Date when the message is generated, expressed in the local time zone where the message was produced.
Time Time		Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.2.3 Trigger and Frequency

The DT\_PARTIC\_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_TEAMS\_UPDATE messages are sent.

The DT\_PARTIC\_TEAMS\_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.



## 2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Cture of the messa Level 3	Level 4	Level 5	Level 6
Competition (0,1)	•		•		,
	Gen				
	Sport				
	Codes				
	Team (1,N)				
		Code			
		Organisation			
		Number			
		Name			
		ShortName			
		TVTeamName			
		Gender			
		Current			
		TeamType			
		ModificationIndicator			
		Composition (0,1)			
			Athlete (0,N)		
				Code	
		1		Order	
		Discipline (0,1)	1		
			Code		
			IFId		
			RegisteredEvent (0,	1	
				Event	
				EventEntry (0,N)	
					Туре
					Code
					Pos
					Value

# 2.3.2.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		



Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition	Element: Competition /Team (1,N)				
Attribute	M/O	Value	Description		
Code	M	S(20) with no leading zeroes	Team's ID		
Organisation	М	CC @Organisation	Team organisation's ID		
Number	0	Numeric #0	Team's number.  If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc.  Required in the case of current teams.		
Name	M	S(73)	Team name		
ShortName	M	S(40)	Team Short Name		
TVTeamName	M	S(21)	TV Team Name		
Gender	M	CC @SportGender	Gender Code of the Team		
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)		
TeamType	М	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Always use ORG in this discipline.		
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams		

Element: Competition /T	Element: Competition /Team /Composition /Athlete (0,N)				
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition.		
Order	0	Numeric	Team member order		

Element: Competition	Element: Competition /Team /Discipline (0,1)				
Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"					
Attribute	M/O	Value	Description		
Code	М	CC @Discipline	Full RSC of the Discipline		
IFId	0	S(16)	Federation number for the corresponding discipline (include if		

Olympic Data Feed - © IOC

List of teams / List of teams update



	the discipline assigns international federation codes to teams)
--	---

Element: Competition /	Element: Competition /Team /Discipline /RegisteredEvent (0,1)				
Each current team is as	Each current team is assigned to one event. Historical teams will not be registered to any event.				
Attribute M/O Value Description					
Event	М	CC @Event	Full RSC of the Event		

Eleme	Element: Competition /Team /Discipline /RegisteredEvent /EventEntry (0,N)					
Send	Send if there are specific team's event entries.					
Type Code Pos Description						
ENTR	Y	SEED	N/A	Element Expected: When available		
	Attribute	M/O	Value	Description		
	Value	M	S(4)	FIS Seed Rank (for this event). Usually in format ###0		

## 2.3.2.6 Message Sort

The message is sorted by Team @Code.



## 2.3.3 Event Unit Start List and Results

# 2.3.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

#### 2.3.3.2 Header Values

The following table describes the message header attributes

Attribute	Value	Comment			
CompetitionCode	CC @Competition	Unique ID for competition			
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate. The DocumentCode will be sent according to the header values.			
DocumentSubcode	N/A	N/A			
DocumentType	DT_RESULT	Event Unit Start List and Results message			
DocumentSubtype	N/A	N/A			
Version	1V	Version number associated to the message's content. Ascending number			
ResultStatus	CC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). Expected statuses are: START_LIST LIVE (used during the competition when nothing else applies). INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNCONFIRMED (used after the competition is completed and before either UNOFFICIAL or OFFICIAL. It may be sent multiple times if modifications are required and the status has not changed) UNOFFICIAL OFFICIAL PROTESTED			
FeedFlag	"P"-Production "T"-Test	Test message or production message.			
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.			
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.			
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.			
Source	SC @Source	Code indicating the system which generated the message.			

# 2.3.3.3 Trigger and Frequency

This message is sent:

Olympic Data Feed - © IOC

Event Unit Start List and Results

**Technology and Information Department** 

<sup>\*</sup> As soon as the start list is available and any for changes [inc. IRMs] (START\_LIST)



- \* Send with all updates during the unit (LIVE)
- \* In Slopestyle: Send after each athlete completes one section and judges have entered the scores (LIVE)
- \* Send after each athlete (with all intermediate data and judge data) completes the course (and has all data) (LIVE)
- \* In messages with multiple heats, runs or jumps then send after each heat/run/jump group (INTERMEDIATE)
- \* After the competition related to the message is finished. In detail
  - UNCONFIRMED: In cases of photofinish (Cross Event)
  - UNOFFICIAL: As soon as an Event Unit is finished
  - OFFICIAL: After results are validated.
- \* Send as PROTESTED if applicable
- \* After any change (status as appropriate)

## 2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,	1)	•	,		,		
	Gen						
	Sport						
	Codes						
	ExtendedInfos	(0,1)					
		UnitDateTime (	0,1)				
		ı	StartDate				
		ExtendedInfo (0	<u>),N)</u>				
			Туре				
			Code				
			Pos				
			Value				
			Competitor (0,N	T.			
				Organisation			
				Order			
				Composition (0	1		
					Athlete (1,N)	Family Norms	
						FamilyName GivenName	
		SportDescriptio	n (0.1)			Givernivarrie	
		Shournescribing	DisciplineName	<b>.</b>			
			EventName	•			
			Gender				
			SubEventName	<u> </u>			
		VenueDescripti	I	-			
			Venue				



	VenueName
	Location
	LocationName
Officials (0,1)	
Official (1,N)	
'	Code
	Function
	Order
	Description (1,1)
	GivenName
	FamilyName
	Gender
	Organisation
<u> </u>	ExtOfficial (0,N)
'	Туре
	Code
	Pos
	Value
Result (1,N)	
Rank	
RankEqual	
Result	
IRM	
QualificationMark	
SortOrder	
StartOrder	
StartSortOrder	
ResultType	
Diff	
ExtendedResults	
]	ExtendedResult (1,N)
	Туре
	Code
	Pos
	Value
	Rank
	RankEqual
<u>                                     </u>	Diff
ResultItems (0,1)	



```
ResultItem (1,N)
                               Unit
                               Order
                               Result (1,1)
                                               Rank
                                               RankEqual
                                               ResultType
                                               Result
                                               IRM
                                               QualificationMark
                                               Diff
                                               SortOrder
                                               StartOrder
                                               StartSortOrder
                                               ExtendedResults (0,1)
                                                               ExtendedResult (1,N)
                                                                               Туре
                                                                              Code
                                                                              Pos
                                                                               Value
                                                                              Value2
                                                                              IRM
                                                                              Rank
                                                                              RankEqual
                                                                              SortOrder
                                                                              Diff
                                                                              Discard
Competitor (1,1)
               Code
               Туре
               Bib
               Organisation
               Description (0,1)
                               TeamName
                               IFId
               Composition (0,1)
                               Athlete (0,N)
                                               Code
                                               Order
```



Bib Description (1,1) GivenName FamilyName Gender Organisation BirthDate IFId EventUnitEntry (0,N) Туре Code Pos Value ExtendedResults (0,1) ExtendedResult (1,N) Туре Code Pos Value IRM Discard

# 2.3.3.5 Message Values

Element: Competition (0,1)								
Attribute	M/O	Value	Description					
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message					
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message					
Codes	0	S(20)	Version of the Codes applicable to the message					

Element: Competition /ExtendedInfos /UnitDateTime (0,1)								
Actual start date and time / end date and time. (do not include until unit starts)								
Attribute	M/O	Value	Description					
StartDate	М	DateTime	Actual start date-time. Do not include until competition starts.					

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)							
Туре	Code	Pos	Description				
UI			Pos Description: Send the sequential number, 1, to sort the forerunners.				



				Element Expected: Always if forerunner.		
	Attribute	M/O	Value	Description		
	Value	M	S(3)	Forerunners code F1, F2.		
UI		LAST_QUAL	CC @Unit	Pos Description: Full RSC of the heat/run as applicable or not included when the single group. Element Expected: When available where athletes progress		
	Attribute	M/O	Value	Description		
	Value	M	S(20) with no leading zeroes	Send the current last qualifying place competitor ID.  In the situation where insufficient competitors have participated to show the last qualifying position then show the current last place.		
UI		OVERALL	N/A	Element Expected: When available in slopestyle where judging is by sections		
	Attribute	M/O	Value	Description		
	Value	M	Numeric ##0	Send the % that overall contributes to the total.		
UI		SECTIONS	N/A	Element Expected: When available in Slopestyle where judging is by sections		
	Attribute	M/O	Value	Description		
	Value	M	Numeric ##0	Send the % that sections contributes to the total.		
UI		STARTERS	CC @Unit	Pos Description: Full RSC of the heat/run as applicable or not included when the extension included overall. Element Expected: Always where athletes compete one by one As a minimum the overall (no @Pos) is sent, additional inclusions depending on heats/runs applicable.		
	Attribute	M/O	Value	Description		
	Value	M	Numeric ##0	Sent the number of competitors on the start list		
	<b>Expected Always after</b>	tion /ExtendedInfos /Exter status START_LIST in uni y IRMs already assigned.		one by one. Send immediately when unit		
	Attribute	Value	Description			
	Code	COMPLETE				
	Pos	N/A				
	Value	Numeric ##0	Send the number of c (includes IRMs)	ompetitors whose event unit is completed		
DISPI	LAY	LAST_COMP	CC @Unit	Pos Description: Full RSC of the heat/run as applicable or not included when the extension included overall. Element Expected: When available and only when the unit is		



			LIVE, INTERMEDIATE, UNOFFICIAL or UNCONFIRMED
Attribute	M/O	Value	Description
Value	М		Send the competitor ID of the last competitor to compete and receive a result.

Element: Competition /ExtendedInfos /ExtendedInfo /Competitor (0,N)							
Used for forerunners and similar who do not participate in the competition. Not usually part of DT_PARTIC.							
Attribute	M/O	Value	Description				
Organisation	0	CC @Organisation	Organisation ID of the forerunner.				
Order	М	Numeric #0	Order of the competitor associated to the ExtendedInfo, if more than one competitor associated. Send 1 if only one.				

Element: Competition /ExtendedInfos /ExtendedInfo /Competitor /Composition /Athlete (1,N)											
Used when the ExtendedInfo is related to a person or a team member. The FamilyName and GivenName because, in many cases, the person related to the ExtendedInfo is not an athlete.											
Attribute	M/C		Valu	ie				Descrip	tion		
FamilyName	M	S(25)	S(25)		Family name of the forerunner						
GivenName	0	S(25)	S(25)		Given name of the forerunner						

## Sample (Forerunner)

Element: Competition /ExtendedInfos /SportDescription (0,1)							
Sport Descriptions in Text.							
Attribute	M/O	Value	Description				
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes				
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.				
Gender	М	CC @SportGender	Gender code for the event unit				
SubEventName	М	S(40)	EventUnit ENG Description (not code) from Common Codes This is the name related to the DocumentCode of the message.				



Element: Competition /ExtendedInfos /VenueDescription (0,1)				
Venue Names in Text.				
Attribute	M/O	Value	Description	
Venue	М	CC @VenueCode	Venue Code	
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes	
Location	М	CC @Location	Location code	
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes	

Element: Competition /Officials /Official (1,N)			
Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Official's code
Function	M	CC @ResultsFunction	Official's function (example: referee, etc.). Can be different from the function sent in the DT_PARTIC message.
Order	М	Numeric	Order of officials.

Element: Competition	Element: Competition /Officials /Official /Description (1,1)			
Officials extended information.				
Attribute	M/O	Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case)	
FamilyName	М	S(25)	Family name in WNPA format (mixed case)	
Gender	М	CC @PersonGender	Gender of the official	
Organisation	М	CC @Organisation	Official's organisation	

Elem	lement: Competition /Officials /Official /ExtOfficial (0,N)			
	Туре	Code	Pos	Description
EO		POSITION	Numeric 0	Pos Description: Judge Position, 1, 2 Element Expected: Always for Judges (not Head) else do not send.
	Attribute	M/O	Value	Description
	Value	М	S(2)	Send the position for the judge (J1, J2)
EO		SECTOR	N/A	Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	M	S(5)	Send sectors related with Judge
EO		TYPE	N/A	Element Expected: Moguls and Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	SC @JudgeType	Send the judge type
EO		SUB	Numeric	Pos Description:



			#0	Sequential number for the judge for each unit Element Expected: Only if this official did not participate in all heats/runs of the competition of this message (all is assumed without this extension)
	Attribute	M/O	Value	Description
	Value	М	CC @Unit	RSC of the run/heat unit where this official did officiate.
EO		VIDEO	N/A	Element Expected: If the official has access to video review
	Attribute	M/O	Value	Description
	Value	M	SC @VideoReview	Send applicable code

#### Sample (Slopestyle)

```
<Officials>
  <Official Code="2004409" Function="TCH_DEL" Order="1">
    <Description GivenName="Jack" FamilyName="Blocker" Gender="M" Organisation="GER" />
  </Official>
  <Official Code="2004405" Function="JU" Order="7">
    <Description GivenName="Tom" FamilyName="Jones" Gender="M" Organisation="USA" />
    <ExtOfficial Type="EO" Code="POSITION" Pos="1" Value="J1" />
<ExtOfficial Type="EO" Code="TYPE" Value="P1" />
     <ExtOfficial Type="EO" Code="SECTOR" Value="1-3" />
  </Official>
  <Official Code="4110000" Function="JU" Order="8">
<Description GivenName="Barry" FamilyName="Norman" Gender="M" Organisation="BEL" />
<ExtOfficial Type="EO" Code="POSITION" Pos="2" Value="J2" />
    <ExtOfficial Type="EO" Code="TYPE" Value="P1" />
<ExtOfficial Type="EO" Code="SECTOR" Value="1-3" />
  </Official>
  <Official Code="2004414" Function="JU" Order="11">

<
  </Official>
</Officials>
```

Element: Competitio	Element: Competition /Result (1,N)				
In Cross, BA, HP and	d SS and Qual <sub>I</sub>	phase for MO and AE (Fi	nal 1) this element only contains the phase result information.		
Attribute	M/O	Value	Description		
Rank	0	String	Rank of the competitor. In the case of BA, HP and SS qualifications there may also be athletes with the same rank in the case that qualifications are conducted in heats. This rank is the heat rank in BA/HP/SS. In AE & MO it is the rank considering both runs/jumps where 2 runs/jumps apply.		
RankEqual	0	S(1)	Send 'Y' if the rank is equalled else do not send. (They are not considered equal for the special case above).		
Result	0	m:ss.ff	Result of data in the message		



		or ##0.00	Send in the case @ResultType is TIME or POINTS
IRM	0	SC @IRM	IRM for the event unit Send only in the case @ResultType is IRM
QualificationMark	0	SC @QualificationMark	Qualifying Mark.
SortOrder	M	Numeric #0	This attribute is a sequential number with the order of the results for the event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. (even if some have IRM) Updated during the race with the current order, which is those with rank followed by those with IRM followed by those who have not started.  In the case of units with heats the heat 2 will follow heat 1. In the case of Snowseed this should be updated with the correct order.
StartOrder	0	S(3)	The start order of the unit. For Ski Cross Finals this field is the Lane Choice In the case of multiple heats numbers will be repeated. In the case of multiple runs (but not multiple heats) this will be the start order of the first run.
StartSortOrder	М	Numeric #0	Used to sort all start list competitors in an event unit. In the case of Snowseed this should be updated with the correct order.
ResultType	0	SC @ResultType	Result type as appropriate
Diff	0	+m:ss.ff	Time behind leader in the unit (only for those with a result). 0.00 for the leader. Do not send leading zeros. Only send in the case @ResultType is TIME Ski Cross: - In seeding: time difference compared to the leader In Finals: time difference compared to the Heat leader.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
	Туре	Code	Pos	Description
ER		ADVANCED	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	'Y' to indicate the competitor is advanced to the next phase as a result of a tie-break or judge decision else do not send.
ER		DSQ_DESC	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	Text	Text description of the reason for disqualification.
ER		RE_RUN	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send 'Y' if the competitor is granted a Re- Run else do not send. Do not send after Re- Run complete



ER		РНОТО	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	To know if the competitor's final result was decided by photo. Send E for Photo evaluated Send P for Pending Status Otherwise do not send If pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,,,4 and SortOrder = 1,2,3,4
ER		POT_DSQ	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send "Y" if the competitor is a potential disqualification in this unit else do not send.
ER		TIEBREAK_FOR	N/A	Element Expected: If applicable for athlete in a tie
	Attribute	M/O	Value	Description
	Value	М	Numeric #0 or ###0.00	Tied rank (HP, Slopestyle, SX) to break or tied score (MO, AE)
ER		TIEBREAK_PTS	N/A	Element Expected: If applicable in AE, MO, BA, HP and SS all phases for athletes in a tie
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.00#	Should be the tie-break points of the run which breaks the tie, or the total score of worst run depending on the criteria which breaks the tie.
ER		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send number of cards of this type
ER		JUMPS	N/A	Element Expected: Only for team aerials
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Send number jumps completed for this team in the unit
PROC	GRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2F). For Ski Cross, intermediate S will manage the reaction time. Element Expected: When data is available



	Attribute	M/O	Value	Description
	Value	М	m:ss.ff	Time at the intermediate point. Not included in Cross finals phases
	Rank	M	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
	Diff	M	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader.  Not included in Cross finals phases
PRO	GRESS	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (2 F). For example 2 is the section from intermediate 1 to intermediate 2 etc. Element Expected: When data is available
	Attribute	M/O	Value	Description
	Value	М	s.ff	Time for the section ending at the intermediate point @Pos.
	Rank	М	S(2)	Send the rank of the competitor in the section not considering IRMs
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PRO	GRESS	SPEED	N/A	Element Expected: When available in cross
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.00	Average speed in km/h

## Element: Competition /Result /ResultItems /ResultItem (1,N)

The ResultItems element is ALWAYS used in (once the start order is available) Cross Qualification, MO, AE (individual), BA, HP and SS regardless of the number of jumps, runs and heats required.

Attribute	M/O	Value	Description
Unit	М	CC @Unit	RSC of the unit
Order	М	Numeric #0	Logical order of the units, schedule order expected.

Element: Competition /Result /ResultItems /ResultItem /Result (1,1)				
Attribute	M/O	Value	Description	
Rank	0	S(3)	Rank of the competitor in the result for the unit identified by /ResultItems /ResultItem.	
RankEqual	0	S(1)	Send Y in case of the Rank has been equalled else do not send.	
ResultType	0	SC @ResultType	Type of the @Result attribute for the event unit or phase identified by /ResultItems /ResultItem	



Result	0	m:ss.ff or ##0.00	Result for this ResultItem Send in the case @ResultType is TIME or POINTS
IRM	0	SC @IRM	The invalid result mark, in case it is assigned for the event unit. Send in the case @ResultType is IRM
QualificationMark	0	SC @QualificationMark	Send if applicable in MO and AE.
Diff	0	+s.ff	Time behind leader.
SortOrder	М	Numeric ##0	Used to sort all results in an event unit or phase identified by / ResultItems /ResultItem
StartOrder	0	S(3)	The start order as displayed
StartSortOrder	М	Numeric #0	Used to sort all start list competitors

Elen				sults /ExtendedResult (1,N)
	Туре	Code	Pos	Description
ER		AFTER	N/A	Element Expected: Always. This is the result for the competitor up to and including this ResultItem. Included for each competitor when that competitor finishes this run. Attribute values may change in case of IRMs that impact the phase.
	Attribute	M/O	Value	Description
	Value	0	m:ss.ff or ##0.00	Best score/cumulative result after this competitor has finished this ResultItem.
	IRM	0	SC @IRM	The invalid result mark
	Rank	0	S(3)	Rank of the competitor after this ResultItem for this competitor.  MO/AE: Based on existing results from the previous unit if applicable starting from 1.
	RankEqual	0	S(1)	Send Y in case of the Rank has been equalled else do not send.
	SortOrder	М	Numeric ##0	Used to sort all athletes who have completed the run (or have IRM) MO/AE: Based on existing results from the previous unit if applicable starting from 1.
ER		TIEBREAK_PTS	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.00 or ##0.000	Should be the tie-break points of the run which breaks the tie, or the total score of worst run depending on the criteria which breaks the tie.
ER		BEST	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send 'Y' if this run is the current best(s) for the competitor else do not send. Consider two in Big Air Finals if applicable in the format



ER		DISCARD	N/A	Element Expected:		
				In Big Air when score discarded		
	Attribute	M/O	Value	Description		
	Value	M	S(1)	Send 'Y' if this jumped is discarded		
ER		RE_RUN	N/A	Element Expected: If applicable		
	Attribute	M/O	Value	Description		
	Value	M	S(1)	Send 'Y' if the competitor is granted a Re- Run else do not send. Do not send after Re- Run is complete		
ER		JUMP	Numeric 0	Pos Description: Send the jump/trick number in the run. 1 Always 1 for BA. Element Expected: MO, SS, BA, HP, Aerials Send as soon as available.		
	Attribute	M/O	Value	Description		
	Value	M	S(15) or SC @Trick	Code of the jump or trick		
		ion /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult /Extension ot send for Aerials in case of IRM				
	Attribute	Value	Description			
	Code	DD				
	Pos	N/A				
	Value	Numeric 0.00# Degree of difficulty of the jump. 0.000				
	Sub Element: Competiti Expected Do not send for		ResultItem /Result /Extend	dedResults /ExtendedResult /Extension		
	Attribute	Value	Description			
	Code	DESC				
	Pos	N/A				
	Value	S(50)	Text description of the jum	пр		
		on /Result /ResultItems /F o not send for Aerials in		dedResults /ExtendedResult /Extension		
	Attribute	Value	Description			
	Code	KICKER				
	Pos	N/A				
	Value	Numeric 0	Send the athlete kicker po	osition		
ER		JUMP_ID	N/A	Element Expected: Big Air		
	Attribute	M/O	Value	Description		
	Value	М	S(1)	Jump ID		
PRO	GRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2F).		

Olympic Data Feed - © IOC Technology and Information Department Event Unit Start List and Results



				Intermediate S will manage the reaction time. Element Expected: Cross Qualification		
	Attribute	M/O	Value	Description		
	Value	M	m:ss.ff	Time at the intermediate point.		
	Rank	М	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.		
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.		
	Diff	M	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader.		
JUDG	Ε	[Judge Positon (J1, J2,)] or TOTAL	S(5)	Code Description: Send Judge Position (J1, J2,) Pos Description: Judge order 1, 2,in HP, SS, BA and Score type in AE, AIR, FORM or LAND Element Expected: When data is available in MO, AE, HP, BA, Slopestyle		
	Attribute	M/O	Value	Description		
	Value	M	Numeric ##0 or #0.0	Judge score (Base Score for MO, do not send for J6, J7).		
	Discard	0	S(1)	Send 'Y' if this score is discarded else do not send (AE, BA, HP, MO)		
	Sub Element: Compet Expected When applic	tion /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult /Extension able				
	Attribute	Value	Description			
	Code	AIR				
	Pos	Numeric 0	Send jump number in MC Send 0 for discarded resu			
	Value	Numeric 0.0	Judge score for air.			
	Sub Element: Compet Expected When applic		ResultItem /Result /Extend	dedResults /ExtendedResult /Extension		
	Attribute	Value	Description			
	Code	DED				
	Pos	Numeric 0	Send 0 for discarded ded	uctions otherwise 1.		
	Value	Numeric -0.0	Deduction value for turns	in moguls.		
JUDG	E	AIR	N/A	Element Expected: MO only		
	Attribute	M/O	Value	Description		
	Value	M	Numeric #0.00	Total air score		
			#0.00			



				MO only
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Total base value scores from judges.
JUE	OGE	DED	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	M	Numeric -#0.0	Total deduction value for turns.
JUE	OGE	TURNS	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Total turns score in MO (base & deductions)
ER		TIME	N/A	Element Expected: MO only
	Attribute	M/O	Value	Description
	Value	M	ss.ff	Time for the run-in moguls
	Value2	M	Numeric #0.00	Time points for the run-in moguls
JUE	OGE	OVERALL	N/A	Element Expected: Slopestyle where judging is by sections and Aerials
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Score from the overall judges In aerials this does not consider the DDI
	Rank	M	S(2)	Send the overall judges rank
	RankEqual	0	S(1)	Send Y where Rank at this specific ExtendResult is equalled else not sent.
11.15				
JUL	OGE	SECT	S(1)	Pos Description: The section of the course scored. Element Expected: Slopestyle where judging is by sections
JUL	OGE Attribute	SECT M/O	S(1)  Value	The section of the course scored. Element Expected:
JUL				The section of the course scored. Element Expected: Slopestyle where judging is by sections
JUL	Attribute	M/O	Value Numeric	The section of the course scored. Element Expected: Slopestyle where judging is by sections  Description  Score for the section
JUL	Attribute Value	<b>M/O</b> M	Value Numeric #0.0	The section of the course scored. Element Expected: Slopestyle where judging is by sections  Description  Score for the section (sum of all scores of the section)
	Attribute Value Rank	<b>M/O</b> M  M	Value Numeric #0.0 S(2)	The section of the course scored. Element Expected: Slopestyle where judging is by sections  Description  Score for the section (sum of all scores of the section)  Send the rank in the section.  Send 'Y' where Rank at this Section is
	Attribute Value Rank RankEqual	M/O M M O	Value Numeric #0.0 S(2) S(1)	The section of the course scored.  Element Expected: Slopestyle where judging is by sections  Description  Score for the section (sum of all scores of the section)  Send the rank in the section.  Send 'Y' where Rank at this Section is equalled else not sent.  Pos Description: The Section of the course scored. Element Expected:
	Attribute Value Rank RankEqual	M/O  M  M  O  SECT_PROG	Value Numeric #0.0 S(2) S(1) S(1)	The section of the course scored.  Element Expected: Slopestyle where judging is by sections  Description  Score for the section (sum of all scores of the section)  Send the rank in the section.  Send 'Y' where Rank at this Section is equalled else not sent.  Pos Description: The Section of the course scored. Element Expected: Slopestyle where judging is by sections



	RankEqual	0	S(1)	Send 'Y' if Rank is equalled, otherwise do not send.		
ER		DSQ_DESC	N/A	Element Expected: If applicable		
	Attribute	M/O	Value	Description		
	Value	М	Text	Text description of the reason for disqualification.		
ER		POT_DSQ	N/A	Element Expected: If applicable		
	Attribute	M/O	Value	Description		
	Value	М	S(1)	Send "Y" if the competitor is a potential disqualification in this unit else do not send.		

## Sample (BA)

```
<Result Rank="1" Result="174.25" ResultType="POINTS" SortOrder="1">
  <ResultItems>
    <ResultItem Unit="FRSMBA-----FNL-000100--">
      <Result Rank="1" Result="88.50" ResultType="POINTS" SortOrder="1" StartOrder="6" StartSortOrder="6">
        <ExtendedResults>
          <ExtendedResult Type="ER" Code="BEST" Value="Y" />
          <ExtendedResult Type="JUDGE" Code="J1" Value="90" Pos="1" Discard="Y"/>
<ExtendedResult Type="JUDGE" Code="J2" Value="89" Pos="2" />
          <ExtendedResult Type="JUDGE" Code="J3" Value="89" Pos="3" />
          <ExtendedResult Type="JUDGE" Code="J4" Value="88" Pos="4" />
<ExtendedResult Type="JUDGE" Code="J5" Value="88" Pos="5" />
          <ExtendedResult Type="JUDGE" Code="J6" Value="87" Pos="6" Discard="Y"/>
        </ExtendedResults>
      </Result>
    </ResultItem>
    <ResultItem Unit="FRSMBA-----
                                            ----FNL-000200--">
      <Result Rank="1" Result="88.50" ResultType="POINTS" SortOrder="1" StartOrder="6" StartSortOrder="6">
        <ExtendedResults>
          <ExtendedResult Type="JUDGE" Code="J1" Value="90" Pos="1" Discard="Y"/>
<ExtendedResult Type="JUDGE" Code="J2" Value="89" Pos="2" />
          <ExtendedResult Type="JUDGE" Code="J3" Value="89" Pos="3" />
```

Element: Competition /Result /Competitor (1,1) Competitor related to the result of one event unit.						
Attribute M/O Value Description						
Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available NOCOMP is sent when there is no competitor (and will not come later)			
Туре	M	S(1)	A for athlete, T for team			
Bib	0	S(5)	Bib number of the team in team events			
Organisation	0	CC @Organisation	Competitor's organisation			

Element: Competition /Result /Competitor /Description (0,1) Competitors extended information.

Olympic Data Feed - © IOC

Technology and Information Department

Event Unit Start List and Results



Attribute	M/O	Value	Description
TeamName	М	S(73)	Name of the team
IFId	0	S(16)	IFId of the team

Element: Competition	Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description			
Code	M	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") on the results or 1 if Competitor @Type="A".			
Bib	0	S(5)	Bib number			

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)						
Athletes extended info	Athletes extended information.					
Attribute M/O Value Description						
GivenName	0	S(25)	Given name in WNPA format (mixed case)			
FamilyName	M	S(25)	Family name in WNPA format (mixed case)			
Gender	M <u>CC @PersonGender</u> Gender of the athlete		Gender of the athlete			
Organisation	M	CC @Organisation	Athletes' organisation			
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available			
IFId	0	S(16)	International Federation ID			

Elem	ent: Competition /Res	sult /Competitor /Compos	sition /Athlete /EventUnitE	ntry (0,N)
Indivi	dual athletes entry ir	nformation.		
	Туре	Code	Pos	Description
EUE		BIB_COLOUR	N/A	Element Expected: Final phases in individual cross.
	Attribute	M/O	Value	Description
	Value	M	SC @BibColour	Send colour
EUE		SNOWSEED	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send "Y" if the athlete is assigned a Snowseed else do not send.
EUE		RESERVE	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send "Y" if the athlete is a reserve
EUE		PR	N/A	Element Expected: Moguls except qualification 1
	Attribute	M/O	Value	Description
	Value	M	S(3)	Result in previous round, could be rank or

Olympic Data Feed - © IOC



IRM.	
------	--

	ent: Competition /Res for team members wi		on /Athlete /ExtendedF	Results /ExtendedResult (1,N)	
,	Туре	Code	Pos	Description	
ER		DSQ_DESC	N/A	Element Expected: If applicable	
	Attribute	M/O	Value	Description	
	Value	М	Text	Text description of the reason for disqualification.	
ER		JUMP	N/A	Element Expected: Send as soon as available. (before the start) Do not send in case of IRM	
	Attribute	M/O	Value	Description	
	Value	М	S(15) or SC @Trick	Code of the jump	
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Do not send in case of IRM				
	Attribute	Value	Description	Description	
	Code	DD			
	Pos	N/A			
	Value	Numeric 0.00	Degree of difficulty of the jump.		
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected AET. Do not send in case of IRM				
	Attribute	Value	Description		
	Code	DESC			
	Pos	N/A			
	Value	S(50)	Text description of th	ne jump	
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected AET. Do not send in case of IRM				
	Attribute	Value	Description		
	Code	KICKER			
	Pos	N/A			
	Value	Numeric 0	Send the athlete kicker position		
ER		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)	
	Attribute	M/O	Value	Description	
	Value	М	Numeric 0	Send number of cards of this type	
JUDGE		[Judge Positon (J J2,)] or TOTAL	1, S(5)	Code Description: Send Judge Position (J1, J2,)	



				Pos Description: Score type: AIR, FORM, LAND Element Expected: When data is available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Judge score
	Discard	0	S(1)	Send 'Y' if this score is discarded else do not sent
JUDG	SE .	OVERALL	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Score from the overall total judges score in AE without considering DD.
ER		SCORE	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	0	Numeric ##0.00	Score for this athlete
	IRM	0	SC @IRM	IRM if applicable (only where applicable and there is no score)

## 2.3.3.6 Message Sort

Sort by Result @SortOrder



#### 2.3.4 Current Information

### 2.3.4.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information.

This message should only be used to build a standalone current table and not used to merge data with the DT\_RESULT message. If the message is merged there is be conflicts where multiple people can have the same intermediate rank and the full DT\_RESULT is only updated after each athlete.

#### 2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate. The DocumentCode will be sent according to the header values.	
DocumentSubcode	N/A	N/A	
DocumentType	DT_CURRENT	Current message	
DocumentSubtype	N/A	N/A	
Version	1V	Version number associated to the message's content. Ascending number	
FeedFlag	"P"-Production "T"-Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zon where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

## 2.3.4.3 Trigger and Frequency

This message is sent:

- \* Before the competition or run starts with the value of NEXT
- \* At any time a competitor starts. (This athlete/pair will be considered current) and there will be a new 'next' (unless last athlete).
- \* Immediately after every addition/change in data during the run.
- \* Immediately after each competitor completes the course and the data is available.

Each message will only include the athletes currently on the course and the one/pair to follow 'Next'; this is usually not more than four athletes.



## 2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1         Level 2         Level 3         Level 4         Level 5           Competition (0,1)         Gen         Sport         Codes         ExtendedInfos (0,1)         Type         Code           Type         Code         Code<
Gen Sport Codes  ExtendedInfos (0,1)  ExtendedInfo (1,N)  Type Code
Sport Codes  ExtendedInfos (0,1)  ExtendedInfo (1,N)  Type Code
Codes  ExtendedInfos (0,1)  ExtendedInfo (1,N)  Type Code
ExtendedInfos (0,1)  ExtendedInfo (1,N)  Type Code
ExtendedInfo (1.N)  Type  Code
Type Code
Code
Pos
Value
Result (0,N)
SortOrder
StartSortOrder
ExtendedResults (0,1)
ExtendedResult (1,N)
Туре
Code
Pos
Value
Value2
Rank
RankEqual
Diff
Discard
Competitor (1,N)
Code
Туре
Organisation

## 2.3.4.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		



Codes	0	S(20)	Version of the Codes applicable to the message
		` '	1.1

Eleme	Element: Competition /ExtendedInfos /ExtendedInfo (1,N)					
	Туре	Code	Pos	Description		
DISPLAY		CURRENT	CC @Unit or S(1)	Pos Description: Full RSC of the heat/run as applicable or 1,2 etc. when a single group (for multiple competitors). Element Expected: When available		
	Attribute	M/O	Value	Description		
	Value	M	S(20) without leading zeroes	Send the competitor ID of the current competitor(s) or in team aerials, the current athlete		
	Sub Element: Competition /ExtendedInfo Expected Moguls and aerials and team ac		dedInfo /Extension			
	Attribute	Value	Description			
	Code	TO_BEAT				
#0 and 13 plus <a href="https://athletes.progre-in.nt/">athletes.progre-in.nt/</a> in this rank.		and 13 plus <last exists<="" if="" noin="" position="" progress="" qualificathletes="" rank.="" send="" td="" the="" this="" to=""><td colspan="2">I if the position exists and is better than the current position of the</td></last>	I if the position exists and is better than the current position of the			
	Value	Numeric ##0.00	Send the points needed (to beat) for the corresponding rank (in @Pos)			
DISPL	AY	NEXT	CC @Unit  Pos Description: Full RSC of the heat/run as applicab included when the single group. Element Expected: When available			
	Attribute	M/O	Value	Description		
	Value	М	S(20) without leading zeroes	Send the competitor ID of the next competitor(s) or in team aerials, the current athlete.		

### Sample (Big Air)

<ExtendedInfos>
<ExtendedInfo Type="DISPLAY" Code="CURRENT" Pos="1" Value="123456" />
<ExtendedInfo Type="DISPLAY" Code="NEXT" Value="123666" />

</ExtendedInfos

Element: Competition /Result (0,N)						
Attribute	M/O	Value	Description			
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. (even if some			

Olympic Data Feed - © IOC

**Current Information** 



			have IRM) Updated during the race with the current order, which is those with rank followed by those with IRM followed by those who have not started.
StartSortOrder	М	Numeric ##0	Used to sort all start list competitors in an event unit.

Elem	ent: Competition /Result /	ExtendedResults /Extend	ledResult (1,N)				
	Туре	Code	Pos	Description			
ER		JUMP	Numeric 0	Pos Description: Send the jump/trick number in the run. 1n Element Expected: Slopestyle, aerials, moguls, BA, HP and team aerials. Send as soon as available. Do not send for Aerials in case of IRM			
	Attribute	M/O	Value	Description			
	Value	M	S(15) or SC @Trick	Code of the jump or trick (in slopestyle)			
		on /Result /ExtendedResults /ExtendedResult /Extension eguls. Do not send for Aerials in case of IRM					
	Attribute	Value	Description				
	Code	DD					
	Pos	N/A					
	Value	Numeric 0.000	Degree of difficulty of the jump				
		lement: Competition /Result /ExtendedResults /ExtendedResult /Extension ted Aerials. Do not send for Aerials in case of IRM					
	Attribute	Value	Description				
	Code	DESC					
	Pos	N/A					
	Value	S(50)	Text description of the jump				
		ion /Result /ExtendedResults /ExtendedResult /Extension Do not send for Aerials in case of IRM					
	Attribute	Value	Description				
	Code	KICKER					
	Pos	N/A					
	Value	Numeric 0	Send the athlete kicker po	sition			
ER		JUMP_ID	N/A	Element Expected: Big Air			
	Attribute	M/O	Value	Description			
	Value	M	S(1)	Jump ID			
JUDG	E	[Judge Position (J1, J2,)] or TOTAL	S(5)	Code Description: Send Judge Position (J1, J2,) Pos Description: Score type: AIR, FORM, LAND Element Expected:			



Attribute Code Pos Value	Value AIR Numeric 0 Numeric 0.0 Competition /Result /Externonly	Value  Numeric ##0 or 0.0 S(1)  dedResults /ExtendedRes  Description  Send jump number  Judge score for ai	er in MO.				
Value  Discard  Sub Element: Expected MO of Attribute  Code Pos  Value  Sub Element: Expected MO of Attribute  Code Pos  Value  JUDGE  Attribute  Value	O Competition /Result /Extenonly Value AIR Numeric 0 Numeric 0.0 Competition /Result /Extenonly	Numeric ##0 or 0.0 S(1)  ndedResults /ExtendedRes  Description  Send jump number  Judge score for all	Judge score (Base Score for MO, do not send for J6, J7).  Send 'Y' if this score is discarded else do not send (MO)  ult /Extension  er in MO.				
Discard  Sub Element: Expected MO Attribute  Code Pos  Value  Sub Element: Expected MO Attribute  Code Pos  Value  JUDGE  Attribute  Value	O Competition /Result /Extenonly  Value  AIR  Numeric  0  Numeric  0.0  Competition /Result /Extenonly	##0 or 0.0 S(1)  dedResults /ExtendedRes  Description  Send jump number  Judge score for all	send for J6, J7).  Send 'Y' if this score is discarded else do not send (MO)  ult /Extension  er in MO.				
Sub Element: Expected MO Attribute Code Pos Value Sub Element: Expected MO Attribute Code Pos Value JUDGE Attribute Value	Competition /Result /Extended /Result /	Description  Send jump number  Judge score for all	send (MO)  ult /Extension  er in MO.				
Expected MO Attribute  Code Pos Value  Sub Element: Expected MO Attribute  Code Pos Value  JUDGE  Attribute  Attribute  Value	Value AIR Numeric 0 Numeric 0.0 Competition /Result /Externonly	Send jump number	er in MO.				
Code Pos Value Sub Element: Expected MO Attribute Code Pos Value  JUDGE  Attribute  Attribute  Value	AIR  Numeric 0  Numeric 0.0  Competition /Result /Externonly	Send jump numbe					
Pos  Value  Sub Element: Expected MO  Attribute  Code Pos  Value  JUDGE  Attribute  Value	Numeric 0 Numeric 0.0 Competition /Result /Extenonly	Judge score for a					
Value  Sub Element: Expected MO of Attribute Code Pos Value  JUDGE  Attribute  Attribute  Value	Numeric 0.0 Competition /Result /Externonly	Judge score for a					
Sub Element: Expected MO  Attribute  Code  Pos  Value  JUDGE  Attribute  Value	0.0  Competition /Result /Extenonly		ir				
Attribute Code Pos Value  JUDGE  Attribute  Attribute Value	only	<u> </u>	п.				
Code Pos Value  JUDGE  Attribute Value		idedResults /ExtendedRes	n /Result /ExtendedResults /ExtendedResult /Extension				
Value  JUDGE  Attribute  Value	Value	Description					
Value  JUDGE  Attribute  Value	DED						
JUDGE  Attribute  Value	Numeric 0	Send 0 for discard	Send 0 for discarded deductions otherwise 1.				
Attribute Value	Value Numeric -0.0		or turns.				
Value	AIR	N/A	Element Expected: MO only				
	M/O	Value	Description				
JUDGE	М	Numeric #0.00	Total air score				
	BASE	N/A	Element Expected: MO only				
Attribute	M/O	Value	Description				
Value	М	Numeric #0.0	Total base value scores from judges.				
JUDGE	DED	N/A	Element Expected: MO only				
Attribute	M/O	Value	Description				
Value	М	Numeric -#0.0	Total deduction value for turns.				
JUDGE	TURNS	N/A	Element Expected: MO only				
Attribute	M/O	Value	Description				
Value	М	Numeric #0.0	Total turns score in MO (base & deductions)				
ER	TIME	N/A	Element Expected: MO only				
Attribute		Value	Description				



	Value	M	ss.ff	Time for the run-in moguls
	Value2	М	Numeric #0.00	Time points for the run-in moguls
JUDO	GE .	OVERALL	N/A	Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Score from the overall judges in slopestyle without considering DD.
JUDO	GE .	SECT	S(1)	Pos Description: The section of the course scored. Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0	Score for the section
	Rank	M	S(2)	Send the rank in the section
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
JUDO	GE	SECT_PROG	S(1)	Pos Description: The section of the course scored. Element Expected: Slopestyle where judging is by sections
	Attribute	M/O	Value	Description
	Value	М	Numeric #0.0	Cumulative score to the end of the section.
	Rank	M	S(2)	Send the rank to the end of the section
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PRO	GRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (S, 1, 2F). For Ski Cross, intermediate S will manage the reaction time. Element Expected: Only in events with split times
	Attribute	M/O	Value	Description
	Value	M	m:ss.ff	Time at the intermediate point
	Rank	M	S(2)	Send the rank in the unit of the competitor at the intermediate point. Do not consider IRMs.
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
	Diff	M	[+/-]s.ff	The difference behind the race leader at this intermediate point. Send as negative if faster than race leader.
PRO	GRESS	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (2F). For example 2 is the section from intermediate 1 to intermediate 2 etc. Element Expected: When data is available

Olympic Data Feed - © IOC Technology and Information Department **Current Information** 



	Attribute	M/O	Value	Description
	Value	M	s.ff	Time for the section ending at the intermediate point @Pos.
	Rank	M	S(2)	Send the rank of the competitor in the section not considering IRMs
	RankEqual	0	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
PROC	BRESS	SPEED	N/A	Element Expected: When available in cross
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.00	Average speed in km/h

Element: Competition /Result /Competitor (1,N)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown
Туре	М	S(1)	A for athlete, T for team
Organisation	М	CC @Organisation	Competitor's organisation

## 2.3.4.6 Message Sort

Sort by Result @SortOrder.



### 2.3.5 Image

## 2.3.5.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

#### 2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	Numeric #0	Picture number This value is a sequential number for each picture provided in a unit (RSC). The value will be 1, 2, 3 Where there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send PHOTOFINISH
Version	1V	Version number associated to the message's content. Ascending number.  Values beyond 1 are only used if a message needs to be resent for a second or subsequent image/result with the same DocumentSubcode to replace the original image (to resolve the same rank).
ResultStatus	CC @ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

### 2.3.5.3 Trigger and Frequency

Trigger when image available and after any change.


#### 2.3.5.4 Message Structure

The following table defines the structure of the message.

Olympic Data Feed - © IOC

Image





## 2.3.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Olympic Data Feed - © IOC

Image



Element: Competition /Image (1,N)					
Always only one ima	Always only one image per message				
Attribute	M/O	Value	Description		
Pos	М	Numeric #0	Always send 1		
Version	М	Numeric #0	Document Version		
Revision	М	Numeric #0	Document Revision		
ImageType	М	S(3)	Image type extension, jpg or png		

Element: Competition /Image /Result (0,N)				
This element should	always appear	and must only include	the information of those competitors appearing in the image.	
Attribute	Attribute M/O Value Description			
Result	0	S(20)	Result of the competitor in the image at the end of the unit. Formatted in the same was as associated DT_RESULT. Use IRM code if appropriate.	
Rank	0	S(3)	Rank of the competitor at the end of the unit	
StartOrder	0	S(4)	Start or lane position This value is expected if it is included in DT_RESULT	
SortOrder	М	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.	

Element: Competition	/Image /Resul	t /Competitor (1,1)	
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID (Team or individual)
Туре	М	S(1)	A for athlete or T for team.
Organisation	М	CC @Organisation	Competitor's organisation

Element: Competition /Image /Result /Competitor /Description (0,1)			
Attribute M/O Value Description			
TeamName	М	S(73)	Name of the Team. (if team)

Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N) Only sent in the case of individual events. Team members are not sent in team events.			
Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Athlete's ID.
Order	М	Numeric 0	Value is 1
Bib	М	S(5)	Bib number

Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)

Olympic Data Feed - © IOC

Image



Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name (Photofinish Name)
FamilyName	М	S(25)	Family name (Photofinish Name)

Element: Competition /Image /ImageData (1,1)				
Attribute	M/O	Value	Description	
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)	

#### Sample (Photo)

## 2.3.5.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



#### 2.3.6 Brackets

### 2.3.6.1 Description

The brackets message contains the brackets information for one event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

This message is only applicable in Cross in this discipline.

### 2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC of the Event
DocumentType	DT_BRACKETS	Brackets message
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (before any unit is complete) INTERMEDIATE (during the competition) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.6.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available.

Send when a match/event unit is completed. The message should be updated including information on each competitor in the different bracket items. Only trigger once after each unit unless there are changes in the contents.

The @ResultStatus attribute will vary depending on the competition status.

- \* Send with ResultStatus = "START\_LIST" when bracket available and no units are complete
- \* Send with ResultStatus = "INTERMEDIATE" until the last event unit (Gold Medal unit) is Unofficial (i.e. for all event units up until the Gold Medal match is completed for an event)
- \* Send with ResultStatus = "UNOFFICIAL" when the last event unit for an event (Gold Medal match) has

Olympic Data Feed - © IOC

Brackets




#### Unofficial status.

\* Send with ResultStatus = "OFFICIAL" when the last event unit for an event (Gold Medal match) has Official status.


Trigger also after any change.

## 2.3.6.4 Message Structure

The following table defines the structure of the message.







## 2.3.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Description in Text				
Attribute	M/O	Value	Description	
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.	
Gender	М	CC @SportGender	Gender code for the event unit	



Element: Competition /Bracket (1,N)					
Attribute	M/O	Value	Description		
Code	M	SC @Bracket	Bracket code to identify a bracket item. One for each individual bracket as defined in ORIS.		

Element: Competition /Bracket /BracketItems (1,N)				
Attribute	M/O	Value	Description	
Code	М	SC @BracketItems	Bracket code to identify a set of bracket items. The quarterfinals, semifinals or finals phases etc.	

Element: Competition /Bracket /BracketItems /BracketItem (1,N)					
Attribute	M/O	Value	Description		
Code	0	Numeric #0	Unique number for all BracketItems in the message 1,		
Order	М	Numeric #0	Sequential number inside of BracketItems to indicate the order, always start at 1		
Position	М	Numeric #0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position.		
Date	0	Date	YYYY-MM-DD. Must be filled if known		
Time	0	S(5)	HH:MM. Must be filled if known		
Unit	0	CC @Unit	Full RSC of the unit for the BracketItem		

### Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.
- If they are not yet known, it contains some information (on the rule to access to this bracket...)

- if they are not yet known, it contains some information (on the rule to access to this bracket)					
Attribute	M/O	Value	Description		
Pos	М	Numeric #0	This attribute is a sequential number to place the different competitors in the bracket (1, 2). (Order changes before and after following ORIS)		
Code	0	SC @CompetitorPlace	If there is no competitor (BYE) or when it is not known yet (TBD) or when both competitors are disqualified or Withdraw (NCT)		
Rank	0	S(5)	The rank in Cross or IRM if applicable		
IRM	0	SC @IRM	The invalid result mark, if applicable		
QualificationMark	0	SC @QualificationMark	Send in cross where the competitor has qualified to the next phase.		
StrikeOut	0	S(1)	Send if the competitor should be struck out in the bracket item.		
StartOrder	0	SC @BibColour	Send colour in cross		

Elem	Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)					
	Type Code Pos Description					
ECP		LANE	N/A	Element Expected: If applicable in the unit (Cross)		
	Attribute	M/O	Value	Description		

Olympic Data Feed - © IOC

Brackets



	Value	М	Numeric 0	Lane number
ECP		CARD	SC @Card	Pos Description: Send card for each card received Element Expected: If applicable in the unit (Cross)
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Send number of cards of this type

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph.

Attribute	M/O	Value					Descrip	tion		
Unit	0	CC @Unit	Full	RSC	of	the	unit	where	the	competitor
			progr	esses/pr	ogres	sed fro	m			

Element: Competition /	Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)				
CompetitorPlace @Pos	competitor re	elated to the bracket item. O	nly include if the competitor is known.		
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Competitor's ID		
Туре	M	S(1)	A for athlete		
Seed	0	S(2)	Rank of the competitor in the qualification. Only send for first phase of the brackets.		
Organisation	0	CC @Organisation	Competitors' organisation if known.		

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Athlete's ID	
Order	М	Numeric 0	Order of the athlete in the team, 1 in individual events.	
Bib	0	S(5)	Athlete Bib of the athlete	

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)					
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		

Olympic Data Feed - © IOC

Brackets



#### Sample (Cross)

```
<Bracket Code="FNL">
 <BracketItems Code="SFL">
   <BracketItem Code="13" Order="1" Position="1" Date="2014-02-22" Time="15:22" Unit="xxxx.." >
     <CompetitorPlace Pos="1" Rank="1" QualificationMark="BF" StartOrder="BLUE" >
     <ExtCompPlaces>
       <ExtCompPlace Type="ECP" Code="LANE" Value="3" />
     </ExtCompPlaces>
     <Previous Unit Unit="xxx..." />
     <Competitor Code="2000996" Type="A" Organisation="GER">
       <Composition>
         <Athlete Code="2000996" Order="1" Bib="123" >
          <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
         </Athlete>
       </Composition>
     </Competitor>
   </CompetitorPlace>
   <CompetitorPlace Pos="2" Rank="2" QualificationMark="BF" StartOrder="RED" >
     <ExtCompPlaces>
       <ExtCompPlace Type="ECP" Code="LANE" Value="6" />
     </ExtCompPlaces>
     <Pre><PreviousUnit Unit="xxx..." />
     <Competitor Code="2019181" Type="A" Organisation="SUI">
       <Composition>
         <a href="Athlete Code="2019181" Order="1" Bib="723" >
          <Description GivenName="John" FamilyName="Malone" Gender="M" Organisation="SUI" BirthDate="1992-12-15" />
```

### 2.3.6.6 Message Sort

The following order applies:

- \* Bracket: by @Code FNL and CFNL.
- \* BracketItems: It will be referred to BracketItems /BracketItem /Unit (all BracketItem should be grouped by the BracketItem /Unit attribute).
- \* Then, the BracketItem /Unit are sorted according to their scheduled start time.



## 2.3.7 Event Final Ranking

## 2.3.7.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

Depending on the sport rules include all competitors in the competition as all can be ranked (as in Marathon) or only include those with a final ranking as other are unranked (as in tennis).

#### 2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Event	Full RSC, one message is sent for each event.		
DocumentType	DT_RANKING	Event Final ranking message		
Version	1V	Version number associated to the message's content. Ascending number		
ResultStatus	CC @ResultStatus Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL			
FeedFlag	"P"-Production "T"-Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day exception when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

## 2.3.7.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that ranking is not subject to change or some ranking in that unit are not subject to change.

The message is expected at the end of each unit during finals along with each change.

- \* After a non-final unit which affects the final ranking is official and that ranking is not subject to change. (PARTIAL)
- \* After last unit of the competition is official. (OFFICIAL)

#### 2.3.7.4 Message Structure

The following table defines the structure of the message.

Olympic Data Feed - © IOC

Event Final Ranking

**Technology and Information Department** 

14 May 2021



Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,	<u>1)</u>				
	I	SportDescription (	0,1)			
		ı	DisciplineName			
			EventName			
			Gender			
	Result (1,N)		'			
		Rank				
		RankEqual				
		ResultType				
		IRM				
		SortOrder				
		ExtendedResults	(0,1)			
			ExtendedResult (1	I <u>,N)</u>		
				Туре		
				Code		
				Pos		
		I		Value		
		Competitor (1,1)	I			
			Code			
			Туре			
			Organisation			
			Description (0,1)	l- N		
				TeamName		
			Commonision (4.4)	IFId		
			Composition (1,1)	Athlete (O.N.)		
				Athlete (0,N)	Code	
					Order	
					Bib	
					Description (1,1)	
					200011011 (1,1)	GivenName
						FamilyName
						Gender
						Organisation
						30040011



	BirthDate
	IFId

## 2.3.7.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition	Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Description in text					
Attribute	M/O	Value	Description		
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	0	S(40)	Event ENG Description (not code) from Common Codes		
Gender	0	CC @SportGender	Gender code for the event.		

Element: Competition /	Element: Competition /Result (1,N)					
For any event final rank	For any event final ranking message, there should be at least one competitor being awarded a result for the event.					
Attribute	M/O	Value	Description			
Rank	0	S(3)	Final rank of the competitor in the event. This attribute is optional because the competitor could be unranked in the case of a red card, for example.			
RankEqual	0	S(1)	Send Y if the rank is equalled, else do not send			
ResultType	M	SC @ResultType	Send CODE unless IRM applies			
IRM	0	SC @IRM	Send if the competitor has an IRM			
SortOrder	М	Numeric	This attribute is a sequential number with the order of the results for the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.			

Elem	Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)					
	Type	Code	Pos	Description		
ER		RACE_PTS	N/A	Element Expected: If data exists		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ###0.00	Race points earned for each competitor		
ER		UNIT	Numeric 0	Pos Description: Sequential number for each unit (1, 2) Element Expected: Moguls & Aerials		



	Attribute	M/O	Value	Description
	Value	М	CC @Unit	Send the full RSC of each unit competed in
	Sub Element: Competiti Expected Always	on /Result /ExtendedResu	ults /ExtendedResult /Exte	ension
	Attribute	Value	Description	
	Code	RANK		
	Pos	N/A		
	Value	Numeric #0	Rank in the unit if not IRM	
	Sub Element: Competiti Expected Always	on /Result /ExtendedResu	ults /ExtendedResult /Exte	ension
	Attribute	Value	Description	
	Code	RESULT		
	Pos	N/A		
	Value	S(6)	Score in the unit or IRM	
ER		LAST_UNIT	N/A	Element Expected: Ski Cross, HP, SS, BA
	Attribute	M/O	Value	Description
	Value	М	CC @Unit	Send the full RSC of the last unit in which the competitor participated.
ER		UNIT_RANK	N/A	Element Expected: Ski Cross
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Rank in the heat where athlete finished the competition.
ER		QUAL_RANK	N/A	Element Expected: Ski Cross
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Rank in qualification.

Element: Competition /Result /Competitor (1,1)						
Attribute	M/O	Value	Description			
Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID. "NO_AWARD" in the case where there is no competitor in the rank due to IRM.			
Туре	М	S(1)	A for athlete, T for team			
Organisation	0	CC @Organisation	Competitor's organisation			

Element: Competition /Result /Competitor /Description (0,1)					
Attribute	M/O	Value	Description		
TeamName	М	S(73)	Name of the team. Only applies for teams		
IFId	0	S(16)	IFId of the team		



Element: Competitio	Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member.  Team members should be participating in the event.			
Order	М	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".			
Bib	0	S(5)	Athlete Bib			

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)				
Attribute	M/O	Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case)	
FamilyName	M	S(25)	Family name in WNPA format (mixed case)	
Gender	M	CC @PersonGender	Gender of the athlete	
Organisation	M	CC @Organisation	Athletes' organisation	
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available	
IFId	0	S(16)	International Federation ID	

#### Sample (Final Ranking)

```
<Result Rank="2" ResultType="CODE" SortOrder="2">
 <ExtendedResults>
   <ExtendedResult Type="ER" Code="RACE_PTS" Value="800" />
<ExtendedResult Type="ER" Code="UNIT_RANK" Value="2" />
   <ExtendedResult Type="ER" Code="LAST_UNIT" Value= FRSMSX-----FNL-0001----" />
 </ExtendedResults>
 <Competitor Code="2000996" Type="A" Organisation="GER" >
   <Composition>
     <Athlete Code="2000996" Order="1">
       <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
     </Athlete>
   </Composition>
 </Competitor>
</Result>
<Result Rank="3" ResultType="CODE" SortOrder="3">
 <ExtendedResults>
   <ExtendedResult Type="ER" Code="RACE_PTS" Value="600" />
   <ExtendedResult Type="ER" Code="UNIT_RANK" Value="3" />
   <ExtendedResult Type="ER" Code="LAST_UNIT" Value= FRSMSX------FNL-0001----" />
 </ExtendedResults>
 <Competitor Code="2030033" Type="A" Organisation="SUI" >
     <Athlete Code="2030033" Order="1">
       <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="SUI" BirthDate="1992-12-15" />
     </Athlete>
   </Composition>
</Competitor>
```



## 2.3.7.6 Message Sort

Sort by Result @SortOrder



## 2.3.8 Configuration

### 2.3.8.1 Description

The Configuration is a message containing general configuration.

#### 2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Phase CC @Unit	Full RSC at phase or unit level as appropriate.		
DocumentType	DT_CONFIG	Configuration message		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P"-Production "T"-Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

### 2.3.8.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration must be provided before the start list.

If a DT\_CONFIG message is sent after a DT\_RESULT in a related unit then the next version of DT\_RESULT must be sent immediately.

### 2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	•	•		
	Gen			
	Sport			
	Codes			
	Configs (1,1)			
	'	Config (1,N)		



Unit	
ExtendedConfig (1,N)	
	Туре
	Code
	Pos
	Value

## 2.3.8.5 Message Values

Element: Competition (0,1)				
Attribute	M/O	Value	Description	
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message	
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message	
Codes	0	S(20)	Version of the Codes applicable to the message	

Element: Competition /Configs /Config (1,N)				
Attribute	M/O	Value	Description	
Unit	М	CC @Phase CC @Unit	Full RSC (34) at phase level in HP/BA/SS/Cross Full RSC (34) at unit level in AE, AET & MO	

Element: Competition /Configs /Config /ExtendedConfig (1,N)			
Туре	Code	Pos	Description
FIS	HOMOLOGATION	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	М	String	FIS Homologation number
COURSE	NAME	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	M	String	Name of the course in ENG
COURSE	LENGTH	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	М	Numeric ###0	Send the total length of the course in m.
COURSE	HALF_PIPE	N/A	Element Expected: In halfpipe only
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always			nfigltem
Attribute	Value	Description	
Code	HEIGHT		
Pos	N/A		



	Value	Numeric ##0.0	HP inner height of walls in	n metres
	Sub Element: Competition /Configs /Config /Ext Expected Always		endedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	INCLIN		
	Pos	N/A		
	Value	Numeric #0	HP degrees of inclination	
	Sub Element: Competiti Expected Always	ion /Configs /Config /Exte	endedConfig /ExtendedCo	nfigltem
	Attribute	Value	Description	
	Code	INCLIN_VERT		
	Pos	N/A		
	Value	Numeric #0	HP degrees of vertical inc	lination
	Sub Element: Competiti Expected Always	ion /Configs /Config /Exte	endedConfig /ExtendedCo	nfigltem
	Attribute	Value	Description	
	Code	LENGTH		
	Pos	N/A		
	Value	Numeric ###0	HP length in metres	
	Sub Element: Competiti Expected Always	ion /Configs /Config /Exte	endedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	WIDTH		
	Pos	N/A		
	Value	Numeric ###0.0	HP width wall to wall in m	etres
COU	RSE	MOGULS	NA	Element Expected: Always in the case of moguls
	Sub Element: Competition Expected Always	ion /Configs /Config /Exte	endedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	GATE_WIDTH		
	Pos	N/A		
	Value	Numeric #0.0	Width of gate.	
	Sub Element: Competiti Expected Always	ion /Configs /Config /Exte	endedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	GRAD_AVG		
	Pos	N/A		
	Value	Numeric	Average gradient	

Olympic Data Feed - © IOC

Configuration



		#0		
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigltem
Attrib	ute	Value	Description	
Code		PACE		
Pos		N/A		
Value		ss.ff	Pace time	
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem
Attrib	ute	Value	Description	
Code		WIDTH		
Pos		N/A		
Value		Numeric #0.0	Width of course in m.	
COURSE		AERIALS	N/A	Element Expected: Always in the case of aerials and team aerials
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem
Attrib	ute	Value	Description	
Code		IN_RUN_DIST		
Pos		N/A		
Value		Numeric #0.0	In run distance in metres	
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem
Attrib	ute	Value	Description	
Code		IN_RUN_GRAD		
Pos		N/A		
Value		Numeric #0	In run gradient in degrees	;
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem
Attrib	ute	Value	Description	
Code		KICKER_DIST		
Pos		Numeric #0	Kicker number	
Value		Numeric #0.00	Kicker distance in metres	
	lement: Competition	on /Configs /Config /Exte	ndedConfig /ExtendedCo	nfigItem
Attrib	ute	Value	Description	
Code		KICKER_GRAD		
Pos		Numeric #0	Kicker number	



Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigitem Expected Always  Attribute  Value  Description  Kicker number  Value  Numeric #0  Value  Numeric Expected Always  Attribute  Value  Numeric Expected Always  Attribute  Value  Description  Code  LAND_DIST  Pos  N/A  Attribute  Value  Numeric Expected Always  Attribute  Value  Description  Landing distance in metres #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute  Value  Numeric Expected Always  Attribute  Value  Description  Code  LAND_GRAD  Pos  N/A  Value  Numeric #0  Landing gradient in degrees  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute  Value  Numeric Expected Always  Attribute  Value  Description  Code  TABLE_DIST  Pos  N/A  Value  Numeric #0.0  Table gradient in metres #0.0  COURSE  BIGAIR  N/A  Element Expected: Always in the case of big air  Expected Always  Attribute  Value  Description		Value	Numeric #0	Kicker gradient in degrees	3
Code KICKER_HT Pos Numeric #0  Value Numeric Kicker number  Value Numeric #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code LAND_DIST Pos N/A  Value Numeric #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Numeric Landing distance in metres  #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code LAND_GRAD Pos N/A  Value Numeric Landing gradient in degrees  #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigitem Expected Always  Attribute Value Description  Code TABLE_DIST Pos N/A  Value Numeric Table gradient in metres  #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigitem Expected Always  Attribute Value Description  Code TABLE_DIST Pos N/A  Value Numeric Table gradient in metres  #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigitem Expected: Always in the case of big air			on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigltem
Pos Numeric #0 Kicker height in metres #0.00  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code LAND_DIST Pos N/A  Value Numeric #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Numeric Landing distance in metres #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code LAND_GRAD Pos N/A  Value Numeric Landing gradient in degrees #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code TABLE_DIST Pos N/A  Value Numeric Table gradient in metres #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air		Attribute	Value	Description	
Walue   Numeric		Code	KICKER_HT		
#0.00  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute  Code  LAND_DIST  Pos  N/A  Value  Numeric  Expected Always  Attribute  Value  Description  Landing distance in metres  #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute  Value  Description  Code  LAND_GRAD  Pos  N/A  Value  Numeric  #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute  Value  Numeric  Expected Always  Attribute  Value  Description  Code  TABLE_DIST  Pos  N/A  Value  Numeric  Table gradient in metres  #0.0  COURSE  BIGAIR  N/A  Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always in the case of big air		Pos		Kicker number	
Attribute   Value   Description		Value		Kicker height in metres	
Code LAND_DIST  Pos N/A  Value Numeric #0.0 Landing distance in metres  #0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code LAND_GRAD  Pos N/A  Value Numeric Landing gradient in degrees  #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0  Table gradient in metres  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always			on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
Pos N/A  Value Numeric #0.0 Landing distance in metres  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code LAND_GRAD  Pos N/A  Value Numeric Landing gradient in degrees  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric Table gradient in metres  #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected: Always in the case of big air		Attribute	Value	Description	
Value		Code	LAND_DIST		
#0.0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code LAND_GRAD  Pos N/A  Value Numeric Landing gradient in degrees  **O  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0  Table gradient in metres  #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected: Always in the case of big air		Pos	N/A		
Expected Always  Attribute  Code  LAND_GRAD  Pos  N/A  Value  Numeric #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute  Value  Description  Code  TABLE_DIST  Pos  N/A  Value  Numeric #0.0  Table gradient in metres  COURSE  BIGAIR  N/A  Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem  Expected Always		Value		Landing distance in metre	s
Code LAND_GRAD  Pos N/A  Value Numeric #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0  Table gradient in metres  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always				nfigItem	
Pos N/A  Value Numeric #0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0  Table gradient in metres  #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		Attribute	Value	Description	
Value Numeric #0 Landing gradient in degrees  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0 Table gradient in metres  #0.0 Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigltem Expected Always		Code	LAND_GRAD		
#0  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always  Attribute Value Description  Code TABLE_DIST  Pos N/A  Value Numeric #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		Pos	N/A		
Expected Always  Attribute  Code  TABLE_DIST  Pos  N/A  Value  Numeric #0.0  COURSE  BIGAIR  N/A  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		Value		Landing gradient in degre	es
Code TABLE_DIST  Pos N/A  Value Numeric #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig/ExtendedConfigItem Expected Always			on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
Pos N/A  Value Numeric #0.0  COURSE BIGAIR N/A Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig/ExtendedConfigItem Expected Always		Attribute	Value	Description	
Value  Numeric #0.0  COURSE  BIGAIR  N/A  Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem  Expected Always		Code	TABLE_DIST		
#0.0  COURSE  BIGAIR  N/A  Element Expected: Always in the case of big air  Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		Pos	N/A		
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		Value		Table gradient in metres	
Expected Always	COU	RSE	BIGAIR	N/A	
Attribute Value Description			on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
		Attribute	Value	Description	
Code HEIGHT		Code	HEIGHT		
Pos N/A		Pos	N/A		
Value Numeric Jump height in metres #0		Value		Jump height in metres	
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always			on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigltem
Attribute Value Description		Attribute	Value	Description	
Code IN_RUN_DIST		Code	IN RUN DIST		
Pos N/A					



	Value	Numeric #0	In run distance in metres	
	Sub Element: Competi Expected Always	tion /Configs /Config /Ex	tendedConfig /ExtendedCo	onfigltem
	Attribute	Value	Description	
	Code	IN_RUN_GRAD		
	Pos	N/A		
	Value	Numeric #0	In run gradient in degrees	S
	Sub Element: Competi Expected Always	tion /Configs /Config /Ex	tendedConfig /ExtendedCo	onfigltem
	Attribute	Value	Description	
	Code	KNOLL		
	Pos	N/A		
	Value	Numeric #0	Take off to knoll distance	in metres
	Sub Element: Competi Expected Always	tion /Configs /Config /Ex	tendedConfig /ExtendedCo	onfigItem
	Attribute	Value	Description	
	Code	LAND_GRAD		
	Pos	N/A		
	Value	Numeric #0.0	Landing gradient in degre	ees
COU	RSE	SLOPESTYLE	N/A	Element Expected: Always in the case of slopestyle
	Sub Element: Competi Expected Always	tion /Configs /Config /Ex	tendedConfig /ExtendedCo	onfigItem
	Attribute	Value	Description	
	Code	JIBBING_NUM		
	Pos	N/A		
	Value	Numeric #0	Number of jibbing feature	es
	Sub Element: Competi Expected Always	tion /Configs /Config /Ex	tendedConfig /ExtendedCo	onfigItem
	Attribute	Value	Description	
	Code	JUMPS_NUM		
	Pos	N/A		
	Value	Numeric #0	Number of jump features	
COU	RSE	FEATURES_NUM	N/A	Element Expected: Cross, if different from number of elements
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Number of jump features
COU	RSE	ELEMENTS_NUM	N/A	Element Expected:



				Cross
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Number of elements
COUF	RSE	ALTITUDE	N/A	Element Expected: When applicable (not AE, BA, MO and HP)
	Sub Element: Competition	on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	DROP		
	Pos	N/A		
	Value	Numeric ###0	Send the total vertical dro	p in metres
	Sub Element: Competition Expected Always	on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	FINISH		
	Pos	N/A		
	Value	Numeric ###0	Send the altitude at the fir	nish in metres
	Sub Element: Competition Expected Always	on /Configs /Config /Exter	ndedConfig /ExtendedCo	nfigItem
	Attribute	Value	Description	
	Code	START		
	Pos	N/A		
	Value	Numeric ###0	Send the altitude at the st	art point in metres
EC		INTERMEDIATES_NUM	N/A	Element Expected: Ski cross
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Send the total number of intermediate points where the time is recorded including F.
EC		INTERMEDIATE	S(2)	Pos Description: Send the value that identifies the intermediate point, S for start then 1 to n for intermediates along the course and F for the finish point. Element Expected: If there are intermediate points where time is recorded.
	Attribute	M/O	Value	Description
	Value	М	String	Name of the intermediate point in ENG. Not applicable for S or F (blank).
EC		HEATS_NUM	N/A	Element Expected: Send by phase if not 1.
	Attribute	M/O	Value	Description



	1		T	
	Value	М	Numeric #0	Send the number of heats for that phase.
EC		RUNS_NUM	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send the number of runs
EC		DOUBLE_UP	N/A	Element Expected: When double-up format used in HP/BA/SS
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send Y if double-up format is used.
EC		JUDGES	N/A	Element Expected: Always in Slopestyle for Judging format
	Attribute	M/O	Value	Description
	Value	M	String	Send SECTION or OVERALL for judging by section or overall
EC		JUDGES_NUM	N/A	Element Expected: Always in judged events
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Number of judges for the unit referenced at Configs /Config /Unit
QUAL	LIFICATION	QUAL_RULE	N/A	Element Expected: When applicable
	Attribute	M/O	Value	Description
	Attribute Value	M/O M	Value SC @QualRule	Description Send the code for the qualification rule.
QUAL		-		•
QUAL	Value	M	SC @QualRule	Send the code for the qualification rule.  Pos Description: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal Send 8 for 1/8 Final Element Expected:
QUAL	Value IFICATION	M FROM_RANK	SC @QualRule S(2)	Send the code for the qualification rule.  Pos Description: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal Send 8 for 1/8 Final Element Expected: When applicable
	Value  UFICATION  Attribute	M FROM_RANK	SC @QualRule S(2)  Value Numeric	Send the code for the qualification rule.  Pos Description: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal Send QF for 1/8 Final Element Expected: When applicable  Description Send the qualifying rank to indicate first rank
	Value LIFICATION  Attribute  Value	M FROM_RANK M/O M	SC @QualRule S(2)  Value  Numeric #0	Send the code for the qualification rule.  Pos Description: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal Send 8 for 1/8 Final Element Expected: When applicable  Description  Send the qualifying rank to indicate first rank to qualify  Element Expected: Send according to the round to progress: Send F (Final) Send Q2 (Qualification 2) Send A (Big Final) Send B (Small Final) Send SF for Semifinal Send QF for Quarterfinal

Olympic Data Feed - © IOC Technology and Information Department Configuration



#### Sample (Cross)

```
<Configs>
  <Config Unit="FRSWSX----
                                    ---SFNI ---
   <ExtendedConfig Type="FIS" Code="HOMOLOGATION" Value="10722/11/12" />
   <ExtendedConfig Type="COURSE" Code="NAME" Value="Rosa Style" />
   <ExtendedConfig Type="COURSE" Code="LENGTH" Value="635" />
<ExtendedConfig Type="COURSE" Code="FEATURES_NUM" Value="8" />
<ExtendedConfig Type="COURSE" Code="ALTITUDE" >
     <ExtendedConfigItem Code="START" Value="1162" />
     <ExtendedConfigItem Code="FINISH" Value="1015" />
     <ExtendedConfigItem Code="DROP" Value="147" />
   </ExtendedConfig
   <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="2" />
   <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Pos="A" Value="1" />
   <ExtendedConfig Type="QUALIFICATION" Code="TO RANK" Pos="A" Value="6" />
   <ExtendedConfig Type="QUALIFICATION" Code="FROM_RANK" Pos="B" Value="7" />
   <ExtendedConfig Type="QUALIFICATION" Code="TO_RANK" Pos="B" Value="12" />
</Config>
```

#### Sample (Aerials)

```
<Configs>
  <Config Unit="FRSWAE---
                                 --FNL-000101--">
   <ExtendedConfig Type="COURSE" Code="NAME" Value="Best AE Course" />
   <ExtendedConfig Type="COURSE" Code="AERIALS">
     <ExtendedConfigItem Code="IN_RUN_DIST" Value="23.0" />
     <ExtendedConfigItem Code="IN_RUN_GRAD" Value="32.0" />
     <ExtendedConfigItem Code="TABLE_DIST" Value="32.0" />
     <ExtendedConfigItem Code="TABLE GRAD" Value="1.0" />
     <ExtendedConfigItem Code="LAND_DIST" Value="12.0" />
     <ExtendedConfigItem Code="LAND_GRAD" Value="66.0" />
     <ExtendedConfigItem Code="KICKER_DIST" Pos="1" Value="4.00" />
     <ExtendedConfigItem Code="KICKER_GRAD" Pos="1" Value="50" />
     <ExtendedConfigItem Code="KICKER_HT" Pos="1" Value="2.00" />
     <ExtendedConfigItem Code="KICKER_DIST" Pos="2" Value="6.50" />
     <ExtendedConfigItem Code="KICKER_GRAD" Pos="2" Value="65" /> <ExtendedConfigItem Code="KICKER_HT" Pos="2" Value="3.50" />
     <ExtendedConfigItem Code="KICKER_DIST" Pos="3" Value="6.50" />
     <ExtendedConfigItem Code="KICKER_GRAD" Pos="3" Value="65" />
     <ExtendedConfigItem Code="KICKER_HT" Pos="3" Value="3.50" />
     <ExtendedConfigItem Code="KICKER_DIST" Pos="4" Value="8.00" />
     <ExtendedConfigItem Code="KICKER_GRAD" Pos="4" Value="71" />
     <ExtendedConfigItem Code="KICKER" HT" Pos="4" Value="4.00" />
     <ExtendedConfigItem Code="KICKER_DIST" Pos="5" Value="8.00" />
     <ExtendedConfigItem Code="KICKER_GRAD" Pos="5" Value="71" />
     <ExtendedConfigItem Code="KICKER_HT" Pos="5" Value="4.00" />
   </ExtendedConfig>
 </Config>
```

#### 2.3.8.6 Message Sort

There is no message sorting rule.



#### 2.3.9 Weather conditions

## 2.3.9.1 Description

The Weather Conditions is a message containing the current weather conditions in the venue.

#### 2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Discipline	Full RSC at discipline level	
DocumentSubcode	CC @Location	Location code (location level)	
DocumentType	DT_WEATHER	Weather conditions in the location as referred to in DocumentSubcode.	
Version	1V	Version number associated to the message's content. Ascending number	
FeedFlag	"P"-Production "T"-Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

## 2.3.9.3 Trigger and Frequency

The message is sent for each session:

### 2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
ompetition (0,1)	•	•		•
	Gen			
	Sport			
	Codes			
	Weather (1,1)			
	'	Date		
		Conditions (1,N)		
		•	Code	
			Humidity	

<sup>\* 30 - 60</sup> minutes before the start of the session and then hourly until the end of the session



w	Vind_Direction	
<u>c</u>	Condition (0,3)	
		Code
		Value
<u>Te</u>	emperature (0,N)	
		Code
		Unit
		Value
<u> </u>	Vind (0,N)	
		Code
		Unit
		Value

## 2.3.9.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			
Codes	0	S(20)	Version of the Codes applicable to the message			

Element: Competition /Weather (1,1)				
Attribute	M/O	Value	Description	
Date	М	DateTime	Date/time of the conditions	

Element: Competition /Weather /Conditions (1,N)				
Attribute	M/O	Value	Description	
Code	М	SC @WeatherPoint	Weather points, send GEN, START and FINISH	
Humidity	0	Numeric ##0	Humidity in %	
Wind_Direction	0	CC @WindDirection	Wind direction	

Element: Competition /Weather /Conditions /Condition (0,3)				
Attribute	M/O	Value	Description	
Code	M	S(4)	Temperature type, send AIR, SNOW	
Value	M	CC @SnowConditions or CC @WeatherCondition	Use CC @WeatherConditions for SKY Use CC @SnowConditions for SNOW	

Element: Competition /Weather /Conditions /Temperature (0,N)

Olympic Data Feed - © IOC
Technology and Information Department

Weather conditions



Attribute	M/O	Value	Description
Code	М	S(4)	Temperature type, send AIR, SNOW
Unit	М	SC @TemperatureUnit	Unit for temperature, send both
Value	М	Numeric -##0.0 or ##0.0	Temperature in centigrade degrees (in case of positive temperature, do not send '+')

Element: Competition /Weather /Conditions /Wind (0,N)					
Attribute	M/O	Value	Description		
Code	М	S(5)	Wind Speed, send SPEED		
Unit	М	SC @WindUnit	Unit for Wind. Use MS and KMH		
Value	M	Numeric ##0.0	Wind speed in @Unit degrees.		

### Sample (Weather)

```
<Weather Date="2006-02-06T13:00:00+01:00" >
  <Conditions Code="START" Humidity="49" Wind_Direction="SE">
   <Condition Code="SKY" Value="pc" />
   <Condition Code="SNOW" Value="hrd" />
   <Temperature Code="AIR" Unit="C" Value="2.8" />
   <Temperature Code="AIR" Unit="F" Value="37.0" />
   <Temperature Code="SNOW" Unit="C" Value="-2.4" />
    <Temperature Code="SNOW" Unit="F" Value="27.7" />
    <Wind Code="SPEED" Unit="KMH" Value="7.2" />
   <Wind Code="SPEED" Unit="MS" Value="2.0" />
 </Conditions>
  <Conditions Code="FINISH" Humidity="37" Wind_Direction="VR">
   <Condition Code="SKY" Value="pc" />
   <Condition Code="SNOW" Value="hrd" />
   <Temperature Code="AIR" Unit="C" Value="8.8" />
<Temperature Code="AIR" Unit="F" Value="47.8" />
   <Temperature Code="SNOW" Unit="C" Value="0.3" />
<Temperature Code="SNOW" Unit="F" Value="32.5" />
    <Wind Code="SPEED" Unit="KMH" Value="0.0" />
    <Wind Code="SPEED" Unit="MS" Value="0.0" />
 </Conditions>
</Weather>
```

## 2.3.9.6 Message Sort

There is no special sort order requirement for this message. Usually, Conditions@code is the attribute used to sort the conditions.





# 3 Message Timeline

## 3.1 Preparation Phase

Trigger	Message	Status	D	E	Р	S	U
As soon as ODF operations start	DT_CODES		0	0	О		О
Periodically as soon as ODF operations start	DT_SCHEDULE		x		О		О
	DT_PARTIC		х	0			
	DT_PARTIC_TEAMS		х	0			
	DT_PARTIC_NAME		х				

## 3.2 Before competition

Trigger	Message	Status	D	Е	Р	S	U
After Initial Download, if any change	DT_PDF C08 Schedule		х				
After changes of athlete data	DT_PARTIC_UPDATE		х	0			
After changes of team data	DT_PARTIC_TEAM_UPDATE		х	0			
When athlete data is confirmed	DT_PDF C32A Entry list by NOC		х				
	DT_PDF C32C Entry list by Event			х			
Event format defined	DT_CONFIG				х		
Brackets with start list of the first phase (only Cross)	DT_BRACKETS			x			
When Start List is known	DT_RESULT for each unit/phase (if startlist known for next unit)	START_LIST			х		x
	DT_PDF C51x Start List	START_LIST			х		х
When athlete data is confirmed	DT_PDF C32A (Gender RSC level)		х				
	DT_PDF C32C Entry Lists			х			

# 3.3 During each Unit

Trigger	Message	Status	D	Ε	Р	S	U
30 minutes before competition	DT_WEATHER		х				
First athlete in position about 30s before start	DT_SCHEDULE_UPDATE	GETTING_READY	x		О		0
With "next" to start	DT_CURRENT				х		х
First athlete leaves the gate	DT_SCHEDULE_UPDATE	RUNNING	х		o		o
	DT_RESULT	LIVE			х		х
At any time a competitor starts with the current athlete and next to start (unless last athlete). Not applicable for Cross finals *	_				x		x
Immediately after every	DT_CURRENT				х		х



addition/change in data during the run *					
Immediately after each competitor completes the course and the data is available *	DT_CURRENT			х	x
Send with all updates during de unit. Send after each athlete (with all intermediate data and judge data) completes the course (and has all data)*	DT_RESULT	LIVE		х	х
* repeated for each athlete. (Phase = QUAL phases in each event and Final phases of HP, SS, BA except AET (Unit= Final phases in AET, MO, AE and Ski Cross)					

# 3.4 After each unit in a phase

Trigger	Message	Status	D	Ε	Р	S	U
After each unit in the phase	DT_SCHEDULE_UPDATE	FINISHED	х		0		o
After last score/result (for QUAL phases in each event except AET)	DT_RESULT	UNOFFICIAL			х		
After last score/result (for Final phases for MO, AE, AET and Ski Cross)	DT_RESULT	UNOFFICIAL					x
When unit Scores/Results are confirmed (for QUAL phases in each event except AET)	DT_RESULT	OFFICIAL			x		
When unit Scores/Results are confirmed (for Final phases for MO, AE, AET and Ski Cross )	DT_RESULT	OFFICIAL					х
When Start List is known (unless last unit)	DT_RESULT	START_LIST			х		х
	DT_PDF C51x Start List	START_LIST					х
When applicable (after a unit which affects the final ranking)	DT_RANKING	PARTIAL		x			

# 3.5 At the end of a phase

Trigger	Message	Status	D	E	Р	S	U
	DT_SCHEDULE_UPDATE	FINISHED	х		0		0
After last score/result (for QUAL phases in each event except AET and Final phase of HP, SS, BA	DT_RESULT	UNOFFICIAL			x		
After last score/result (for Final phases for MO, AE, AET and Ski Cross )		UNOFFICIAL					х
After a final phase	DT_MEDALLISTS	UNOFFICIAL		х			
When unit Scores/Results are confirmed (for QUAL phases in each event except AET)	DT_RESULT	OFFICIAL			х		



When unit Scores/Results are confirmed (for Final phases for MO, AE, AET and Ski Cross )	DT_RESULT	OFFICIAL			x
	DT_PDF C73x Results	OFFICIAL			х
For the next phase (unless last phase)	DT_CONFIG			x	
For next unit (unless last unit)	DT_RESULT	START_LIST		х	х
* Start order for all the event units of next phase will be sent (Qual AE, HP/SS)	DT_PDF C51 Start List	START_LIST			x
At the end of last unit (only Cross Qualification)	DT_PDF C77x Race Analysis			х	
At the end of last heat of the phase (only cross finals)	DT_RESULT for each heat	START_LIST			х
(only cross finals)	DT_BRACKETS	INTERMEDIATE	х		
(only cross finals)	DT_PDF C75X	INTERMEDIATE	х		
When applicable (after a unit which affects the final ranking)	DT_RANKING	PARTIAL	х		

## 3.6 At the end of the event

Trigger	Message	Status	D	Е	Р	S	U
When unit Scores/Results are confirmed for cross finals (all heats of finals)	DT_RESULT for each unit	UNOFFICIAL					x
After last event unit is official	DT_RANKING	PARTIAL		х			
(only cross finals)	DT_BRACKETS	UNOFFICIAL		х			
(only cross finals)	DT_PDF C75X Brackets	UNOFFICIAL		х			
Before victory/venue ceremony and results are official	DT_MEDALLISTS	UNOFFICIAL		x			
	DT_PDF C92A Medallists	UNOFFICIAL		х			
When unit Scores/Results are confirmed (for QUAL phases in each event and Final phases of HP, SS, BA except AET)	DT_RESULT	OFFICIAL			x		
When unit Scores/Results are confirmed (for QUAL in AET and Final phases of MO, AE, AET and Ski Cross)	DT_RESULT	OFFICIAL					х
After last event unit is official	DT_RANKING	OFFICIAL		х			
After a result of a phase have become official	DT_PDF C74x Results Summary			х			
(only cross finals)	DT_BRACKETS	OFFICIAL		х			
	DT_PDF C75X Brackets	OFFICIAL		х			
Before victory/venue ceremony and results are official	DT_MEDALLISTS	OFFICIAL		х			
	DT_PDF C92A Medallists	OFFICIAL		х			



DT_MEDALLISTS_DISCIPLINE		х		
DT_PDF C93 Medallists by Event	OFFICIAL	х		
DT_MEDALS		х		
DT_PDF C95 Medal Standings	OFFICIAL	Х		

# 3.7 Exceptional Situations

Trigger	Message	Status	D	Е	Р	S	U
Photo-Finish (only Cross )							
(only Cross)*	DT_RESULT	LIVE			х		х
(only Cross)*	DT_RESULT	UNCONFIRMED			х		х
	DT_SCHEDULE_UPDATE	FINISHED	х		0		О
(Cross Qualification)	DT_RESULT	OFFICIAL			х		
	DT_IMAGE						х
	DT_PHOTOFINISH_LK						х
If a protest is lodged							
*	DT_RESULT	PROTESTED			х		х
*	DT_RESULT	UNOFFICIAL			х		х
*	DT_RESULT	OFFICIAL			х		х
	DT_PDF - C73x - Results	OFFICIAL			х		х
DQB after event and up to the Day after the Closing Ceremony							
	DT_RESULT	OFFICIAL			х		х
	DT_SCHEDULE_UPDATE	FINISHED	х		0		0
	DT_RANKING			х			
	DT_BRACKETS	OFFICIAL		х			
	DT_MEDALLISTS	OFFICIAL		х			
	DT_MEDALLISTS_DISCIPLINE		х				
	DT_MEDALS		х				
	DT_PDF - C73x - Results	OFFICIAL			х		х
	DT_PDF C67 - Official Communication	OFFICIAL			х		х
Send also the rest of the reports affected	DT_COMMUNICATION		х				
Change of Schedule (Postponed, Re-scheduled)							
	DT_SCHEDULE_UPDATE		х		х		х
	DT_PDF - C08 - Competition Schedule		х				
	DT_PDF C67 - Official Communication		х				
	DT_COMMUNICATION		х				
* (Phase = QUAL phases in each event and Final phases of HP, SS, BA except AET ) (Unit= Final phases in AET, MO,							



AE AET 18118				
AE, AET and Ski Cross)			.	.

Legend:

**D** Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit **x** Sent on that level; **o** Includes info from that level



## **4 Document Control**

		Version history
Version	Date	Comments
V0.1	1 Sep 2019	First version
V0.2	16 Mar 2020	Updated after review
V0.3	22 Jul 2020	Updated after PT0 Judging
V0.4	18 Sep 2020	Updated after PT0 Timing
V1.0	16 Oct 2020	Approved
V1.1	8 Jan 2021	Timeline added
V1.2	1 Apr 2021	Updated with CR021830
V1.3	14 May 2021	Updated with CR022136 [DT_IMAGE only]

File Reference: WOG-2022-FRS-1.3 APP

		Change Log
Version	Status	Changes on version
V0.1	SFR	First version
V0.2	SFR	Change Moguls Structure DT_RESULT: Add EO/SUB @Officials /Official /ExtOfficial DT_RESULT: Update @Pos at UI/STARTERS @ExtendedInfos /ExtendedInfo DT_RESULT: Add ER/AFTER @Element: Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult
V0.3	SFR	Applicable Messages: Add note about message responsibilities and missing messages DT_PARTIC_TEAM: Add Team/ShortName and Team/TeamType [CR19497] DT_IMAGE: Update with the standard changes for consistency DT_RESULT: Update triggering DT_RESULT: Update triggering DT_RESULT: Update U/STARTERS & COMPLETED at ExtendedInfos /ExtendedInfo DT_RESULT: Update expected at DISPLAY/LAST at ExtendedInfos /ExtendedInfo DT_RESULT: Correct description of Result /ResultItems /ResultItem /Result /Result /Result DT_RESULT: Carify ER/AFTER at Result /ResultItlems /ResultItlem /Result /ExtendedResults /ExtendedResult DT_RESULT: Clarify ER/AFTER at Result /ResultItlems /ResultItlem /Result /ExtendedResults /ExtendedResult DT_RESULT: Clarify ExtendedInfos /SportDescription /SubEventName DT_BRACKETS: Update the description at 2.2.6.2 to indicate the message is only applicable in Cross. DT_BRACKETS: Update the description at 2.2.6.2 to indicate the message is only applicable in Cross. DT_BRACKETS: Update Bracket /Brackettlems /Brackettlem /CompetitorPlace /Competitor /Seed DT_RANKING: Update ER/UNIT to add @Pos at Result /ExtendedResults /ExtendedResult DT_CONFIG: Update Value at EC/HEATS_NUM @: Configs /Config /ExtendedConfig DT_CONFIG: Update Value at EC/HEATS_NUM @: Configs /Config /ExtendedConfig DT_CONFIG: Update DocumentCode to phase level DT_CONFIG: Update Configs/Config/Unit to unit level DT_CONFIG: Update Expected for UI/STARTERS/COMPLETE at ExtendedInfos /ExtendedConfig DT_RESULT: Update Expected for ER/JUMP @: Result /ExtendedResults /ExtendedResult DT_RESULT: Update Expected for ER/JUMP @: Result /ExtendedResults /ExtendedResult to support codes DT_RESULT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult to support codes DT_CURRENT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult to support codes DT_CURRENT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult to Support codes DT_CURRENT: Update Value at ER/JUMP @: Result /ExtendedResults /ExtendedResult of ExtendedResults /



		DT_BRACKETS: Change ECP/YC to ECP/CARD at Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlaces /ExtCompPlaces /ExtCompPlaces /ExtCompPlace   Update M/O as needed throughout   Other typographical corrections as needed   DT_RESULT: Add @Pos at UI/LAST_QUAL at ExtendedInfos /ExtendedInfo   DT_RESULT: Update Expected at UI/OVERALL & SECTIONS @ExtendedInfos /ExtendedInfo   DT_RESULT: Update Expected at EO/SECTOR & TYPE at Officials /Official /ExtOfficial   DT_RESULT: Update Expected at JUDGE/OVERALL & SECT_PROG @ Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult   DT_RESULT: Update Result/Diff Description   DT_CURRENT: Update Expected at JUDGE/OVERALL & SECT & SECT_PROG @ Result /ExtendedResults /ExtendedResults /ExtendedResults /ExtendedResult   DT_BRACKETS: Remove UNCONFIRMED from Triggering   DT_RANKING: Change NOCOMP to NO_AWARD at Result /Competitor /Code   DT_CONFIG: Add EC/DOUBLE_UP & JUDGES at Configs /Config /ExtendedConfig   Typographical corrections and clarifications as needed   DT_RESULT: Add Result /ResultItems /ResultItem /Result/StartOrder and StartSortOrder   DT_CURRENT: Add @Pos for DISPLAY/CURRENT @ExtendedInfos /ExtendedInfo   DT_CURRENT: Add @Pos for DISPLAY/NEXT @ExtendedInfos /ExtendedInfo   DT_CURRENT: Add EC/JUDGES_NUM at Configs /Config /ExtendedConfig
V0.4	SFA	Clarified Overview at 2.1 Add Team IFId in DT_RESULT and DT_RANKING DT_RESULT: Update Result/StartOrder to clarify use with multiple runs DT_RESULT: Update PROGRESS/INTERMEDIATE at Result/ExtendedResults/ExtendedResult to exclude time in Cross finals phases DT_RESULT: Add PROGRESS/INTERMEDIATE at Result /ResultItems /ResultItem /Result DT_RESULT: Add ER/JUMPS at Result /ExtendedResults /ExtendedResult DT_CURRENT: Update triggering for prior to the run DT_CURRENT: Add extensions for AE and AET to match implementation DT_CURRENT: Add DISPLAY/CURRENT/TO_BEAT @ExtendedInfos /ExtendedInfo DT_BRACKETS: Correct typographical error in Sort
V1.0	APP	No changes, updated to Approved
V1.1	APP	DT_CONFIG: Change AET to be unit level at Configs/Config/Unit (typographical correction, change to match implementation) DT_CONFIG: Update Expected value for COURSE/AERIALS Configs /Config /ExtendedConfig to add AET (typographical correction, change to match implementation) Timeline Added
V1.2	APP	DT_RESULT: Update expected for Result /ResultItems /ResultItem to add clarity DT_RESULT: Update Value Description JUDGE/[Judge Positon (J1, J2,)] or TOTAL at Result /ExtendedResults /ExtendedResult to add clarity. DT_RESULT: Update expected for Competition/Result (clarity) DT_RESULT: Update description of Result/Rank (clarity) DT_RESULT: Update Result/SortOrder and Result/StartSortOrder to clarify managment of snowseed (add clarity) DT_RESULT: Update ER/AFTER at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult DT_RESULT: Add Result /ResultItems /ResultItem /Result /QualificationMark [match event progression] DT_RESULT: Add EO/VIDEO at Officials /Official /ExtOfficial [CR021847] DT_BRACKET: Update Bracket /BracketItems /BracketItem /CompetitorPlace /StartOrder to O (consistency with DT_RESULT) DT_CURRENT: Update Value Description JUDGE/[Judge Positon (J1, J2,)] or TOTAL at Result /ExtendedResults /ExtendedResults /ExtendedResult to add clarity. DT_CURRENT: Add ER/TIME Result /ExtendedResults /ExtendedResult to match the OVR implementation. DT_CURRENT: Add JUDGE/AIR + BASE + TURNS + DED + TURNS at Result /ExtendedResults /ExtendedResult to match OVR implementation and consistency with DT_RESULT. DT_WEATHER: Update header values to send at location level [CR021512] DT_WEATHER: Update triggering [CR021512] DT_WEATHER: Update Weather/Conditions/Code to add GEN [CR021512] DT_WEATHER: Update Weather/Conditions/Code to add GEN [CR021512] DT_CONFIG: Add COURSE/ELEMENTS_NUM at Configs /Config /ExtendedConfig [CR021830]



		Other minor editorial/typographical improvements without changing the data structures or content.
V1.3	APP	DT_IMAGE: Update message description [CR022136] DT_IMAGE: Update DocumentSubcode & Version in header [CR022136] DT_IMAGE: Update expected in Competition/Image [CR022136] DT_IMAGE: Update expected and attributes in Competition/Image/Result [CR022136]