

Olympic Data Feed



Fencing ODF Data Dictionary Technology and Information Department © International Olympic Committee

SOG-2024-FEN-3.05 SFA 14 October 2022

Olympic Data Feed - © IOC Technology and Information Department



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document remain
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, 4 COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction	
1.1 This document	5
1.2 Objective	5
1.3 Main Audience	5
1.4 Glossary	5
1.5 Related Documents	
2 Messages	
2.1 Fencing Overview	
2.2 Applicable Messages	
2.3 Messages	
2.3.1 Competition schedule / Competition schedule update	
2.3.1.1 Description	
2.3.1.2 Header Values	
2.3.1.3 Trigger and Frequency	
2.3.1.4 Message Structure	
2.3.1.5 Message Values	
2.3.1.6 Message Sort	
2.3.2 List of participants by discipline / List of participants by discipline update	
2.3.2.1 Description	
2.3.2.2 Header Values	
2.3.2.3 Trigger and Frequency	
2.3.2.4 Message Structure	
2.3.2.5 Message Values	
2.3.2.6 Message Sort	
2.3.3 List of teams / List of teams update	
2.3.3.1 Description	
2.3.3.2 Header Values	
2.3.3.3 Trigger and Frequency	
2.3.3.4 Message Structure	
2.3.3.5 Message Values	
2.3.3.6 Message Sort	
2.3.4 Event Unit Start List and Results	
2.3.4.1 Description	
2.3.4.2 Header Values	
2.3.4.3 Trigger and Frequency	
2.3.4.4 Message Structure	
2.3.4.5 Message Values	
2.3.4.6 Message Sort	
2.3.5 Play by Play	
2.3.5.1 Description	
2.3.5.2 Header Values	
2.3.5.3 Trigger and Frequency	
2.3.5.4 Message Structure	
2.3.5.5 Message Values	
2.3.5.6 Message Values	
2.3.6 Brackets	
2.3.6.1 Description	
2.3.6.2 Header Values	
2.3.6.3 Trigger and Frequency	
Olympic Data Feed - © IOC	Document Control
Technology and Information Department	14 October 2022



2.3.6.4 Message Structure	51
2.3.6.5 Message Values	
2.3.6.6 Message Sort	
2.3.7 Event Final Ranking	
2.3.7.1 Description	57
2.3.7.2 Header Values	57
2.3.7.3 Trigger and Frequency	57
2.3.7.4 Message Structure	57
2.3.7.5 Message Values	59
2.3.7.6 Message Sort	61
2.3.8 Event's Medallists	62
2.3.8.1 Description	
2.3.8.2 Header Values	62
2.3.8.3 Trigger and Frequency	
2.3.8.4 Message Structure	
2.3.8.5 Message Values	
2.3.8.6 Message Sort	
2.3.9 Medallists by discipline	
2.3.9.1 Description	
2.3.9.2 Header Values	
2.3.9.3 Trigger and Frequency	
2.3.9.4 Message Structure	
2.3.9.5 Message Values	
2.3.9.6 Message Sort	
2.3.10 Configuration	
2.3.10.1 Description	
2.3.10.2 Header Values	
2.3.10.3 Trigger and Frequency	
2.3.10.4 Message Structure	
2.3.10.5 Message Values	
2.3.10.6 Message Sort	
3 Message Timeline	
3.1 Preparation Phase	
3.2 Before competition	
3.3 During competition	
3.4 After competition	
4 Document Control	78

1 Introduction

1.1 This document

This document includes the ODF Fencing Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Fencing Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

Olympic Data Feed - © IOC

Technology and Information Department



1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description					
IF	International Federation					
IOC	International Olympic Committee					
NOC	National Olympic Committee					
ODF	Dympic Data Feed					
RSC	Results System Codes					
WNPA	World News Press Agencies					

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

2 Messages

2.1 Fencing Overview

MESSAGES IN EACH EVENT

- * All events (individual and team) have a single DT_RESULT and DT_PLAY_BY_PLAY for each unit.
- * There is also a DT_BRACKET message for the progression.

SCHEDULE

The DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include each unit (schedule=Y) only which is aligned with the same RSC for DT_RESULT.

PARALYMPIC GAMES Athlete class is added.

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

Olympic Data Feed - © IOC Technology and Information Department



- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\n extended
DT_SCHEDULE / DT_SCHEDULE_UPDATE /	Competition schedule / Competition schedule update	х
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	x
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE /	List of teams / List of teams update	x
DT_RESULT	Event Unit Start List and Results	x
DT_PLAY_BY_PLAY	Play by Play	x
DT_POOL_STANDING	Pool Standings	×
DT_BRACKETS	Brackets	х
DT_RANKING	Event Final Ranking	х
DT_MEDALLISTS	Event's Medallists	x
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	х
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	x
DT_COMMUNICATION	Communication	
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_BIO_TEA	Team Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	



2.3 Messages

2.3.1 Competition schedule / Competition schedule update

2.3.1.1 Description

The Competition schedule is a bulk message provided for one discipline. As a general rule, it contains the complete schedule information for all event units needed to run a competition and excludes event units for activities such as unofficial training and press conferences.

This message contains the competition timetable for a complete discipline as well as status for each competition unit and is updated from OVR via the schedule update message.

All event units in codes which have the 'schedule' flag set to 'Y' or 'S' are included in schedule messages regardless of status (those without status must be sent as UNSCHEDULED if the schedule flag is 'Y' or 'S').

The arrival of the competition schedule message resets all the previous schedule information for one discipline.

The StartList component of the message is only included in the case that the Unit Type is one of HATH, HCOUP or HTEAM and at least one of the competitors are known.

The Composition component (i.e. listing athletes) is only included in the case that the Unit Type is one of HATH or HCOUP.

For reference the applicable unit types (from common codes) are:

HATH Individual Head to Head units (e.g. ARC, BDM, TEN, SBD etc) HCOUP Pairs/Couples Head to Head units (e.g. BDM, TEN etc) HTEAM Teams Head to Head units (e.g. BKB, VBV, HBL, CUR, IHO etc)

Managing when start times are not known.

In some disciplines the start time of each unit is not known and the unit are managed by order rather than time.

In these disciplines only the time of the first unit (or first unit per location) is known and distributed. In this case all units should be sent with the same start time and those following units flagged as HideStartDate (and finish). To be able to correctly order these units then the Order attribute is used (and must be sent from the venue).

To ensure there are no incorrectly ordered units then the start time must not be updated to the actual start time (there is an actual start time field to cater for this). For example:

Start Tim	art Time Display Unit HideStartDate		Loc	atio	n	Order			
in messa	ge								
12:00	12:00 U	Init 1	Ν		Court	2	1		
12:00	Match 2 Court 2	Unit	2	Y	С	ourt	2	2	
12:00	Match 3 Court 2	Unit	3	Y	С	ourt	2	3	
16:30	Not before 16:30) Unit	4	Y	C	ourt	2	4	

If the discipline requires some text describing the order then StartText is used. Typical uses include "Not before 17:00" or "SUN 29 - 2nd match on CC" or "Follows".

Advice for end users - how to sort event units and use DT_SCHEDULE: - When displaying the schedule users must use the following sort order to display as intended:

Olympic Data Feed - © IOC

Technology and Information Department

Where the discipline is defined as LOC:

- 1. By day (or filter by day)
- 2. Session Code
- 3. By location
- 4. By Time (regardless if HideStartDate="Y")
- 5. By Order

Where the discipline is defined as SESSION OR DATE:

- 1. By day (or filter by day)
- 2. Session Code
- 3. By Time (regardless if HideStartDate="Y")
- 4. By Order

The Order can be match number for simplicity and show correct order for two matches at the same time.
End users should display StartText if HideStartDate="Y"

If a StartText value of "Not before hh:mm" is used then it is expected that the StartDate sent is the same hh:mm.

Competition schedule update:

Competition schedule update is an update message. It is not a complete schedule information message, but only the schedule data being modified.

The arrival of this message updates the previous schedule information for one particular event unit(s) or sessions(s), but does not notify any other change for the rest of the event units/sessions except for those contained in the message.

The key of the information updated is Unit @Code. Therefore, any new unit, deleted unit or updated unit will be identified by all this attribute.

It has to be understood that if one DT_SCHEDULE message arrives, then all previous DT_SCHEDULE_UPDATE messages should be discarded.

When message is sent from Competition Schedule application in advance of the Games the element ExtendedInfos/EntendedInfo will contain following information:

- Type=CS, Code=VERSION, the attribute Value will indicate the version details from the competition schedule application

- Type=CS, Code=STATUS the attribute Value will indicate the status details from the competition schedule application

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule bulk / update
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.

Olympic Data Feed - © IOC Technology and Information Department



Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.1.3 Trigger and Frequency

The competition schedule will be sent as a bulk message (DocumentType="DT_SCHEDULE") when available before the Games and then sent multiple times until a date to be confirmed after which only update messages will be sent (DocumentType="DT_SCHEDULE_UPDATE") by OVR. There is no automatic triggering and this (DT_SCHEDULE) message must not be sent after the transfer of control to OVR.

The competition schedule update message should be triggered at any time there has been a competition schedule modification for any previously sent competition schedule bulk message or update message including the addition of start list details (H2H).

Generally start list details for H2H units should be sent immediately when officially known, which should be as soon as possible after the preceding unit changes to official.

The triggers for status changes are described in each sport data dictionary where differences are needed.

If any text descriptions change in a message (as opposed to the code) then this message is not resent to correct previous messages however the new data is to be used in future messages.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	
Competition	(0,1)								
	Gen								
	Sport								
	Codes								
	Session (0,N)							
		SessionCode							
		StartDate							
		EndDate							
		Leadin							
		Venue							
		VenueName							
		ModificationIn	dicator						
	SessionStatus								
	SessionType								
	Medal								
		FOP							



	SessionName	e (1,N)					
		Language					
		Value					
Unit (0,N)		P					
	Code						
	PhaseType						
	UnitNum						
	ScheduleState	us					
	StartDate						
	HideStartDate	9					
	EndDate						
	HideEndDate						
	ActualStartDa	te					
	ActualEndDat	e					
	Order						
	Medal						
	Venue						
	Location						
	MediaAccess						
	SessionCode						
	ModificationIndicator						
	StartText (0,N)						
	Language						
	1	Value					
	ItemName (1						
		Language					
	1	Value					
	ItemDescriptio	1					
		Language					
		-					
	VenueDescrip						
		VenueName					
		LocationNam	e				
	StartList (0,1)	1					
		Start (1,N)	StartOrder				
			SortOrder				
			PreviousWLT				
			PreviousUnit				
			Competitor (1	1)			
				Code			

Olympic Data Feed - © IOC Technology and Information Department



Туре			
Organisation			
Description (0,1)		
	TeamName		
	IFId		
Composition	(0,1)		
	Athlete (1,N)		
		Code	
		Order	
		Description (1	,1)
			GivenName
			FamilyName
			Gender
			Organisation
			BirthDate
			IFId
			Class

2.3.1.5 Message Values

Element: Competition (0,1)								
Attribute	M/O	Value	Description					
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message					
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message					
Codes	0	S(20)	Version of the Codes applicable to the message					

Element: Competition /Session (0,N)			
Attribute	M/O	Value	Description
SessionCode	Μ	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
StartDate	Μ	DateTime	Start date. Example: 2006-02-26T10:00:00+01:00
EndDate	М	DateTime	End date. Example: 2006-02-26T10:00:00+01:00
Leadin	0	m:ss	Amount of time from session start to first scheduled unit.
Venue	М	CC @VenueCode	Venue where the session takes place
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes
ModificationIndicator	0	S(1)	Attribute is mandatory in the DT_SCHEDULE_UPDATE message.
			N = New or U = Update.

Olympic Data Feed - © IOC Technology and Information Department



SessionStatus	0	CC @ScheduleStatus	Only use CANCELLED if applicable. All other sessions are assumed to be scheduled. There is no change to running or finished.
SessionType	0	CC @SessionType	Session type of the Session.
Medal	0	Numeric #0	Send the number of gold medals planned to be determined in this session. [this is a calculation based on the units assigned to the session].
FOP	0	Numeric #0	The number of fields of play planned to be used in this session. This data is only included in the message in the pre-Games period before the schedule is known. Do not include in data to or from OVR during the Games period.

Element: Competition /Session /SessionName (1,N)				
Attribute	M/O	Value	Description	
Language	М	CC @Language	Language of the Session Description	
Value	М	S(40)	Name of the sports competition session	

Sample (General)

<Session Code="ATH01" StartDate="2016-08-12T10:00:00+01:00" EndDate="2016-08-12T14:00:00+05:00" LeadIn="5:00" Venue="STA" VenueName="Olympic Stadium" > <SessionName Language="ENG" Value="Athletics Session 1" /> </Session>

<Session Code="ATH02" StartDate="2016-08-12T18:00:00+01:00" EndDate="2016-08-12T21:00:00+05:00" LeadIn="5:00" Venue="STA" VenueName="Olympic Stadium" > <SessionName Language="ENG" Value="Athletics Session 2" />

</Session>

Element: Competition /Unit (0,N)				
Attribute	M/O	Value	Description	
Code	М	CC @Unit	Full RSC for the unit	
PhaseType	М	CC @PhaseType	Phase type for the unit	
UnitNum	0	S(15)	Match / Game / Bout / Race Number or similar	
ScheduleStatus	М	CC @ScheduleStatus	Unit Status	
StartDate	0	DateTime	 Start date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED. For other statuses the StartDate is expected otherwise ordering in display may be incorrect (including CANCELLED and POSTPONED. This is the scheduled Start date and time and will not be updated when an event unit starts, that is, do not change to actual (updated only with RESCHEDULED status) Where HideStartDate="Y" then this should be filled with the session start time or the start time of a group of units for all similar units and Order used for sorting. This method is not used in team sports where HideStartDate="Y" is only used temporarily to remove times. Example: 2006-02-26T10:00:00+01:00 Do not update with actual start time (see ActualStartDate) 	
HideStartDate	0	S(1)	Send 'Y' if StartDate (scheduled start time) should not be displayed. It may be an estimate or 'fake' time. Do not send if StartDate (scheduled start time) is to be displayed.	

Document Control



	1		
			Start times of some units depend on the finalisation of previous event units and therefore there is no fixed start time in these cases this field is set to 'Y'.
			When the flag is set to 'Y' then the time is used for sorting purposes but should not be displayed.
EndDate	0	DateTime	This is the scheduled end date and time and will not be updated when an event unit ends, that is, do not change to actual (updated only with RESCHEDULED status relative to StartDate)
			This attribute is not required when the @ScheduleStatus is UNSCHEDULED or CANCELLED.
			Example: 2006-02-26T10:00:00+01:00 Do not update with actual end time (see ActualEndDate)
HideEndDate	0	S(1)	Send 'Y' if EndDate scheduled end time is not to be displayed.
			Some event units have a scheduled end time well bounded, however, some event units in some circumstances have a scheduled end time not quite variable (example, some press conferences or tennis matches, etc.) in these cases this field is set to 'Y' and should not be displayed.
ActualStartDate	0	DateTime	This attribute is expected once the event unit has started. Example: 2006-02-26T10:03:22+01:00
ActualEndDate	0	DateTime	This attribute is expected once the event unit has finished. Example: 2006-02-26T12:43:51+01:00
Order	0	Numeric ###0	Order of the units when displayed. This field is considered in two situations:
			1. If HideStartDate = 'Y' then send at least for all Units in an affected session though it is suggested to be sent for all units in a discipline where the concept is used in the discipline.
			2. If some units start at the same time and a particular order of the units is expected.
			It is generally recommended to start at 1 in each session each day though may be ordered independently by location starting at 1 for each location in each session (where the schedule is ordered by location) or using other numbers to ensure the order of two using starting at the same time are displayed in the appropriate order.
Medal	0	SC @UnitMedalType	Indicator of medal awarded for this unit.
Venue	0	CC @VenueCode	Venue where the unit takes place Mandatory unless UNSCHEDULED Can use TBD if the Venue is not known yet (see CC).
Location	0	CC @Location	Location where the unit takes place. Mandatory unless UNSCHEDULED. Can use TBD if the Location is not known yet or a generic code for the discipline (see CC).
MediaAccess	0	S(6)	Only applicable for non-competition. If unit is open to media send "OPE", if the unit is closed then send "CLO".
SessionCode	0	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.

Olympic Data Feed - © IOC Technology and Information Department



			If a unit finishes in a different session (due to interuption) from the starting one then the SessionCode remains the starting code.
ModificationIndicator	0	N, U	Attribute is mandatory in the DT_SCHEDULE_UPDATE message only N-New event unit U-Update event unit If ModificationIndicator='N', then include new event unit. It will be rarely used as most added units were available in "UNSCHEDULED" status. If ModificationIndicator="U", then update the event unit.

Element: Competitio	Element: Competition /Unit /StartText (0,N)					
This element is only	This element is only used for Competition Schedules when HideStartDate is 'Y'. In this case, English Language is mandatory.					
Attribute	M/O	Value	Description			
Language	М	CC @Language	Code Language of the @Value			
Value	Μ	S(20) or SC @StartText	Text to be displayed in the case that StartDate is not to be displayed. Use available codes or free text if appropriate is not available			

Element: Competition /Unit /ItemName (1,N)				
Attribute	M/O	Value	Description	
Language	М	CC @Language	Code Language of the @Value	
Value	М	S(40)	Item Name / Unit Description.	
			For competition units show the short unit description from common codes which matches the RSC. As in all messages with a description. Only the ENG description is expected.	
			For non-competition schedules (where the item description is not in common codes) then add the description.	

Element: Competition /Unit /ItemDescription (0,N)				
Attribute	M/O	Value	Description	
Language	М	CC @Language	Code Language of the @Value	
-	М	Free Text	Item Description for non-competition schedule	

Element: Competition /Unit /VenueDescription (0,1)					
Mandatory when Unit/Venue is included					
Attribute	M/O	Value	Description		
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes		
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes		

Element: Competition /Unit /StartList /Start (1,N)

StartList information is only sent in the case that the Unit type is one of HATH, HCOUP or HTEAM and at least one of the competitors are known. (Sent as soon as known for applicable units)

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O	Value	Description
StartOrder	0	Numeric	Competitor's start order
SortOrder	М	Numeric	Used to sort competitors in an event unit (for example, if there is no StartOrder). It is mainly used for display purposes.
PreviousWLT	0	S(1)	W or L for winner of loser of a particular previous unit plays in this unit. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real competitors are known.
PreviousUnit	0	CC @Unit	The full RSC of the unit where this competitor came from. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real competitors are known.

Element: Competition	n /Unit /StartLis	t /Start /Competitor (1,1)	
Attribute	M/O	Value	Description
Code	Μ	S(20) with no leading zeroes, TBD or NOCOMP.	Competitor's ID, TBD in case that the competitor is not known at this time AND the other competitor is known. NOCOMP is sent when there is no competitor (and will not come later)
Туре	М	S(1)	T for team, A for athlete
Organisation	0	CC @Organisation	Should be sent when known

Element: Competition /Unit /StartList /Start /Competitor /Description (0,1)					
Attribute M/O Value Description					
TeamName	М	S(73)	Team Name where known, must send when available		
IFId	0	S(16)	Team IF number, send if available		

Element: Competition /Unit /StartList /Start /Competitor /Composition /Athlete (1,N)

Only send in the case that the Unit type is one of HATH (ARC, BDM, TEN etc) or HCOUP (BDM, TEN etc), In case of the Competitor @Code='TBD' the Competitor element should not be sent.

Attribute	M/O	Value	Description
Code	М		Athlete's ID, corresponding to either a team member or an individual athlete in the event unit.
Order	М		Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".

Element: Competition /Unit /StartList /Start /Competitor /Composition /Athlete /Description (1,1)				
Attribute	M/O	Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case). Send if not null.	
FamilyName	М	S(25)	Family name in WNPA format (mixed case)	
Gender	М	CC @PersonGender	Participant's gender	
Organisation	М	CC @Organisation	Organisation ID	
BirthDate	0	YYYY-MM-DD	Date of birth.	
IFId	0	S(16)	Athlete IF number, send if available, only for the current discipline.	



Class	0	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games).
		This attribute is optional because it is not used in events without such athletes.

2.3.1.6 Message Sort

Sort by Session @SessionCode.

The message is sorted by Unit@StartDate then by Unit@Order then Unit@Code. In case of event unit with no Unit@StartDate defined (example, they are in an event unit status such as UNSCHEDULED), they will be listed at the end in Unit@Code order.



2.3.2 List of participants by discipline / List of participants by discipline update

2.3.2.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE /	List of participants by discipline message
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic athletes else the attribute is not included. Never included in _UPDATE message.
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.

Olympic Data Feed - © IOC Technology and Information Department



LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.2.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			
		BirthDate			
		PlaceofBirth			
		CountryofBirth			
		PlaceofResidence			
		CountryofResidence			
		Nationality			
		MainFunctionId			
		L			



Current				
OlympicSolidarity				
ModificationIndicator				
Discipline (1,1)				
	Code			
	IFId			
	DisciplineEntry (0,N)			
		Туре		
		Code		
		Pos		
		Value		
	RegisteredEvent (0,N	l)		
		Event		
		Class		
		Substitute		
		EventEntry (0,N)		
			Туре	
			Code	
			Pos	
			Value	

2.3.2.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Sample (General)

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-FEN-1.10" Codes="SOG-2020-1.20" >

Element: Competition /Participant (1,N)					
Attribute	M/O	Value	Description		
Code	Μ	S(20) with no leading zeroes	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time. It is used to link other messages to the participant's information.		

Olympic Data Feed - © IOC Technology and Information Department



			Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc. When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.
Parent	M	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.
			The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".
Status	0	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".
			To delete a participant, a specific value of the Status attribute is used.
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	0	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	0	S(25)	Passport Family Name (Uppercase).
PrintName	М	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	М	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	М	S(35)	TV name
TVInitialName	М	S(18)	TV initial name
TVFamilyName	М	S(25)	TV family name
LocalFamilyName	0	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	0	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	М	CC @PersonGender	Participant's gender
Organisation	М	CC @Organisation	Organisation ID
BirthDate	0	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.
PlaceofBirth	0	S(75)	Place of Birth
CountryofBirth	0	CC @Country	Country ID of Birth
PlaceofResidence	0	S(75)	Place of Residence
CountryofResidence	0	CC @Country	Country ID of Residence
Nationality	0	CC @Country	Participant's nationality.



			Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	0	CC @ResultsFunction	Main function
			In the Case of Current="true" this attribute is Mandatory.
Current	М	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	0	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	М	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only
			N-New participant (in the case that this information comes as a late entry) U-Update participant
			If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants
			If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants
			To delete a participant, a specific value of the Status attribute is used.

Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

	Attribute	M/O	Value	Description
(Code	М		It is the discipline code used to fill the OdfBody @DocumentCode attribute.
I	Fld	0	S(16)	FIE identification (IF number)

	Element: Competition /Participant /Discipline /DisciplineEntry (0,N) Send if there is specific discipline information for the official.						
	Description						
ENTF	₹Y	LICENCE	SC @Weapon	Pos Description: Send weapon code Element Expected: Always for license information.			
	Attribute	M/O	Value	Description			
	Value	М	S(1)	A or B			

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	М	CC @Event	Full RSC of the Event
Class	0	CC @DisciplineClass	Code to identify the handicap class in the case of events with handicapped athletes (e.g: paralympic games).

Olympic Data Feed - © IOC

Technology and Information Department



			This attribute is optional because is not used in other type of events without handicapped athletes. Send only in the Case of Current="true".
Substitute	0	S(1)	Flag that indicates when the competitor is an alternate. Send "Y" if the competitor is an alternate player. (only expected in team events)

Element: Competition	n /Participant /Discipline /Regis	teredEvent /EventEntry (0,N	N)
Send if there are spec	cific athlete's event entries.		
Туре	Code	Pos	Description
ENTRY	HAND	N/A	Element Expected: Always, as soon as this information is known (it can be sent in both messages)
Attribute	M/O	Value	Description
Value	Μ	SC @Hand	Handedness of the athlete
ENTRY	LICENCE	N/A	Element Expected: Always, as soon as this information is known and this athlete has FIE license number (this information can be sent in both messages).
Attribute	M/O	Value	Description
Value	М	S(16)	International Fencing Federation (FIE) license number
ENTRY	QUAL_TYPE	N/A	Element Expected: Always, as soon as this information is known (it can be sent in both messages). For Individual and Team events.
Attribute	M/O	Value	Description
Value	М	SC @QualifiyingType	Qualification type
ENTRY	RANK_WLD	N/A	Element Expected: Always, as soon as this information is known and this athlete has ranking or not (this information can be sent in both messages). Only for Individual events.
Attribute	M/O	Value	Description
Value	М	S(4)	World Ranking
ENTRY	SEED	N/A	Element Expected: Always, as soon as this information is known and this athlete has Seed Number (this information only will be sent in the update message). Only for Individual events.
Attribute	M/O	Value	Description
Value	М	Numeric ##	Seed Number

2.3.2.6 Message Sort

The message is sorted by Participant @Code



2.3.3 List of teams / List of teams update

2.3.3.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic teams else the attribute is not included. Never included in _UPDATE message.
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.3.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				

Olympic Data Feed - © IOC Technology and Information Department



Sport				
Codes				
Team (1,N)				
	Code			
	Organisation			
	Number			
	Name			
	ShortName			
	TVTeamName			
	Gender			
 	Current			
 	TeamType			
 	ModificationIndicator			
	Composition (0,1)	1		
		Athlete (0,N)		
			Code	
	1		Order	
	TeamOfficials (0,1)			
		Official (1,N)		
			Code	
			Function	
	1		Order	
	Discipline (0,1)	Ι		
		Code		
		RegisteredEvent (0,1		
			Event	
			EventEntry (0,N)	1
				Туре
				Code
				Pos
				Value

2.3.3.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			
Codes	0	S(20)	Version of the Codes applicable to the message			

Element: Competition /Team (1,N)

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O	Value	Description
Code	Μ	S(20) with no leading zeroes	Team's ID (example ATHM4X400MESP01, 393553) When the Team is an historical one, then this ID starts with "T".
Organisation	М	CC @Organisation	Team organisation's ID
Number	0	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.
Name	М	S(73)	Team name
ShortName	М	S(40)	Team Short Name
TVTeamName	М	S(21)	TV Team Name
Gender	М	CC @SportGender	Gender Code of the Team
Current	М	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
TeamType	М	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Use ORG.
ModificationIndicator	Μ	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

Element: Competition	Element: Competition /Team /Composition /Athlete (0,N)						
Attribute	M/O	Value	Description				
Code	М	S(20) with no leading zeroes	Athlete's ID of the listed team's member.				
Order	0	Numeric	Team member order				

Element: Competition /Team /TeamOfficials /Official (1,N) Send if there are specific officials for the team. Does not apply to historical teams.						
Attribute M/O Value Description						
Code	М	S(20) with no leading zeroes	Official's ID of the listed team official. For all team officials where applicable.			
Function	М	CC @ResultsFunction	Official's function for the team.			
Order	0	Numeric #0	Official's order in the team.			

Element: Competition /Team /Discipline (0,1)

Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O	Value		Description
Code	М	CC @Discipline	Full RSC of the	e Discipline
Element: Competit	tion /Team /Disci	oline /RegisteredEve	nt (0,1)	
Each current team	is assigned to o	ne event. Historical	eams will not be registe	ered to any event.
Attribute	M/O	Value		Description
Event	М	CC @Event	Full RSC of the	e Event
Element: Competit	tion /Team /Disci	pline /RegisteredEve	nt /EventEntry (0.N)	
Send if there are s				
Туј	ре	Code	Pos	Description
ENTRY	QU.	AL_TYPE	N/A	Element Expected: Always, as soon as this information is known (it can be sent in both messages)
Attribute	M/C)	Value	Description
Value	М		SC @QualifiyingType	Qualification type
ENTRY	RAI	NK_WLD	N/A	Element Expected: Always, as soon as this information is know and the team has ranking or not (this information can be sent in both messages)
Attribute	M/C)	Value	Description
Value	М		S(4)	World Ranking
ENTRY	SEE	ED	N/A	Element Expected: Always, as soon as this information is known and this team has Seed Number (this information only will be sent in the update message)
Attribute	M/C)	Value	Description
Value	М		Numeric ##	Seed Number

2.3.3.6 Message Sort

The message is sorted by Team @Code.



2.3.4 Event Unit Start List and Results

2.3.4.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version 1V		Version number associated to the message's content. Ascending number
ResultStatus CC @ResultStatus		It indicates whether the result is official or unofficial (or intermediate etc). START_LIST LIVE (used during the competition when nothing else applies). INTERMEDIATE (during extended breaks) OFFICIAL UNOFFICIAL
eedFlag "P" - Production "T" - Test		Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

This message is sent with ResultStatus 'START_LIST' as soon as the start list information is available and for any change to this information or if there are any cards before the unit starts.

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates:

- At the start of the competition (LIVE)

- With every change in any data (LIVE)

- In case of Toss please send the message as soon the Priority winner is known.

This message is also sent when the event unit finishes and the results are still unofficial. Also, this message is

Olympic Data Feed - © IOC

Technology and Information Department

Document Control

14 October 2022



expected when the results become official. The official/unofficial status is included in the ODF headers (ResultStatus attribute).

The message is sent as 'INTERMEDIATE' during extended breaks.

Trigger also after any change.

2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition	(0,1)							
	Gen							
	Sport							
	Codes							
	ExtendedInfo	os (0,1)						
		UnitDateTime	e (0,1)					
			StartDate					
			EndDate					
			Duration					
		ExtendedInfo	(0,N)					
			Туре					
			Code					
			Pos					
			Value					
			Extension (0,N	N)				
		SportDescrip	tion (0,1)					
			DisciplineNam	ne				
			EventName					
			Gender					
			SubEventNam	ne				
			UnitNum					
		VenueDescri	otion (0,1)					
			Venue					
			VenueName					
			Location					
			LocationName	e				
	Officials (0,1))						
		Official (1,N)						
			Code					
			Function					
			Order					
			Description (1	,1)				



				GivenName		
			FamilyName			
				Gender		
				Organisation		
			IFId			
Periods (0,1)	Periods (0,1)					
	Home					
	Away					
	Period (1,N)					
		Code				
		HomeScore				
		AwayScore				
		HomePeriodS	core			
		AwayPeriodSo	core			
		ExtendedPerio				
			ExtendedPeri	od (1,N)		
				Туре		
				Code		
				Pos		
				Value		
Result (1,N)	1					
	Result					
	IRM					
	WLT					
	SortOrder					
	StartOrder					
	StartSortOrde	er				
	ResultType					
	ExtendedRes					
		ExtendedRes				
			Туре			
			Code			
			Pos			
			Value			
			Extension (0,N)			
	Competitor (1					
		Code				
		Туре				
		Organisation				
		Description (0				
			TeamName			

Olympic Data Feed - © IOC Technology and Information Department



	IFId			
EventUnitEntr	ry (0,N)			
	Туре			
	Code			
	Pos			
	Value			
Composition ((0,1)			
	Athlete (0,N)			
		Code		
		Order		
		Description (1	,1)	
			GivenName	
			FamilyName	
			Gender	
			Organisation	
			BirthDate	
			IFId	
			Class	
		EventUnitEntr	y (0,N)	
			Туре	
			Code	
			Pos	
			Value	
		ExtendedRes	ults (0,1)	
			ExtendedRes	ult (1,N)
				Туре
				Code
				Pos
				Value
				Extension (0,N)

2.3.4.5 Message Values

Element: Competition	n (0,1)		
Attribute	M/O	Value	Description
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)

Olympic Data Feed - © IOC Technology and Information Department



Actual times. Include	Actual times. Include when the unit starts.			
Attribute	M/O	Value	Description	
StartDate	М	DateTime	Actual start date and time.	
EndDate	0	DateTime	Actual end date-time.	
Duration	0	mm:ss	Total duration of the encounter (Bout Time or Total Match Time according to the events of Individual or Team respectively). Remove leading zeros in minutes (unless time under one minute then one zero)	

Elem	ent: Competition /Extend	edInfos /ExtendedInfo (0,I	N)	
	Туре	Code	Pos	Description
UI		PERIOD	N/A	Element Expected: Always after the start of the unit.
	Attribute	M/O	Value	Description
	Value	Μ	SC @Period SC @GameState	Send current period or the GameState Use SC @Period unless some GameState applies
DISPI	LAY	LAST_COMP	SC @Period	Pos Description: Send the Period Element Expected:
				Send the last athlete who make a touch with every LIVE update within the period. Each period starts without any carry-over. (Different @Pos depending on event type)
				Only in the LIVE messages.
	Attribute	M/O	Value	Description
	Value	Μ	S(20)	Send the competitor ID of the last athlete to make a touch Send '0' for both athletes scoring in the same time.
UI		COMP	Numeric #	Pos Description: Sequential number to indicate the bout number between each member of one team against each from the other one. Element Expected: Always, when this information is available (just for Team events)
		on /ExtendedInfos /Extend this information is availa		
	Attribute	Value	Description	
	Code	A		
	Pos	N/A	N/A	
	Value	S(20) with no leading zeroes	Athlete's ID (to identify an from the team A.	athlete) that competes in this bout as a member
		on /ExtendedInfos /Extend this information is availa		
	Attribute	Value	Description	
	Code	В		
	Pos	N/A	N/A	

Olympic Data Feed - © IOC Technology and Information Department



	Value	Value S(20) with no leading zeroes		athlete) that competes in this bout as a member
UI		DURATION_IND	Numeric #	Pos Description: Sequential number to indicate the bout number between each member of one team against each from the other one. Therefore, there will be nine bouts among both teams. Element Expected: Only for the team event, at the end of each bout from the team match
	Attribute	M/O	Value	Description
	Value	М	mm:ss	Duration of the Bout (within the match, for team events), including any overtime. Remove leading zeros in minutes (unless time under one minute then one zero)
UI		DURATION_OVERTIME	N/A	Element Expected: Always, at the end of the individual bout / team match in the case of overtime else not sent.
	Attribute	M/O	Value	Description
	Value	м	mm:ss	Overtime's duration of the encounter (Bout Overtime or Match Overtime, according to the events of Individual or Team respectively). Remove leading zeros in minutes (unless time under one minute then one zero)
UI		DURATION_NORMAL	N/A	Element Expected: Always, at the end of the individual bout / team match
	Attribute	M/O	Value	Description
	Value	м	mm:ss	Duration of the encounter (Bout Time or Total Match Time according to the events of Individual or Team respectively), not including any overtime. Remove leading zeros in minutes (unless time under one minute then one zero)
UI		OVERTIME	N/A	Element Expected: If overtime is required in the unit For both events: individual and team.
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send Y only if the encounter goes to Overtime.
UI		TOSS	N/A	Element Expected: As soon as the Priority competitor is known. For both events: individual and team Do not send if there is a point marked in the OT period or the OT period is finished without winner (0-0 score in the OT period).
	Attribute	M/O	Value	Description
	Value	М	S(1) (A, B)	The Victory by Toss indicator before the overtime period, in the case of a tie after the competition periods. Send 'A' or 'B' if the preferred winner is the first or the second athlete.
UI		WINNER_ID	N/A	Element Expected:

Olympic Data Feed - © IOC Technology and Information Department



			Always, at the end of the individual bout / team match if there is a winner
Attribute	M/O	Value	Description
Value	М		Athlete's ID / Team's ID, to identify an athlete or team, winner of the encounter (individual bout or team match) respectively.

Sample (Individual)

<ExtendedInfos>

<UnitDateTime StartDate="2012-07-28T19:10:00+01:00" Duration="31:59" /> <ExtendedInfo Type="UI" Code="DURATION_OVERTIME" Value="0:01" />
<ExtendedInfo Type="UI" Code="OVERTIME" Value="YI"/>
<ExtendedInfo Type="UI" Code="DURATION_NORMAL" Value="31:58" />
<ExtendedInfo Type="UI" Code="WINNER_ID" Value="1092084" />

<ExtendedInfo Type="UI" Code="WINNER_ID" Value="1092084" />

Sample (Team)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-02T18:00:00+01:00" Duration="66:24" />
  <ExtendedInfo Type="Ul" Code="COMP" Pos="1">
<ExtendedInfo Type="Ul" Code="COMP" Pos="1">
<Extension Code="A" Value="1071386" />
     <Extension Code="B" Value="1099401" />
  </ExtendedInfo>
  <ExtendedInfo Type="UI" Code="COMP" Pos="2">
     <Extension Code="A" Value="1071388" />
<Extension Code="B" Value="1099405" />
  </ExtendedInfo>
 <ExtendedInfo Type="UI" Code="COMP" Pos="9">
<Extension Code="A" Value="1071388" />
<Extension Code="B" Value="1099401" />
  </ExtendedInfo>

<ExtendedInfo Type="UI" Code="DURATION_NORMAL" Value="66:24" />
<ExtendedInfo Type="UI" Code="WINNER_ID" Value="FEW401ITA01" />
<ExtendedInfo Type="UI" Code="DURATION_IND" Pos="II" Value="11:36" />

  <ExtendedInfo Type="UI" Code="DURATION_IND" Pos="2" Value="4:17" />
```

<ExtendedInfo Type="UI" Code="DURATION_IND" Pos="9" Value="8:35" />

Element: Competitio	element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Descriptions in	Sport Descriptions in Text.				
Attribute	M/O	Value	Description		
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.		
Gender	М	CC @SportGender	Gender code for the event unit		
SubEventName	М	S(40)	EventUnit ENG Description (not code) from Common Codes		
UnitNum	0	S(6)	Bout number / match number		

•		os /VenueDescription (0,	1)
Venue Names in Text Attribute	м/о	Value	Description
Venue	М	CC @VenueCode	Venue Code

Olympic Data Feed - © IOC Technology and Information Department



VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes
Location	М	CC @Location	Location code
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Officials /Official (1,N)				
Attribute M/O Value		Value	Description	
Code	М	S(20) with no leading zeroes	Official's code	
Function	Μ	CC @ResultsFunction	Official's function (example: referee, etc.). Can be different from the function sent in the DT_PARTIC message. Send according to the codes for: - Referee - Video Referee - Assistant Referee (2 or 3 referees, 1 video referee and 2 assistants are expected in Team events, and 1 referee, 1 video referee and 2 assistants for Individual events)	
Order	М	Numeric	Official's order as required in the sport	

Element: Competition /Officials /Official /Description (1,1)

Officials extended information.				
Attribute M/O		Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case)	
FamilyName	М	S(25)	Family name in WNPA format (mixed case)	
Gender	М	CC @PersonGender	Gender of the official	
Organisation	М	CC @Organisation	Official's organisation	
IFId	O S(16)		International Federation ID	

Element: Competition /Periods (0,1)				
For Individual events only				
Attribute	Description			
Home	0	S(20) with no leading zeroes	Home Competitor ID (this is the "A" competitor who is on the right)	
Away	0	S(20) with no leading zeroes	Away Competitor ID (this is the "B" competitor who is on the left)	

Element: Competition /Periods /Period (1,N)

Only for the individual events and expected only for the current and previous periods.

Attribute	M/O	Value	Description
Code	М	SC @Period	Period code, usually there are 3 periods and optionally an overtime.
HomeScore	М	Numeric #0	Overall score of the home (A) competitor at the end of the period or during if current (e.g.: 4 at the end of Period-1 ('1st Period'), 11 at the end of Period-2 ('2nd Period'),)
AwayScore	М	Numeric #0	Overall score of the away (B) competitor at the end of the period or during if current (e.g.: 4 at the end of Period-1 ('1st Period'), 9 at the end of Period-2 ('2nd Period'),)

Olympic Data Feed - © IOC Technology and Information Department



HomePeriodScore	0	Numeric #0 or '-'	Score of the home (A) competitor only for this period After the bout is unofficial, if a round has not been contested then send '-'.
AwayPeriodScore	0	Numeric #0 or '-'	Score of the away(B) competitor only for this period After the bout is unofficial, if a round has not been contested then send '-'.

Elem	Element: Competition /Periods /Period /ExtendedPeriods /ExtendedPeriod (1,N)							
Exter	ExtendedPeriod information.							
	Туре	Code	Pos	Description				
EP		LAST_TOUCH	N/A	Element Expected: Individual events. Always, after each touch.				
	Attribute	M/O	Value	Description				
	Value	M	S(1) (A or B or 0)	Last Touch Indicator for this period when it is the last finished within the bout. Send 'A' or 'B' if the last touch is scored by A or B competitor. Sent for each period in Individual events. Send '0' for both athletes scoring in the same time.				

Sample (General)

<Periods>

<Period Code="P1" HomeScore="8" AwayScore="5" HomePeriodScore="8" AwayPeriodScore="5"/>

<ExtendedPeriods>

<ExtendedPeriod Type="EP" Code="LAST_TOUCH" Value="A" />

</ExtendedPeriods>

<Period Code="P2" HomeScore="11" AwayScore="11" HomePeriodScore="3" AwayPeriodScore="6" />

<ExtendedPeriods> <ExtendedPeriod Type="EP" Code="LAST_TOUCH" Value="B" />

</ExtendedPeriods> <Period Code="P3" HomeScore="15" AwayScore="13" HomePeriodScore="4" AwayPeriodScore="2" />

<ExtendedPeriods>

<ExtendedPeriod Type="EP" Code="LAST_TOUCH" Value="B" />

</ExtendedPeriods>

<Period Code="OT" HomeScore="15" AwayScore="13" HomePeriodScore="-" AwayPeriodScore="-" /> <ExtendedPeriods>

<ExtendedPeriod Type="EP" Code="LAST_TOUCH" Value="A" />

</ExtendedPeriods>

Element: Competition /Result (1,N)					
Attribute	M/O	Value	Description		
Result	0	Numeric #0	Result for the particular event unit, i.e. the final score in the corresponding bout / match (in Individual / Team events respectively). Send in the case @ResultType is Points or IRM with points. Send the value 0 as soon as the unit is LIVE and update with each score. Also send the value if either competitor gets a score before the unit starts as a result of a card.		
IRM	0	SC @IRM	The invalid rank mark, if applicable. IRM of the competitor for the particular event unit. Send IRM if known before competition.		



WLT	0	SC @WLT	The code whether a competitor won (W) [Victory] or lost (L) [Defeat] the bout/match. Only will be informed (it is mandatory) at the end of the bout / match (in Individual / Team events respectively). In the case or both disqualified then both receive L	
SortOrder	Μ	Numeric	Send 1 for A competitor and 2 for B competitor for both Individual and Team events.	
StartOrder	М	Numeric	Send 1 for A competitor and 2 for B competitor for both Individual and Team events.	
StartSortOrder	М	Numeric	Same @StartOrder	
ResultType	0	SC @ResultType	Result type, either points or IRM with points for corresponding individual bout / team match (see codes section Only will be informed (mandatory) when the unit starts (LIVE Also send if either competitor gets a score before the unit st as a result of a card.	

Elem	Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)					
	Туре	Code	Pos	Description		
ER		BOUT	Numeric #	Pos Description: Sequential number to indicate the bout number between each member of one team against each from the other one. Therefore, there will be nine bouts among both teams. Element Expected: Always, for each point scored at match level and at the end of each bout within the match		
		petition /Result /Extended fter each scored point.	Results /ExtendedResult	/Extension		
	Attribute	Value	Description			
	Code	TEAM_SCORE				
	Pos	N/A	N/A			
	Value	Numeric #0	Team's cumulative score after each scored point (at match level). (for t team in the match).			
ER		BC_NUM	S(10)	Pos Description: Send COMPETITOR or COACH as applicable Element Expected: If applicable and always after the unit starts.		
	Attribute	M/O	Value	Description		
	Value	М	Numeric 0	Warnings - Number of black cards.		
ER		RC_NUM	S(10)	Pos Description: Send COMPETITOR Element Expected: If applicable and always after the unit starts.		
	Attribute	M/O	Value	Description		
	Value	М	Numeric 0	Warnings - Number of red cards.		
ER		YC_NUM	S(10)	Pos Description: Send COMPETITOR or COACH as applicable Element Expected:		

Olympic Data Feed - © IOC Technology and Information Department



Attribute	M/O		If applicable and always after the unit starts. Description
Value	М	Numeric 0	Warnings - Number of yellow cards

Sample (Team)

	esult ResultType="POINTS" Result="45" SortOrder="1" WLT="W" StartOrder="1" StartSortOrder="1"> ExtendedResults>
	<extendedresult code="BOUT" pos="1" type="ER"></extendedresult>
	<extensions></extensions>
	<pre><extension code="TEAM_SCORE" value="5"></extension></pre>
	 <extendedresult code="BOUT" pos="2" type="ER"></extendedresult>
	<extensions></extensions>
	<pre><extension code="TEAM_SCORE" value="10"></extension></pre>
	<extendedresult code="BOUT" pos="9" type="ER"></extendedresult>
	<extensions></extensions>
	<pre><extension code="TEAM SCORE" value="45"></extension></pre>
	<extendedresult code="YC_NUM" pos="COMPETITOR" type="ER" value="2"></extendedresult>
	<extendedresult code="RC_NUM" pos="COMPETITOR" type="ER" value="0"></extendedresult>
	<extendedresult code="BC_NUM" pos="COMPETITOR" type="ER" value="0"></extendedresult> <extendedresult code="YC_NUM" pos="COACH" type="ER" value="2"></extendedresult>
	<pre><extendedresult code="BC_NUM" pos="COACH" type="ER" value="0"></extendedresult></pre>
</td <td>Extended Results></td>	Extended Results>

Element: Competition /Result /Competitor (1,1)

Competitor related to the result of one event unit.					
Attribute M/O Value Description					
Code	М	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available		
Туре	М	S(1)	T for team A for athlete		
Organisation	0	CC @Organisation	Competitor's organisation		

Element: Competition /Result /Competitor /Description (0,1) Competitors extended information. Attribute M/O Value Description TeamName M S(73) Name of the team. Only applies for teams. IFId O S(16) International Federation ID of the team

Element: Competition /Result /Competitor /EventUnitEntry (0,N) For team event information (only for Team events)					
Туре	Code	Pos	Description		
EUE	COLOUR	N/A	Element Expected: As soon as it is known		

Olympic Data Feed - © IOC Technology and Information Department



	Attribute	M/O	Value	Description
	Value	М	SC @Colour	Team colour
EUE		SEED	N/A	Element Expected: Team Event. Always, as soon as this information is known and this team has Seed Number.
	Attribute	M/O	Value	Description
	Value	М	Numeric ##	Seed Number (for team)

Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Athlete's ID		
Order	М	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".		

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	М	CC @PersonGender	Gender of the athlete
Organisation	М	CC @Organisation	Athletes' organisation
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	0	S(16)	International Federation ID
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games).
			This attribute is optional because it is not used in events without such athletes but is mandatory where applicable.

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)

Individual athletes entry information.

	Туре	Code	Pos	Description
EUE		SEED	N/A	Element Expected: Always, as soon as this information is known and this athlete has Seed Number (just for Individual events).
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Seed Number (for athlete)
EUE		COLOUR	N/A	Element Expected: As soon as it is known, only in individual matches, not applicable for individual bouts within a team match.
	Attribute	M/O	Value	Description
	Value	М	SC @Colour	Athlete colour



EUE		SEQ_NUMBER	N/A	Element Expected: Always, as soon as this information is known (just for Team events). Not applicable for athletes replaced before the unit.
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Sequence Number (for a team member), from 1 to 6 (three for each one of the competing teams in a match).
EUE		SUBSTITUTE	N/A	Element Expected: Always, as soon as this information is known (just for Team events). Does not change during the unit.
	Attribute	M/O	Value	Description
	Value	М	S(1)	Flag that indicates when the team member is a substitute (alternate). Send 'S' if the competitor (as a team member) is a substitute or 'R' if the competitor is a replaced athlete (from before the unit.

Sample (Team Event)

<EventUnitEntry Type="EUE" Code="SUBSTITUTE" Value="S"/> <EventUnitEntry Type="EUE" Code="SEQ_NUMBER" Value="6" />

	Туре	Code	Pos	Description				
ER		BOUT	Numeric #	Pos Description: The number that identifies the Bout number (within the match, as in ExtendedInfos), in which this athlete fights as a team member. There will be three bouts for each team member. (not considering substitutes) Element Expected: Only for Team events Send only for the current and completed bouts				
	Attribute	M/O	Value	Description				
	Value	M	Numeric #	Cumulative score achieved by the team due to this bout's result.				
		Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Only for Team events						
	Attribute	Value	Description					
	Code	CARD						
	Pos	N/A	N/A					
	Value	SC @Card	Card indicator					
		Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Only for Team events (for any team member)						
	Attribute	Value	Description					
	Code	IRM						
	Pos	N/A	N/A					

Olympic Data Feed - © IOC Technology and Information Department



	Value	SC @IRM	Send the IRM gran	ted in the related bout.		
		npetition /Result /Competitor /C Team events. Send only for th		e /ExtendedResults /ExtendedResult /Extension leted bouts		
	Attribute	Value	Description			
	Code SCORE					
	Pos	N/A	N/A			
	Value	Numeric #0	Send the team mo cumulative.	ember Score (number of touches) in this bout. Not		
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Only for Team events. When changes and after each bout.					
	Attribute	Value	Description			
Code WLT						
	Pos	N/A	N/A			
	Value	S(1)	Send 'W', 'L' or 'T' i the match)	r each bout (within the match). f the team member wins, loses or ties the bout (within disqualified then both receive L		
ER		REPLACED	N/A	Element Expected: Only for Team events if an athlete is replaced		
	Attribute	M/O	Value	Description		
	Value	М	S(1)	Send Y if the athlete is replaced by a substitute.		
ER		SEQ_NUMBER	N/A	Element Expected: Included for a substitute if he/she participates in the match.		
	Attribute	M/O	Value	Description		
	Value	М	Numeric 0	Sequence Number (for a team member), from 1 to 6.		
ER		MEMBER_SCORE_CU MU	N/A	Element Expected: Only for Team events (at the end of each bout within the match)		
	Attribute	M/O	Value	Description		
	Value	М	Numeric #0	Send the team member Score (touches) achieved within the match. It's the cumulative score of three bouts in which it fights as a team member.		

Sample (General)

```
<ExtendedResults>

<ExtendedResult Type="ER" Code="BOUT" Pos="2">

<Extensions>

<Extension Code="SCORE" Value="5" />

<Extension Code="WINNER" Value="Y" />

</ExtendedResult>

<ExtendedResult>

<ExtendedResult Type="ER" Code="BOUT" Pos="4">

<ExtendedResult>

<Extensions>

<Extension Code="SCORE" Value="5" />

<Extension Code="WINNER" Value="Y" />

</Extensions>

</ExtendedResult>

</ExtendedResult>
```

Olympic Data Feed - © IOC Technology and Information Department



International Olympic Committee

2.3.4.6 Message Sort

Sort by Result @SortOrder



2.3.5 Play by Play

2.3.5.1 Description

The Play by Play is a message containing official raw data from the results provider for each action.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

In fencing this message is only used in all events.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	S(8)	Send "ACTION"
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE if there is an extended break UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

This message is sent:

- LIVE: During the match after every change in score or card given.
- UNOFFICIAL/OFFICIAL: After the match

2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,	Competition (0,1)						
	Gen						
	Sport						

Olympic Data Feed - © IOC

Technology and Information Department



Codes						
ExtendedInfos ([0,1)					
	SportDescriptio	on (0,1)				
		DisciplineName				
		EventName				
		SubEventName				
	1	Gender				
	VenueDescripti					
		Venue				
		VenueName				
		Location				
		LocationName				
 Actions (0,1)	1					
	Home					
	Away					
	Action (1,N)					
		ld				
		Period				
		Order				
		Action				
 		When				
		ScoreH				
		ScoreA	<u>,</u>			
		Competitor (0,N	1			
			Code			
			Type			
			Organisation Composition (0	1)		
			Composition (o	Athlete (1,N)		
				Aunete (1,14)	Code	
					Order	
					Description (1,	1)
					Decomption (1,	GivenName
						FamilyName
						Gender
						Organisation
						BirthDate
						IFId
						Class



2.3.5.5 Message Values

Element: Competition (0,1)				
Attribute	M/O	Value	Description	
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message	
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message	
Codes	0	S(20)	Version of the Codes applicable to the message	

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.				
Attribute	M/O	Value	Description	
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.	
SubEventName	М	S(40)	EventUnit ENG Description (not code) from Common Codes	
Gender	М	CC @SportGender	Gender code for the event unit	

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.			
Attribute	M/O	Value	Description
Venue	М	CC @VenueCode	Venue Code
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes
Location	М	CC @Location	Location code
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Actions (0,1)					
Attribute	M/O	Value	Description		
Home	М	S(20) with no leading zeroes	Home Competitor ID		
Away	М	S(20) with no leading zeroes	Away Competitor ID		

Element: Competitio	Element: Competition /Actions /Action (1,N)				
Attribute	M/O	Value	Description		
ld	Μ	S(36)	Unique identifier for the action within the message. When the identifier is assigned for an action in a unit then it must not change within the same unit in subsequent messages.		
Period	М	SC @Period	Period of the action within the match (R codes used for teams)		
Order	М	Numeric	Unique sequential number for all the incidents and actions, from 1 to n' It is used to sort Action		
Action	0	SC @Action	Actions in the game, one action code (only for cards)		
When	М	m:ss.f	Time of the action within the period. The clock counts down to zero in each period.		



ScoreH	0	Numeric #0	Total Home Score (competitor A) in the match in individual matches Home Score in the Relay (competitor A) in team matches Send if there is a score change for either competitor
ScoreA	0	Numeric #0	Total Away Score (competitor B) in the match in individual matches Home Score in the Relay (competitor B) in team matches Send if there is a score change for either competitor

Element: Competition /Actions /Action /Competitor (0,N) Competitor participating in the Action. Used when the Action is related to a competitor.				
Attribute	M/O	M/O Value Description		
Code	М	S(20) with no leading zeroes	Competitor's ID	
Туре	М	S(1)	A for athlete	
Organisation	М	CC @Organisation	Competitors' organisation	

Element: Competition /Actions /Action /Competitor /Composition /Athlete (1,N)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Athlete's ID (individual athlete or team member) related to the action	
Order	0	Numeric 0	Order of the athletes. Send 1.	

Element: Competition /Actions /Action /Competitor /Composition /Athlete /Description (1,1)

Athletes extended in	Athletes extended information				
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games).		
			This attribute is optional because it is not used in events without such athletes.		

Sample (General)

<Action Id="123456" Period="P2" Order="6" Action="P-r" ScoreH="2" ScoreA="2" >
<Competitor Code="1106655" Type="A" Organisation="RSA" Order="1">
<Composition>
<Athlete Code="1106655" Order="1" >
<Composition>
</Athlete Code="1106655" Order="1" >
</Composition GivenName="Jane" FamilyName="Smith" Gender="F" Organisation="RSA" BirthDate="1993-05-12" />
</Athlete>
</Composition>
</C

Olympic Data Feed - © IOC Technology and Information Department



International Olympic Committee

2.3.5.6 Message Sort

Actions /Action @Order.



2.3.6 Pool Standings

2.3.6.1 Description

The pool standings message contains the standings of a group in a competition. It is similar to the Phase Results message, except in the frequency and trigger. Here the message is triggered at the start of OVR operations and then after each event unit (match).

This report is sent independently for each of the groups / pools of the competition in a particular phase, and the group / pool can be determined from the message header (DocumentCode).

This message is only used where the competition format uses pools. (Individual in the European Games).

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Phase	Full RSC for the pool/group
DocumentSubcode	N/A	N/A
DocumentType	DT_POOL_STANDING	Pool Standings message
DocumentSubtype	N/A	N/A
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (before the start of competition) INTERMEDIATE (during the phase) OFFICIAL (after all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.6.3 Trigger and Frequency

The general rule is that this message is sent:

 Before the start of the competition to build in the initial tables. The message has status START_LIST.
 When an event unit of the corresponding phase finishes (not waiting for official). The message has status INTERMEDIATE.

- When the phase finishes (there are no more event units/games to compete). The message has status OFFICIAL.

Trigger also after any change but not updated during a match with real time results.



2.3.6.4 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	<mark>S(20)</mark>	Version of the General Data Dictionary applicable to the message				
<mark>Sport</mark>	O	<mark>S(20)</mark>	Version of the Sport Data Dictionary applicable to the message				
Codes	O	<mark>S(20)</mark>	Version of the Codes applicable to the message				

Element: Competition /ExtendedInfos /Progress (0,1)						
Attribute	Description					
LastUnit	0	CC @Unit	Send the full RSC of the most recently unit completed for the pool included in this message.			
UnitsTotal	<mark>0</mark>	Numeric ##0	Total number of units to be played in the pool included in the message.			
UnitsComplete	0	Numeric ##0	Total number of units which are complete in the pool included in this message.			

Element: Competition /Extended mos /SportDescription (0,1)								
Sport Descriptions in Text.								
Attribute M/O Value Description								
DisciplineName	M	<mark>S(40)</mark>	Discipline ENG Description (not code) from Common Codes					
EventName	M	<mark>S(40)</mark>	Event ENG Description (not code) from Common Codes.					
SubEventName	M	<mark>S(40)</mark>	Phase ENG Description (not code) from Common Codes					
Gender	M	CC @SportGender	Gender code for the event unit					



Element: Competitio	n /Result (1,N)					
For any message, there should be at least one competitor being awarded a result for the pool.						
Attribute	M/O	Value	Description			
Rank	O	Text	Rank at the group. It is optional because the team can be disqualified			
RankEqual	O	<mark>S(1)</mark>	Send "Y" if the Rank is equalled else do not send.			
IRM	0	SC @IRM	The invalid rank mark, in case it is assigned. Only send in the case @ResultType is IRM			
SortOrder	M	Numeric #0	This attribute is a sequential number with the order of the results for the group, if they were to be presented. In fencing it is usually a fixed order. 1n			
QualificationMark	O	SC @QualificationMark	Send qualification mark if applicable			
Won	0	Numeric #0	Number of victories by the competitor in the group. Do not send if the competitor has not completed any matches			
Lost	O	Numeric #0	Number of defeats by the competitor in the group. Do not send if the competitor has not completed any matches			
Played	0	Numeric #0	Number of matches by the competitor in the group. Do not send if the competitor has not completed any matches.			
Ratio	0	Numeric 0.00	Victories Ratio			
For	O	Numeric #0	Total number of touches given Do not send if the competitor has not completed any matches.			
Against	0	Numeric #0	Total number of touches received Do not send if the competitor has not completed any matches.			
Diff	O	Numeric #0 or -Numeric -#0	Touch difference.			

Element: Competition /Result /Competitor (1,1)						
Attribute M/O Value Description						
Code	M	S(20) with no leading zeroes	Competitor's ID			
Туре	M	<mark>S(1)</mark>	A for athlete			
Organisation	M	CC @Organisation	Competitor's organisation			

Element: Competition /Result /Competitor /Composition /Athlete (1,N)						
Only send composition if individual event.						
Attribute	M/O	Value	Description			
Code	Μ	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete			
Order	M	Numeric 0	Send 1 for individual events.			



Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)								
Attribute M/O Value Description								
GivenName	O	<mark>S(25)</mark>	Given name in WNPA format (mixed case)					
FamilyName	M	<mark>S(25)</mark>	Family name in WNPA format (mixed case)					
Gender	M	CC @PersonGender	Gender of the athlete					
Organisation	M	CC @Organisation	Athletes' organisation					
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available					
<mark>IFId</mark>	O	<mark>S(16)</mark>	International Federation ID					

Element: Competition /Result /Competitor /Opponent (0,N)

Details of the opposing competitor in competitions within the pool. (The Opponent of the competitor in the Opponent @Pos column of the Pool)

Attribute	M/O	Value	Description			
Code	M	S(20) with no leading zeroes	Competitor ID or TBD if unknown			
<mark>Туре</mark>	M	<mark>S(1)</mark>	A for athlete			
Pos	Μ	Numeric #0	1 to n. Normally expected to be the same as SortOrder for the same competitor.			
Organisation	Μ	CC @Organisation	Competitor's organisation (code). Must include if the data available			
Date	M	Date of match between the competitor and opponent (ex YYYY-MM-DD). Must include if the data is available, ser after the match is complete.				
HomeAway	0	<mark>S(1)</mark>	Home / Away indicator. Send H if the opponent is the home team, send A if the opponent is the away team.			
Result	O	S(50) Number of touches in the result indicator (for example V victory with 5 touches)				

Element: Competition /Result /Competitor /Opponent /Composition /Athlete (1,N)							
Only send compositio	Only send composition if singles event.						
Attribute	Attribute M/O Value Description						
Code	M	S(20) with no leading zeroes	s Athletes ID, corresponding to either a team member or a individual athlete				
Order	M	Numeric 0	Send 1 for individual events.				



Element: Competition /Result /Competitor /Opponent /Composition /Athlete /Description (1,1)								
Attribute M/O Value Description								
GivenName	O	<mark>S(25)</mark>	Given name in WNPA format (mixed case)					
FamilyName	M	<mark>S(25)</mark>	Family name in WNPA format (mixed case)					
Gender	M	CC @PersonGender	er Gender of the athlete					
Organisation	M	CC @Organisation	Athletes' organisation					
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data available					
IFId	O	<mark>S(16)</mark>	International Federation ID					

2.3.6.5 Message Sort

The attribute used to sort the results is Result @SortOrder.



2.3.7 Brackets

2.3.7.1 Description

The brackets message contains the brackets information for one particular event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC of the Event
DocumentType	DT_BRACKETS	Brackets message
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (before any unit is complete) INTERMEDIATE (after any unit is complete, except last match) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available after the draw.

Send when a match/event unit is completed, including Official status. Therefore it is triggered up to two times (with both status) for each event unit but only if there is a change from the previous version. The message should be updated including information on each competitor in the different bracket items.

The @ResultStatus attribute will vary depending on the competition status.

- Send with ResultStatus = 'START_LIST' before the start of competition

- Send with ResultStatus = 'INTERMEDIATE' until the last event unit (Gold Medal Match) is Unofficial (i.e. for all event units up until the Gold Medal match is completed for an event)

- Send with ResultStatus = 'UNOFFICIAL'/'OFFICIAL' when the last event unit for an event (Gold Medal match) is completed.

Trigger also after any change.

Olympic Data Feed - © IOC Technology and Information Department



2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10
Competition	(0,1)								
	Gen								
	Sport								
	Codes								
	ExtendedIn	fos (0,1)							
		SportDescrip	otion (0,1)						
			DisciplineNa	me					
			EventName						
		T	Gender						
		VenueDescr	iption (0,1)						
			Venue						
			VenueName						
	Bracket (1,N	۱)							
		Code							
		BracketItems							
			Code						
			BracketItem	1					
				Code					
				Order					
				Position					
				Date					
				Time					
				Unit					
				Result					
				ExtBracketIt	1	<i>(,</i> ,,,)			
					ExtBracketIt				
						Туре			
						Code Pos			
						Value			
				Compositor		value			
				CompetitorF	Pos				
					Code				
					WLT				
					Result				
					ResultType				
					IRM				
					StrikeOut				



Ext	CompPlaces (0,1)			
	ExtCompPla	ace (1,N)		
		Туре		
		Code		
		Pos		
		Value		
Prev	viousUnit (0,1)			
	Unit			
	Value			
	WLT			
Соп	npetitor (0,1)			
	Code			
	Туре			
	Seed			
	Organisatio			
	Description			
		TeamName		
		IFId		
	Composition	1		
		Athlete (1,N	1	
			Code	
			Order	
			Description	
				GivenNam e
				FamilyNam e
				Gender
				Organisatio n
				BirthDate
				IFId
				Class

2.3.7.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the messag			
Codes	0	S(20)	Version of the Codes applicable to the message			

Olympic Data Feed - © IOC Technology and Information Department



Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Description in Text						
Attribute	M/O	Value	Description			
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes			
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.			
Gender	М	CC @SportGender	Gender code for the event unit			

Element: Competition /ExtendedInfos /VenueDescription (0,1	I)
------------------------------------------------------------	----

Venue Names in text.						
Attribute	M/O	Value	Description			
Venue	М	CC @VenueCode	Venue code			
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes			

Element: Competition /Bracket (1,N)					
Attribute	M/O	Value	Description		
Code	М	SC @Bracket	Bracket code to identify a bracket item (finals). There should be a different code for each bracket based on sport/ORIS presentation of the bracket.		

Element: Competition /Bracket /BracketItems (1,N)						
Attribute	M/O	Value	Description			
Code	Μ	SC @BracketItems	Bracket code to identify a set of bracket items. It usually refers to the phase BracketItem /Unit @Phase It is referred to the phase of event. It will be sent Table of 64,, quarterfinals, semi-finals or finals phase (e.g.: R64 Table of 64-only for individuals-' QFL Quarterfinals')			

Element: Competitio	Element: Competition /Bracket /BracketItems /BracketItem (1,N)					
Attribute	M/O	Value	Description			
Code	0	S(3)	In general, this is the contest number for each bracket item as a unique identifier. (e.g.: 17, 18, 19, 20). However, it may include "TBD" for to be defined, if the contest number is not known.			
Order	М	Numeric ##0	Sequential number inside of BracketItems to indicate the order, always start at 1			
Position	Μ	Numeric ##0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position. If there is only 3 items in a quarterfinal and the fourth is not displayed and would logically be the first then the positions are 2, 3, 4.			
Date	0	Date	Date of match (example: YYYY-MM-DD). Must include if the data is available			
Time	0	S(5)	Time of match (example HH:MM). Include if the data is available, however in disciplines where match times are determined depending on the participating competitors then the time is withheld until after competitors are known and the times are approved. Do not include for byes.			



Unit	0	CC @Unit	Full RSC of the unit for the BracketItem
Result	0	S(50)	Result of the match if the match is complete and formatted as in ORIS (separator & order, example 5-2). Must include if the data is available and the match is complete. In case of the Toss to be sent (for example): V(T) 14 - 14. Could include also the IRM information (for example: 5-2 (DSQ))

	Туре	Code	Pos	Description
EBI		LOCATION	N/A	Element Expected: Send it always
	Attribute	M/O	Value	Description
	Value	М	CC @Location	Location Code

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.

- If they are not yet known, it contains some information (on the rule to access to this bracket...)

Element: Competition /Bracket /BracketItems /BracketItem /ExtBracketItems /ExtBracketItem (1,N)

Attribute	M/O	Value	Description
Pos	М	Numeric ##0	This attribute is a sequential number to place the different competitors in the bracket (1, 2).
Code	0	SC @CompetitorPlace	Send when the competitor is not known for this competitor place. Send TBD for the "other" competitor when one competitor is known. Send BYE if there is no competitor.
WLT	0	SC @WLT	Indicates the winner or loser of the bracket item. Always send when known In the case or both disqualified then both receive L
Result	0	S(10)	The result of the competitor in the event unit
ResultType	0	SC @ResultType	Type of the @Result attribute.
IRM	0	SC @IRM	The invalid rank mark, if applicable
StrikeOut	0	S(1)	If the competitor should be struck out in this bracket item send Y, usually only used for DQB.

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)

Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces / ExtCompPlace (it should be included when the competitor is not yet known for all events -Individual and Team-)

		Туре	Code	Pos	Description
ECP			DRAW	N/A	Element Expected: Only for 'Table of 64' in Individual events and 'Table of 16' in Team events including when there is no competitor in this place (when the CompetitorPlace @Code is BYE)
		Attribute	M/O	Value	Description
	Value	Μ	Numeric ##	Send the Draw Number for the competitor (or Bye) in this bracket item. Is a number between 1 to 16 used in 'Table of 16' for Team events (depending on the number of teams competing), and between 1 to 64 used in 'Table of 64' for Individual events	

Olympic Data Feed - © IOC Technology and Information Department



Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph unless coming from a pool.

Attribute	M/O	Value	Description
Unit	0	CC @Unit	Full RSC code of the previous event unit for the CompetitorPlace@Pos competitor of the bracket item. Must send if a winner/loser from a single unit. If from a pool then this is the RSC of the pool.
Value	0	S(6)	If the competitor in the current unit is unknown due to coming from a pool or previous matches then fill this field with the pool code or the match number as appropriate.
WLT	0	SC @WLT	If the competitor in the current unit is unknown and coming from an earlier bracketitem then fill this field with the W or L indication winner or loser of the previous unit if the information is known. Do not send if competitor comes from a pool.

Element: Competitio	n /Bracket /Bra	cketitems /Bracketitem /Com	petitorPlace /Competitor (0,1)		
CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.					
Attribute M/O Value Description					
Code	М	S(20) with no leading zeroes	Competitor's ID		
Туре	М	S(1)	T for team A for athlete		
Seed	0	S(10)	The seed of the competitor or equivalent information. In the first phase in each event (T64 individual, T16 for Team) the draw number / seed must be included.		
Organisation	0	CC @Organisation	Competitors' organisation if known.		

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Description (0,1)					
Attribute	M/O Value Description				
TeamName	М	S(73)	Name of the team. Only applies for teams / groups.		
IFId	0	S(16)	Team IF number, send if available		

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)						
Only send composition if individual event.						
Attribute	M/O Value		Description			
Code	М	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric	Order attribute use 1 if Competitor @Type="A".			

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	М	CC @PersonGender	Gender of the athlete
Organisation	М	CC @Organisation	Athletes' organisation

Olympic Data Feed - © IOC Technology and Information Department



BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	0	S(16)	International Federation ID
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). This attribute is optional because it is not used in events without such athletes but is mandatory where applicable.

Sample (General)

<BracketItem Code="131" Order="2" Position="2" Date="2016-08-09" Time="01:20" Unit="FENMEPEE------SFNL0001----" Result="15-10" >

<CompetitorPlace Pos="1" WLT="W" Result="15" ResultType="POINTS" >

<PreviousUnit Unit="FENMxxxx-----QFNL0001----" />

<Competitor Code="1066978" Type="A" Seed="4" Organisation="ESP" >

<Composition>

<Athlete Code="1066978" Order="1" >

<Description FamilyName="Black" GivenName="John" Gender="M" Organisation="ESP" BirthDate="1991-12-16" /> </Athlete>

</Composition>

2.3.7.6 Message Sort

Bracket @Code (using order in sport codes) then Bracket/BracketItems @Code (using order in sport codes) then Bracket/BracketItems/BracketItem @Position.



2.3.8 Event Final Ranking

2.3.8.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Event	Full RSC of the Event		
DocumentType	DT_RANKING	Event Final ranking message		
Version	1V	Version number associated to the message's content. Ascending number		
ResultStatus	CC @ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL UNOFFICIAL OFFICIAL		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.8.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change.

Send as PARTIAL as each ranking is inserted until OFFICIAL after the event when all final rankings are known.

UNOFFICIAL may be used after the gold medal unit and before the unit is official.

Trigger also after any change.

2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					

Olympic Data Feed - © IOC Technology and Information Department



Codes					
ExtendedInfos (0,1)					
	SportDescription (0,1)				
		DisciplineName			
		EventName			
		Gender			
	VenueDescription	(0,1)			
 		Venue			
 		VenueName			
 Result (1,N)					
	Rank				
	RankEqual				
	IRM				
	SortOrder				
	Competitor (1,1)	T			
		Code			
 		Туре			
		Organisation			
		Description (0,1)			
			TeamName		
			IFId		
		Composition (1,1)			
			Athlete (0,N)		
 				Code	
				Order	
				Description (1,1)	GivenName
					FamilyName
					Gender
					Organisation
					BirthDate
					IFId
					Class
					01000

2.3.8.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		



International Olympic Committee

Codes O S(20) Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Description in text					
Attribute	M/O	Value	Description		
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	М	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event		
Gender	М	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender		

Element: Competition /ExtendedInfos /VenueDescription (0,1)				
Venue Names in text				
Attribute	M/O	Value	Description	
Venue	М	CC @VenueCode	Venue code	
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes	

Element: Competition /Result (1,N) For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	0	Text	Final rank of the competitor in the corresponding event.
RankEqual	0	S(1)	Identifies if a rank has been equalled. Send Y if applicable else do not send.
IRM	0	SC @IRM	The invalid rank mark, send if applicable.
SortOrder	М	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /Competitor (1,1)				
Competitor related to one final event result.				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.	
Туре	М	S(1)	T for team A for athlete	
Organisation	0	CC @Organisation	Competitor's organisation if known	

Element: Competition /Result /Competitor /Description (0,1)				
Attribute	Attribute M/O Value		Description	
TeamName	М	S(73)	Name of the team. Only applies for teams	
IFId	0	S(16)	Team IF number, send if available	

Element: Competition /Result /Competitor /Composition /Athlete (0,N)

Olympic Data Feed - © IOC Technology and Information Department



(Include all members that contributed to the result according to sport rules if Competitor @Type="T". This may be	3 or 4
depending on the use of substitutes)	

Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member. Team members should be participating in the event.
Order	М	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)					
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). This attribute is optional because it is not used in events without such athletes.		

Sample (General)

<Result Rank="1" SortOrder="1"> <Competitor Code="1106858" Type="A" Organisation="SUI" > <Composition> <Athlete Code="1106858" Order="1" > <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI" BirthDate="1994-12-15" /> </Athlete> </Composition> </Competitor> </Result> <Result SortOrder="2" IRM="DQB" > <Competitor Code="1090697" Type="A" Organisation="ESP" > <Composition> <Athlete Code="1090697" Order="1"> <Description GivenName="James" FamilyName="Black" Gender="M" Organisation="ESP" BirthDate="1994-12-16" /> </Athlete> </Composition> </Competitor> </Result>

2.3.8.6 Message Sort

Sort by Result @SortOrder



2.3.9 Event's Medallists

2.3.9.1 Description

The Event's Medallists is a message containing the list of medallists awarded in one particular event.

2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC at event level
DocumentType	DT_MEDALLISTS	Event's Medallists message
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	It indicates whether the result is unofficial, official or partial. UNOFFICIAL OFFICIAL PARTIAL PROVISIONAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.9.3 Trigger and Frequency

The message is sent with ResultStatus=PARTIAL when the information of the medallist is known but the final event Unit is not yet finished.

Sent immediately after the unit is finished and the results are unofficial or in the case of longer duration events send before the unit is finished but as soon as the medallists are confirmed. In case of any delay in publishing unofficial results it must be sent at the latest 5 minutes before any ceremony starts with Status=UNOFFICIAL. To be clear, this message must be sent before any ceremony.

The message is sent with ResultStatus=OFFICIAL when the medallists are officially known in the sport. For some sports, bronze medals are known before the end of the final event unit. In this case the message is

sent the first time with the bronze medallists, and the second time with all the medallists.

In summary:

- Normal case (where the results quickly become official): DT_MEDALLISTS is sent with ResultStatus=OFFICIAL when the event is OFFICIAL

- Separate units to determine all medals: DT_MEDALLISTS is sent with ResultStatus=PARTIAL after the first unit with medals is complete (with status OFFICIAL or UNOFFICIAL) and then OFFICIAL after event is completed with all units are OFFICIAL.

- Mass start sports when the TD allows to release of medallists: DT_MEDALLISTS is sent with ResultStatus=UNOFFICIAL before the result is official (or even not all competitors are finished) and OFFICIAL when the medallists are officially known (even if not all competitors are finished).

Olympic Data Feed - © IOC

Technology and Information Department



2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,	1)						
	Gen						
	Sport						
	Codes						
	ExtendedInfos	(0,1)					
		SportDescriptio	on (0,1)				
			DisciplineName	1			
			EventName				
			Gender				
		VenueDescripti	on (0,1)				
			Venue				
			VenueName				
	Medal (1,N)						
		Code					
		Unit					
		Date					
		Competitor (1,1)				
			Code				
			Туре				
			Order				
			Organisation				
			Description (0,1)			
				TeamName			
				IFId			
			Composition (1,	1)			
				Athlete (0,N)	1		
					Code		
					Order		
					Description (1,1		
						GivenName	
						FamilyName	
						Gender	
						Organisation	
						BirthDate	
						IFId	
						Class	
						ExtendedDescri	-
							Туре



	Code
	Pos
	Value

2.3.9.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /ExtendedInfos /SportDescription (0,1)					
Attribute	M/O	Value	Description		
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.		
Gender	М	CC @SportGender	Gender code for the event unit.		

Element: Competition /ExtendedInfos /VenueDescription (0,1)							
Attribute	M/O	Value	Description				
Venue	М	CC @VenueCode	Venue Code				
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes				

Element: Competition /Medal (1,N)							
Attribute	M/O	Value	Description				
Code	Μ	SC @MedalType	Medal type.				
			All the Competitors with the same CC@MedalType are not grouped in the same element.				
Unit	М	CC @Unit	Full RSC Unit code in which a medal was awarded. It is used in case of disciplines like Ice Hockey or Basketball, with the bronze medal and the gold medal awarded in different event units.				
Date	M	Date	event units. The date of the most recent unit in which a medal was determined for this event. That is, if only the bronze medal competitor has been determined then this is the date of the bronze medal unit. If all medals are determined then this is the date of the gold medal unit. It is the date of the unit, not the date of the awarding of the medal or the date of a later change in the medallists (that is it will not change [except in the case of a re- run], even if the medallists do)				

Element: Competition /Medal /Competitor (1,1)							
Attribute	M/O	Value	Description				
Code	М	S(20) with no leading zeroes	Competitor's ID				
Туре	Μ	S(1)	A for athlete, T for team				



International Olympic Committee

Order	М	Numeric	Competitor order (Send 1 by default). In the case of tie the order is defined for the sport rules.		
Organisation	М	CC @Organisation	Competitors' organisation		

Element: Competition /Medal /Competitor /Description (0,1)							
Attribute	M/O	Value	Description				
TeamName	М	S(73)	Name of the team. Only applies for teams / groups.				
IFId	0	S(16)	Team IF number, send if available				

Element: Competition /Medal /Competitor /Composition /Athlete (0,N)					
(Include all members that won the medal according to sport rules if Competitor @Type="T")					
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Athlete's ID, corresponding either to a team member or an individual athlete		
Order	М	Numeric	Order of the team members in a team if Competitor @Type="T".		
			1 if Competitor @Type="A"		

Element: Competition /Medal /Competitor /Composition /Athlete /Description (1,1)						
Attribute	M/O	Value	Description			
GivenName	0	S(25)	Given name in WNPA format (mixed case)			
FamilyName	М	S(25)	Family name in WNPA format (mixed case)			
Gender	М	CC @PersonGender	Gender of the athlete			
Organisation	М	CC @Organisation	Athletes' organisation			
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available			
IFId	0	S(16)	International Federation ID			
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). This attribute is optional because it is not used in events without such athletes.			

Elem	Element: Competition /Medal /Competitor /Composition /Athlete /Description /ExtendedDescription (0,N)						
Type Code Pos Descriptio				Description			
ED		REPLACED	N/A	Element Expected: For replaced athletes in team only.			
	Attribute	M/O	Value	Description			
	Value	М	S(1)	Send Y if this athlete was replaced.			

2.3.9.6 Message Sort

The message is sorted according to the medal type. Moreover, in case of tie the order is according to the Competitor@Order (given by the sport rule). Team members are sorted according to the Athlete@Order.



2.3.10 Medallists by discipline

2.3.10.1 Description

The Medallists by discipline is a message containing the list of medallists for one discipline, up to the moment the message is generated.

The Medallists by discipline message is a complete message that increments its content as more medals are being awarded during the competition. The arrival of this message resets the entire previous Medallists by discipline information.

2.3.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Discipline	Full RSC of the Discipline		
DocumentType	DT_MEDALLISTS_DISCIPLIN E	Medallists by discipline		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate Date		Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.10.3 Trigger and Frequency

Medallists by Discipline message is sent as soon as one new medal is officially known (but not necessarily awarded) for any of the events that are part of the competition schedule. As the competition progresses, successive changes in the medallists by discipline information are made.

In addition, it is triggered if DT_MEDALLISTS is sent as UNOFFICIAL (in the mass start events scenario) or PARTIAL (head to head sports). Note that this may lead to the same message being sent twice.

Trigger also after any change.

2.3.10.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10
Competition	(0,1)								
	Gen								
	Sport								
	Codes								

Olympic Data Feed - © IOC Technology and Information Department



Exter	ExtendedInfos (0,1)							
	SportDescri	SportDescription (0,1)						
		DisciplineName						
Disci	oline (1,1)							
	Code							
	TotalEvents							
	FinishedEve	ents						
	Event (1,N)							
		Code						
		EventName						
		Date						
		Medal (1,N)						
			Code					
			Competitor (1,1)				
				Code				
				Туре				
				Order				
				Organisation	1			
				Description (0,1)			
					TeamName			
					IFId			
				Composition	(1,1)			
					Athlete (0,N))		
						Code		
						Order		
						Description ((1,1)	
							GivenName	1
							FamilyNam	е
							Gender	
							Organisatio	n
							BirthDate	
							IFId	
							Class	
							ExtendedDe (0,N)	escription
								Туре
								Code
								Pos
								Value



2.3.10.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /ExtendedInfos /SportDescription (0,1)					
Sport Description in Text					
Attribute M/O Value Description					
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		

Element: Competition /Discipline (1,1)

Discipline information					
Attribute	M/O	Value	Description		
Code	М	CC @Discipline	Full RSC Discipline Code		
TotalEvents	М	Numeric	Total number of competition events (events that award medals)		
FinishedEvents	М	Numeric	Number of competition events that have awarded any type of medal, out of the total. In case of sports with 2 matches have medals (Bronze and Gold), this attribute only counts when the Gold medal has been awarded (not counted for Bronze because the event has not finished yet).		

Element: Competition /Discipline /Event (1,N)						
Event information						
Attribute M/O Value Description						
Code	М	CC @Event	Full RSC of the Event			
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.			
Date	М	M YYYY-MM-DD Date of the Gold medal match.				

Element: Competition /Discipline /Event /Medal (1,N)					
Attribute	M/O	Value	Description		
Code	М	SC @MedalType	Medal type gold, silver or bronze. All the Competitors with the same CC@MedalType must not be grouped in the same element (it applies in the equalled medals)		

Element: Competition /Discipline /Event /Medal /Competitor (1,1)					
Competitor related to the medals.					
Attribute M/O Value Description					
Code	М	S(20) with no leading zeroes	Competitor's ID		
Туре	De M S(1) A for Athlete, T forTeam				

Olympic Data Feed - © IOC

Technology and Information Department



International Olympic Committee

Order	М		Competitor order (Send 1 by default) and in the case of tie the order will be defined by the IOC rules.
Organisation	М	CC @Organisation	Competitors' organisation

Element: Competition /Discipline /Event /Medal /Competitor /Description (0,1)					
Attribute M/O Value Description					
TeamName M S(73)		S(73)	Name of the team. Only applies for teams / groups.		
IFId	0	S(16)	Team IF number, send if available		

Element: Competition /Discipline /Event /Medal /Competitor /Composition /Athlete (0,N)						
(Include all members that won the medal according to sport rules if Competitor @Type="T". This may be 3 or 4 depending on the use of substitutes)						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Individual athlete's ID (if Competitor @Type="A" or team member's ID (if Competitor @Type="T").			
Order	М	Numeric	Team member order for medal (according to each different sport rule). Send 1 if individul medal			

Attribute	M/O	Value	Description	
GivenName	0	S(25)	Given name in WNPA format (mixed case)	
FamilyName	М	S(25)	Family name in WNPA format (mixed case)	
Gender	М	CC @PersonGender	Gender of the athlete	
Organisation	М	CC @Organisation	Athletes' organisation	
BirthDate	O Date		Birth date (example: YYYY-MM-DD). Must include if the data available	
IFId	0	S(16)	International Federation ID	
Class	0	CC @DisciplineClass	Code to identify the sport class in the case of events with athletes with a disability (e.g: Paralympic Games). This attribute is optional because it is not used in events without such athletes.	

Elem	Element: Competition /Discipline /Event /Medal /Competitor /Composition /Athlete /Description /ExtendedDescription (0,N)							
	Туре	Description						
ED		REPLACED	N/A	Element Expected: For replaced athletes in team only				
	Attribute	M/O	Value	Description				
	Value	Μ	S(1)	Send Y if this athlete was replaced.				

2.3.10.6 Message Sort

Events in the message will be sorted by the chronological order in which the events took place, (the time is considered to be the actual finish time of the gold medal unit) followed by medal order (gold, silver, bronze) and then by the official result order. Where the message is sent after the bronze unit and before the gold unit then use the actual finish time of the bronze until the gold finish time is known.



2.3.11 Configuration

2.3.11.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition. Send one message per event.

2.3.11.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode CC @Competition Unique ID f		Unique ID for competition
DocumentCode	CC @Event	Full RSC at event level
DocumentType	DT_CONFIG	Configuration message
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.11.3 Trigger and Frequency

Follow the general definition, taking also into account the following: As soon as the data is known send the message for that event, before sending any DT_RESULT.

Trigger also after any change, but considering that, if possible, the configuration for one particular event, phase or event unit must be provided before the start list. If the message is sent after any DT_RESULT then those DT_RESULT messages must be sent again with the next version.

2.3.11.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Configs (1,1)			
		Config (1,N)		
			Unit	
			ExtendedConfig (1,N)	
				Туре

Olympic Data Feed - © IOC Technology and Information Department



Code
Pos
Value

2.3.11.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /Configs /Config (1,N)					
Attribute	M/O	Value	Description		
Unit	0	CC @Unit	Full RSC at event level		

Elem	Element: Competition /Configs /Config /ExtendedConfig (1,N)							
	Туре	Code	Pos	Description				
EC		BRACKET_SIZE	N/A	Element Expected: When available				
	Attribute	M/O	Value	Description				
	Value	М	SC @BracketItems	Send the code for the first phase of the event				

Sample (General)

```
<Configs>
<Config Unit="FENMEPEE------">
<ExtendedConfig Type="EC" Code="BRACKET_SIZE" Value="R32-" />
</Config>
</Configs>
```

2.3.11.6 Message Sort

There is no general message sorting rule.



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Status	D	Е	Ρ	S	U
As soon as ODF operations start	DT_CODES						
Periodically as soon as ODF operations start	DT_PARTIC		x				
	DT_SCHEDULE		x				

3.2 Before competition

Trigger	Message	Status	D	Е	Ρ	S	U
As soon as Participant verification process finish (ORIS C38/C39 process)	DT_PARTIC_UPDATE		x				
If there are changes in Officials data	DT_PDF C35 Competition Officials		х				
	DT_PDF C48I Olympic Seeding (Individual)			х			
	DT_PDF C48T Olympic Seeding (Team)			х			
	DT_PDF C30 Number of Entries by NOC		х				
	DT_PDF C32A Entry list by NOC		х				
	DT_PDF C32C Entry list by Event			х			
	DT_PDF C26I Official FIE World Ranking (Individual)			х			
	DT_PDF C26T Official FIE World Ranking (Team)			х			
	DT_PDF C46I Pre-Draw List by FIE Rank (Individual)			х			
	DT_PDF C46T Pre-Draw List by FIE Rank (Team)			х			
After the Draw/Team Captain's meeting	DT_PARTIC_TEAMS_UPDATE		x				
In any Competition Schedule change	DT_SCHEDULE_UPDATE		x				
	DT_PDF C08 Schedule		х				
After the Draw/Team Captain's meeting	DT_CONFIG			х			
	DT_RESULT	START_LIST					х
	DT_BRACKETS	START_LIST		х			
	DT_PDF C75I Results Bracket (Individual)	START_LIST		х			
	DT_PDF C75T Results Bracket (Team)	START_LIST		х			
	DT_PDF C58I Order of Bouts (Individual)		х				



3.3 During competition

Trigger	Message	Status	D	Е	Ρ	S	U
Referees assignment	DT_RESULT	START_LIST					х
Team composition	DT_RESULT	START_LIST					х
Team composition	DT_PARTIC_UPDATE		x				
	DT_PDF C58T Order of Bouts (Team)		х				
	DT_PDF C66T1 Match Score Sheet (Team)						x
When Competition is ready to start	DT_SCHEDULE_UPDATE	GETTING_READY	х				0
Only if there are actions before the start	DT_RESULT	START_LIST					x
Only if there are actions before the start	DT_PLAY_BY_PLAY	START_LIST					x
When Competition starts	DT_SCHEDULE_UPDATE	RUNNING	x				0
	DT_RESULT	LIVE					х
After every change in score or card given	DT_PLAY_BY_PLAY	LIVE					x

3.4 After competition

Trigger	Message	Status	D	Ε	Ρ	S	U
When Competition finish	DT_SCHEDULE_UPDATE	FINISHED	х				0
	DT_RESULT	UNOFFICIAL					х
	DT_PLAY_BY_PLAY	UNOFFICIAL					х
	DT_PDF C73I Bout Results (Individual)	OFFICIAL					х
	DT_PDF C73T Bout Results (Team)	OFFICIAL					х
	DT_PDF C75I Results Bracket (Individual)	INTERMEDIATE		x			
	DT_PDF C75T Results Bracket (Team)	INTERMEDIATE		х			
	DT_PDF C76I Standings (Individual)	INTERMEDIATE		х			
	DT_PDF C76T Standings (Team)	INTERMEDIATE		х			
After the end of all units except gold medal	DT_BRACKETS	INTERMEDIATE		x			
After the end of all phases (except after gold medal unit)	DT_RANKING	PARTIAL		x			
After the end of gold medal unit (and before results are validated)	DT_BRACKETS	UNOFFICIAL		x			
	DT_RANKING	UNOFFICIAL		х			
Only after bronze medal unit	DT_MEDALLISTS	PARTIAL		х			
	DT_MEDALLISTS_DISCIPLINE		х				
	DT_MEDALS		х				
When Competition results are validated	DT_RESULT	OFFICIAL					х
	DT_PLAY_BY_PLAY	OFFICIAL					х
Only after gold medal unit	DT BRACKETS	OFFICIAL		х			

Olympic Data Feed - © IOC Technology and Information Department



	DT_RANKING	OFFICIAL		x	
	DT_MEDALLISTS	OFFICIAL		x	
	DT_MEDALLISTS_DISCIPLINE		x		
	DT_MEDALS		x		
	DT_PDF C75I Results Bracket (Individual)	OFFICIAL		x	
	DT_PDF C75T Results Bracket (Team)	OFFICIAL		x	
	DT_PDF C76I Standings (Individual)	OFFICIAL		х	
	DT_PDF C76T Standings (Team)	OFFICIAL		x	
	DT_PDF C92A Medallists (Individual)	OFFICIAL		x	
	DT_PDF C92B Medallists (Team)	OFFICIAL		х	
After medal units	DT_PDF C93 Medallists		х		
	DT_PDF C95 Medallists		x		
	DT_PDF C96 Placing Table by NOC		x		

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit **x** Sent on that level; **o** Includes info from that level

4 Document Control

		Version history
Version	Date	Comments
v1.0	15 September 2017	First version
V1.1	3 January 2018	Updated
V1.2	26 July 2018	Updated
V2.0	4 January 2019	Updated
V2.1	25 February 2019	Updated
V2.2	18 April 2019	Updated
V2.3	14 August 2019	Updated
V2.4	11 November 2019	Updated
V2.5	28 Feb 2020	Updated after HT
V2.6	24 Apr 2020	Updated
V3.0	10 Dec 2021	First version for Paris 2024
V3.01	14 Apr 2022	Remove DT_POOL_STANDINGS
V3.02	20 May 2022	Updated
V3.03	1 Jul 2022	Updated
V3.04	23 Sep 2022	Updated
V3.05	14 Oct 2022	Updated

File Reference: SOG-2024-FEN-3.05 SFA

Olympic Data Feed - © IOC Technology and Information Department



		Change Log
Version	Status	Changes on version
v1.0	SFR	First version
V1.1	SFA	DT_PARTIC: Updated to add Passport names (CR15219)
V1.2	SFA	DT_RESULT: Result/WLT, added note that both competitors can get L DT_RESULT: Periods /Period /ExtendedPeriods /ExtendedPeriod LAST_TOUCH, add 0 as value option. DT_RESULT: Result /ExtendedResults /ExtendedResult @TEAM_SCORE. Update to send for each match score, it was incorrect. DT_PLAY_BY_PLAY: Added not in description that this is only for individual events. DT_POOL_STANDING: Update to send completed units etc (ExtendedInfos) after each unit is complete, not waiting for official. DT_BRACKETS: Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit @Value changed to S(6)
V2.0	SFA	CR 15039: Add DT_PARTIC_NAME to applicable messages. CR 16671: Add TVFamilyName in DT_PARTIC message. CR16537: Add ExtendedInfos/Progress to pool standings to replace the previous extensions. CR 16628: DT_BRACKETS: Add attributes to remove some extensions. Clarify previous unit. DT_PLAY_BY_PLAY: Added Order to comply with the general definition, was missing by error. DT_RESULT: Change EUE/SEQ_NUMBER to optional DT_RESULT: At Athlete /ExtendedResults /ExtendedResult in WLT add T & correct Y to W DT_RESULT: At Athlete /ExtendedResults /ExtendedResult add ER/REPLACED DT_MEDALLISTS: Add with REPLACED value DT_MEDALLISTS_DISCIPLINE: Add with REPLACED value Remove all references to Youth Olympic Games. Details for Paralympic Games included. Remove leading zeros in duration. Editorial amendments to improve understanding
V2.1	SFA	DT_PLAY_BY_PLAY: Add Action @Actions/Action DT_PLAY_BY_PLAY: Add the message for teams matches DT_RESULT: Change BC to CARD at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension to support other cards. DT_RESULT: Add VR_REMAIN as extended result in ExtendedResults Other minor editing for clarification.
V2.2	APP	DT_RESULT: Add EUE/COLOUR at athlete level DT_BRACKETS: Update to add ResultStatus START_LIST
V2.3	APP	CR16640: Add ODF Version @Competition CR17739: Change Name and TVTeamName to mandatory in DT_PARTIC_TEAMS CR17809: Change Participant/OlympicSolidarity to disallow N Editorial improvements without changing the intent
V2.4	APP	CR18355: Add ResultStatus START_LIST in DT_POOL_STANDING CR18395: Increase size of SessionCode in DT_SCHEDULE
V2.5	APP	DT_PARTIC: Update the description of Participant/Weight [CR18565] DT_RESULT: Update DISPLAY/LAST_COMP at ExtendedInfos /ExtendedInfo DT_RESULT: Remove ER/VR_REMAIN at Result /ExtendedResults /ExtendedResult (186712) DT_RESULT: Remove ER/BOUT/VR_REMAIN at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (186712)
V2.6	APP	DT_RESULT: Update ER/RC_NUM at Result /ExtendedResults /ExtendedResult
V3.0	SFA	DT_SCHEDULE: Clarification at Unit [CR024248] DT_SCHEDULE: Add Session/Medal and Session/FOP [CR023122] DT_PARTIC_TEAM: Add Team/TeamType & Team/ShortName [CR019497] DT_RESULT: Add ExtendedInfos /UnitDateTime /EndDate DT_BRACKETS: Add ResultType at Bracket /BracketItems /BracketItem /CompetitorPlace [CR23121] Other minor improvements
V3.01	SFA	Remove DT_POOL_STANDINGS
V3.02	SFA	DT_PLAY_BY_PLAY: Add Actions /Action /Competitor /Composition /Athlete /Order [Octane 146033] DT_BRACKETS: Update sample [Octane 146036]
V3.03	SFA	DT_BRACKETS: Update ResultStatus [Octane 146029]



		DT_BRACKETS: Update Bracket /BracketItems /BracketItem /CompetitorPlace /Code [Octane 158058] DT_BRACKETS: Update Message Sort [Consistency] Typographical corrections in samples
V3.04	SFA	DT_RESULT: Update ER/SEQ_NUMBER at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (correct EUE typo to ER) [Octane 200040]
V3.05	SFA	DT_RESULT: Add UI/PERIOD at ExtendedInfos /ExtendedInfo DT_RESULT: Update triggering DT_RESULT: Update Result/Result DT_RESULT: Update Result/ResultType DT_RESULT: Update Result/Result /ExtendedResults /ExtendedResult for cards Expected
EG2023		Add DT_POOL_STANDING DT_POOL_STANDING: Add Result/QualificationMark & Result/Lost