



International
Olympic
Committee

WYOG-2024-CCS-3.0 SFA

Olympic Data Feed

Cross Country Skiing ODF Data Dictionary

Technology and Information Department
© International Olympic Committee

WYOG-2024-CCS-3.0 SFA
5 May 2023

License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



1	Introduction	4
1.1	This document	4
1.2	Objective	4
1.3	Main Audience	4
1.4	Glossary	5
1.5	Related Documents	5
2	Messages	5
2.1	Cross Country Skiing Overview	5
2.2	Applicable Messages	6
2.3	Messages	6
2.3.1	List of participants by discipline / List of participants by discipline update	6
2.3.1.1	Description	7
2.3.1.2	Header Values	7
2.3.1.3	Trigger and Frequency	8
2.3.1.4	Message Structure	8
2.3.1.5	Message Values	9
2.3.1.6	Message Sort	11
2.3.2	List of teams / List of teams update	12
2.3.2.1	Description	12
2.3.2.2	Header Values	12
2.3.2.3	Trigger and Frequency	12
2.3.2.4	Message Structure	13
2.3.2.5	Message Values	13
2.3.2.6	Message Sort	15
2.3.3	Event Unit Start List and Results	16
2.3.3.1	Description	16
2.3.3.2	Header Values	16
2.3.3.3	Trigger and Frequency	16
2.3.3.4	Message Structure	17
2.3.3.5	Message Values	19
2.3.3.6	Message Sort	30
2.3.4	Current Information	31
2.3.4.1	Description	31
2.3.4.2	Header Values	31
2.3.4.3	Trigger and Frequency	31
2.3.4.4	Message Structure	31
2.3.4.5	Message Values	32
2.3.4.6	Message Sort	33
2.3.5	Image	34
2.3.5.1	Description	34
2.3.5.2	Header Values	34
2.3.5.3	Trigger and Frequency	34
2.3.5.4	Message Structure	34



2.3.5.5	Message Values	35
2.3.5.6	Message Sort	37
2.3.6	Brackets	38
2.3.6.1	Description.....	38
2.3.6.2	Header Values.....	38
2.3.6.3	Trigger and Frequency	38
2.3.6.4	Message Structure	39
2.3.6.5	Message Values	40
2.3.6.6	Message Sort	43
2.3.7	Event Final Ranking.....	44
2.3.7.1	Description.....	44
2.3.7.2	Header Values.....	44
2.3.7.3	Trigger and Frequency	44
2.3.7.4	Message Structure.....	44
2.3.7.5	Message Values	46
2.3.7.6	Message Sort	47
2.3.8	Configuration	49
2.3.8.1	Description.....	49
2.3.8.2	Header Values.....	49
2.3.8.3	Trigger and Frequency	49
2.3.8.4	Message Structure.....	49
2.3.8.5	Message Values	50
2.3.8.6	Message Sort	54
3	Message Timeline	55
4	Document Control.....	55

1 Introduction

1.1 This document

This document includes the ODF Cross Country Skiing Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Cross Country Skiing Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.



1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements

2 Messages

2.1 Cross Country Skiing Overview

MESSAGES IN EACH EVENT

* All events/races except sprint/team sprint

These events are contested over a single unit. There will be a DT_RESULT for each race including all information.

* Sprint

Sprint consists of a qualification phase of a single race with all results information included in DT_RESULT. For the finals phases there is a DT_RESULT per unit (race) with a DT_CURRENT message providing live information related to lucky losers.

* Team Sprint

Team Sprint will have a DT_RESULT message for each unit (race) including all information.

SCHEDULE

The DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include all competition units/races at unit level (Y) except for sprint quarterfinals and semifinals and team sprint semifinals.

For sprint quarterfinals and semifinals and team sprint semifinals DT_SCHEDULE/DT_SCHEDULE_UPDATE will include both unit (S) and phase level (Y) information.



2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message extended
DT_SCHEDULE DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_NAME	Participant Names	
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	List of teams / List of teams update	X
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Information	X
DT_IMAGE	Image	X
DT_BRACKETS	Brackets	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	

2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline



update

2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic athletes else the attribute is not included. Never included in _UPDATE message.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.



Source	SC @Source	Code indicating the system which generated the message.
--------	------------	---

2.3.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			
		BirthDate			
		Height			
		PlaceofBirth			
		CountryofBirth			
		PlaceofResidence			
		CountryofResidence			
		Nationality			
		MainFunctionId			
		Current			



	OlympicSolidarity
	ModificationIndicator
	Discipline (1,1)
	Code
	IFId
	RegisteredEvent (0,N)
	Event
	Bib
	EventEntry (0,N)
	Type
	Code
	Pos
	Value

2.3.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Sample (Competiton)

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-CCS-1.10" Codes="SOG-2020-1.20" >

Element: Competition /Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time. It is used to link other messages to the participant's information. Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc. When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.
Parent	M	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.



			<p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	CC @ParticStatus	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. This information may not be known at the very beginning, but it will be completed for all participants after successive updates
Height	O	S(3)	<p>Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees.</p> <p>"-" may be used where the data is not available.</p>
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	<p>Participant's nationality.</p> <p>Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.</p>
MainFunctionId	O	CC @ResultsFunction	<p>Main function</p> <p>In the Case of Current="true" this attribute is Mandatory.</p>
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).



OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFld	O	S(16)	IF ID (competitor's federation number for the discipline if it is assigned).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event In the Olympic Games the athletes are initially only assigned to a single generic event at discipline level. This generic event should be removed on an athlete by athlete basis as soon as the athlete is inscribed in a competition event.
Bib	O	S(5)	Bib number from OVR Numeric for individuals. ##0-0 for team members.

2.3.1.6 Message Sort

The message is sorted by Participant @Code

2.3.2 List of teams / List of teams update

2.3.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also when the same organisation participates in the same event twice, there will be different teams.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	List of participant teams message
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic teams else the attribute is not included. Never included in _UPDATE message.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.



2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Team (1,N)			
		Code		
		Organisation		
		Number		
		Name		
		ShortName		
		TVTeamName		
		Gender		
		Current		
		TeamType		
		ModificationIndicator		
		Composition (0,1)		
			Athlete (0,N)	
				Code
				Order
		Discipline (0,1)		
			Code	
			IFId	
			RegisteredEvent (0,1)	
				Event
				Bib

2.3.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Competition /Team (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Team's ID
Organisation	M	CC @Organisation	Team organisation's ID
Number	O	Numeric #0	Team's number. If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc. Required in the case of current teams.
Name	M	S(73)	Team name
ShortName	M	S(40)	Team Short Name
TVTeamName	M	S(21)	TV Team Name
Gender	M	CC @SportGender	Gender Code of the Team
Current	M	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)
TeamType	M	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Always use ORG in this discipline
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams

Element: Competition /Team /Composition /Athlete (0,N)			
In the case of current teams the number of athletes is 2 or more.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID of the listed team's member. Therefore, he/she makes part of the team's composition.
Order	O	Numeric 0	Team member order

Element: Competition /Team /Discipline (0,1)			
Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"			
Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline
IFId	O	S(16)	Competitor's federation number for the corresponding discipline



Element: Competition /Team /Discipline /RegisteredEvent (0,1)			
Each current team is assigned to one event. Historical teams will not be registered to any event.			
Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event
Bib	O	S(5)	Team bib number to be sent in all the team event units (team sprint, relay)

2.3.2.6 Message Sort

The message is sorted by Team @Code.



2.3.3 Event Unit Start List and Results

2.3.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit, one message per race.
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Indicates whether the result is official or unofficial (or intermediate, live, etc). Expected statuses are (though any in GEN are possible): START_LIST (as soon as the start list is available and any changes [inc. IRMs]) LIVE (when the unit starts and after every update [intermediates etc.]). INTERMEDIATE (used after the competition has started and is not finished but not currently live, only for exceptional circumstances) UNCONFIRMED (used after the competition is completed and before either UNOFFICIAL or OFFICIAL. It may be sent multiple times if modifications are required and the status has not changed) UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.3.3 Trigger and Frequency

This message is sent:

- * As soon as the start list is available and any changes [inc. IRMs] (START_LIST)
- * For Individual Events with individual start time send with status LIVE shortly before the first athlete starts to mark the first athlete as NEXT
- * Individual and Team Sprint Events: After the last heat of a phase (Quarterfinal, Semi-final) of sprint and team



sprint the UNOFFICIAL results of each heat of the phase is resend. Only at that time the QualificationMark attributes for Lucky Losers are included.

* Individual Sprint Events: Quarterfinals: Heat selection process: As soon as an athlete select a Heat (START_LIST)

* When the unit starts and after every update (intermediates etc.) (LIVE)

* After the race is finished (UNCONFIRMED / UNOFFICIAL / OFFICIAL) as applicable. In detail:

- UNCONFIRMED: after the last competitor has crossed the finish line and until the unofficial results are distributed

- UNOFFICIAL: until the end of the fifteen (15) minutes protesting period or estimated delays in results verification or other open issues

- OFFICIAL: if no protest has been logged during the protest period, and after all protests have been resolved

- PROTESTED: if a protest has been logged during the protest period, until its resolution

- After any change

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	Gen						
	Sport						
	Codes						
	ExtendedInfos (0,1)						
	UnitDateTime (0,1)						
	StartDate						
	ExtendedInfo (0,N)						
	Type						
	Code						
	Pos						
	Value						
	SportDescription (0,1)						
	DisciplineName						
	EventName						
	Gender						
	SubEventName						
	VenueDescription (0,1)						
	Venue						
	VenueName						
	Location						
	LocationName						
	Officials (0,1)						
	Official (1,N)						
	Code						
	Function						
	Order						



		Description (1,1)
		GivenName
		FamilyName
		Gender
		Organisation
	Result (1,N)	
		Rank
		RankEqual
		Result
		IRM
		QualificationMark
		SortOrder
		StartOrder
		StartSortOrder
		ResultType
		Diff
		Pty
		ExtendedResults (0,1)
		ExtendedResult (1,N)
		Type
		Code
		Pos
		Value
		Rank
		RankEqual
		SortOrder
		Diff
		Move
		Arrive
	Competitor (1,1)	
		Code
		Type
		Bib
		Organisation
		Description (0,1)
		TeamName
		EventUnitEntry (0,N)
		Type
		Code
		Pos
		Value



Composition (0,1)	
Athlete (0,N)	
	Code
	Order
	Bib
	Description (1,1)
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFId
EventUnitEntry (0,N)	
	Type
	Code
	Pos
	Value
ExtendedResults (0,1)	
ExtendedResult (1,N)	
	Type
	Code
	Pos
	Value
	Value2
	IRM
	Rank
	RankEqual
	SortOrder
	Diff
	Move

2.3.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Competition /ExtendedInfos /UnitDateTime (0,1)			
Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date-time. Do not include until unit starts.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)				
Type		Code	Pos	Description
UI		STARTERS	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Sent the number of competitors on the start list.
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always where status is not START_LIST and at least one competitor has completed the unit without IRM.				
	Attribute	Value	Description	
	Code	COMPLETE		
	Pos	N/A		
	Value	Numeric ##0	Sent the number of competitors whose event unit is completed (includes IRMs).	
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always after the first competitor passed the @Pos Intermediate point in individual events				
	Attribute	Value	Description	
	Code	PASSED		
	Pos	S(2)	Intermediate point in the unit (1, 2...F).	
	Value	Numeric ##0	Sent the number of competitors who have passed this intermediate point IRMs should also be included in the number. At the end this number will equal STARTERS.	
UI		LAST_QUAL	N/A	Element Expected: Only for Individual Sprint Qualification
	Attribute	M/O	Value	Description
	Value	M	S(20) without leading zeroes	Sent the last qualifying place competitor ID. (effectively the athlete to beat) In the situation where insufficient competitors have participated to show the last qualifying position then show the current last place.
DISPLAY		INT_x (x = overall Intermediate Point, not LEG)	Numeric 0	Pos Description: Send a unique number for each competitor included (that is if two competitors updated send 1 & 2). Element Expected: When available and only when the unit is LIVE. Each competitor is only sent once at each intermediate (athlete in team events).
	Attribute	M/O	Value	Description
	Value	M	S(20) without leading zeroes.	Sent the competitor ID of the last competitor(s) to reach the intermediate point (including F) to enable highlighting of recent changes.



LEADER	CURRENT	S(2)	Pos Description: Most recent intermediate point reached by the first competitor (1,2,3,..F). Finish line is considered as an intermediate point. The value should be according to the Pos defined in the INTERMEDIATES of the DT_CONFIG message. For Relays it starts with 1 in leg 1, and finish with F in the last intermediate of the last leg. Element Expected: All events with intermediate points.
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeroes.	Send the competitor ID of the first competitor to reach the intermediate point (including F).
DISPLAY	NEXT	N/A	Element Expected: In interval start events.
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeroes	Send the competitor ID of the next competitor to start.
DISPLAY	STARTED	N/A	Element Expected: In intervals and pursuit starts only. Send only once for each competitor.
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeroes	Send the competitor ID of the competitor most recently started.
DISPLAY	CURR_LEG	N/A	Element Expected: Team Sprint and Relay events.
Attribute	M/O	Value	Description
Value	M	Numeric 0	Current Leg reached by the leading competitor updated at the exchange.

Sample (Individual)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T11:01:00+01:00" />
  <ExtendedInfo Type="UI" Code="STARTERS" Value="27" >
    <Extension Code="COMPLETE" Value="9" />
  </ExtendedInfo>
  <ExtendedInfo Type="DISPLAY" Code="INT_2" Pos="1" Value="123456" />
</ExtendedInfos>
```

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code



VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Officials /Official (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	CC @ResultsFunction	Official's function. Can be different from the function sent in the DT_PARTIC message.
Order	M	Numeric	Order of officials.

Element: Competition /Officials /Official /Description (1,1)			
Officials extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the official
Organisation	M	CC @Organisation	Official's organisation

Element: Competition /Result (1,N)			
For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.			
Attribute	M/O	Value	Description
Rank	O	S(3)	Rank of the competitor in the event unit
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable else not sent.
Result	O	h:mm:ss.f or m:ss.ff (for sprint events) or String	Time or results mark Do not send hours if not applicable. LAP and RAL are Result Marks (RMs), not IRMs. LAP and RAL competitors receive a Rank. LAP or RAL value may be sent when @ResultType is TIME.
IRM	O	SC @IRM	Invalid result mark (IRM) for the event unit Send only in the case @ResultType is IRM
QualificationMark	O	SC @QualificationMark	Send just in the case the competitor has qualified. (Sprint and Team Sprint)
SortOrder	M	Numeric ##0	This attribute is a sequential number with the order of the results for the event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. Updated during the race with the current order.
StartOrder	O	Numeric ##0	Start order.
StartSortOrder	M	Numeric ##0	Unique number for sorting the start list.
ResultType	O	SC @ResultType	Result type.
Diff	O	+m:ss.f or	Time behind the leader. Send 0.0 or 0.00 for the leader depending on the event.



		+m:ss.ff	Do not include if there is a pending photo.
Pty	O	S(2)	Time penalty sanction received in seconds as an effect of a false start by the competitor.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	STATUS	N/A	Element Expected: In interval start units.	
	Attribute	M/O	Value	Description
	Value	M	SC @CompetitorStatus	Race status for the competitor
ER	PREDICT	N/A	Element Expected: In interval start units before the ResultStatus is UNOFFICIAL and only where the quality is acceptable for display	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Predicted rank for the competitor
ER	CURRENT	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	S(2)	Intermediate point where the competitor has most recently passed If the competitor has an IRM: 1. In case the DNS or the competitor has an IRM before crossing the first intermediate point: send 0. 2. In other cases, send the Intermediate point that was crossed most recently. (Starting by 1. Start point (0) not considered if competitor athlete does not receive an IRM)
PROGRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). Element Expected: When data is available for individual events.	
	Attribute	M/O	Value	Description
	Value	M	h:mm:ss.f or m:ss.ff at sprint finish	Cumulative time at the intermediate point in the current race. Do not send hours or minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send 'Y' if rank is equaled, otherwise do not send.
	SortOrder	M	Numeric #0	Index based on the Rank to sort the competitor considering equals and IRMs.
	Diff	O	+h:mm:ss.f or +m:ss.ff or 0.0	Send the time behind the leader at the intermediate (not race leader). Do not send hours or minutes if zero.
	Move	O	Numeric [+/-]#0	Send the rank progression in the current intermediate compared to the previous intermediate (i.e: "+2", "0", "-1", etc) + means improved position



	Arrive	O	Numeric #0	Arrival order at the intermediate point
Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected If applicable				
	Attribute	Value	Description	
	Code	LAST		
	Pos	N/A		
	Value	S(1)	Send Y if this is the last (most recent) intermediate passed by the competitor)	
PROGRESS	SECTION		S(2)	Pos Description: Intermediate point where the section ends (1, 2, 3...F). A section is between two intermediate points. For example 1 is from the start to intermediate 1. Element Expected: When data is available for individual events except sprint.
	Attribute	M/O	Value	Description
	Value	M	h:mm:ss.f	Section time at the intermediate point in the current race. Do not send hours or minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor in the section.
	RankEqual	O	S(1)	Send 'Y' if rank is equaled, otherwise do not send.
	SortOrder	M	Numeric #0	Index based on the Rank to sort the competitor considering equals and IRMs.
	Diff	O	+m:ss.f or 0.0	Send the time behind the leader for the section (not race leader). Do not send minutes if zero.
PROGRESS	STYLE		SC @Style	Pos Description: Style or PitStop. Send C, F, or PS for Classical, Free or PitStop. Element Expected: Only for Skiathlon
	Attribute	M/O	Value	Description
	Value	M	h:mm:ss.f	Result time of the style/stop. Do not send hours or minutes if zero.
	Rank	O	S(2)	Send the rank of the competitor in the style/stop.
	RankEqual	O	S(1)	Send 'Y' if rank is equaled, otherwise do not send.
	SortOrder	M	Numeric #0	Index based on the Rank to sort the competitor considering equals
	Diff	O	+h:mm:ss.f or 0.0	Send the time behind the leader in the unit in the style. Do not send hours or minutes if zero.
ER	PHOTO		N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	To know if the competitor's final result was decided by photo. Send E for Evaluated, P for Pending, otherwise do not send



				If pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,,,4... and SortOrder = 1,2,3,4...
ER		POT_DSQ	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send 'Y' if the competitor is a potential disqualification, time adjustment or protest in this unit else do not send.
ER		IRM_RULE	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	String	Send rule number if disqualified.
ER		IRM_RULE_TEXT	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	String	Send rule description if disqualified.
ER		SANCTION	Numeric 0	Pos Description: Distinguish the sanctions if more than one. Order of importance for the sanction. Element Expected: When there is a description available for a jury decision.
	Attribute	M/O	Value	Description
	Value	M	String	Text to describe a jury decision. Some examples are 'Written reprimand - Technical violation' 'Yellow card - False start' 'Ranked as last - Obstruction'
ER		TIME_PENALTY	N/A	Element Expected: Interval start Events
	Attribute	M/O	Value	Description
	Value	M	S(2)	Time penalty sanction received in seconds



Sample (Cross Country)

```
<Result SortOrder="1" ResultType="TIME" Rank="1" Result="1:08:15.4" StartOrder="12" StartSortOrder="12" Diff="0.0">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="3:56.3" Diff="+5.1" Rank="11" RankEqual="Y"
SortOrder="12" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="9:11.6" Diff="+1.5" Rank="5" SortOrder="5" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" Value="13:02.3" Diff="+3.0" Rank="7" SortOrder="7" />
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="F" Value="1:08:15.4" Diff="0.0" Rank="1" SortOrder="1" />
    ...
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="1" Value="3:56.3" Diff="+5.1" Rank="11" RankEqual="Y"
SortOrder="12" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="5:15.3" Diff="+3.8" Rank="15" SortOrder="15" />
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="3" Value="3:50.7" Diff="+5.2" Rank="22" SortOrder="22" />
    ...
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="F" Value="4:55.9" Diff="0.0" Rank="1" SortOrder="1" />
    <ExtendedResult Type="PROGRESS" Code="STYLE" Pos="C" Value="36:04.9" Diff="+5.7" Rank="13" SortOrder="13" />
    <ExtendedResult Type="PROGRESS" Code="STYLE" Pos="PS" Value="30.9" Diff="+2.1" Rank="15" RankEqual="Y"
SortOrder="16" />
    <ExtendedResult Type="PROGRESS" Code="STYLE" Pos="F" Value="31:39.6" Diff="+2.9" Rank="2" SortOrder="2" />
  </ExtendedResults>
  <Competitor Code="2040363" Type="A" Organisation="NED" >
    <Composition>
      <Athlete Code="2040363" Bib="21" Order="1">
        <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="NED" BirthDate="1994-11-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

Element: Competition /Result /Competitor (1,1)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete, T for team
Bib	O	S(5)	Bib number for the team
Organisation	M	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Description (0,1)

Competitors extended information.

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team (Team events)



Element: Competition /Result /Competitor /EventUnitEntry (0,N)				
For team events only				
Type		Code	Pos	Description
EUE		FIS_PTS	N/A	Element Expected: Team sprint
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0.00	Team FIS points.
EUE		START_GROUP	N/A	Element Expected: In relay and team sprint
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Start row.

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric 0	1 in individual events (if Competitor @Type="A"), and athlete starting order (1..n) for teams (if Competitor @Type="T").
Bib	O	S(5)	Bib number Numeric for individuals. ##0-0 for team members.

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID



Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)				
Individual athletes entry information.				
Type	Code	Pos	Description	
EUE	FIS_PTS	S(1)	Pos Description: In case of Team Sprint only send D for distance points or S for sprint points. Element Expected: Send if FIS points (or 'seeded') in the case of interval start, sprint, mass start and Skiathlon.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0.00	FIS points.
EUE	START_GROUP	N/A	Element Expected: Individual mass start and skiathlon	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Start lane, row or group.
EUE	START_TIME	N/A	Element Expected: Races with interval start.	
	Attribute	M/O	Value	Description
	Value	M	hh:mm:ss	Start time.
EUE	LEG_BIB	N/A	Element Expected: All team events	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Leg number of the Team member. For Team Sprint provide number of the first leg (1 or 2). For Relay should be 1,2,3,4.
EUE	COLOUR	N/A	Element Expected: All team events.	
	Attribute	M/O	Value	Description
	Value	M	SC @BibColour	Bib colour ('b', 'g', 'r' or 'y').
EUE	TECHNIQUE	N/A	Element Expected: Relay	
	Attribute	M/O	Value	Description
	Value	M	SC @Technique	Skiing Technique ('C' or 'F').
EUE	YC	N/A	Element Expected: If data exists.	
	Attribute	M/O	Value	Description
	Value	M	S(1)	'Y' if the athlete has a yellow card from a previous race, otherwise do not send.



Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)				
Team member extended result.				
Type	Code	Pos	Description	
PROGRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). This is the overall intermediate, not per leg. Element Expected: When data is available in team events.	
	Attribute	M/O	Value	Description
	Value	O	h:mm:ss.f	Cumulative time at the intermediate point in the current race. Do not send hours or minutes if zero.
	Value2	O	m:ss.f	Time for the section ending at the intermediate point @Pos.
	Rank	O	S(2)	Send the rank of the competitor at the intermediate point.
	RankEqual	O	S(1)	Send 'Y' if rank is equaled, otherwise do not send.
	SortOrder	M	Numeric #0	Index based on the Rank to sort the competitor considering equals and IRMs.
	Diff	O	+h:mm:ss.f or +m:ss.ff or 0.0 or 0.00	Time/Points etc behind leader at this point.
	Move	O	Numeric [+/-]#0	Send the rank progression in the current intermediate compared to the previous intermediate (i.e: "+2", "0", "-1", etc) + means improved position.
Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected If applicable. A maximum of one athlete per team has the flag at one time.				
	Attribute	Value	Description	
	Code	LAST		
	Pos	N/A		
	Value	S(1)	Send 'Y' if this is the last (most recent) intermediate passed by the athlete).	
PROGRESS	LEG_SPLIT	S(2)	Pos Description: Identifies the leg or round, from 1 to the total number of legs (1-4 in relay) or rounds (1-6 in team sprint). Element Expected: When data is available in team events.	
	Attribute	M/O	Value	Description
	Value	O	m:ss.f or m:ss.ff	Leg time in the @Pos leg or round for the team member in the leg (relay) or round (team sprint). It is not cumulative.
	IRM	O	SC @IRM	IRM if applicable
	Rank	O	S(2)	Rank @Pos in the leg or round for the team member in the leg (relay) or round (team sprint).
	RankEqual	O	S(1)	Send 'Y' if rank is equaled, otherwise do not send.



	SortOrder	M	Numeric #0	Index based on the Rank to sort the team member in the leg (relay) or round (team sprint) considering equals and IRMs.
	Diff	O	+m:ss.f or +m:ss.ff or 0.0	Send the time behind the leader in the unit at the split.
ER		SANCTION	Numeric 0	Pos Description: Distinguish the sanctions if more than one. Order of importance for the sanction. Element Expected: When there is a description available for a jury decision.
	Attribute	M/O	Value	Description
	Value	M	String	Text to describe a jury decision. Some examples are 'Written reprimand - Technical violation' 'Yellow card - False start' 'Ranked as last - Obstruction'

Sample (Relay)

```
<Result SortOrder="1" ResultType="TIME" Rank="1" Result="53:02.7" Diff="0.0" StartOrder="10" StartSortOrder="10" >
...
<Competitor Code="CCSW4X5KM---SWE01" Bib="2" Type="T" Organisation="SWE" >
  <Description TeamName="Sweden" />
  <Composition>
    <Athlete Bib="2-2" Code="2019490" Order="2">
      <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="NED" BirthDate="1994-11-15" />
      <ExtendedResults>
        <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="5" Value="18:21.3" Value2="4:23.3" Diff="+1.3"
Rank="5" SortOrder="5" />
        <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="6" Value="20:44.1" Value2="6:26.8" Diff="+1.3"
Rank="7" SortOrder="7" />
        <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="7" Value="25:18.4" Value2="11:29.6" Diff="+0.4"
Rank="2" SortOrder="2" />
        <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="8" Value="28:21.6" Value2="14:29.8" Diff="+4.3"
Rank="3" SortOrder="3" />
      </ExtendedResults>
    </Athlete>
  </Composition>
  <ExtendedResult Type="PROGRESS" Code="LEG_SPLIT" Pos="2" Value="14:29.8" Diff="+4.3" Rank="3" SortOrder="3" />
</Result>
```

2.3.3.6 Message Sort

Sort by Result @SortOrder



2.3.4 Current Information

2.3.4.1 Description

The Current message is a message containing the current information in a competition which is live. The message is used to send the latest applicable information.

The message is only used in sprint events (individual and team) to provide live lucky loser information.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Phase	For sprint events only, DocumentCode is full RSC at phase level Not applicable in qualification.
DocumentSubcode	N/A	N/A
DocumentType	DT_CURRENT	Current message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

Sprint Events, Elimination phases.

* Send before the beginning of each Heat except for first Heat in the Phase with current lucky losers' data.

* Send at the end of each Heat including all current lucky losers' data.

* Send after the final Heat in a phase empty (without competition element) as current lucky losers' data is not applicable.

2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	ExtendedInfos (0,1)				
		ExtendedInfo (1,N)			



			Type
			Code
			Pos
			Value
	Result (0,N)		
		Result	
		SortOrder	
		StartSortOrder	
		Competitor (1,N)	
			Code
			Type
			Bib
			Organisation
			Composition (0,1)
			Athlete (0,N)
			Code
			Order
			Bib

2.3.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (1,N)				
Type		Code	Pos	Description
UI		LL_TIME_TO_BEAT	N/A	Element Expected: Individual and Team Sprint Events, elimination phases except first Heat of the Phase.
	Attribute	M/O	Value	Description
	Value	M	m:ss.fff	Last lucky loser time to beat before the start of the Heat.

Element: Competition /Result (0,N)			
Attribute	M/O	Value	Description
Result	O	m:ss.fff	Time for the competitor in the Heat.
SortOrder	M	Numeric #0	Sort order of the current lucky losers. Use '1' for the faster lucky loser, '2' for the second faster lucky loser, etc.
StartSortOrder	M	Numeric #0	Same value as SortOrder



Element: Competition /Result /Competitor (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete, T for team
Bib	O	S(5)	Bib number for the team
Organisation	M	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID
Order	M	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") on the results or 1 if Competitor @Type="A".
Bib	O	S(5)	Bib number Numeric for individuals. ##0-0 for team members.

2.3.4.6 Message Sort

Use @SortOrder



2.3.5 Image

2.3.5.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	Numeric #0	Picture number This value is a sequential number for each picture provided in a unit (RSC). The value will be 1, 2, 3 ... Where there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send PHOTOFINISH
Version	1..V	Version number associated to the message's content. Ascending number. Values beyond 1 are only used if a message needs to be resent for a second or subsequent image/result with the same DocumentSubcode to replace the original image (to resolve the same rank).
ResultStatus	CC @ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

Trigger when image available and after any change.

2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	Gen						



	Sport	
	Codes	
	Image (1,N)	
	Pos	
	Version	
	Revision	
	ImageType	
	Result (0,N)	
	Result	
	Rank	
	StartOrder	
	SortOrder	
	Competitor (1,1)	
	Code	
	Type	
	Organisation	
	Description (0,1)	
	TeamName	
	Composition (0,1)	
	Athlete (1,N)	
	Code	
	Order	
	Bib	
	Description (1,1)	
	GivenName	
	FamilyName	
	ImageData (1,1)	
	-	

2.3.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Competition /Image (1,N)			
Always only one image per message			
Attribute	M/O	Value	Description
Pos	M	Numeric #0	Always send 1
Version	M	Numeric #0	Document Version
Revision	M	Numeric #0	Document Revision
ImageType	M	S(3)	Image type extension, jpg or png

Element: Competition /Image /Result (0,N)			
This element should always appear and must only include the information of those competitors appearing in the image.			
Attribute	M/O	Value	Description
Result	O	S(20)	Result of the competitor in the image at the end of the unit. Formatted in the same way as associated DT_RESULT. Use IRM code if appropriate.
Rank	O	S(10)	Rank of the competitor at the end of the unit
StartOrder	O	S(4)	Start or lane position This value is expected if it is included in DT_RESULT
SortOrder	M	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.

Element: Competition /Image /Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID (Team or individual)
Type	M	S(1)	A for athlete or T for team.
Organisation	M	CC @Organisation	Competitor's organisation

Element: Competition /Image /Result /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the Team.

Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N)			
Only sent in the case of individual events. Team members are not sent in team events.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	Value is 1
Bib	M	S(5)	Bib

Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name (Photofinish Name)
FamilyName	M	S(25)	Family name (Photofinish Name)



Element: Competition /Image /ImageData (1,1)			
Attribute	M/O	Value	Description
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)

Sample (Photofinish)

```
<Image Pos="1" Version="1" Revision="0" ImageType="jpg" >
  <Result Result="3:26.23" Rank="1" StartOrder="5" SortOrder="1" >
    <Competitor Code="1234567" Type="T" Organisation="GBR" >
      <Description TeamName="Great Britain"/>
    </Result>
    <Result Result="3:26.26" Rank="2" StartOrder="3" SortOrder="2" >
      <Competitor Code="1234444" Type="T" Organisation="ESP" >
        <Description TeamName="Spain"/>
      </Result>
    <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC //2Q==</ImageData>
  </Image>
```

2.3.5.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.

2.3.6 Brackets

2.3.6.1 Description

The brackets message contains the brackets information for one event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC of the Event
DocumentType	DT_BRACKETS	Brackets message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (during the athlete selection of heats -at the start and during selection-) INTERMEDIATE (during the competition) UNOFFICIAL (when last match unofficial) OFFICIAL (when all matches official)
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.6.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available.

Send when a match/event unit is completed, only update with different results statuses (of DT_RESULT) if there are changes affecting the brackets.

During the athlete selection of heats the message is sent as START_LIST (at the start and during selection).

The @ResultStatus attribute will vary depending on the competition status.

- Send with ResultStatus = 'START_LIST' if no units are complete
- Send with ResultStatus = 'INTERMEDIATE' after each unit until the last event unit (Gold Medal unit) is Unofficial (i.e. for all event units up until the Gold Medal unit is completed for an event)
- Send with ResultStatus = 'UNOFFICIAL' when the last event unit for an event (Gold Medal unit) has Unofficial status.
- Send with ResultStatus = 'OFFICIAL' when the last event unit for an event (Gold Medal unit) has Official status.



Trigger also after any change.

2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9	Level 10	Level 11
Competition (0,1)										
	Gen									
	Sport									
	Codes									
	ExtendedInfos (0,1)									
	SportDescription (0,1)									
	DisciplineName									
	EventName									
	Gender									
	Bracket (1,N)									
	Code									
	BracketItems (1,N)									
	Code									
	BracketItem (1,N)									
	Code									
	Order									
	Position									
	Date									
	Time									
	Unit									
	Result									
	CompetitorPlace (1,N)									
	Pos									
	Rank									
	Result									
	Diff									
	IRM									
	QualificationMark									
	StrikeOut									
	ExtCompPlaces (0,1)									
	ExtCompPlace (1,N)									
	Type									
	Code									
	Pos									
	Value									



PreviousUnit (0,1)	
Unit	
Competitor (0,1)	
Code	
Type	
Organisation	
Bib	
Description (0,1)	
TeamName	
Composition (0,1)	
Athlete (1,N)	
Code	
Order	
Bib	
Description (1,1)	
GivenName	
FamilyName	
Gender	
Organisation	
BirthDate	
IFId	
ExtBracketAths (0,1)	
ExtBracketAth (1,N)	
Type	
Code	
Pos	
Value	

2.3.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in Text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.



Gender	M	CC @SportGender	Gender code for the event unit
--------	---	-----------------	--------------------------------

Element: Competition /Bracket (1,N)

Attribute	M/O	Value	Description
Code	M	SC @Bracket	Bracket code to identify a bracket item

Element: Competition /Bracket /BracketItems (1,N)

Attribute	M/O	Value	Description
Code	M	SC @BracketItems	Bracket code to identify a set of bracket items. It usually refers to the round in the brackets, for example quarterfinal or semifinal etc.

Element: Competition /Bracket /BracketItems /BracketItem (1,N)

Attribute	M/O	Value	Description
Code	O	Numeric #0	Heat number in the phase.
Order	M	Numeric #0	Sequential number inside of BracketItems to indicate the order, always start at 1.
Position	M	Numeric #0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position.
Date	O	Date	Date of BracketItem (example: YYYY-MM-DD). Must include if the data is available.
Time	O	S(5)	Time of the BracketItem (example HH:MM) Must include if the data is available.
Unit	O	CC @Unit	Full RSC of the unit for the BracketItem
Result	O	m:ss.ff	Time of the winning competitor.

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket.

Attribute	M/O	Value	Description
Pos	M	Numeric #0	This attribute is a sequential number to place the different competitors in the bracket (1, 2 ...). Before the unit it is by position number, after the unit rank by place in the unit.
Rank	O	Numeric #0	Competitor Rank
Result	O	m:ss.ff	Result of the competitor
Diff	O	0.00 or m:ss.ff	Time behind Do not send minutes if zero and no leading zeros.
IRM	O	SC @IRM	The invalid result mark, if applicable
QualificationMark	O	SC @QualificationMark	Send qualification mark, Q or 'LL'.
StrikeOut	O	S(1)	If the competitor should be struck out in this bracket item send Y.

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)

Type	Code	Pos	Description
ECP	PHOTO	N/A	Element Expected:



	Attribute	M/O	Value	When applicable Description
	Value	M	S(1)	To know if the competitor's final result was decided by photo. Send E for Evaluated, P for Pending, otherwise do not send.
ECP		YC	N/A	Element Expected: When applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send Y if this competitor has received a yellow card prior to this unit, remove when results received

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph unless coming from a pool.

Attribute	M/O	Value	Description
Unit	M	CC @Unit	Full RSC code of the previous event unit for the CompetitorPlace@Pos competitor of the bracket item.

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)

CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete, T for team
Organisation	M	CC @Organisation	Competitors' organisation.
Bib	O	S(5)	Team Bib in Team Sprint

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Description (0,1)

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team.

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric 0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A". After each run it will be the order in which the athletes participated (run order).
Bib	M	S(5)	Athlete Bib

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)



Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /ExtBracketAths /ExtBracketAth (1,N)				
Type	Code	Pos	Description	
EBA	YC	N/A	Element Expected: When applicable	
Attribute	M/O	Value	Description	
Value	M	S(1)	Send Y if this athlete has received a yellow card prior to this unit, remove when results received	

Sample (Sprint)

```

<Bracket Code="FNL">
  <BracketItems Code="SFL">
    <BracketItem Code="1" Order="1" Position="1" Date="2018-02-16" Time="18:16" Unit="CCSMSPRINT-----SFNL0001-----"
Result="2:45.64">
      <CompetitorPlace Pos="1" Rank="1" QualificationMark="Q" Diff="0.0">
        <PreviousUnit Unit="CCSMSPRINT-----QFNL0001-----" />
        <Competitor Code="2018975" Type="A" Organisation="NED">
          <Composition>
            <Athlete Code="2018975" Bib="7" Order="1">
              <Description GivenName="Jay" FamilyName="Brown" Gender="M" Organisation="NED" BirthDate="1994-11-15" />
            </Athlete>
          </Composition>
        </Competitor>
      </CompetitorPlace>
      <CompetitorPlace Pos="2" Rank="2" QualificationMark="Q" Diff="+0.74">
        <PreviousUnit Unit="CCSMSPRINT-----QFNL0001-----" />
        <Competitor Code="2024602" Type="A" Organisation="GER">
          <Composition>
            <Athlete Code="2024602" Bib="9" Order="1">
              <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-11-14" />
            </Athlete>
          </Composition>
        </Competitor>
      </CompetitorPlace>
    </BracketItem>
  </BracketItems>
</Bracket>

```

2.3.6.6 Message Sort

- 1- Bracket @Code .
- 2- BracketItems /BracketItem /Unit
- 3- BracketItem /Unit are sorted according to their scheduled start time.

2.3.7 Event Final Ranking

2.3.7.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

Depending on the sport rules include all competitors in the competition as all can be ranked (as in Marathon) or only include those with a final ranking as other are unranked (as in tennis).

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC of the Event. Sent for all the competition events.
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

The message is expected at the end of the event (OFFICIAL), except in team and individual sprint where it is also triggered after each phase (PARTIAL) including only those competitors with a final ranking.
Trigger also after any change.

2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					



		SportDescription (0,1)	
		DisciplineName	
		EventName	
		Gender	
	Result (1,N)		
	Rank		
	RankEqual		
	ResultType		
	Result		
	Diff		
	IRM		
	SortOrder		
	ExtendedResults (0,1)		
		ExtendedResult (1,N)	
		Type	
		Code	
		Pos	
		Value	
	Competitor (1,1)		
		Code	
		Type	
		Organisation	
		Description (0,1)	
		TeamName	
		Composition (1,1)	
		Athlete (0,N)	
		Code	
		Order	
		Description (1,1)	
		GivenName	
		FamilyName	
		Gender	
		Organisation	
		BirthDate	
		IFId	



2.3.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender

Element: Competition /Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	S(3)	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable else not sent.
ResultType	O	SC @ResultType	Result type, for the corresponding event, mandatory if Result or IRM is included.
Result	O	m:ss.ff or h:mm:ss.f	Time for the competitor. Do not send leading zeros. Decimals vary according to sport rules.
Diff	O	+m:ss.f +m:ss.ff or 0.0	Time behind the leader when available in relay/team and individual events
IRM	O	SC @IRM	Send if the competitor has an IRM (invalid result mark).
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Type		Code	Pos	Description
ER		LAST_PHASE	N/A	Element Expected: In individual and team sprint events.
Attribute		M/O	Value	Description
Value		M	SC @ResultPhase	Last phase reached by the competitor.



Element: Competition /Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	S(1)	A for athlete, T for team
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Competition /Result /Competitor /Description (0,1)			
Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams.

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete or a team member.
Order	M	Numeric #0	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample (Team)

```
<Result SortOrder="2" ResultType="TIME" Rank="2" Result="23:15.86" Diff="+0.97">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="LAST_PHASE" Value="F" />
  </ExtendedResults>
  <Competitor Code="CCSM4X10KM-RUS01" Type="T" Organisation="RUS" >
    <Description TeamName="Russia" />
    <Composition>
      <Athlete Code="2000691" Order="1" >
        <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="RUS" BirthDate="1994-11-15" />
      </Athlete>
      <Athlete Code="2000821" Order="2" >
        <Description GivenName="John" FamilyName="Brown" Gender="M" Organisation="RUS" BirthDate="1994-11-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

2.3.7.6 Message Sort

Sort by Result @SortOrder



2.3.8 Configuration

2.3.8.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition.

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Phase CC @Unit	Full RSC. Send one message per unit with the unit level DocumentCode for single unit events. Send one message per phase with the phase level DocumentCode for multiple unit events (in the Olympics that is team and individual sprint).
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P"-Production "T"-Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.8.3 Trigger and Frequency

The message is sent prior to any ODF results message.

Trigger also any change, but considering that, if possible, the configuration for one particular event, phase or event unit must be provided before the start list.

If a DT_CONFIG message is sent after a DT_RESULT in a related unit then the next version of DT_RESULT must be sent immediately.

2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Configs (1,1)			



	Config (1,N)
	Unit
	ExtendedConfig (1,N)
	Type
	Code
	Pos
	Value

2.3.8.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	CC @Unit CC @Phase	Full RSC [S(34)] of the unit in single unit events. Full RSC [S(34)] of the phase for phases with multiple units

Element: Competition /Configs /Config /ExtendedConfig (1,N)				
Type		Code	Pos	Description
FIS		CODEX	N/A	Element Expected: When available.
	Attribute	M/O	Value	Description
	Value	M	String	FIS Codex.
COURSE		NAME	Numeric 0	Pos Description: If there is more than one course in the race (skiathlon & relay) send 1 for the first course and 2 for the second. Do not include @Pos unless multiple courses Element Expected: When available.
	Attribute	M/O	Value	Description
	Value	M	String	Name of the course in ENG.
COURSE		ALTITUDE	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0	Send the altitude of the stadium (start/finish) in metres.
COURSE		HEIGHT_DIFF	Numeric 0	Pos Description: If there is more than one course in the race (skiathlon & relay) send 1 for the first course and 2 for the second. Do not include @Pos unless multiple courses. Element Expected: Always



	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Send the total difference in height from the low point to the highest point in metres.
COURSE	LENGTH		Numeric 0	Pos Description: If there is more than one course in the race (skiathlon & relay) send 1 for the first course and 2 for the second. Do not include @Pos unless multiple courses. Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send the total length of the course in metres.
COURSE	LAP		Numeric 0	Pos Description: If there is more than one course in the race (skiathlon & relay) send 1 for the first course and 2 for the second. Do not include @Pos unless multiple courses. Element Expected: When available
	Attribute	M/O	Value	Description
	Value	M	Numeric ####0	Send the lap length in metres.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected When available				
	Attribute	Value	Description	
	Code	NUM		
	Pos	N/A		
	Value	Numeric #0	Number of laps for each athlete.	
COURSE	CLIMB		Numeric 0	Pos Description: If there is more than one course in the race (skiathlon & relay) send 1 for the first course and 2 for the second. Do not include @Pos unless multiple courses. Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0	Course Total Climb in metres.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always				
	Attribute	Value	Description	
	Code	MAX		
	Pos	N/A		
	Value	Numeric ####0	Course Maximum Climb in metres.	
EC	INTERMEDIATE		S(2)	Pos Description: Send the value that identifies the intermediate point, 1 to n for intermediates along the course and F for the finish point. Element Expected: Always



	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0#	Distance from the start in km for the intermediate.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Team events only.				
	Attribute	Value	Description	
	Code	LEG		
	Pos	Numeric 0	Send the leg number of the team.	
	Value	S(2)	Send the INTERMEDIATE within the leg 1...F. If Pos = 2 and Value=F then it is the start point for leg 3 and the end point for leg 2. This makes the relationship between overall intermediates and legs	
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Skiathlon only.				
	Attribute	Value	Description	
	Code	PIT_STOP		
	Pos	N/A		
EC	Value	S(1)	Send 'Y' for the intermediate point at the exit Pit Stop, else do not send.	
		INTERMEDIATES_NUM	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
EC	Value	M	Numeric #0	Send the total number of intermediate points where the time is recorded including F.
		LEG	S(2)	Pos Description: Send the value that identifies the leg in the team event, 1 to n for each leg. Element Expected: Team sprint and relay events.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0.0#	Distance from the start of the race in km to the end of the leg.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Team sprint and relay events.				
	Attribute	Value	Description	
	Code	INTERMEDIATE		
	Pos	S(2)	Send the value that identifies the intermediate point, 1,2... to F for intermediates in the leg, including the end.	
	Value	Numeric #0.0#	Distance from the start of the leg in km for the intermediate.	
EC		LEGS_NUM	N/A	Element Expected: Team sprint and relay events.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the total number of intermediate points where the time is recorded including F.
QUALIFICATION (by phase)		FROM_RANK	N/A	Element Expected: When applicable.
	Attribute	M/O	Value	Description



	Value	M	Numeric #0	Send the qualifying rank to indicate first rank to qualify.
QUALIFICATION (by phase)	TO_RANK		N/A	Element Expected: When applicable.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the qualifying rank to indicate last rank to qualify.
QUALIFICATION (by phase)	QUAL_BT		N/A	Element Expected: When some competitors qualify by time.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Number of competitors to advance (based in time qualification) For example: In the individual sprint Value =2 (for the 2 lucky losers).
QUALIFICATION (by phase)	QUAL_RULE		N/A	Element Expected: When applicable pre-finals.
	Attribute	M/O	Value	Description
	Value	M	SC @QualRule	Send the code for the qualification rule.

Sample (Sprint Qualification)

```
<Config Unit="CCSMSPRINT-----QUAL000100--">
  <ExtendedConfig Type="FIS" Code="CODEX" Value="1234567890" />
  <ExtendedConfig Type="COURSE" Code="NAME" Pos="1" Value="Olympic 1.5km" />
  <ExtendedConfig Type="COURSE" Code="ALTITUDE" Value="50" />
  <ExtendedConfig Type="COURSE" Code="HEIGHT_DIFF" Pos="1" Value="32" />
  <ExtendedConfig Type="COURSE" Code="LENGTH" Pos="1" Value="1480" />
  <ExtendedConfig Type="COURSE" Code="LAP" Pos="1" Value="1480">
    <ExtendedConfigItem Code="NUM" Value="1" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="CLIMB" Pos="1" Value="50">
    <ExtendedConfigItem Code="MAX" Value="14" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="0.7" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="1.5" />
</Config>
```

Sample (Sprint Finals)

```
<Config Unit="CCSMSPRINT-----QFNL-----">
  <ExtendedConfig Type="FIS" Code="CODEX" Value="1234567890" />
  <ExtendedConfig Type="COURSE" Code="NAME" Pos="1" Value="Olympic 1.5km" />
  <ExtendedConfig Type="COURSE" Code="ALTITUDE" Value="50" />
  <ExtendedConfig Type="COURSE" Code="HEIGHT_DIFF" Pos="1" Value="32" />
  <ExtendedConfig Type="COURSE" Code="LENGTH" Pos="1" Value="1480" />
  <ExtendedConfig Type="COURSE" Code="LAP" Pos="1" Value="1480">
    <ExtendedConfigItem Code="NUM" Value="1" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="CLIMB" Pos="1" Value="50">
    <ExtendedConfigItem Code="MAX" Value="14" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="1.5" />
</Config>
```



Sample (Relay)

```
<Config Unit="CCSM4X10KM-----FNL-000100--">
  <ExtendedConfig Type="FIS" Code="CODEX" Value="2160" />
  <ExtendedConfig Type="COURSE" Code="NAME" Pos="1" Value="3.3km Blue" />
  <ExtendedConfig Type="COURSE" Code="LENGTH" Pos="1" Value="3229" />
  <ExtendedConfig Type="COURSE" Code="HEIGHT_DIFF" Pos="1" Value="41" />
  <ExtendedConfig Type="COURSE" Code="LAP" Pos="1" Value="3229">
    <ExtendedConfigItem Code="NUM" Value="3" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="CLIMB" Pos="1" Value="126">
    <ExtendedConfigItem Code="MAX" Value="35" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="NAME" Pos="2" Value="3.3km Blue" />
  <ExtendedConfig Type="COURSE" Code="LENGTH" Pos="2" Value="3229" />
  <ExtendedConfig Type="COURSE" Code="HEIGHT_DIFF" Pos="2" Value="41" />
  <ExtendedConfig Type="COURSE" Code="LAP" Pos="2" Value="3229">
    <ExtendedConfigItem Code="NUM" Value="3" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="CLIMB" Pos="2" Value="126">
    <ExtendedConfigItem Code="MAX" Value="35" />
  </ExtendedConfig>
  <ExtendedConfig Type="COURSE" Code="ALTITUDE" Value="758" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="24" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="1.67">
    <ExtendedConfigItem Code="LEG" Pos="1" Value="1" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="3.3">
    <ExtendedConfigItem Code="LEG" Pos="1" Value="2" />
  </ExtendedConfig>
  ...
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="23" Value="38.27">
    <ExtendedConfigItem Code="LEG" Pos="4" Value="5" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="40.0">
    <ExtendedConfigItem Code="LEG" Pos="4" Value="F" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="LEGS_NUM" Value="4" />
  <ExtendedConfig Type="EC" Code="LEG" Pos="1" Value="10.0">
    <ExtendedConfigItem Code="INTERMEDIATE" Pos="1" Value="1.67" />
    <ExtendedConfigItem Code="INTERMEDIATE" Pos="2" Value="3.3" />
  ...
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="5" Value="8.27" />
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="F" Value="10.0" />
</ExtendedConfig>
...
<ExtendedConfig Type="EC" Code="LEG" Pos="4" Value="40.0">
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="1" Value="1.67" />
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="2" Value="3.3" />
...
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="5" Value="8.27" />
  <ExtendedConfigItem Code="INTERMEDIATE" Pos="F" Value="10.0" />
</ExtendedConfig>
</Config>
```

2.3.8.6 Message Sort

There is no message sorting rule.



3 Message Timeline

4 Document Control

Version history		
Version	Date	Comments
V0.1	19 Dec 2019	First version
V0.2	9 Mar 2020	Review with ORIS documents
V0.3	11 May 2020	Reviewed after PT0
V0.4	12 Jun 2020	Update with feedback
V0.5	4 Aug 2020	Updated
V0.6	28 Aug 2020	Updated
V0.7	18 Sep 2020	Updated
V1.0	16 October 2020	Approved
V1.1	27 Nov 2020	Updated
V1.2	22 Jan 2021	Updated with CR021343
V1.3	19 Feb 2021	Updated with CR
V1.4	14 May 2021	Updated with CR022136 [DT_IMAGE only]
V1.5	9 Aug 2021	Updated after Homologation
V1.6	12 Nov 2021	Updated with CR
V3.0	5 May 2023	First version for Gangwon

Change Log		
Version	Status	Changes on version
V0.1	SFR	First version
V0.2	SFR	DT_RESULT: Add LEADER/CURRENT @ ExtendedInfos /ExtendedInfo DT_RESULT: Add DISPLAY/AFTER_INT @ ExtendedInfos /ExtendedInfo DT_RESULT: Add DISPLAY/PREDICT @ ExtendedInfos /ExtendedInfo DT_RESULT: Add ER/STATUS @ Result /ExtendedResults /ExtendedResult DT_RESULT: Add ER/PREDICT @ Result /ExtendedResults /ExtendedResult DT_RESULT: Add ER/CURRENT @ Result /ExtendedResults /ExtendedResult DT_RESULT: Add PROGRESS/INTERMEDIATE/Move @ Result /ExtendedResults /ExtendedResult DT_RESULT: Add expected for PROGRESS/INTERMEDIATE @ Result /ExtendedResults /ExtendedResult DT_BRACKETS: Add Results and update Diff @ Bracket /BracketItems /BracketItem /CompetitorPlace
V0.3	SFR	Applicable Messages updated DT_PARTIC: Delete Participant/Weight DT_PARTIC_TEAM: Add Team/ShortName & TeamType [CR19497] DT_RESULT: Update UI/STARTERS at ExtendedInfos /ExtendedInfo DT_RESULT: Update DISPLAY/PREDICT @: ExtendedInfos /ExtendedInfo DT_RESULT: Update Expected at ER/PREDICT @Result /ExtendedResults /ExtendedResult DT_CONFIG: Update description DT_CONFIG: Update the DocumentCode DT_CONFIG: Update Configs/Config/Unit DT_PARTIC: Add ENTRY/RANK_PTS & ENTRY/RANK_WLD at Participant /Discipline /RegisteredEvent /EventEntry DT_PARTIC: Update Participant /Discipline /RegisteredEvent /Event DT_RESULT: Update ResultStatus in header values DT_RESULT: Update UI/LAST_QUAL at ExtendedInfos /ExtendedInfo DT_RESULT: Remove DISPLAY/PREDICT at ExtendedInfos /ExtendedInfo DT_RESULT: Add DISPLAY/NEXT, STARTED & CURR_LEG at ExtendedInfos /ExtendedInfo DT_RESULT: Update Result/Result & Result/Diff DT_RESULT: Clarify expected at ER/PREDICT at Result /ExtendedResults /ExtendedResult



		<p>DT_RESULT: Delete IRM & Value2, update Value & Diff at PROGRESS/INTERMEDIATE at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Add PROGRESS/SECTION at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Add ER/TIME_PENALTY at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update Value in ER/REAL_TIME at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Remove ER/CALC_TIME at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update Value in ER/DELTA at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update Expected for EUE/START_GROUP at Result /Competitor /EventUnitEntry & Result /Competitor /Composition /Athlete /EventUnitEntry</p> <p>DT_RESULT: Delete EUE/WAVE at Result /Competitor /Composition /Athlete /EventUnitEntry</p> <p>DT_RESULT: Delete EUE/PREVIOUS_YC at Result /Competitor /Composition /Athlete /EventUnitEntry</p> <p>DT_RESULT: Update description of Value at EUE/YC at Result /Competitor /Composition /Athlete /EventUnitEntry</p> <p>DT_RESULT: Delete IRM, update Value & Diff at PROGRESS/INTERMEDIATE at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult & Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Delete ER/TIME_PENALTY at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Add UI/STARTERS/PASSED at ExtendedInfos /ExtendedInfo</p> <p>DT_RESULT: Remove DISPLAY/AFTER_INT at ExtendedInfos /ExtendedInfo</p> <p>DT_RESULT: Add EUE/HCP_TIME at Result /Competitor /Composition /Athlete /EventUnitEntry</p> <p>DT_RESULT: Update LEADER/CURRENT at ExtendedInfos /ExtendedInfo</p> <p>DT_RESULT: Remove IRM at PROGRESS/STYLE at Result /ExtendedResults /ExtendedResult</p> <p>DT_CURRENT: Update Message Description</p> <p>DT_CURRENT: Update DocumentCode in header values</p> <p>DT_CURRENT: Update Triggering</p> <p>DT_CURRENT: Delete DISPLAY/NEXT, STARTED & CURR_LEG & CURR_INTERMEDIATE at ExtendedInfos /ExtendedInfo</p> <p>DT_CURRENT: Update expected for UI/LL_TIME_TO_BEAT at ExtendedInfos /ExtendedInfo</p> <p>DT_CURRENT: Delete Result/StartSortOrder & Result/ResultType</p> <p>DT_CURRENT: Delete Result /ExtendedResults /ExtendedResult</p> <p>DT_BRACKETS: Remove UNCONFIRMED ResultStatus (header values & triggering)</p> <p>DT_BRACKETS: Clarify triggering</p> <p>DT_BRACKETS: Update Result & Diff at Bracket /BracketItems /BracketItem /CompetitorPlace</p> <p>DT_BRACKETS: Update Description of ECP/YC at Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace</p> <p>DT_BRACKETS: Add EBA/YC at Element: Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /ExtBracketAths /ExtBracketAth</p> <p>DT_RANKING: Update Result/Diff</p> <p>DT_CONFIG: Update @Pos description throughout for clarity</p> <p>DT_CONFIG: Update COURSE/LAP/NUM at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Clarify EC/INTERMEDIATE/LEG at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Clarify EC/LEG at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Update samples</p> <p>Update M/O as needed</p> <p>Editorial improvements</p>
V0.4	SFR	<p>DT_RESULT: Update Value format for PROGRESS/SECTION at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update Value2 format for PROGRESS/INTERMEDIATE at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update Pos description for PROGRESS/INTERMEDIATE at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Update expected for EUE/START_GROUP at Result /Competitor /EventUnitEntry</p> <p>DT_RESULT: Update Pos description for PROGRESS/LEG_SPLIT at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult</p> <p>DT_RANKING: Update triggering</p> <p>DT_CONFIG: Update expected for EC/INTERMEDIATE at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Update expected for EC/INTERMEDIATES_NUM at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Remove EC/LEG/CUMULATIVE at Configs /Config /ExtendedConfig</p>
V0.5	SFA	<p>DT_RESULT: Remove ExtendedInfos /ExtendedInfo /Competitor</p> <p>Add Cross Country Overview (2.1)</p>
V0.6	SFA	<p>DT_BRACKETS: Add Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Bib</p> <p>DT_BRACKETS: Add Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Bib</p>



V0.7	SFA	DT_RESULT: Update EUE/COLOUR to use codes in Value at Result /Competitor /Composition /Athlete /EventUnitEntry (does not change the value sent, added for language purposes) DT_RESULT: Update EUE/TECHNIQUE to use codes in Value at Result /Competitor /Composition /Athlete /EventUnitEntry (does not change the value sent, added for language purposes) DT_RESULT: Update PROGRESS/STYLE to use codes in @Pos at Result /ExtendedResults /ExtendedResult (does not change the value sent, added for language purposes) DT_BRACKETS: Update ECP/PHOTO Description at Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace to use the same values as at ER/PHOTO in DT_RESULT.
V1.0	APP	Update Overview (2.1) to remove DT_CURRENT in the Paralympic Games
V1.1	APP	DT_RESULT: Add Move for PROGRESS/INTERMEDIATE at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (to match OVR implementation) Add Timeline
V1.2	APP	DT_CURRENT: Update Result/StartSortOrder (to comply with schema)
V1.3	APP	DT_WEATHER: Update triggering [CR021512] DT_WEATHER: Update Weather/Conditions/Code to add HIGH and LOW [CR021512]
V1.4	APP	DT_IMAGE: Update message description [CR022136] DT_IMAGE: Update DocumentSubcode & Version in header [CR022136] DT_IMAGE: Update expected in Competition/Image [CR022136] DT_IMAGE: Update expected and attributes in Competition/Image/Result [CR022136]
V1.5	APP	DT_RESULT: Update the description of Result/Diff to exclude of photo is pending [HPQC198066] DT_BRACKETS: Remove Bracket /BracketItems /BracketItem /CompetitorPlace /Code [HPQC198073] DT_CURRENT: Update triggering to follow current OVR implementation [HPQC198067]
V1.6	APP	DT_RESULT: Add IRM for PROGRESS/LEG_SPLIT at Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult [CR024294]
V3.0	SFA	DT_PARTIC: Remove Participant /Discipline /RegisteredEvent /EventEntry Remove DT_WEATHER Remove items related to Paralympics