



International
Olympic
Committee

SOG-2024-GLF-3.4 APP

Olympic Data Feed



Golf **ODF Data Dictionary**

Technology and Information Department
© International Olympic Committee

SOG-2024-GLF-3.4 APP
28 July 2023



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction.....	5
1.1 This document.....	5
1.2 Objective.....	5
1.3 Main Audience.....	5
1.4 Glossary.....	5
1.5 Related Documents.....	5
2 Messages.....	6
2.1 Golf Overview.....	6
2.2 Applicable Messages.....	6
2.3 Messages.....	8
2.3.1 List of participants by discipline / List of participants by discipline update.....	8
2.3.1.1 Description.....	8
2.3.1.2 Header Values.....	8
2.3.1.3 Trigger and Frequency.....	9
2.3.1.4 Message Structure.....	9
2.3.1.5 Message Values.....	10
2.3.1.6 Message Sort.....	13
2.3.2 Event Unit Start List and Results.....	14
2.3.2.1 Description.....	14
2.3.2.2 Header Values.....	14
2.3.2.3 Trigger and Frequency.....	14
2.3.2.4 Message Structure.....	15
2.3.2.5 Message Values.....	16
2.3.2.6 Message Sort.....	22
2.3.3 Current Information.....	23
2.3.3.1 Description.....	23
2.3.3.2 Header Values.....	23
2.3.3.3 Trigger and Frequency.....	23
2.3.3.4 Message Structure.....	23
2.3.3.5 Message Values.....	24
2.3.3.6 Message Sort.....	27
2.3.4 Play by Play.....	28
2.3.4.1 Description.....	28
2.3.4.2 Header Values.....	28
2.3.4.3 Trigger and Frequency.....	28
2.3.4.4 Message Structure.....	29
2.3.4.5 Message Values.....	30
2.3.4.6 Message Sort.....	34
2.3.5 Cumulative Results.....	35
2.3.5.1 Description.....	35
2.3.5.2 Header Values.....	35
2.3.5.3 Trigger and Frequency.....	35
2.3.5.4 Message Structure.....	36
2.3.5.5 Message Values.....	37
2.3.5.6 Message Sort.....	41
2.3.6 Image.....	43



2.3.6.1 Description.....	43
2.3.6.2 Header Values.....	43
2.3.6.3 Trigger and Frequency.....	43
2.3.6.4 Message Structure.....	43
2.3.6.5 Message Values.....	44
2.3.6.6 Message Sort.....	44
2.3.7 Statistics.....	45
2.3.7.1 Description.....	45
2.3.7.2 Header Values.....	45
2.3.7.3 Trigger and Frequency.....	46
2.3.7.4 Message Structure.....	46
2.3.7.5 Message Values.....	48
2.3.7.6 Message Sort.....	68
2.3.8 Event Final Ranking.....	69
2.3.8.1 Description.....	69
2.3.8.2 Header Values.....	69
2.3.8.3 Trigger and Frequency.....	69
2.3.8.4 Message Structure.....	69
2.3.8.5 Message Values.....	70
2.3.8.6 Message Sort.....	72
2.3.9 Configuration.....	73
2.3.9.1 Description.....	73
2.3.9.2 Header Values.....	73
2.3.9.3 Trigger and Frequency.....	73
2.3.9.4 Message Structure.....	73
2.3.9.5 Message Values.....	74
2.3.9.6 Message Sort.....	79
2.3.10 Communication.....	80
2.3.10.1 Description.....	80
2.3.10.2 Header Values.....	80
2.3.10.3 Trigger and Frequency.....	80
2.3.10.4 Message Structure.....	80
2.3.10.5 Message Values.....	81
2.3.10.6 Message Sort.....	83
2.3.11 Weather conditions.....	84
2.3.11.1 Description.....	84
2.3.11.2 Header Values.....	84
2.3.11.3 Trigger and Frequency.....	84
2.3.11.4 Message Structure.....	84
2.3.11.5 Message Values.....	85
2.3.11.6 Message Sort.....	86
3 Message Timeline.....	88
3.1 Preparation Phase.....	88
3.2 Before competition.....	88
3.3 During competition.....	89
3.4 After competition.....	90
4 Document Control.....	92



1 Introduction

1.1 This document

This document includes the ODF Golf Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Golf Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



2 Messages

2.1 Golf Overview

EVENT

- * One DT_RESULT message is sent for each unit (round).
- * One DT_CUMULATIVE_RESULT is distributed for the overall scores in each event.
- * DT_PLAY_BY_PLAY is distributed for each player on each hole.
- * DT_CURRENT is used to show the overall status of all players currently on the course.
- * DT_STATS give full statistical information at many levels (see message header for details)

SCHEDULE

- * The schedule is sent at unit (round level). One schedule item for each round with schedule = Y.

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message nextended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Information	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_IMAGE	Image	X
DT_STATS	Statistics	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	X
DT_WEATHER	Weather conditions	X



DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	



2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline update

2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (start list, event unit results, etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message can include a list of current athletes, officials, coaches, guides, technical officials, Reserves and historical athletes regardless of status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). HISTORICAL if the message is from the historical results provider and only includes historic athletes (else not included). Neither are ever included in _UPDATE messages. HISTORICAL is not sent to external clients.



Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0.1)	Gen Sport Codes				
	Participant (1.N)	Code Parent Status GivenName FamilyName PassportGivenName PassportFamilyName PrintName PrintInitialName TVName TVInitialName TVFamilyName LocalFamilyName LocalGivenName			



Gender			
Organisation			
BirthDate			
Height			
PlaceofBirth			
CountryofBirth			
PlaceofResidence			
CountryofResidence			
Nationality			
MainFunctionId			
Current			
OlympicSolidarity			
ModificationIndicator			
Discipline (1,1)			
		Code	
		IFId	
		RegisteredEvent (0,N)	
			Event
			EventEntry (0,N)
			Type
			Code
			Pos
			Value

2.3.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Sample (Versions)

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-GLF-1.10" Codes="SOG-2020-1.20" >
```

Element: Competition /Participant (1,N)			
Attribute	M/O	Value	Description



Code	M	S(20) with no leading zeroes	<p>Participant's ID.</p> <p>It identifies an athlete or an official and the holding participant's valid information for one particular period of time.</p> <p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	CC @ParticStatus	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender



Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.
Height	O	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees. "." may be used where the data is not available.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	O	S(16)	IF ID (competitor's federation number for the discipline).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be



accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event

Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)

Send if there are specific athlete's event entries.

Type	Code	Pos	Description
ENTRY	CADDY	N/A	Element Expected: If available This information can be sent in both messages
	Attribute	M/O	Value
	Value	M	S(20)
			Description
			Send the athlete's caddy ID

2.3.1.6 Message Sort

The message is sorted by Participant @Code



2.3.2 Event Unit Start List and Results

2.3.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

This message will contain only those athletes participating in the round unless the person became an IRM between rounds in which case they are also included. For Play-offs should include only players that are involved in the play-off.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit (round)
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). * START_LIST: as soon as the start list is available for each round (one message per round) and any changes [inc. IRMs] * LIVE: when the first player starts the round and all changes/additions in data, that is updated after each player completes a hole * INTERMEDIATE: When a round is Postponed or Interrupted * UNOFFICIAL / OFFICIAL: after the round is complete
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.2.3 Trigger and Frequency

This message is sent with ResultStatus 'START_LIST' as soon as the start list information is available and



any changes to the information:

* As soon as the start list is available for each round (one message with all participants in the competition per round, including those that don't progress to next rounds) and any changes [inc. IRMs] (START_LIST)

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on updates.

* When the first player starts the round and all changes/additions in data, that is updated after each player completes a hole. (LIVE)


This message is also sent when the unit finishes and the results are still unofficial. Also, this message is expected when the results become official.

* After the round is complete (UNOFFICIAL / OFFICIAL)

2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0..1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0..1)					
		UnitDateTime (0..1)				
			StartDate			
		ExtendedInfo (0..N)				
			Type			
			Code			
			Pos			
			Value			
		SportDescription (0..1)				
			DisciplineName			
			EventName			
			Gender			
			SubEventName			
		VenueDescription (0..1)				
			Venue			
			VenueName			
			Location			
			LocationName			
	Result (1..N)					
		Rank				
		RankEqual				
		Result				
		Unchecked				



2.3.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the



			message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)

Actual times. Include when the unit starts.

Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date and time.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)

Type	Code	Pos	Description
UI	PLAYOFF	Numeric	Pos Description: Order of the play-off holes, 1 to n Element Expected: Only in the case of a play-off unit
Attribute	M/O	Value	Description
Value	M	Numeric #0	Send the hole number

Sample (General)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T19:00:00+01:00" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="1" Value="16" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="2" Value="17" />
  <ExtendedInfo Type="UI" Code="PLAYOFF" Pos="3" Value="18" />
</ExtendedInfos>
```

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes



Element: Competition /Result (1,N)			
For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding event unit (round). In play-off only updates when all players finish each hole.
RankEqual	O	S(1)	Identifies if a rank has been equaled (Y). Only send if applicable
Result	O	Numeric #00	The result of the competitor in the event unit (round). Send only after athlete completes the round. Not sent in the case of play-off.
Unchecked	O	S(1)	Send "Y" in the case that the result needs to be validated. Do not send if not ="Y".
IRM	O	SC @IRM	IRM for the particular unit. Send just in the case @ResultType is IRM.
SortOrder	M	Numeric	Used to sort all the results of an event unit Before the start of any event unit this will be the same as the StartSortOrder and is used as the primary sort except in the case where a Rank is available (from earlier event units) and in this case the SortOrder will consider Rank in the same way as if the competition had already started. During the event unit any sort order change from the initial start list order for any competitor will be provided in this attribute regardless the competitor is ranked or not. This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. Based on the unit rank, but it should be used to sort out rank ties as well as results without rank (because there is an IRM or all athletes have not started). Those without rank are at the bottom in StartOrder.
StartOrder	O	Numeric	Competitor's start order. Number based in the starting time, Hole 1 before Hole 10 if applicable. In play-off order by the order in which players tee-off on the first play-off hole.
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit.
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	BACK	N/A	Element Expected: After athlete completes back holes. Not for play-off	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##	Score for the back nine. (10-18)
ER	COMPLETE	N/A	Element Expected: Always after the competitor has started the round. Not applicable in play-off.	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##	Number of holes completed



ER		CURRENT	N/A	Element Expected: Updated with new hole when message sent for last hole completed or for the first hole when the group is on the tee.
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Current Hole number for this player
ER		FRONT	N/A	Element Expected: After athlete completes front holes. Not for play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric ##	Score for the front nine. (1-9)
ER		HOLE	Numeric #0	Pos Description: Numbers 1-18 to indicate hole number in normal rounds. In play-off this matches the @Pos in ExtendedInfos for the hole. Element Expected: Always when available
	Attribute	M/O	Value	Description
	Value	M	Numeric #0 or "-"	Score for the hole Send "-" if hole is not completed in a play-off
	Value2	O	Numeric [+/-]0	Score for the hole to par, positive, negative integer or 0 Always expected except in a play-off if the hole is not completed
	SortOrder	M	Numeric #0	Hole order for this player
ER		TO_PAR	N/A	Element Expected: Always except play-off. Do not send until the competition starts.
	Attribute	M/O	Value	Description
	Value	M	Numeric [+/-]#0	Score for the round to par, positive, negative integer or 0

Sample (General)

```
<Result Rank="5" ResultType="STROKES" Result="69" SortOrder="5" StartOrder="7" StartSortOrder="7">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="-1" />
    <ExtendedResult Type="ER" Code="FRONT" Value="36" />
    <ExtendedResult Type="ER" Code="BACK" Value="33" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="1" Value="4" Value2="-1" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="2" Value="3" Value2="0" />
    ....
  </ExtendedResults>
```

Sample (for Play-off)



```
<Result Rank="1" ResultType="STROKES" SortOrder="2" StartOrder="2" StartSortOrder="2">
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="HOLE" Pos="1" Value="4" Value2="-1" />
    <ExtendedResult Type="ER" Code="HOLE" Pos="2" Value="3" Value2="0" />
  ....
</ExtendedResults>
```

Element: Competition /Result /Competitor (1,1)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	1 if Competitor @Type="A".

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)			
Individual athletes entry information.			
Type	Code	Pos	Description
EUE	BIB_COLOUR	N/A	Element Expected: Always, except for athletes with an IRM in a previous round
	Attribute	M/O	Value
	Value	M	SC @Colour
EUE	GROUP	Numeric #0	Pos Description: Group order Element Expected: Except for athletes with an IRM in a previous



				round. Not included for any play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Group number
EUE		PREV_ERANK	N/A	Element Expected: If applicable
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send "Y" in case of the rank of the competitor an equalled rank
EUE		PREV_RANK	N/A	Element Expected: All rounds after the first except in play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Overall Rank before the round
EUE		PREV_ROUND	Numeric 0	Pos Description: Send the Round Number Element Expected: All rounds after the first for each completed round. Not for play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric #00	Score for the round indicated @Pos
EUE		PREV_TOTAL	N/A	Element Expected: All rounds after the first except in play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric #00 or [+/-]#0	Total before the round (e.g., 209) Send score to par in case the athlete is still playing in previous round (e.g., -3)
EUE		START_HOLE	N/A	Element Expected: Always except in play-off and for athletes with an IRM in a previous round
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Numbers 1-18 to indicate starting hole.
EUE		START_TIME	N/A	Element Expected: Always except in play-off and for athletes with an IRM in a previous round
	Attribute	M/O	Value	Description
	Value	M	hh:mm	Start Time

Sample (General)



```
<EventUnitEntry Type="EUE" Code="GROUP" Value="9" />  
<EventUnitEntry Type="EUE" Code="START_TIME" Value="08:40" />  
<EventUnitEntry Type="EUE" Code="BIB_COLOUR" Value="BLUE" />  
<EventUnitEntry Type="EUE" Code="PREV_RANK" Value="5" />  
<EventUnitEntry Type="EUE" Code="PREV_ERANK" Value="Y" />  
<EventUnitEntry Type="EUE" Code="PREV_TOTAL" Value="138" />  
<EventUnitEntry Type="EUE" Code="PREV_ROUND" Pos="1" Value="70" />  
<EventUnitEntry Type="EUE" Code="PREV_ROUND" Pos="2" Value="68" />
```

2.3.2.6 Message Sort

Sort by Result @SortOrder



2.3.3 Current Information

2.3.3.1 Description

The Current message is a message containing the current group(s) information in each hole. There is a single message which includes all groups currently on the course.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_CURRENT	Current message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.3.3 Trigger and Frequency


At the beginning send all groups who are at the first hole(s) and update before every stroke once the next player is known. In case distance to the pin is not known yet and is updated later, this does not trigger any update. At the end send without any groups. Do not send more often than once every 10 seconds (trigger as above and then again after 15 seconds (if any changes on any hole) including all changes, if no changes wait until next shot).

[Maximum messages in Olympics = 60 players x 75 strokes = 4500/day though using 10sec = 2,500/day expected]

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0..1)					
	Gen				
	Sport				



2.3.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (1,N)			
Type	Code	Pos	Description
DISPLAY	HOLE	Numeric #0	Pos Description: Group number



				Element Expected: If the group is on the course
Attribute	M/O	Value	Description	
Value	M	Numeric #0	Hole number	
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always				
Attribute	Value	Description		
Code	MEMBER			
Pos	Numeric 0	Bib colour order as defined in DT_CONFIG. If no colour is defined then use this to send appropriate order.		
Value	S(20) with no leading zeroes	Athlete's ID		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When available				
Attribute	Value	Description		
Code	NEXT			
Pos	N/A	N/A		
Value	S(20) with no leading zeroes	Next player to take a shot in the group.		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When available				
Attribute	Value	Description		
Code	STATE			
Pos	Numeric 0	Bib colour order as defined in DT_CONFIG. If no colour is defined then use this to send appropriate order.		
Value	SC @State	Send appropriate state for the player		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When applicable				
Attribute	Value	Description		
Code	NEXT_DTP			
Pos	Numeric 0	Send units used. 0 for metric 1 for imperial		
Value	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	DTP for the next player in the group Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).		

Element: Competition /Result (0,N)

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



Result	O	Numeric #0	Current number of shots in the hole for the competitor.
SortOrder	M	Numeric	Overall player order in the hole "1, 2.... n". That is, order of the group in the hole and then by the same order as @StartSortOrder within the hole. All athletes have a different SortOrder.
StartSortOrder	M	Numeric 0	Same as @Pos attribute in MEMBER extension in ExtendedInfo.
ResultType	O	SC @ResultType	Type of the @Result attribute.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)			
Type	Code	Pos	Description
ER	TO_PAR	N/A	Element Expected: After every shot
Attribute	M/O	Value	Description
Value	M	Numeric [+/-]#0	Overall score to par, positive, negative integer or 0

Element: Competition /Result /Competitor (1,N)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	M	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athletes ID.
Order	M	Numeric	Send 1 for Competitor @Type="A"

Sample (General)



```
<ExtendedInfos>
  <ExtendedInfo Type="DISPLAY" Code="HOLE" Pos="1" Value="10" >
    <Extension Value="9200231" Pos="1" Code="MEMBER"/>
    <Extension Value="9200077" Pos="2" Code="MEMBER"/>
    <Extension Value="9200058" Pos="3" Code="MEMBER"/>
    <Extension Value="TEE" Pos="1" Code="STATE"/>
    <Extension Value="TEE" Pos="2" Code="STATE"/>
    <Extension Value="TEE" Pos="3" Code="STATE"/>
    <Extension Value="9200231" Code="NEXT"/>
    <Extension Value="380" Pos="1" Code="NEXT_DTP"/>
    <Extension Value="415yds" Pos="2" Code="NEXT_DTP "/>
  </ExtendedInfo>
....
</ExtendedInfos>
<Result ResultType="STROKES" Result="3" SortOrder="1" StartSortOrder="1" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="-3" />
  </ExtendedResults>
  <Competitor Code="123456" Type="A" Organisation="USA">
    <Composition>
      <Athlete Code="123456" Order="1">
```

2.3.3.6 Message Sort

Sort by group



2.3.4 Play by Play

2.3.4.1 Description

The Play by Play is a message containing official raw data from the results provider for each action.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit
DocumentSubcode	S(20)	Send the Athlete ID
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	S(8)	Send "HOLE_nn" for message with one hole for a player where nn=hole number (01, 02...18) In the case of a play-off the nn value will represent order of holes played, not the actual hole number.
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Possible values are: LIVE (used during the competition when nothing else applies) INTERMEDIATE: If play is stopped during the hole related to the message UNCONFIRMED: After the hole is complete for the player OFFICIAL: After the play-by-play data is validated after the play has finished the round
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

Send this message when there is new/updated information available for the hole noted at DocumentSubtype. This message will have ResultStatus LIVE during the hole.

When the player completes the hole and related data is updated it is sent as UNCONFIRMED.

After the player has completed the round and the score and all actions are validated then the message is distributed as OFFICIAL.



A total of around 14,000 messages per round are expected.

Update if IRM to remove actions.

2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	Gen Sport Codes			
	ExtendedInfos (0,1)	SportDescription (0,1)	DisciplineName EventName SubEventName Gender	
		VenueDescription (0,1)	Venue VenueName Location LocationName	
	Actions (0,1)	Action (1,N)	Id Period Order Action ActionAdd When Loc X Y TimeStamp	
			ExtendedAction (0,N)	Code Pos Value



2.3.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Actions /Action (1,N)			
Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message The same identifier should be used for an action in both ACTION and HOLE_nn messages and not change in subsequent versions.
Period	M	Numeric #0	Hole number
Order	M	Numeric	Unique sequential number for all of the actions from 1 to n within the message (for this message level). It is used to sort Action
Action	O	SC @Club	Send the club used. Only for par 4 and par 5 holes on tee shots.
ActionAdd	O	SC @StrokeType	Send the stroke result type Note that StrokeTypes DRP and PRV are assessed as value 0 and StrokeTypes DRP-P, STR and PTY are value 1.
When	O	Numeric #0	Shot number in the current hole
Loc	M	Numeric #0	Hole order



X	O	Numeric ##0.0	Send the resting location x value (percentage relative to image)
Y	O	Numeric ##0.0	Send the resting location y value (percentage relative to image)
TimeStamp	O	DateTime	Time of the action (for alignment to video)

Element: Competition /Actions /Action /ExtendedAction (0,N)				
Extended Action information.				
Type	Code	Pos	Description	
	DTP	Numeric 0	Pos Description: Send units used. 0 for metres 1 for imperial Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Distance to pin after shot. Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).
		FAIRWAY_CENTER	Numeric 0	Pos Description: Send units used. 0 for metres 1 for imperial Element Expected: When appropriate
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Ball distance from fairway center after shot Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).
		FAIRWAY_EDGE	Numeric	Pos Description:



			0	Send units used. 0 for metres 1 for imperial Element Expected: When appropriate
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.## (metres) or S(10) ##0'##" ; (ft/in) ##0yds	Ball distance from fairway edge after shot Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).	
	SHOT	Numeric 0	Pos Description: Send units used. 0 for metres 1 for imperial Element Expected: Always	
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.## (metres) or S(10) ##0'##" ; (ft/in) ##0yds	Length of the shot Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).	
	FROM_ELEVATION	N/A	Element Expected: If information is available	
Attribute	M/O	Value	Description	
Value	M	SC @Elevation	Send the elevation at the point of the shot	
	FROM_LOC	N/A	Element Expected: When the information is available	
Attribute	M/O	Value	Description	
Value	M	SC @StrokeLocation	Send the lie at the point of the shot	
	FROM_SLOPE	N/A	Element Expected: When the information is available	



Attribute	M/O	Value	Description
Value	M	SC @Slope	Send the slope type at the point of the shot
	FROM_LIE	N/A	Element Expected: When the information is available
Attribute	M/O	Value	Description
Value	M	SC @Lie	Send the lie at the point of the shot
	GROUP	Numeric #0	Pos Description: Group order Element Expected: Always
Attribute	M/O	Value	Description
Value	M	Numeric #0	Group number
	RESTING_LOC	N/A	Element Expected: When the information is available
Attribute	M/O	Value	Description
Value	M	SC @StrokeLocation	Send the lie at the resting point after the shot
	FROM_X	N/A	Element Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.
Attribute	M/O	Value	Description
Value	M	Numeric ##0.0	Send the starting location x value (percentage relative to image)
	FROM_Y	N/A	Element Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.
Attribute	M/O	Value	Description
Value	M	Numeric ##0.0	Send the starting location y value (percentage relative to image)
	LOC_X	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the resting location x value, map system coordinates
	LOC_Y	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the resting location y value, map system coordinates
	LOC_Z	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the resting location z value, map system coordinates
	LOC_FROM_X	N/A	Element Expected: Only if the shot is not taken from the resting



Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the starting location x value, map system coordinates
	LOC_FROM_Y	N/A	Element Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.
Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the starting location y value, map system coordinates
	LOC_FROM_Z	N/A	Element Expected: Only if the shot is not taken from the resting position after previous shot (for example for a drop). Never sent for first shot.
Attribute	M/O	Value	Description
Value	M	Numeric #####0.0	Send the starting location z value, map system coordinates

Sample (General)

```
<Actions>
< Action Id="123456" Period="1" Order="1" Action="DRIVER" ActionAdd="STR" When="1" X="10.5" Y="32.4"
TimeStamp="2016-08-06T13:00:00+01:00" >
  <ExtendedAction Code="FROM_LOC" Value="TEE" />
  <ExtendedAction Code="RESTING_LOC " Value="FWY" />
  <ExtendedAction Code="FROM_ELEVATION" Value="A" />
  <ExtendedAction Code="FROM_SLOPE" Value="L" />
  <ExtendedAction Code="FROM_LIE" Value="GOOD" />
  <ExtendedAction Code="FAIRWAY_EDGE" Pos="0" Value="20" />
  <ExtendedAction Code="FAIRWAY_EDGE" Pos="1" Value="65'" />
  <ExtendedAction Code="FAIRWAY_CENTER" Pos="0" Value="8.20" />
  <ExtendedAction Code="FAIRWAY_CENTER" Pos="1" Value="26'" />
  <ExtendedAction Code="GROUP" Value="1" />
  <ExtendedAction Code="SHOT" Pos="0" Value="302" />
  <ExtendedAction Code="SHOT" Pos="1" Value="311yds" />
  <ExtendedAction Code="DTP" Pos="0" Value="149" />
  <ExtendedAction Code="DTP" Pos="1" Value="157yds" />

```

2.3.4.6 Message Sort

Actions /Action @Order.



2.3.5 Cumulative Results

2.3.5.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units.

In golf, the Cumulative Results message is used for the cumulative result over all rounds.

DT_CUMULATIVE_RESULTS does not apply for the play-off.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC.@Competition	Unique ID for competition
DocumentCode	CC.@Event	Full RSC of the event
DocumentSubcode	N/A	N/A
DocumentType	DT_CUMULATIVE_RESULT	Cumulative Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC.@ResultStatus	It indicates the status of the results START_LIST LIVE INTERMEDIATE OFFICIAL UNOFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC.@Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

The cumulative results accumulate scores/results over a number of units so are sent after each DT_RESULT message (usually using same ResultStatus at DT_RESULT), unless there are no changes compared to the previous version of the message.

When there is no unit in progress the cumulative results will have INTERMEDIATE status.

* Send for the first time when DT_RESULT/START_LIST is triggered for the first round.

* Send approximately 60 minutes before the start of each round apart from the first one (updating UI/THRU and ER/MOVEMENT) as INTERMEDIATE




- * Send after each player completes each hole as LIVE.
- * Send after the last player completes the last hole of the day as INTERMEDIATE
- * Send if play is postponed or interrupted as INTERMEDIATE
- * Send after the last player completes the last hole on the final day as UNOFFICIAL/OFFICIAL.

2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0.1)							
	Gen						
	Sport						
	Codes						
	ExtendedInfos (0.1)						
		Progress (0.1)					
			LastUnit				
		SportDescription (0.1)					
			DisciplineName				
			EventName				
			Gender				
		VenueDescription (0.1)					
			Venue				
			VenueName				
			Location				
			LocationName				
	Result (1.N)						
		Rank					
		RankEqual					
		Result					
		ResultType					
		IRM					
		SortOrder					
		ExtendedResults (0.1)					
			ExtendedResult (1.N)				
				Type			
				Code			
				Pos			
				Value			
				SortOrder			
		ResultItems (0.1)					
			ResultItem (1.N)				



2.3.5.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /Progress (0,1)			
Attribute	M/O	Value	Description
LastUnit	M	CC @Unit	Send the full RSC of the most recently completed unit or current unit if in progress included in the message.

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text. DO NOT INCLUDE unless all at single venue.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Result (1,N)			
For any cumulative results message, there should be at least one competitor being awarded a cumulative result after one event unit or phase.			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the cumulative result. This attribute is optional because the competitor could get an invalid rank mark.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Only send if applicable, in that case send "Y".
Result	O	Numeric ##0	The cumulative result of the competitor. Send just in the case @ResultType is not IRM
ResultType	O	SC @ResultType	Type of the @Result attribute
IRM	O	SC @IRM	The invalid rank mark for the cumulative result, in case it is assigned. Send just in the case @ResultType is IRM
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.



Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Team competitor's extended results.				
Type	Code	Pos	Description	
ER	MOVEMENT	N/A	Element Expected: Always when available except if IRM	
	Attribute	M/O	Value	Description
	Value	M	Numeric +/-#0	Movement in rank When a player improves its position in the rank the MOVEMENT Value has a "+" symbol, and when it has a worse position in the rank the MOVEMENT Value has a "-" symbol. Eg. If a player had previously rank 10 and now has rank 3 send "+7".
ER	TO_PAR	N/A	Element Expected: Do not send until player completes first hole.	
	Attribute	M/O	Value	Description
	Value	M	Numeric +/-#0	Overall score to par, positive, negative integer or 0
ER	THRU	N/A	Element Expected: From when the tee times are known for Round 1.	
	Attribute	M/O	Value	Description
	Value	O	S(10)	Thru value to indicate holes completed (with or without start hole indicator) or tee time. Not expected for competitors with IRM.
	SortOrder	M	Numeric ##0	Order of the competitors according to the tee time / holes played for the current round.

Element: Competition /Result /ResultItems /ResultItem (1,N)				
Attribute	M/O	Value	Description	
Unit	M	CC @Unit	Full RSC of each unit in progress or complete	
Order	M	Numeric #0	Logical order of the units (schedule order).	

Element: Competition /Result /ResultItems /ResultItem /Result (1,1)				
Attribute	M/O	Value	Description	
Rank	O	Text	Rank of the competitor in the result for the unit identified by @Unit at /ResultItems /ResultItem.	
RankEqual	O	S(1)	Identifies if a rank has been equalled. Only send if applicable, in that case send "Y".	
ResultType	O	SC @ResultType	Type of the @Result attribute for the unit identified by /ResultItems /ResultItem. This is relative to the result below.	



Result	O	Numeric ##0	The result of the competitor for the unit identified by @Unit at /ResultItems /ResultItem. This result is only included for completed rounds.
IRM	O	SC @IRM	The invalid rank mark, in case it is assigned for the event unit or phase identified by /ResultItems /ResultItem. Send just in the case @ResultType is IRM.
SortOrder	M	Numeric	Used to sort all results in the phase identified by phase identified by @Unit at /ResultItems /ResultItem.

Element: Competition /Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
ER	COMPLETE	N/A	Element Expected: Always if the round has started for this competitor. Do not send for IRM unless IRM=WD	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the number of holes completed (1-18) for the unit identified by @Unit at /ResultItems /ResultItem.
	Value2	M	Numeric ##0	The cumulative result of the competitor up to and including this unit. Send just in the case @ResultType is not IRM
	Rank	M	Text	Rank of the competitor up to and including this unit identified by @Unit at /ResultItems /ResultItem.
	RankEqual	O	S(1)	Send Y in case of the Rank has been equalled else do not send.
	Move	O	Numeric [+/-]#0	Movement in rank during this unit (frozen at end of unit) When a player improves its position in the rank then Move has a "+" symbol, and when it has a worse position in the rank then Move has a "-" symbol. Eg. If a player had previously rank 10 and now has rank 3 send "+7".
ER	TO_PAR	N/A	Element Expected: Always when available after the first hole in this round. Do not send for IRM unless IRM=WD	
	Attribute	M/O	Value	Description
	Value	M	Numeric [+/-]#0	Score for the round to par, positive, negative integer or 0
	Value2	M	Numeric [+/-]#0	To par score up to and including this round, positive, negative integer or 0 (frozen at end of unit)

Element: Competition /Result /Competitor (1,1)



Competitor related to one cumulative result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	M	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Send 1 if the competitor is an athlete

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample (General)

```
<Result Rank="5" EqualRank="Y" ResultType="STROKES" Result="139" SortOrder="6" >
  <ExtendedResults>
    <ExtendedResult Type="ER" Code="TO_PAR" Value="+1" >
      <ExtendedResult Type="ER" Code="MOVEMENT" Value="+1" >
    </ExtendedResults>
    <ResultItems>
      <ResultItem Unit="GLFWSTROKE-----FNL-000100--" Order="1" >
        <Result Rank="2" ResultType="STROKES" Result="69" SortOrder="4">
          <ExtendedResults>
            <ExtendedResult Code="TO_PAR" Value="-1" />
            <ExtendedResult Code="COMPLETE" Value="18" />
          </ExtendedResults>
        </ResultItem>
      </ResultItem>
      <ResultItem Unit="GLFWSTROKE-----FNL-000200--" Order="2" >
        <Result Rank="6" RankEqual="Y" ResultType="STROKES" SortOrder="2" Result="64" >
          <ExtendedResults>
            <ExtendedResult Code="TO_PAR" Value="0" />
            <ExtendedResult Code="COMPLETE" Value="16"/>
          </ExtendedResults>
        </ResultItem>
      </ResultItem>
    </ResultItems>
  </Result>
</Result>
```

2.3.5.6 Message Sort

Sort by Result @SortOrder then Result /ResultItems /ResultItem /Result @SortOrder



International
Olympic
Committee

SOG-2024-GLF-3.4 APP



2.3.6 Image

2.3.6.1 Description

The 'Image message' is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

In the case of golf the message is sent prior to the competition with the blank images of each hole for use to build the stroke trail. All holes use the same size image, the zero position (0,0) for ball location is top left.

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC_@Competition	Unique ID for competition
DocumentCode	CC_@Event	Full RSC of the event
DocumentSubcode	N/A	N/A
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send "COURSE_MAP"
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC_@ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC_@Source	Code indicating the system which generated the message.

2.3.6.3 Trigger and Frequency

Trigger when image available and after any change.

2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4
Competition (0.1)	Gen		
	Sport		
	Codes		
	Image (1.N)		



	Pos	
	Version	
	Revision	
	ImageType	
	ImageData (1,1)	
		-

2.3.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Image (1,N)			
Attribute	M/O	Value	Description
Pos	M	Numeric #0	Send the hole number
Version	M	Numeric #0	Document Version
Revision	M	Numeric #0	Document Revision
ImageType	M	S(3)	Image type extension, jpg or png

Element: Competition /Image /ImageData (1,1)			
Attribute	M/O	Value	Description
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)

Sample (General)

```
<Image Pos="1" Version="1" Revision="0" ImageType="png" >
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC Lj5OXm5+jp6vHy8/T+uit//2Q==</ImageData>
</Image>
<Image Pos="2" Version="1" Revision="0" ImageType="png" >
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC Lj5OXm5+jp6vHy8/T+uit//2Q==</ImageData>
</Image>
...
```

2.3.6.6 Message Sort

Sort by Competition /Image /Pos.



2.3.7 Statistics

2.3.7.1 Description

The Statistics message contains a list of statistics for a competitor (could be an individual athlete or a team), that applies at a DocumentCode level, which could be for an event unit, a phase or an event.

There will be a separate message (identified by the header's DocumentSubtype and DocumentSubcode) for every table where multiple statistics apply.

The DT_STATS message must never remove information for a given DocumentCode. In particular the cumulative statistics must always carry the data from the previous units/days.

Not applicable for any play-offs.

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit CC @Event	Full RSC of unit or event
DocumentSubcode	S(20)	Extension for the DocumentCode, to be send only when DocumentSubtype is CUM: * CUM: Individual Player Statistics - DocumentSubcode = <Athlete ID>
DocumentType	DT_STATS	Statistics message
DocumentSubtype	S(20)	Attribute used to extend DocumentType. The attribute DocumentSubtype will be used to categorize different types of statistics reports. The following different DocumentSubtype header attributes: * CUM: Individual Player Statistics in a single round and all rounds - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all) - DocumentSubcode = <Athlete ID> * IND_RANKING: Ranking of statistics over all rounds & single round. - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all) * TOU: Tournament statistics. (per round plus total). - DocumentCode = GLF<Gender><Event><Phase><Unit> (single) - DocumentCode = GLF<Gender><Event>----- (all)
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	For single round messages: * LIVE during the unit * OFFICIAL after all data included * INTERMEDIATE if play is stopped and the round is incomplete for data in the message



		For cumulative messages over all rounds: * LIVE during each round * INTERMEDIATE after each round or if play stops during a round. * OFFICIAL after all rounds
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC.@Source	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

* CUM: After each hole for each player (two messages) [Maximum messages in Olympics = 2 x 60 players x 18 holes = 2160/day]

- For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit or if play stopped during the unit, OFFICIAL after all units for the player.

- For GLF<Gender><Event><Phase><Unit>: LIVE during the unit or if play stopped during the unit, OFFICIAL at the end of each unit for each player.

* IND_RANKING: After each hole for each group, both for the current round and all rounds (two messages) with the condition that when triggered the next triggering will not be less than 2 minutes for each type. [Maximum messages in Olympics = 2 messages x 30 groups x 18 holes = 1080/day. (assuming 2 per group, less for 3 per group)]:

- For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit or if play stopped during the unit, OFFICIAL after all units.

- For GLF<Gender>><Event><Phase><Unit>: LIVE during the unit, OFFICIAL at the end of each unit.

* TOU: After each hole for each group, both for the current round and all rounds (two messages) with the condition that when triggered the next triggering will not be less than 2 minutes for each type. [Maximum messages in Olympics = 2 messages x 30 groups x 18 holes = 1080/day. (assuming 2 per group, less for 3 per group)]:


- For GLF<Gender><Event>-----: LIVE during the unit, INTERMEDIATE at the end of the unit or if play stopped during the unit, OFFICIAL after all units.

- For GLF<Gender><Event><Phase><Unit>: LIVE during the unit or if play stopped during the unit, OFFICIAL at the end of each unit.

2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0.1)							
	Gen						
	Sport						
	Codes						
	ExtendedInfos (0.1)						
		ExtendedInfo (0.N)					





	Type
	Code
	Pos
	Value
	Rank
	RankEqual
	SortOrder

2.3.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)			
Type	Code	Pos	Description
UI	AFTER_ROUND	N/A	Element Expected: Always in CUM, IND_RANKING and in TOU for cumulative
	Attribute	M/O	Value
	Value	M	Numeric 0
UI	ROUND	N/A	Element Expected: Always if the data is for a single round
	Attribute	M/O	Value
	Value	M	Numeric 0
UI	SCORES_TOTAL	N/A	Element Expected: Always for TOU only
	Attribute	M/O	Value
	Value	M	Numeric ##0
UI	CURRENT	N/A	Element Expected: Only in individual round CUM message and if ResultStatus is LIVE
	Attribute	M/O	Value
	Value	M	Numeric #0
UI	GROUP	Numeric #0	Pos Description: Group order Element Expected:



Attribute	M/O	Value	Description
Value	M	Numeric #0	Group number

Sample (General)

```
<ExtendedInfos>
  <ExtendedInfo Type="UI" Code="ROUND" Value="4" />
  <ExtendedInfo Type="UI" Code="SCORES_TOTAL" Value="17" />
</ExtendedInfos>
```

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Description in Text

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	O	CC @Location	Location Code
LocationName	O	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Stats (1,1)

Attribute	M/O	Value	Description
Code	M	SC @Statistics	A code to identify the statistics being listed.

Element: Competition /Stats /StatsItems /StatsItem (1,N)

Statistics for the event unit / phase or event - depending on the headers' DocumentCode.

Type	Code	Pos	Description
ST	COURSE	SC@Course	Pos Description: Send proposed code Element Expected: Send for TOU. For Front/Back nine holes send when any Front/Back hole completed by any group. For Course Total send when each group completes a round (18 holes).
Attribute	M/O	Value	Description
Value	M	Numeric #0.000	Send Average



Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	ALBATROSS	
Pos	N/A	N/A
Value	Numeric ###0	Send the number of albatross (double eagles) achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	BIRDIE	
Pos	N/A	N/A
Value	Numeric ###0	Send the number of birdies achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	BOGEY	
Pos	N/A	N/A
Value	Numeric ###0	Send the number of bogeys made
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	DBL_BOGEY	
Pos	N/A	N/A
Value	Numeric ###0	Send the number of double bogeys made
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	EAGLE	
Pos	N/A	
Value	Numeric ###0	Send the number of eagles achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description
Code	OTHER	
Pos	N/A	N/A
Value	Numeric ###0	Send the number of other scores made (greater than or equal to triple bogey)
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU		
Attribute	Value	Description



	Code	PAR	
	Pos	N/A	N/A
	Value	Numeric ###0	Send the number of pars achieved
ST		HOLE	Numeric #0
			Pos Description: Send the hole number Element Expected: For TOU Send only for holes played.
	Attribute	M/O	Value
	Value	M	Numeric #0.000
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	ALBATROSS	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of albatross (double eagles) achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	BIRDIE	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of birdies achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	BOGEY	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of bogeys made
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	DBL_BOGEY	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of double bogeys made
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	EAGLE	
	Pos	N/A	



	Value	Numeric ###0	Send the number of eagles achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	OTHER	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of other scores made (greater than or equal to triple bogey)
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	PAR	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the number of pars achieved
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	AVG_TO_PAR	
	Pos	N/A	N/A
	Value	Numeric (-)0.000	Send Average to par, show '-' if under par
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	DIFFICULTY	
	Pos	N/A	N/A
	Value	Numeric #0	Send difficult Rank
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	MAXIMUM	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the maximum score made on the hole
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
	Attribute	Value	Description
	Code	MINIMUM	
	Pos	N/A	N/A
	Value	Numeric ##0	Send the minimum score made on the hole
ST		ROUND	Numeric Pos Description:



		#0	Send the round number or 0 for total of all rounds Element Expected: Always for TOU
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	EQ_PAR		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number scores equal to par	
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	GT_79		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number scores greater than 79	
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	GT_PAR		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number scores greater than par	
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	LT_70		
Pos	N/A	N/A	
Value	Numeric ##0	Send the number scores less than 70	
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	LT_PAR		
Pos	N/A	N/A	
Value	Numeric ##0	Sent the number scores less than par	
Sub Element: Competition /Stats /StatsItems /StatsItem /ExtendedStat Expected Always for TOU			
Attribute	Value	Description	
Code	EQ_LT_PAR		
Pos	N/A	N/A	



Value	Numeric ##0	Send the number scores equal to and less than par
-------	----------------	---

Sample (TOU)

```

<Stats Code="TOU">
  <StatsItems>
    <StatsItem Type="ST" Code="COURSE" Pos="3" Value="36.267" >
      <ExtendedStat Code="ALBATROSS" Value="0" />
      <ExtendedStat Code="EAGLE" Value="2" />
      <ExtendedStat Code="BIRDIE" Value="26" />
    ....
  </StatsItem>
  <StatsItem Type="ST" Code="ROUND" Pos="1" >
    <ExtendedStat Code="LT_70" Value="4" />
    <ExtendedStat Code="LT_PAR" Value="9" />
    <ExtendedStat Code="EQ_PAR" Value="26" />
  ....
  </StatsItem>
  <StatsItem Type="ST" Code="HOLE" Pos="1" Value="3.986">
    <ExtendedStat Code="DIFFICULTY" Value="17" />
    <ExtendedStat Code="AVG_TO_PAR" Value="-0.114" />
    <ExtendedStat Code="EQ_PAR" Value="26" />
    <ExtendedStat Code="ALBATROSS" Value="0" />
    <ExtendedStat Code="EAGLE" Value="0" />
    <ExtendedStat Code="BIRDIE" Value="7" />
  ....
  </StatsItem>
</StatsItems>
</Stats>

```

Element: Competition /Stats /Competitor (0,N)			
Competitor of the statistics.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID to be assigned a specific type of statistic.
Type	M	S(1)	A for athlete
Order	M	Numeric ##0	Sort order: Order of the competitor in the statistics
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Competition /Stats /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric ##0	Send 1 for Competitor @Type="A"

Element: Competition /Stats /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)



FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem (1,N)			
Individual athlete's stats item			
Type	Code	Pos	Description
ST (for CUM)	COURSE	SC@Course	Pos Description: Send proposed code Element Expected: Always for CUM
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	DRIVE_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric 000	Average driving distance	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	DTP		
Pos	Numeric 0	Send units used. 0 for metres 1 for imperial	
Value	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Average distance to pin on approach Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	FAIRWAY_HITS		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hits	



Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	FAIRWAY_OPP	
Pos	N/A	N/A
Value	Numeric #0	Number of fairway hit opportunities
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	GREENS_NUM	
Pos	N/A	N/A
Value	Numeric #0	Number of greens reached
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	GREENS_REG	
Pos	N/A	N/A
Value	Numeric #0	Number of grees reached in regulation
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	PUTT_DIST	
Pos	Numeric 0	Send units used. 0 for metres 1 for imperial
Value	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Average putts made distance Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	SAND_ATT	
Pos	N/A	N/A
Value	Numeric #0	Number of sand save attempts
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		



Attribute	Value	Description
Code	SAND_MADE	
Pos	N/A	N/A
Value	Numeric #0	Number of sand saves
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	PUTTS_GAINED	
Pos	N/A	N/A
Value	Numeric #0.000 or -0.000	Average strokes gained putting
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	TEE_GAINED	
Pos	N/A	N/A
Value	Numeric #0.000 or -0.000	Average strokes gained putting off tee
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	APPROACH_GAINED	
Pos	N/A	N/A
Value	Numeric #0.000 or -0.000	Average strokes gained on approach
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	AROUND_GAINED	
Pos	N/A	N/A
Value	Numeric #0.000 or -0.000	Average strokes gained around green
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	TOTAL_GAINED	
Pos	N/A	N/A
Value	Numeric #0.000 or -0.000	Average total strokes gained
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	SCRAMBLE	



Pos	N/A	N/A
Value	Numeric #0.00	Scrambles percentage
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	PAR	
Pos	N/A	N/A
Value	Numeric ##0	Pars made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	BIRDIE	
Pos	N/A	N/A
Value	Numeric ##0	Birdies made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	BOGEY	
Pos	N/A	N/A
Value	Numeric ##0	Bogeys made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	EAGLES	
Pos	N/A	N/A
Value	Numeric ##0	Eagles made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	DBL_BOGEY	
Pos	N/A	N/A
Value	Numeric ##0	Double Bogeys made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	FAIRWAY_ACC	
Pos	N/A	N/A
Value	Numeric ##0.00	Driving accuracy percentage



Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	PUTTS		
Pos	N/A	N/A	
Value	Numeric #0	Putts	
ST (for CUM)	HOLE	Numeric #0	Pos Description: Send the hole number Element Expected: Always for CUM
Attribute	M/O	Value	Description
Value	O	Numeric #0	Hole Order Always included if the message is for a single round
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	DRIVE_DIST		
Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
Value	Numeric 000	Average driving distance	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
Attribute	Value	Description	
Code	DTP		
Pos	Numeric 0	Send units used. 0 for metres 1 for imperial	
Value	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Average distance to pin on approach Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds			
Attribute	Value	Description	
Code	FAIRWAY_HITS		
Pos	N/A	N/A	
Value	Numeric #0	Number of fairway hits	



Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds		
Attribute	Value	Description
Code	FAIRWAY_OPP	
Pos	N/A	N/A
Value	Numeric #0	Number of fairway hit opportunities
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds		
Attribute	Value	Description
Code	GREENS	
Pos	N/A	N/A
Value	Numeric #0	Number of greens reached
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds		
Attribute	Value	Description
Code	GREENS_REG	
Pos	N/A	N/A
Value	Numeric #0	Number of greens reached in regulation
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM		
Attribute	Value	Description
Code	PUTT_DIST	
Pos	Numeric 0	Send units used. 0 for metres 1 for imperial
Value	Numeric ##0.## (metres) or S(10) ##0'##" (ft/in) ##0yds	Average putts made distance Imperial units: For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds). Metric units: A distance less than 10 metres should be displayed in metres with two decimal places (e.g. 9.82). A distance 10 metres or over should be displayed in metres without a decimal place. (e.g. 10).
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering a single round		
Attribute	Value	Description
Code	SAND_RESULT	
Pos	N/A	N/A
Value	SC @SandResult	Send proposed code for the round
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds		
Attribute	Value	Description



	Code	SAND_ATT	
	Pos	N/A	N/A
	Value	Numeric #0	Number of sand save attempts
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM			
	Attribute	Value	Description
	Code	PUTTS	
	Pos	N/A	N/A
	Value	Numeric #0	Putts for the hole
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering all rounds			
	Attribute	Value	Description
	Code	SAND_MADE	
	Pos	N/A	N/A
	Value	Numeric #0	Number of sand saves made
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering a single round			
	Attribute	Value	Description
	Code	FAIRWAY_DIR	
	Pos	N/A	N/A
	Value	SC @Direction	Send proposed code in the round
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering a single round			
	Attribute	Value	Description
	Code	FAIRWAY_REG	
	Pos	N/A	N/A
	Value	SC @Regulation	Send proposed code in the round
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for CUM in the message considering a single round			
	Attribute	Value	Description
	Code	GREENS_RESULT	
	Pos	N/A	N/A
	Value	SC @Regulation	Send proposal code for the round
ST (for IND_RANKING)		BIRDIES	N/A Element Expected: Always for IND_RANKING
	Attribute	M/O	Value Description
	Value	M	Numeric #0 Number of birdies
	Rank	O	Numeric ##0 Rank for birdies
	RankEqual	O	S(1) Send Y in the case that the rank is equalled



				else do no send
	SortOrder	M	Numeric ##0	Sort order for birdies considering those without rank also
ST (for IND_RANKING)	BOGEYS		N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Number of bogeys
	Rank	O	Numeric ##0	Rank by number of bogeys
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of bogeys considering those without rank also
ST (for IND_RANKING)	DRIVE_ACC		N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.00	Driving accuracy percentage. Do not send in case of no attempt.
	Rank	O	Numeric ##0	Rank of driving accuracy at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of driving accuracy considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute		Value	Description
	Code		DRIVES_FAIR	
	Pos		N/A	N/A
	Value		Numeric #0	Number of drives in the fairway
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute		Value	Description
	Code		DRIVES_NUM	
	Pos		N/A	N/A
	Value		Numeric #0	Number of drives for the round
ST (for IND_RANKING)	DRIVING		Numeric 0	Pos Description: Send 0 for official drive distance holes, send 1 for all driving holes Element Expected: For IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric 000	Average driving distance in metres (not for @Pos=1)



	Rank	O	Numeric ##0	Rank of average driving distance
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of driving distance considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected For IND_RANKING. Do not send element for players without a valid drive distance. (not for @Pos=1)				
	Attribute	Value	Description	
	Code	IMPERIAL		
	Pos	N/A	N/A	
	Value	Numeric 000	Average driving distance in yards	
ST (for IND_RANKING)		DTP	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.##	Average distance to pin on approach in metres
	Rank	O	Numeric ##0	Rank of distance to pin
	RankEqual	O	S(1)	Send Y in the case the rank is equalled else do not send.
	SortOrder	M	Numeric ##0	Sort order for the rank of average distance to pin considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute	Value	Description	
	Code	IMPERIAL		
	Pos	N/A	N/A	
	Value	S(10) ##0'##"; (ft/in) ##0yds	Average distance to pin on approach in feet and inches or yards For a distance 100 feet or less use feet and inches (23' 10"). For a distance over 100 feet use yards (125yds).	
ST (for IND_RANKING)		GREENS	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.00	Greens in regulation percentage. Do not send in case of no greens reached.
	Rank	O	Numeric ##0	Greens in regulation rank (by %) at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of Greens in regulation considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute	Value	Description	



	Code	GREENS_NUM		
	Pos	N/A		N/A
	Value	Numeric #0		Number of greens reached
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute	Value	Description	
	Code	GREENS_REG		
	Pos	N/A		N/A
	Value	Numeric #0		Numbers of green reached in regulation
ST (for IND_RANKING)		PUTT_DIST	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Rank	O	Numeric ##0	Rank for average putts made distance at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of average putts made distance considering those without rank also
ST		PUTTS	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Total number of putt (round and total)
ST (for IND_RANKING)		PUTTS_GAINED	N/A	Element Expected: Always for IND_RANKING
	Attribute	M/O	Value	Description
	Value	M	Numeric 0.000 or -0.000	Average putts gained. Do not send in case of no attempt.
	Rank	O	Numeric ##0	Total putts gained rank at current point in the round
	RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
	SortOrder	M	Numeric ##0	Sort order for the rank of average strokes putts gained considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
	Attribute	Value	Description	
	Code	HBH_PUTTS_GAINED		
	Pos	Numeric #0		Send Hole Number
	Value	Numeric 0.000 or -0.000		Total Putts gained for a specific hole over the entire competition
ST (for IND_RANKING)		TEE_GAINED	N/A	Element Expected: Always for IND_RANKING



Attribute	M/O	Value	Description
Value	M	Numeric 0.000 or -0.000	Average strokes gained off tee Do not send in case of no attempt.
Rank	O	Numeric ##0	Rank for the statistic.
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send
SortOrder	M	Numeric ##0	Sort order for the rank.
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always fir IND_RANKING			
Attribute	Value	Description	
Code	HBH_TEE_GAINED		
Pos	Numeric #0	Send hole number	
Value	Numeric 0.000 or -0.000	Total strokes off tee gained for a specific hole over the entire competition	
ST (for IND_RANKING)	APPROACH_GAINED	N/A	Element Expected: Always for IND_RANKING
Attribute	M/O	Value	Description
Value	M	Numeric 0.000 or -0.000	Average strokes gained on approach Do not send in case of no attempt.
Rank	O	Numeric ##0	Rank for the statistic.
RankEqual	O	S(1)	Send Y in case of the Rank has been equalled else do not send.
SortOrder	M	Numeric ##0	Sort order for the rank.
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING			
Attribute	Value	Description	
Code	HBH_APPROACH_GAI NED		
Pos	Numeric #0		
Value	Numeric 0.000 or -0.000	Total strokes on approach gained for a specific hole over the entire competition	
ST (for IND_RANKING)	AROUND_GAINED	N/A	Element Expected: Always for IND_RANKING
Attribute	M/O	Value	Description
Value	M	Numeric 0.000 or -0.000	Average strokes gained around green Do not send in case of no attempt.
Rank	O	Numeric ##0	Rank for the statistic.
RankEqual	O	S(1)	Send Y in case of the Rank has been equalled else do not send.
SortOrder	M	Numeric ##0	Sort order for the rank.



Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	HBH_AROUND_GAINED			
Pos	Numeric #0	Send hole number		
Value	Numeric 0.000 or -0.000	Total strokes around green gained for a specific hole over the entire competition		
ST (for IND_RANKING)	TOTAL_GAINED	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric 0.000 or -0.000	Total average strokes gained Do not send in case of no attempt.	
Rank	O	Numeric ##0	Rank for the statistic.	
RankEqual	O	S(1)	Send Y in case of the Rank has been equalled else do not send.	
SortOrder	M	Numeric ##0	Sort order for the rank.	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	HBH_TOTAL_GAINED			
Pos	Numeric #0	Send Hole Number		
Value	Numeric 0.000 or -0.000	Total strokes gained for a specific hole over the entire competition		
ST (for IND_RANKING)	PUTTS_GIR	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric 0.0##	Average putts for greens reached in regulation	
Rank	O	Numeric ##0	Rank for putts per greens in regulation	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for the putts per greens in regulation considering those without rank also	
ST (for IND_RANKING)	SAND_SAVE	N/A	Element Expected: Always for IND_RANKING	
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.00	Sand save percentage. Do not send in case of no attempt.	
Rank	O	Numeric ##0	Sand save rank (by %)	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled	



				else do no send
SortOrder	M		Numeric ##0	Sort order for the rank of sand saves considering those without rank also
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	SAND_ATT			
Pos	N/A	N/A		
Value	Numeric #0	Number of sand save attempts		
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	SAND_MADE			
Pos	N/A	N/A		
Value	Numeric #0	Number of sand saves		
ST (for IND_RANKING)	SCRAMBLE	N/A		Element Expected: Always for IND_RANKING
Attribute	M/O	Value	Description	
Value	M	Numeric ##0.00	Scrambles percentage. Do not send in case of no attempt.	
Rank	O	Numeric ##0	Scrambles made rank (by %) at current point in the round	
RankEqual	O	S(1)	Send Y in the case that the rank is equalled else do no send	
SortOrder	M	Numeric ##0	Sort order for the rank of scrambling considering those without rank also	
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	SCRAMBLE_NUM			
Pos	N/A	N/A		
Value	Numeric #0	Number of greens missed in regulation		
Sub Element: Competition /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat Expected Always for IND_RANKING				
Attribute	Value	Description		
Code	SCRAMBLE_PAR			
Pos	N/A	N/A		
Value	Numeric #0	Number of missed greens in regulation and made par or better		

Sample (CUM - individual round)



```
<StatsItems>
  <StatsItem Type="ST" Code="HOLE" Pos="1" />
  <ExtendedStat Code="FAIRWAY_REG" Value="Y" />
  <ExtendedStat Code="FAIRWAY_DIR" Value="L" />
  <ExtendedStat Code="FAIRWAY_OPP" Value="2" />
  <ExtendedStat Code="GREENS_RESULT" Value="Y" />
  <ExtendedStat Code="PUTTS" Value="2" />
  <ExtendedStat Code="DRIVE_DIST" Pos="0" Value="215" />
  <ExtendedStat Code="DRIVE_DIST" Pos="1" Value="235" />
  ....
</StatsItem>
<StatsItem Type="ST" Code="COURSE" Pos="1" />
<ExtendedStat Code="FAIRWAY_HITS" Value="5" />
<ExtendedStat Code="FAIRWAY_OPP" Value="7" />
```

Sample (IND_RANKING)

```
<Stats Code="IND_RANKING">
  <Competitor Code="1131363" Order="1" Type="A" Organisation="SUI">
    <Composition>
      <Athlete Code="1131363" Order="1">
        <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI" BirthDate="1992-12-15" />
        <StatsItems>
          <StatsItem Type="ST" Code="DRIVING" Value="320" Rank="3" SortOrder="3" >
            <ExtendedStat Code="IMPERIAL" Value="350" />
          </StatsItem>
          <StatsItem Type="ST" Code="DRIVE_ACC" Value="85.71" Rank="5" SortOrder="5" >
            <ExtendedStat Code="DRIVES_NUM" Value="14" />
            <ExtendedStat Code="DRIVES_FAIR" Value="12" />
          </StatsItem>
        </StatsItems>
      </Athlete>
    </Composition>
  </Competitor>
</Stats>
```

2.3.7.6 Message Sort

Sort according to the @Order attributes.



2.3.8 Event Final Ranking

2.3.8.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC_@Competition	Unique ID for competition
DocumentCode	CC_@Event	Full RSC of the Event
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC_@ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL PROVISIONAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC_@Source	Code indicating the system which generated the message.


2.3.8.3 Trigger and Frequency

- * Triggered before any play-off (PARTIAL) if a play-off occurs
- * Triggered after the final results are OFFICIAL
- * Trigger also after any change.

2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0..1)						
	Gen					
	Sport					



2.3.8.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes

Element: Competition /Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send Y if applicable
ResultType	M	SC @ResultType	Type of the @Result attribute
Result	O	Numeric #00	The result of the competitor in the event
IRM	O	SC @IRM	The invalid rank mark, send if applicable.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order attribute.



		#0	Send 1 when Competitor @Type="A" or numeric starting at 1 if @Type="T"
--	--	----	--

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

2.3.8.6 Message Sort

Sort by Result @SortOrder



2.3.9 Configuration

2.3.9.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit (round) in separate messages.

2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit. Sent this message for each Unit.
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.9.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit (round).

Trigger also after any change, but considering that, if this message is sent after any DT_RESULT message has been sent then a new version of DT_RESULT must follow this message.

2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	Gen			
	Sport			
	Codes			
	Configs (1,1)			
		Config (1,N)		
				Unit



ExtendedConfig (1,N)	Type
	Code
	Pos
	Value

2.3.9.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	CC @Unit	Full RSC of the Unit (round).

Element: Competition /Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
EC	COURSE	SC@Course	Pos Description: Send proposed code Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric 00	Send par value
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always				
	Attribute	Value	Description	
	Code	DISTANCE		
	Pos	Numeric 0	Send units used. 0 for metres 1 for yards	
	Value	Numeric #000	Distance	
EC	HOLE	Numeric #0	Pos Description: Send hole number Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send par value



Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		
Attribute	Value	Description
Code	DISTANCE	
Pos	Numeric 0	Send units used. 0 for metres 1 for yards
Value	Numeric #00	Distance (nominal in scorecard)
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always		
Attribute	Value	Description
Code	DISTANCE_TEE_BOX	
Pos	Numeric 0	Send units used. 0 for metres 1 for yards
Value	Numeric #0	Distance depending on tee box and pin (actual distance)
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If applicable		
Attribute	Value	Description
Code	OFFICIAL_DRIVE_HOLE	
Pos	N/A	N/A
Value	S(1)	Send Y if the hole has been designated as the official drive distance hole.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	PIN_X	
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.
Value	Numeric ####0.0 or ##0.0 (percent)	Send the X coordinate of the pin
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	PIN_Y	
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.
Value	Numeric ####0.0 or ##0.0 (percent)	Send the Y coordinate of the pin
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description



Code	PIN_Z	
Pos	N/A	N/A
Value	Numeric ####0.0	Send the Z coordinate of the pin
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	TEE_X	
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.
Value	Numeric ####0.0 or ##0.0 (percent)	Send the X coordinate of the tee
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	TEE_Y	
Pos	Numeric 0	Do not send for the position in real world coordinates Send 1 for the position in percentage related to image size.
Value	Numeric ####0.0 or ##0.0 (percent)	Send the Y coordinate of the tee
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	TEE_Z	
Pos	N/A	N/A
Value	Numeric ####0.0	Send the Z coordinate of the tee
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected IF available		
Attribute	Value	Description
Code	TB_X	
Pos	N/A	N/A
Value	Numeric ####0.0	Send the X coordinate of the front of the tee box
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description
Code	TB_Y	
Pos	N/A	N/A
Value	Numeric ####0.0	Send the Y coordinate of the front of the tee box
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available		
Attribute	Value	Description



	Code	TB_Z		
	Pos	N/A		N/A
	Value	Numeric ####0.0		Send the Z coordinate of the front of the tee box
EC		GROUP_PLAYERS	N/A	Element Expected: Always except in play-off
	Attribute	M/O	Value	Description
	Value	M	Numeric 0	Send number of players per group
EC		BIB_COLOUR	Numeric #0	Pos Description: Send bib colour order Element Expected: Always where colours used Not applicable in play-off.
	Attribute	M/O	Value	Description
	Value	M	SC @Colour	Bib colour
EC		FAIRWAY	Numeric #0	Pos Description: Send the hole number Element Expected: If available
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available				
	Attribute	Value	Description	
	Code	CENTER_X		
	Pos	Numeric #0		Send sequential number to identify a fairway point
	Value	Numeric ####0.0		Send the X coordinate of the fairway center
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available				
	Attribute	Value	Description	
	Code	CENTER_Y		
	Pos	Numeric #0		Send sequential number to identify a fairway point
	Value	Numeric ####0.0		Send the Y coordinate of the fairway center
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If available				
	Attribute	Value	Description	
	Code	CENTER_Z		
	Pos	Numeric #0		Send sequential number to identify a fairway point
	Value	Numeric ####0.0		Send the Z coordinate of the fairway center
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected				



Attribute	Value	Description
Code	WIDTH_M	
Pos	Numeric #0	Send sequential number to identify a fairway point
Value	Numeric #00	Fairway width in metres at this point
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected		
Attribute	Value	Description
Code	WIDTH_YD	
Pos	Numeric #0	Send sequential number to identify a fairway point
Value	Numeric #00	Fairway width in yards at this point
EC	COORDINATE_CONFIG	N/A
		Element Expected: Always
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Where available		
Attribute	Value	Description
Code	DATUM	
Pos	N/A	N/A
Value	S(40)	Coordinate system's projection Datum Send WGS84 for World Geodetic System (WGS84)
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Where available		
Attribute	Value	Description
Code	PROJECTION	
Pos	N/A	N/A
Value	S(40)	Coordinate system's projection Send UTM for Universal Transverse Mercator coordinate
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Where available		
Attribute	Value	Description
Code	PROJECTION_ZONE	
Pos	N/A	N/A
Value	S(40)	Zone within the projection For example 31N (23S, 31N, 56N, ... - #0N for northern zones or #0S for southern zones)
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Where available		
Attribute	Value	Description
Code	UNITS	
Pos	Numeric 0	Send 1 for metric, 2 for imperial
Value	S(10)	Coordinate system's unit of measurement. Options are "US-FEET" (US Survey Feet) and "INTL-FEET"



		(International Feet) for imperial and METRES for metric.
--	--	--

Sample (General)

```

Configs>
<Config Unit="GLFWSTROKE-----FNL-000100--">
  <ExtendedConfig Type="EC" Code="COURSE" Pos="1" Value="36" >
    <ExtendedConfigItem Code="DISTANCE" Pos="0" Value="3125" />
    <ExtendedConfigItem Code="DISTANCE" Pos="1" Value="3389" />
  </ExtendedConfig>
....
<ExtendedConfig Type="EC" Code="HOLE" Pos="1" Value="3" >
  <ExtendedConfigItem Code="DISTANCE" Pos="0" Value="146" />
  <ExtendedConfigItem Code="DISTANCE" Pos="1" Value="154" />
  <ExtendedConfigItem Code="DISTANCE_TEE_BOX" Pos="0" Value="4" />
  <ExtendedConfigItem Code="DISTANCE_TEE_BOX" Pos="1" Value="5" />
  <ExtendedConfigItem Code="OFFICIAL_DRIVE_HOLE" Value="Y" />
  <ExtendedConfigItem Code="TEE_X" Value="210.4" />
  <ExtendedConfigItem Code="TEE_X" Pos="1" Value="5.0" />
  <ExtendedConfigItem Code="TEE_Y" Value="1100.4" />
  <ExtendedConfigItem Code="TEE_Y" Pos="1" Value="7.2" />
  <ExtendedConfigItem Code="TEE_Z" Value="11.5" />
  <ExtendedConfigItem Code="PIN_X" Value="355.7" />
  <ExtendedConfigItem Code="PIN_X" Pos="1" Value="65.6" />
  <ExtendedConfigItem Code="PIN_Y" Value="1241.5" />
  <ExtendedConfigItem Code="PIN_Y" Pos="1" Value="78.7" />
  <ExtendedConfigItem Code="PIN_Z" Value="12.2" />
  <ExtendedConfigItem Code="TB_X" Value="108.5" />
  <ExtendedConfigItem Code="TB_Y" Value="204.0" />
  <ExtendedConfigItem Code="TB_Z" Value="1.5" />
</ExtendedConfig>
....
<ExtendedConfig Type="EC" Code="GROUP_PLAYERS" Value="3" />
<ExtendedConfig Type="EC" Code="BIB_COLOUR" Pos="1" Value="BLUE" />
<ExtendedConfig Type="EC" Code="BIB_COLOUR" Pos="2" Value="ORANGE" />
<ExtendedConfig Type="EC" Code="BIB_COLOUR" Pos="3" Value="GREEN" />
<ExtendedConfig Type="EC" Code="FAIRWAY" Pos="1" >
  <ExtendedConfigItem Code="CENTER_X" Pos="1" Value="120.5" />
  <ExtendedConfigItem Code="CENTER_Y" Pos="1" Value="350.0" />
  <ExtendedConfigItem Code="CENTER_Z" Pos="1" Value="2.5" />
  <ExtendedConfigItem Code="WIDTH_M" Pos="1" Value="46" />
  <ExtendedConfigItem Code="WIDTH_YD" Pos="1" Value="50" />
  <ExtendedConfigItem Code="CENTER_X" Pos="2" Value="220.5" />
  <ExtendedConfigItem Code="CENTER_Y" Pos="2" Value="150.0" />
  <ExtendedConfigItem Code="CENTER_Z" Pos="2" Value="3.5" />

```

2.3.9.6 Message Sort

There is no general message sorting rule.



2.3.10 Communication

2.3.10.1 Description

The Official Communication message contains a release of an Official Communication, which contains jury decisions, competition management decisions, etc.

Official Communications are numbered by sport separately, not globally.

2.3.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline CC @DisciplineGender CC @Event CC @Phase CC @Unit	Full RSC. Use the RSC to which the Communication is relevant/related.
DocumentSubcode	Numeric	This is the communication/document number. For each of NOTICE, SPORT_NOTICE, COMPETITOR_NOTICE the number is sequential starting from one and unique for the discipline and DocumentSubtype (hence there can be two with value 1 in a discipline with different Document Subtype).
DocumentType	DT_COMMUNICATION	Official communication message
DocumentSubtype	NOTICE SPORT_NOTICE COMPETITOR_NOTICE	For all sports: * NOTICE: Used for Official Communications * SPORT_NOTICE: Used for Sport Communications * COMPETITOR_NOTICE: For notifications to competitors, only for golf
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.10.3 Trigger and Frequency

The message should be generated as soon as the information is available (within no more than 15 minutes of the decision or information availability).

Trigger also after any change.

2.3.10.4 Message Structure

The following table defines the structure of the message.



Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	Gen Sport Codes			
	ExtendedInfos (0,1)	SportDescription (0,1)	DisciplineName EventName	
		VenueDescription (0,1)	Venue VenueName	
	Communication (1,1)	PublishTime Decision (0,1)	ItemNum IssuedTime AffectsRES AffectsSCH AffectsOTH Unit Subtitle (0,1)	-
			Summary (0,1)	-
			Details (0,1)	-
			IssuedBy (0,1)	-
			SignedBy (0,2)	-
				Code FamilyName GivenName Function Order

2.3.10.5 Message Values

Element: Competition (0,1)



Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Description in Text

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	O	S(40)	Event name from Common Codes

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes

Element: Competition /Communication (1,1)

Attribute	M/O	Value	Description
PublishTime	M	DateTime	Date and time in which the communication is published. Example: 2006-02-26T10:00:00+01:00

Element: Competition /Communication /Decision (0,1)

Mandatory for DocumentSubtype NOTICE, COMPETITOR_NOTICE and SPORT_NOTICE.

Attribute	M/O	Value	Description
ItemNum	O	String	Sport dependent, item number if applicable
IssuedTime	O	DateTime	Decision date and time. (Mandatory in the case of NOTICE, SPORT_NOTICE, COMPETITOR_NOTICE) Example: 2006-02-26T10:00:00+01:00
AffectsRES	O	S(1)	'Y' - The jury decision affects the results 'N' - The jury decision does not affect the results Mandatory in the case of DocumentSubtype is NOTICE
AffectsSCH	O	S(1)	'Y' - The jury decision affects the schedules 'N' - The jury decision does not affect the schedules Mandatory in the case of DocumentSubtype is NOTICE
AffectsOTH	O	S(1)	'Y' - The jury decision affects other areas 'N' - The jury decision does not affect other areas Mandatory in the case of DocumentSubtype is NOTICE
Unit	O	CC @Unit	Full RSC of discipline, event or unit as appropriate (can be at any level)



Element: Competition /Communication /Decision /Subtitle (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Communication Subtitle. It is the title placed in the ORIS report next to "Official Communication"

Element: Competition /Communication /Decision /Summary (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Summary of the communication. Should contain the event description.

Element: Competition /Communication /Decision /Details (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Body of the communication. Include the description.

Element: Competition /Communication /Decision /IssuedBy (0,1)			
Attribute	M/O	Value	Description
-	M	Free Text	Communication author

Element: Competition /Communication /Decision /SignedBy (0,2)			
Attribute	M/O	Value	Description
Code	O	S(20) with no leading zeroes	ID of the Signed Name, to uniquely identify this element
FamilyName	O	S(25)	Family name of the person associated to the sign
GivenName	O	S(25)	Given name of the person associated to the sign
Function	M	S(30)	Decision of the Function of the Signed person
Order	M	Numeric	Send official order, 1..

2.3.10.6 Message Sort

There are no specific sorting requirements



2.3.11 Weather conditions

2.3.11.1 Description

The weather conditions is a message containing the current weather conditions in the venue or location. The use of venue or location is dependent to the level of detail that current weather conditions refer to. If weather conditions refer to a specific sailing course, then location code should be used. If weather conditions refer to athletics stadium, then the venue code should be used.

2.3.11.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at discipline level
DocumentSubcode	CC @Location	Location code (venue level)
DocumentType	DT_WEATHER	Weather conditions in the venue or location as referred to in DocumentSubcode.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.11.3 Trigger and Frequency

* The message is sent every 30 minutes during a session, beginning approximately 30 minutes before start of session

2.3.11.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)	Gen			
	Sport			
	Codes			
	Weather (1,1)			
		Date		



		Conditions (1..N)	
		Code	
		Humidity	
		Wind_Direction	
		Condition (0..3)	
			Code
			Value
		Precipitation (0..N)	
			Unit
			Value
		Pressure (0..N)	
			Unit
			Value
		Temperature (0..N)	
			Code
			Unit
			Value
		Wind (0..N)	
			Code
			Unit
			Value

2.3.11.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Weather (1,1)			
Attribute	M/O	Value	Description
Date	M	DateTime	Date/time of the conditions

Element: Competition /Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	SC.@WeatherPoint	Weather Point(s)
Humidity	O	Numeric ##0	Humidity in %



Wind_Direction	O	CC @WindDirection	Wind direction
----------------	---	-----------------------------------	----------------

Element: Competition /Weather /Conditions /Condition (0,3)			
Attribute	M/O	Value	Description
Code	M	SKY	Weather conditions type
Value	M	CC @WeatherCondition	Codes that describe the Weather Conditions.

Element: Competition /Weather /Conditions /Precipitation (0,N)			
Attribute	M/O	Value	Description
Unit	M	SC @PrecipitationUnit	Precipitation unit
Value	M	Numeric ###0.0	Precipitation quantity in the past 6 hours

Element: Competition /Weather /Conditions /Pressure (0,N)			
Attribute	M/O	Value	Description
Unit	M	S(3)	Send "hPa" as unit for pressure
Value	M	Numeric ###0	Air pressure in hPa

Element: Competition /Weather /Conditions /Temperature (0,N)			
Attribute	M/O	Value	Description
Code	M	AIR, WBGT	Air and WBGT temperature.
Unit	M	SC @TemperatureUnit	Temperature unit
Value	M	Numeric -##0.0 or ##0.0	Temperature (in case of positive temperature, do not send '+')

Element: Competition /Weather /Conditions /Wind (0,N)			
Attribute	M/O	Value	Description
Code	M	S(5)	Wind Speed, send SPEED
Unit	M	SC @WindUnit	Wind unit
Value	M	Numeric ##0	Wind speed in @Unit

2.3.11.6 Message Sort

There is no special sort order requirement for this message.



International
Olympic
Committee

SOG-2024-GLF-3.4 APP



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Status	D	E	P	S	U
As soon as ODF operations start	DT_CODES						
Periodically as soon as ODF operations start	DT_PARTIC		x				
	DT_SCHEDULE		x				o
The day INFO goes live	DT_PDF C08 Competition Schedule		x				
	DT_PDF C35 Competition Officials		x				

3.2 Before competition

Trigger	Message	Status	D	E	P	S	U
As soon as Participant verification process is finished (ORIS C38 process)	DT_PARTIC_UPDATE		x	o			
	DT_CONFIG (par information)						x
For each event	DT_IMAGE			x			
If any Competition Schedule change	DT_SCHEDULE_UPDATE		x				o
After each Draw	DT_CONFIG (bib and group count)						x
	DT_RESULT	START_LIST/ INTERMEDIATE					x
	DT_CUMULATIVE_RESULT	START_LIST		x			
	DT_PDF C32A Entry List by NOC		x				
(only if before round 1)	DT_PDF C51A1 Groupings (Rounds 1 & 2)						x
	DT_PDF C51A2 Groupings (Round n)						x
	DT_PDF C51C Tee Times by Name						x
(only before round 1 of the second event)	DT_PDF C30 Number of Entries by NOC		x				
Starting three days before the first competition day and until the last, no later than 60 minutes before play (sent at venue level)	DT_PDF C49A Weather Forecast						
Prior to each event (Notice to competitors)	DT_PDF C68B Notice to Competitors		x	x	x	x	x
	DT_COMMUNICATION		x	x	x	x	x
No later than 60 minutes before each round	DT_PDF C03A Hole Location						x
Send approximately 60 minutes before the start of round 1	DT_CUMULATIVE_RESULT	START_LIST		x			



Send approximately 60 minutes before the start of each subsequent round	DT_CUMULATIVE_RESULT	INTERMEDIATE		x				
Approximately 30 minutes before start of session	DT_WEATHER		x					
When tee/pin position is measured/ updated	DT_CONFIG							x

3.3 During competition

Trigger	Message	Status	D	E	P	S	U
When Competition is ready to start	DT_SCHEDULE_UPDATE	GETTING_READY	x				o
When Competition starts	DT_SCHEDULE_UPDATE	RUNNING	x				o
When the first player starts the round, and then after each player completes a hole	DT_RESULT	LIVE					x
After each player completes a hole	DT_CUMULATIVE_RESULT	LIVE		x			
When round starts, and then before every stroke once the next player is known (15 s triggering time-out)	DT_CURRENT						x
When new information is available for the hole	DT_PLAY_BY_PLAY	LIVE					x
When the player completes the hole and related data is updated	DT_PLAY_BY_PLAY	UNCONFIRMED					x
When tee/pin position is measured/ updated	DT_CONFIG						x
After each hole for each player	DT_STATS CUM	LIVE					x
	DT_STATS CUM	LIVE		x			
After each hole for each group (120 s triggering time-out)	DT_STATS IND_RANKING	LIVE					x
	DT_STATS IND_RANKING	LIVE		x			
	DT_STATS TOU	LIVE					x
	DT_STATS TOU	LIVE		x			
Every 30 minutes during a session	DT_WEATHER		x				
After each player finishes the round, by player	DT_PDF C85E Stroke Trail	OFFICIAL					x
In case play is interrupted	DT_SCHEDULE_UPDATE	INTERRUPTED	x				
In case play is interrupted and Official Communication needed	DT_PDF C67 Official Communication		x	x	x	x	x
	DT_COMMUNICATION		x	x	x	x	x
In case play is interrupted and shot audit messages are sent	DT_PLAY_BY_PLAY	INTERMEDIATE					x
	DT_RESULT	INTERMEDIATE					x
	DT_CUMULATIVE_RESULT	INTERMEDIATE		x			
	DT_STATS CUM	INTERMEDIATE					x
	DT_STATS CUM	INTERMEDIATE		x			



	DT_STATS IND_RANKING	INTERMEDIATE						x
	DT_STATS IND_RANKING	INTERMEDIATE		x				
	DT_STATS TOU	INTERMEDIATE						x
	DT_STATS TOU	INTERMEDIATE		x				
When Competition resumes	DT_SCHEDULE_UPDATE	RUNNING	x					0

3.4 After competition

Trigger	Message	Status	D	E	P	S	U
After a round is finished	DT_SCHEDULE_UPDATE	FINISHED	x				o
	DT_RESULT	UNOFFICIAL					x
	DT_CUMULATIVE_RESULT	UNCONFIRMED		x			
After round results are validated	DT_RESULT	OFFICIAL					x
	DT_CUMULATIVE_RESULT	INTERMEDIATE		x			
(by player)	DT_PLAY_BY_PLAY	OFFICIAL					x
(by player)	DT_STATS CUM	OFFICIAL					x
(by player)	DT_STATS CUM	INTERMEDIATE		x			
	DT_STATS IND_RANKING	OFFICIAL					x
	DT_STATS IND_RANKING	INTERMEDIATE		x			
	DT_STATS TOU	OFFICIAL					x
	DT_STATS TOU	INTERMEDIATE		x			
	DT_PDF C73 Leaderboard	OFFICIAL					x
	DT_PDF C74A Results	INTERMEDIATE		x			
	DT_PDF C85A1 Top Ten Players Statistics	OFFICIAL					x
(after all rounds apart from the first)	DT_PDF C85A2 Cumulative Top Ten Players Statistics	INTERMEDIATE		x			
	DT_PDF C85B Course Statistics	OFFICIAL					x
(by player)	DT_PDF C85C Player Statistics Summary	INTERMEDIATE		x			
	DT_PDF C85D Cumulative Tournament Statistics	INTERMEDIATE		x			
	DT_PDF C74B Players Scorecard by Rank	INTERMEDIATE		x			
Additionally, only in case of play-off	DT_MEDALLISTS	PARTIAL		x			
	DT_RANKING	PARTIAL		x			
	DT_SCHEDULE_UPDATE	SCHEDULED	x				o
	DT_PDF C51P Play-Off Start List					x	
	DT_PDF C77P Play-Off Results	OFFICIAL				x	
Additionally, after the end of the competition	DT_CUMULATIVE_RESULT	OFFICIAL		x			
(by player)	DT_STATS CUM	OFFICIAL		x			
	DT_STATS IND_RANKING	OFFICIAL		x			



	DT_STATS TOU	OFFICIAL		x			
	DT_RANKING	OFFICIAL		x			
Before Venue Ceremony	DT_MEDALLISTS	OFFICIAL		X			
	DT_MEDALLISTS_DISCIPLINE		X				
	DT_MEDALS		X				
	DT_PDF C92A Medallists (Individual)	OFFICIAL		X			
	DT_PDF C93 Medallists by Event		X				
	DT_PDF C95 Medal Standings		x				

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit
x Sent on that level; **o** Includes info from that level



4 Document Control

Version history		
Version	Date	Comments
V1.0	3 Jan 2018	First Version
V1.1	14 Jan 2018	Updated
V2.0	8 Aug 2018	Updated
V2.1	21 Sep 2018	Updated
V2.2	25 Oct 2018	Updated
V2.3	24 Jan 2019	Updated
V2.4	30 May 2019	Updated with CR17333
V2.5	14 Aug 2019	Updated
V2.6	3 Apr 2020	Updated after HT
V2.7	21 Aug 2020	Updated DT_PLAY_BY_PLAY
V2.8	30 Apr 2021	Typographical correction
V3.0	1 Jul 2022	First version for Paris 2024
V3.1	25 Nov 2022	Approved
V3.2	10 Feb 2023	CR025444
V3.3	6 Apr 2023	CR025611
V3.4	28 Jul 2023	CR025912

File Reference: SOG-2024-GLF-3.4 APP

Change Log		
Version	Status	Changes on version
V1.0	SFR	First Version
V1.1	SFR	DT_PARTIC_TEAMS: Message Removed, N/A in Olympic Games. Typographical corrections.
V2.0	SFR	DT_CUMULATIVE_RESULT: Update to not send MOVEMENT for IRM CR 15039: Add DT_PARTIC_NAME to applicable messages. CR 16671: Add TVFamilyName in DT_PARTIC message. CR16537: Move LAST_UNIT to ExtendedInfos/Progress in cumulative results
V2.1	SFR	DT_STATS: Add missing data (missed by error from Rio) DT_STATS: OTHER @ Stats /StatsItems /StatsItem /ExtendedStat corrected to greater than or equal to DT_STATS: Added EQ_LT_PAR @ Stats /StatsItems /StatsItem /ExtendedStat
V2.2	SFA	DT_STATS: Add additional stats as in ORIS
V2.3	APP	DT_RESULT: Move TO_PAR by hole to Value2 (CR16928) DT_RESULT: In START_HOLE noted that it is not required in play-off. DT_CONFIG: Add pin and tee positions in percentage DT_PLAY_BY_PLAY: Update related to use of percentage DT_IMAGE: Update size information DT_STATS: DocumentSubcode, removed IND_RANKING as it is not needed in this case. DT_STATS: Added a note that the message does not apply for the play-off.
V2.4	APP	DT_RESULT: Updated 2.2.2.1 to clarify participating players in the message. DT_CURRENT: Add NEXT_DTP and STATE in ExtendedInfos. DT_CURRECT: Removed exclusion for play-off



		DT_STATS: Add ST/PUTTS, add driving rank over all holes, allow negative in _GAINED values DT_CUMULATIVE_RESULTS: Add note that it does not apply for play-off DT_NOTIFICATION: Added as applicable message CR016640: Add ODF Version @Competition
V2.5	APP	CR17809: Change Participant/OlympicSolidarity to disallow N CR17579: ORIS change to standardize distance measurements. CR17984: DT_CURRENT: Change to include all groups on the course & DT_STATS/DT_PLAY_BY_PLAY: Triggering clarifications as agreed.
V2.6	APP	DT_CUMULATIVE_RESULT: Update ER/COMPLETE and ER/TO_PAR when expected at Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult [189225] DT_RESULT: Update ResultStatus to send INTERMEDIATE if a round is INTERRUPTED. [180690] DT_CUMULATIVE_RESULT: Update triggering for postponed/interrupted [180690] DT_RESULT: Update ResultStatus to clarify when to use INTERMEDIATE. [180690] DT_PLAY_BY_PLAY: Remove FROM_ENH and RESTING_ENH from Actions /Action /ExtendedAction [189183] DT_CUMULATIVE_RESULT: Add Value2, Rank, RankEqual and Move at ER/COMPLETE @ Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult [189077] DT_CUMULATIVE_RESULT: Add Value2 at ER/TO_PAR @ Result /ResultItems /ResultItem /Result /ExtendedResults /ExtendedResult [189077] DT_RESULT: Add SortOrder at ER/HOLE @Result /ExtendedResults /ExtendedResult [189183] DT_RESULT: Add @Pos at GROUP @ Result /Competitor /Composition /Athlete /EventUnitEntry [189183] DT_PLAY_BY_PLAY: Add Actions/Action/Loc for hole order [189183] DT_PLAY_BY_PLAY: Add @Pos at GROUP in Actions /Action /ExtendedAction for group order [189183] DT_PLAY_BY_PLAY: Add UI/CURRENT @ ExtendedInfos /ExtendedInfo [189183] DT_STATS: Add Value at ST/HOLE @ Stats /Competitor /Composition /Athlete /StatsItems /StatsItem [189183] DT_STATS: Add UI/CURRENT and UI/GROUP @ ExtendedInfos /ExtendedInfo [189183] DT_RESULT: Add ER/CURRENT @Result /ExtendedResults /ExtendedResult [189183] DT_PLAY_BY_PLAY: Update trigger for IRMs DT_CUMULATIVE_RESULT: Remove UNCONFIRMED and PROTESTED from ResultStatus DT_PARTIC: Update the description of Participant/Weight [CR18565] Other minor typographical corrections without changing the intent.
V2.7	APP	DT_PLAY_BY_PLAY: Update DocumentSubtype in header DT_PLAY_BY_PLAY: Update triggering DT_PLAY_BY_PLAY: Update the description at Actions/Action/Id
V2.8	APP	DT_STATS: Correct typo for expected for ST/PUTTS at Stats /Competitor /Composition /Athlete /StatsItems / StatsItem [HPQC196698] (no change in existing messages/OVR)
V3.0	SFA	DT_PARTIC: Removed Participant/Weight DT_PARTIC: Removed ENTRY/RANK_OG at Participant /Discipline /RegisteredEvent /EventEntry DT_RESULT: Update ER/HOLE at Result /ExtendedResults /ExtendedResult DT_CURRENT: Update triggering DT_PLAY_BY_PLAY: Update header and triggering to only send HOLE_xx messages DT_PLAY_BY_PLAY: Add LOC_X, LOC_Y and LOC_Z at Actions /Action /ExtendedAction DT_PLAY_BY_PLAY: Remove UI/CURRENT at ExtendedInfos /ExtendedInfo (current is identified by LIVE hole) DT_CUMULATIVE_RESULT: Update triggering DT_CUMULATIVE_RESULT: Add ExtendedInfos /ExtendedInfo DT_CUMULATIVE_RESULT: Add ER/THRU_ORDER at Result /ExtendedResults /ExtendedResult DT_STATS: Update triggering DT_STATS: Update ResultStatus DT_STATS: Update ST/DRIVING at Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat ST_STATS: Add strokes by hole gained for tee, approach, around green and total at Stats /Competitor /Composition /Athlete /StatsItems /StatsItem DT_STATS: Update ST/HOLE/SAND_RESULT at /Stats /Competitor /Composition /Athlete /StatsItems /StatsItem /ExtendedStat DT_COMMUNICATION: Update DocumentCode and DocumentSubcode [CR024349] DT_RANKING: Update triggering DT_CONFIG: Update EC/COORDINATE_CONFIG at Configs /Config /ExtendedConfig
V3.1	APP	DT_RESULT: Update Expected for EUE/GROUP at Result /Competitor /Composition /Athlete



		<p>/EventUnitEntry DT_RESULT: Update EUE/PREV_TOTAL at Result /Competitor /Composition /Athlete /EventUnitEntry DT_CUMULATIVE_RESULT: Update triggering DT_PLAY_BY_PLAY: Remove GREEN from Actions /Action /ExtendedAction as the data is already at RESTING_LOC DT_PLAY_BY_PLAY: Update Actions/Action/ActionAdd DT_PLAY_BY_PLAY: Add LOC_FROM_X at /Actions /Action /ExtendedAction DT_PLAY_BY_PLAY: Add LOC_FROM_Y at /Actions /Action /ExtendedAction DT_PLAY_BY_PLAY: Add LOC_FROM_Z at /Actions /Action /ExtendedAction DT_IMAGE: Update Description DT_STATS: Clarify expected for ST/COURSE at Stats /StatsItems /StatsItem DT_STATS: Update Description DT_RANKING: Update triggering DT_CONFIG: Update EC/BIB_COLOUR at Configs /Config /ExtendedConfig DT_CONFIG: Clarify DISTANCE and DISTANCE_TEE_BOX for EC/HOLE at Configs /Config /ExtendedConfig DT_CONFIG: Update EC/GROUP_PLAYERS at Configs /Config /ExtendedConfig DT_CONFIG: Update EC/BIB_COLOUR at Configs /Config /ExtendedConfig DT_WEATHER: Message added</p>
V3.2	APP	<p>DT_PLAY_BY_PLAY: Update expected for FAIRWAY_CENTER and FAIRWAY_EDGE at Actions /Action /ExtendedAction [CR025444] DT_CUMULATIVE_RESULT: Update ER/THRU at Result /ExtendedResults /ExtendedResult [CR025444] DT_IMAGE: Update Description [CR025444] DT_IMAGE: Update DocumentCode [CR025444]</p>
V3.3	APP	<p>DT_CURRENT: Correct @Pos for DISPLAY/HOLE/STATE at ExtendedInfos /ExtendedInfo [CR025611] DT_STATS: Add ST/COURSE/PUTTS at Stats /Competitor /Composition /Athlete /StatsItems /StatsItem [CR025611] DT_CUMULATIVE_RESULT: Update trigger [CR025611] DT_STATS: Add ST/COURSE/FAIRWAY_ACC at Stats /Competitor /Composition /Athlete /StatsItems /StatsItem [CR025611]</p>
V3.4	APP	<p>DT_WEATHER: Updated to be common [CR025912]</p>