

# Olympic Data Feed



## Judo ODF Data Dictionary

Technology and Information Department © International Olympic Committee

SOG-2024-JUD-3.2 APP 17 February 2023



#### License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- 4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



# **Table of Contents**

1 Introduction	<u>5</u>
1.1 This document	5
1.2 Objective	
1.3 Main Audience	
1.4 Glossary	
1.5 Related Documents	
2 Messages	6
2.1 Judo Overview	
2.2 Applicable Messages	
2.3 Messages	
2.3.1 Competition schedule / Competition schedule update	
2.3.1.1 Description	
2.3.1.2 Header Values	
2.3.1.3 Trigger and Frequency	
2.3.1.4 Message Structure	
2.3.1.5 Message Values	
2.3.1.6 Message Sort	
2.3.2 List of participants by discipline / List of participants by discipline update	
2.3.2.1 Description	
2.3.2.2 Header Values	
2.3.2.3 Trigger and Frequency	
2.3.2.4 Message Structure	
2.3.2.5 Message Values	
2.3.2.6 Message Sort	<u>25</u>
2.3.3 List of teams / List of teams update	<u>26</u>
2.3.3.1 Description	<u>26</u>
2.3.3.2 Header Values	
2.3.3.3 Trigger and Frequency	<u>26</u>
2.3.3.4 Message Structure	
2.3.3.5 Message Values	
2.3.3.6 Message Sort	<u>29</u>
2.3.4 Event Unit Start List and Results	<u>30</u>
2.3.4.1 Description	<u>30</u>
2.3.4.2 Header Values	
2.3.4.3 Trigger and Frequency	<u>30</u>
2.3.4.4 Message Structure	
2.3.4.5 Message Values	
2.3.4.6 Message Sort	
2.3.5 Play by Play	<u>42</u>
2.3.5.1 Description	
2.3.5.2 Header Values	
2.3.5.3 Trigger and Frequency	
2.3.5.4 Message Structure	<u>43</u>
2.3.5.5 Message Values	
2.3.5.6 Message Sort	<u>46</u>
	4 =



2.3.6.1 Description	<u>4</u> /
2.3.6.2 Header Values	. <u>47</u>
2.3.6.3 Trigger and Frequency	<u>47</u>
2.3.6.4 Message Structure	
2.3.6.5 Message Values	<u>49</u>
2.3.6.6 Message Sort	<u>53</u>
2.3.7 Statistics	<u>54</u>
2.3.7.1 Description	<u>54</u>
2.3.7.2 Header Values	<u>54</u>
2.3.7.3 Trigger and Frequency	<u>54</u>
2.3.7.4 Message Structure	<u>54</u>
2.3.7.5 Message Values	<u>55</u>
2.3.7.6 Message Sort	<u>57</u>
2.3.8 Event Final Ranking	<u>58</u>
2.3.8.1 Description	<u>58</u>
2.3.8.2 Header Values	<u>58</u>
2.3.8.3 Trigger and Frequency	
2.3.8.4 Message Structure	
2.3.8.5 Message Values	
2.3.8.6 Message Sort	
2.3.9 Configuration	<u>63</u>
2.3.9.1 Description	
2.3.9.2 Header Values	
2.3.9.3 Trigger and Frequency	
2.3.9.4 Message Structure	
2.3.9.5 Message Values	
2.3.9.6 Message Sort	
3 Message Timeline	
3.1 Preparation Phase	
3.2 Before competition	
3.3 During competition	
3.4 After competition	
4 Document Control	<u>69</u>



## 1 Introduction

## 1.1 This document

This document includes the ODF Judo Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Judo Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



# 2 Messages

#### 2.1 Judo Overview

#### MESSAGES IN EACH EVENT

- \* All events (individual and team) have a single DT\_RESULT and DT\_PLAY\_BY\_PLAY for each unit.
- \* There is also a DT\_BRACKET message for the progression.

#### **SCHEDULE**

- \* The DT\_SCHEDULE/DT\_SCHEDULE\_UPDATE message will include each unit (schedule=Y) only which is aligned with the same RSC for DT\_RESULT.
- \* In the case of team events, only the team match is scheduled, the individual contests are not scheduled (primarily because the information is known late and not all contested are played, depending on the result of earlier contests).
- \* The detailed schedule is not known until the draw (one day before the start of competition). To provide additional information a series of temporary units will be scheduled (all identified by using phase = TMRY). The units will all be removed with the final schedule is published.

#### **ENTRIES**

\* In the distribution of entries the teams will not include the athletes within each team as this information is not known at that time.

# 2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\ nextended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	X
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of teams / List of teams update	X
DT_RESULT	Event Unit Start List and Results	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_BRACKETS	Brackets	X
DT_STATS	Statistics	X
DT_RANKING	Event Final Ranking	X



Event's Medallists	
Medallists by discipline	
Medal standings	
Configuration	X
Communication	
Medal Presenters	
Discipline/venue start transmission	
Discipline/venue stop transmission	
Keep Alive	
Alert	
Background Document	
Participant Biography	
Team Biography	
News Document	
Pictures	
PDF Message	
	Medallists by discipline  Medal standings  Configuration  Communication  Medal Presenters  Discipline/venue start transmission  Discipline/venue stop transmission  Keep Alive  Alert  Background Document  Participant Biography  Team Biography  News Document  Pictures



## 2.3 Messages

## 2.3.1 Competition schedule / Competition schedule update

#### 2.3.1.1 Description

The Competition schedule is a bulk message provided for one discipline. As a general rule, it contains the complete schedule information for all event units needed to run a competition and excludes event units for activities such as unofficial training and press conferences.

This message contains the competition timetable for a complete discipline as well as status for each competition unit and is updated from OVR via the schedule update message.

All event units in codes which have the 'schedule' flag set to 'Y' or 'S' are included in schedule messages regardless of status (those without status must be sent as UNSCHEDULED if the schedule flag is 'Y' or 'S').

The arrival of the competition schedule message resets all the previous schedule information for one discipline.

The StartList component of the message is only included in the case that the Unit Type is one of HATH, HCOUP or HTEAM and at least one of the competitors are known.

The Composition component (i.e. listing athletes) is only included in the case that the Unit Type is one of HATH or HCOUP.

For reference the applicable unit types (from common codes) are:

HATH Individual Head to Head units (e.g. ARC, BDM, TEN, SBD etc)
HCOUP Pairs/Couples Head to Head units (e.g. BDM, TEN etc)
HTEAM Teams Head to Head units (e.g. BKB, VBV, HBL, CUR, IHO etc)

Managing when start times are not known.

In some disciplines the start time of each unit is not known and the unit are managed by order rather than time.

In these disciplines only the time of the first unit (or first unit per location) is known and distributed. In this case all units should be sent with the same start time and those following units flagged as HideStartDate (and finish). To be able to correctly order these units then the Order attribute is used (and must be sent from the venue).

To ensure there are no incorrectly ordered units then the start time must not be updated to the actual start time (there is an actual start time field to cater for this). For example:

Start Time Display Unit HideStartDate Location Order in message
12:00 12:00 Unit 1 N Court 2 1
12:00 Match 2 Court 2 Unit 2 Y Court 2 2

Olympic Data Feed - © IOC

Competition schedule / Competition schedule update

**Technology and Information Department** 



12:00 Match 3 Court 2 Unit 3 Y Court 2 3 16:30 Not before 16:30 Unit 4 Y Court 2 4

If the discipline requires some text describing the order then StartText is used. Typical uses include "Not before 17:00" or "SUN 29 - 2nd match on CC" or "Follows".

Advice for end users - how to sort event units and use DT\_SCHEDULE:

- When displaying the schedule users must use the following sort order to display as intended:
- Where the discipline is defined as LOC:
- 1. By day (or filter by day)
- 2. Session Code
- By location
- 4. By Time (regardless if HideStartDate="Y")
- 5. By Order

Where the discipline is defined as SESSION OR DATE:

- 1. By day (or filter by day)
- 2. Session Code
- 3. By Time (regardless if HideStartDate="Y")
- 4. By Order
- The Order can be match number for simplicity and show correct order for two matches at the same time.
- End users should display StartText if HideStartDate="Y"

If a StartText value of "Not before hh:mm" is used then it is expected that the StartDate sent is the same hh:mm.

Competition schedule update:

Competition schedule update is an update message. It is not a complete schedule information message, but only the schedule data being modified.

The arrival of this message updates the previous schedule information for one particular event unit(s) or sessions(s), but does not notify any other change for the rest of the event units/sessions except for those contained in the message.

The key of the information updated is Unit @Code. Therefore, any new unit, deleted unit or updated unit will be identified by all this attribute.

It has to be understood that if one DT\_SCHEDULE message arrives, then all previous DT\_SCHEDULE\_UPDATE messages should be discarded.

When message is sent from Competition Schedule application in advance of the Games the element ExtendedInfos/EntendedInfo will contain following information:

- Type=CS, Code=VERSION, the attribute Value will indicate the version details from the competition schedule application
- Type=CS, Code=STATUS the attribute Value will indicate the status details from the competition schedule application



#### 2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Discipline	Full RSC at the discipline level		
DocumentType	DT_SCHEDULE / DT_SCHEDULE_UPDATE	/ Competition schedule bulk / update		
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). Never included in _UPDATE messages.		
Version	1V	Version number associated to the message's content. Ascendinumber		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time up to milliseconds when the message is genera the local time zone where the message was produced.			
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

## 2.3.1.3 Trigger and Frequency

The competition schedule will be sent as a bulk message (DocumentType="DT\_SCHEDULE") when available before the Games and then sent multiple times until a date to be confirmed after which only update messages will be sent (DocumentType="DT\_SCHEDULE\_UPDATE") by OVR. There is no automatic triggering and this (DT\_SCHEDULE) message must not be sent after the transfer of control to OVR.

The competition schedule update message should be triggered at any time there has been a competition schedule modification for any previously sent competition schedule bulk message or update message including the addition of start list details (H2H).

Generally start list details for H2H units should be sent immediately when officially known, which should be as soon as possible after the preceding unit changes to official.

The triggers for status changes are described in each sport data dictionary where differences are needed.

If any text descriptions change in a message (as opposed to the code) then this message is not resent to correct previous messages however the new data is to be used in future messages.

#### 2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0	<u>),1)</u>	•	•	•	•	•	•	
	Gen							



Sport Codes Session (0,N) SessionCode StartDate EndDate Leadin Venue VenueName ModificationIndicator SessionStatus SessionType Medal FOP SessionName (1,N) Language Value <u>Unit (0,N)</u> Code PhaseType UnitNum ScheduleStatus StartDate HideStartDate EndDate HideEndDate ActualStartDate ActualEndDate Order Medal Venue Location MediaAccess SessionCode ModificationIndicator StartText (0,N) Language Value ItemName (1,N)



```
Language
             Value
ItemDescription (0,N)
             Language
VenueDescription (0,1)
             VenueName
             LocationName
StartList (0,1)
             Start (1,N)
                           StartOrder
                           SortOrder
                           PreviousWLT
                           PreviousUnit
                           Competitor (1,1)
                                         Code
                                         Туре
                                         Organisation
                                         Description (0,1)
                                                       TeamName
                                                       IFId
                                         Composition (0,1)
                                                       Athlete (1,N)
                                                                     Code
                                                                     Order
                                                                     Description (1,1)
                                                                                   GivenName
                                                                                   FamilyName
                                                                                   Gender
                                                                                   Organisation
                                                                                   BirthDate
                                                                                   IFId
                                                                                   Class
```

# 2.3.1.5 Message Values

Element: Competition	(0,1)		
Attribute	M/O	Value	Description



Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition	/Session (0,N	)	
Attribute	M/O	Value	Description
SessionCode	M	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
StartDate	М	DateTime	Start date. Example: 2006-02-26T10:00:00+01:00
EndDate	М	DateTime	End date. Example: 2006-02-26T10:00:00+01:00
Leadin	0	m:ss	Amount of time from session start to first scheduled unit.
Venue	М	CC @VenueCode	Venue where the session takes place
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes
ModificationIndicator	0	S(1)	Attribute is mandatory in the DT_SCHEDULE_UPDATE message.  N = New or U = Update.
SessionStatus	0	CC @ScheduleStatus	Only use CANCELLED if applicable. All other sessions are assumed to be scheduled. There is no change to running or finished.
SessionType	0	CC @SessionType	Session type of the Session.
Medal	0	Numeric #0	Send the number of gold medals planned to be determined in this session. [this is a calculation based on the units assigned to the session].
FOP	0	Numeric #0	The number of fields of play planned to be used in this session.  This data is only included in the message in the pre-Games period before the schedule is known.  Do not include in data to or from OVR during the Games period.

Element: Competition /Session/SessionName (1,N)					
Attribute	M/O	Value	Description		
Language	М	CC @Language	Language of the Session Description		
Value	М	S(40)	Name of the sports competition session		

## Sample (General)



<Session Code="ATH01" StartDate="2016-08-12T10:00:00+01:00" EndDate="2016-08-12T14:00:00+05:00" LeadIn="5:00" Venue="STA" VenueName="Olympic Stadium" > <SessionName Language="ENG" Value="Athletics Session 1" />

<Session Code="ATH02" StartDate="2016-08-12T18:00:00+01:00" EndDate="2016-08-12T21:00:00+05:00" LeadIn="5:00" Venue="STA" VenueName="Olympic Stadium" >

<SessionName Language="ENG" Value="Athletics Session 2" />

</Session>

<b>Element: Competition</b>	ı /Unit (0,N)		
Attribute	M/O	Value	Description
Code	М	CC @Unit	Full RSC for the unit
PhaseType	М	CC @PhaseType	Phase type for the unit
UnitNum	0	S(15)	Match / Game / Bout / Race Number or similar
ScheduleStatus	М	CC @ScheduleStatus	Unit Status
StartDate	0	DateTime	Start date. This attribute may not be sent when the @ScheduleStatus is UNSCHEDULED. For other statuses the StartDate is expected otherwise ordering is display is incorrert (including CANCELLED and POSTPONED.  This is the scheduled Start date and time and will not be updated when an event unit starts, that is, do not change to actual (updated only with RESCHEDULED status)  Where HideStartDate="Y" then this should be filled with the session start time or the start time of a group of units for all similar units and Order used for sorting. This method is not used in team sports where HideStartDate="Y" is only used temporarily to remove times.  Example: 2006-02-26T10:00:00+01:00
HideStartDate	0	S(1)	Send 'Y' if StartDate (scheduled start time) should not be displayed. It may be an estimate or 'fake' time.  Do not send if StartDate (scheduled start time) is to be displayed.  Start times of some units depend on the finalisation of previous event units and therefore there is no fixed start time in these cases this field is set to 'Y'.  When the flag is set to 'Y' then the time is used for sorting purposes but should not be displayed.
EndDate	0	DateTime	This is the scheduled end date and time and will not be updated when an event unit ends, that is, do not change to actual (updated only with RESCHEDULED status relative to StartDate)  This attribute is not required when the @ScheduleStatus is UNSCHEDULED or CANCELLED.  Example: 2006-02-26T10:00:00+01:00
HideEndDate	0	S(1)	Send 'Y' if EndDate scheduled end time is not to be displayed.



			Some event units have a scheduled end time well bounded, however, some event units in some circumstances have a scheduled end time not quite variable (example, some press conferences or tennis matches, etc.) in these cases this field is set to 'Y' and should not be displayed.
ActualStartDate	0	DateTime	This attribute is expected once the event unit has started. Example: 2006-02-26T10:03:22+01:00
ActualEndDate	0	DateTime	This attribute is expected once the event unit has finished. Example: 2006-02-26T12:43:51+01:00
Order	0	Numeric ###0	Order of the units when displayed. This field is considered in two situations:
			1. If HideStartDate = 'Y' then send at least for all Units in an affected session though it is suggested to be sent for all units in a discipline where the concept is used in the discipline.
			2. If some units start at the same time and a particular order of the units is expected.
			It is generally recommended to start at 1 in each session each day though may be ordered independently by location starting at 1 for each location in each session (where the schedule is ordered by location) or using other numbers to ensure the order of two using starting at the same time are displayed in the appropriate order.
Medal	0	SC @UnitMedalType	Indicator of medal awarded for this unit.
Venue	0	CC @VenueCode	Venue where the unit takes place Mandatory unless UNSCHEDULED Can use TBD if the Venue is not known yet (see CC).
Location	0	CC @Location	Location where the unit takes place.  Mandatory unless UNSCHEDULED.  Can use TBD if the Location is not known yet or a generic code for the discipline (see CC).
MediaAccess	0	S(6)	Only applicable for non-competition.  If unit is open to media send "OPE", if the unit is closed then send "CLO".
SessionCode	О	S(10)	Code of the sports competition session which contains this event unit. Usually in the format DDD00. DDD is the discipline and 00 is the session number within the discipline. For example ARC02 for the second session in Archery.
ModificationIndicator	0	N, U	Attribute is mandatory in the DT_SCHEDULE_UPDATE message only
			N-New event unit U-Update event unit If ModificationIndicator='N', then include new event unit. It will be rarely used as most added units were available in "UNSCHEDULED" status.
			If ModificationIndicator="U", then update the event unit.

Element: Competition /Unit /StartText (0,N)



This element is only umandatory.	ised for Coi	mpetition Schedules when	HideStartDate is 'Y'. In this case, English Language is
Attribute	M/O	Value	Description
Language	М	CC @Language	Code Language of the @Value
Value	М	S(20) or SC @StartText	Text to be displayed in the case that StartDate is not to be displayed. Use available codes or free text if appropriate is not available

Element: Competitio	Element: Competition /Unit /ItemName (1,N)				
Attribute	M/O	Value	Description		
Language	М	CC @Language	Code Language of the @Value		
Value	М	S(40)	Item Name / Unit Description.		
			For competition units show the short unit description from common codes which matches the RSC. As in all messages with a description.  Only the ENG description is expected.		
			For non-competition schedules (where the item description is not in common codes) then add the description.		

Element: Competition /Unit /ItemDescription (0,N)				
Attribute	M/O	Value	Description	
Language	М	CC @Language	Code Language of the @Value	
-	М	Free Text	Item Description for non-competition schedule	

Element: Competition /Unit /VenueDescription (0,1)			
Mandatory when Unit/Venue is included			
Attribute	M/O	Value	Description
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes

## Element: Competition /Unit /StartList /Start (1,N)

StartList information is only sent in the case that the Unit type is one of HATH, HCOUP or HTEAM and at least one of the competitors are known. (Sent as soon as known for applicable units)

Attribute	M/O	Value	Description
StartOrder	0	Numeric	Competitor's start order
SortOrder	М	Numeric	Used to sort competitors in an event unit (for example, if there is no StartOrder). It is mainly used for display purposes.
PreviousWLT	0	S(1)	W or L for winner of loser of a particular previous unit plays in this unit. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real competitors are known.
PreviousUnit	0	S(34)	The full RSC of the unit where this competitor came from. This attribute is only filled if the competitors are 100% confirmed as participating at this time and not subject to change depending on TV times etc. Further, the data is removed when the real



competitors are known.
------------------------

Element: Competition	on /Unit /StartLis	st /Start /Competitor (1,1)	
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes, TBD or NOCOMP.	Competitor's ID or another indicator (SC @CompetitorPlace) which may include possible options of: TBD in case that the competitor is unknown at this time but will be available NOCOMP is sent when there is no competitor (and will not come later)
Туре	M	T,A	T for team A for athlete
Organisation	0	CC @Organisation	Should be sent when known

Element: Competition /Unit /StartList /Start /Competitor /Description (0,1)				
Attribute	M/O	Value	Description	
TeamName	M	S(73)	Team Name where known, must send when available	
IFId	0	S(16)	Team IF number, send if available	

## Element: Competition /Unit /StartList /Start /Competitor /Composition /Athlete (1,N)

Only send for individual, not teams. In case of the Competitor @Code='TBD' this element should not be sent.

Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Athlete's ID, corresponding to either a team member or an individual athlete in the event unit.
Order	М	Numeric	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".

Element: Competitio	n /Unit /StartList	: /Start /Competitor /Compo	osition /Athlete /Description (1,1)
Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case). Send if not null.
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	М	CC @Organisation	Organisation ID
BirthDate	0	YYYY-MM-DD	Date of birth.
IFId	0	S(16)	Athlete IF number, send if available, only for the current discipline.
Class	0	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games). This attribute is optional because it is not used in events without such athletes.

## 2.3.1.6 Message Sort

Sort by Session @SessionCode.

Olympic Data Feed - © IOC

Technology and Information Department



The message is sorted by Unit@StartDate then by Unit@Order then Unit@Code. In case of event unit with no Unit@StartDate defined (example, they are in an event unit status such as UNSCHEDULED), they will be listed at the end in Unit@Code order.



## 2.3.2 List of participants by discipline / List of participants by discipline update

## 2.3.2.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment					
CompetitionCode	CC @Competition	Unique ID for competition					
DocumentCode	CC @Discipline	Full RSC at the discipline level					
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	/ List of participants by discipline message					
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). HISTORICAL if the message is from the historical results provider and only includes historic athletes (else not included). Neither are ever included in _UPDATE messages. HISTORICAL is not sent to external clients.					
Version	1V	Version number associated to the message's content. Ascending number					



FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.2.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

## 2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		Gender			
		Organisation			



BirthDate Height PlaceofBirth CountryofBirth PlaceofResidence CountryofResidence Nationality MainFunctionId Current OlympicSolidarity ModificationIndicator Discipline (1,1) Code IFId DisciplineEntry (0,N) Type Code Pos Value RegisteredEvent (0,N) Event Class EventEntry (0,N) Туре Code Pos Value

# 2.3.2.5 Message Values

Element: Competition (0,1)								
Attribute	M/O	Value	Description					
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message					
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message					
Codes	0	S(20)	Version of the Codes applicable to the message					

#### Sample (General)



<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-JUD-1.10" Codes="SOG-2020-1.20" >

Element: Competition /F	Element: Competition /Participant (1,N)								
Attribute	M/O	Value	Description						
Code	М	S(20) with no leading zeroes	Participant's ID.						
		201003	It identifies an athlete or an official and the holding participant's valid information for one particular period of time.						
			It is used to link other messages to the participant's information.						
			Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.						
			When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.						
Parent	M	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.						
			The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.  The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".						
Status	0	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".						
			To delete a participant, a specific value of the Status attribute is used.						
GivenName	0	S(25)	Given name in WNPA format (mixed case)						
FamilyName	М	S(25)	Family name in WNPA format (mixed case)						
PassportGivenName	0	S(25)	Passport Given Name (Uppercase).						
PassportFamilyName	0	S(25)	Passport Family Name (Uppercase).						
PrintName	М	S(35)	Print name (family name in upper case + given name in mixed case)						
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)						
TVName	М	S(35)	TV name						
TVInitialName	М	S(18)	TV initial name						

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline



TVFamilyName	М	S(25)	TV family name
LocalFamilyName	0	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	0	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	М	CC @PersonGender	Participant's gender
Organisation	М	CC @Organisation	Organisation ID
BirthDate	0	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.
Height	0	S(3)	Height in centimetres. It will be included if this information is available. This information is not needed in the case of officials/referees.  "-" may be used where the data is not available.
PlaceofBirth	0	S(75)	Place of Birth
CountryofBirth	0	CC @Country	Country ID of Birth
PlaceofResidence	0	S(75)	Place of Residence
CountryofResidence	0	CC @Country	Country ID of Residence
Nationality	0	CC @Country	Participant's nationality.
			Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	0	CC @ResultsFunction	Main function
			In the Case of Current="true" this attribute is Mandatory.
Current	М	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	0	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	М	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only
			N-New participant (in the case that this information comes as a late entry) U-Update participant
			If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants
			If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants
			To delete a participant, a specific value of the Status attribute is used.

## Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description									
Code	М	CC @Discipline	It	is	the	discipline	code	used	to	fill	the	OdfBody

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline



			@DocumentCode attribute.
IFId	0	S(16)	IJF unique judoka identification (IF number)

Element: Competition /Participant /Discipline /DisciplineEntry (0,N) Send if there is specific discipline information.									
	Type Code Pos Description								
ENTR	Y	BIB	N/A	Element Expected: As soon as it is known (only will be sent in the update message)					
	Attribute	M/O	Value	Description					
	Value	М	String	Official's bib					

Element: Competition /Participant /Discipline /RegisteredEvent (0,N) All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event. **Attribute** M/O Value Description Event Μ CC @Event Full RSC of the Event 0 Class CC @SportClass Code to identify the handicap class in the case of events with handicapped athletes (e.g. paralympic games). This attribute is optional because is not used in other type of events without handicapped athletes. Send only in the Case of Current="true".

Elem	Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)										
Send	Send if there are specific athlete's event entries.										
	Type Code Pos Description										
ENTF	RY	QUAL_TYPE	N/A	Element Expected: As soon as it is known (it can be sent in both messages)							
	Attribute	M/O	Value	Description							
	Value	М	SC @QualifiyingType	Qualification tournament code							
ENTF	RY	RANK_WLD	N/A	Element Expected: As soon as it is known (it can be sent in both messages)							
	Attribute	M/O	Value	Description							
	Value	М	S(3)	World Ranking							
ENTF	Ϋ́Υ	DEAF	N/A	Element Expected: As soon as it is known (it can be sent in both messages) Only applicable in the Paralympic Games							
	Attribute	M/O	Value	Description							
	Value	М	S(1)	Send D if the athlete has a hearing impairment else do not send							



## 2.3.2.6 Message Sort

The message is sorted by Participant @Code



#### 2.3.3 List of teams / List of teams update

## 2.3.3.1 Description

DT\_PARTIC\_TEAMS contains the list of teams related to the current competition.

List of teams (DT\_PARTIC\_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid, in the meaning that they are participating or they could participate in one event.

List of teams update (DT\_PARTIC\_TEAMS\_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team(s) being modified.

#### 2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC_TEAMS / DT_PARTIC_TEAMS_UPDATE	List of participant teams message
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). HISTORICAL if the message is from the historical results provider and only includes historic teams (else not included). Neither are ever included in _UPDATE messages. HISTORICAL is not sent to external clients.
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.3.3 Trigger and Frequency

The DT\_PARTIC\_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_TEAMS\_UPDATE messages are sent.

The DT\_PARTIC\_TEAMS\_UPDATE message is triggered when there is a modification in the data for any team after the transfer of control to OVR.



# 2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)			•		
	Gen				
	Sport				
	Codes				
	<u>Team (1,N)</u>				
	'	Code			
		Organisation			
		Number			
		Name			
		ShortName			
		TVTeamName			
		Gender			
		Current			
		TeamType			
		ModificationIndicator			
		Composition (0,1)			
			Athlete (0,N)		
				Code	
				Order	
		Discipline (0,1)	1		
			Code		
			RegisteredEvent (0,	<u>1)</u>	
				Event	
				EventEntry (0,N)	
					Туре
					Code
					Pos
					Value

# 2.3.3.5 Message Values

Element: Competition	Element: Competition (0,1)							
Attribute	M/O	Value	Description					
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message					
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message					



Codes	O S(20)	Version of the Codes applicable to the message
-------	---------	--

Element: Competition	/Team (1,N)				
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Team's ID (example ATHM4X400MESP01, 393553) When the Team is an historical one, then this ID starts with "T".		
Organisation	М	CC @Organisation	Team organisation's ID		
Number	0	Numeric #0	Team's number.  If there is not more than one team for one organisation participating in one event, it is 1. Otherwise, it will be incremental, 1 for the first organisation's team, 2 for the second organisation's team, etc.  Required in the case of current teams.		
Name	М	S(73)	Team name.		
ShortName	M	S(40)	Team Short Name		
TVTeamName	M	S(21)	Team's TV Name.		
Gender	M	CC @SportGender	Gender Code of the Team		
Current	М	boolean	It defines if a team is participating in the games (true) or it is a Historical team (false)		
TeamType	M	SC @TeamType	Send the team type. This is how the name is constructed to allow clients to build in other languages. Use ORG.		
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_TEAMS_UPDATE message only N-New team (in the case that this information comes as a late entry) U-Update team D-Delete team If ModificationIndicator='N', then include new team to the previous bulk-loaded list of teams If ModificationIndicator='U', then update the team to the previous bulk-loaded list of teams If ModificationIndicator='D', then delete the team to the previous bulk-loaded list of teams		

Element: Competition /Team /Composition /Athlete (0,N)								
In the case of current tea	In the case of current teams the number of athletes is 2 or more.							
Attribute	Attribute M/O Value Description							
Code	М	S(20) with no leading zeroes	Athlete ID of the listed team member.					
Order	0	Numeric	Team member order					

Element: Competition	Element: Competition /Team /Discipline (0,1)							
Each team is assigne	Each team is assigned just to one discipline. Discipline is expected unless ModificationIndicator="D"							
Attribute	Attribute M/O Value Description							
Code	М	CC @Discipline	Full RSC of the Discipline					



Element: Competition /Team /Discipline /RegisteredEvent (0,1)							
Each current team is as	Each current team is assigned to one event. Historical teams will not be registered to any event.						
Attribute	Attribute M/O Value Description						
Event	М	CC @Event Full RSC of the Event					

Eleme	Element: Competition /Team /Discipline /RegisteredEvent /EventEntry (0,N)							
Send	if there are specific team	's event entries.						
	Type Code Pos Description							
ENTR	Υ	RANK_WLD	N/A	Element Expected: As soon as it is known (it can be sent in both messages)				
Attribute		M/O	Value	Description				
	Value	М	S(3)	World Ranking				

# 2.3.3.6 Message Sort

The message is sorted by Team @Code.



#### 2.3.4 Event Unit Start List and Results

## 2.3.4.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

#### 2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC at unit level (includes team match and contests within team match)
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST LIVE (used during the competition when nothing else applies). INTERMEDIATE (for unexpected interruptions, not between normal periods) UNOFFICIAL OFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

## 2.3.4.3 Trigger and Frequency

This message is sent with ResultStatus 'START\_LIST' as soon as the expected information is available and any changes to the information. Possible information is:

- As soon as each competitor is known and any changes in start list data (START\_LIST)
- When the contest starts and after every change in any data (LIVE)

Olympic Data Feed - © IOC

Event Unit Start List and Results



- After the contest (UNOFFICIAL/OFFICIAL)

Trigger also after any change.

## 2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition	(0,1)							
	Gen							
	Sport							
	Codes							
	ExtendedInfo	os (0,1)						
	•	UnitDateTime	e (0,1)					
			StartDate					
			EndDate					
			Duration					
		ExtendedInfo	<u>(0,N)</u>					
			Туре					
			Code					
			Pos					
			Value					
			Extension (0,1	<u>1)</u>				
		SportDescrip	tion (0,1)					
			DisciplineNam	ne				
			EventName					
			Gender					
			SubEventNam	ne				
		1	UnitNum					
		VenueDescri	<u>ption (0,1)</u>					
			Venue					
			VenueName					
			Location					
			LocationName	)				
	Officials (0,1	1						
		Official (1,N)	1					
			Code					
			Function					
			Order					
			Bib					
			Description (1	<u>,1)</u>				



```
GivenName
                                         FamilyName
                                         Gender
                                         Organisation
                                         IFId
Result (1,N)
             Result
             IRM
             WLT
             SortOrder
             StartSortOrder
             ResultType
             Pty
             ExtendedResults (0,1)
                           ExtendedResult (1,N)
                                         Туре
                                         Code
                                         Pos
                                         Value
             Competitor (1,1)
                           Code
                           Type
                           Organisation
                           Description (0,1)
                                         TeamName
                           Composition (0,1)
                                         Athlete (0,N)
                                                       Code
                                                       Order
                                                       Description (1,1)
                                                                     GivenName
                                                                     FamilyName
                                                                     Gender
                                                                     Organisation
                                                                     BirthDate
                                                                     IFId
                                                                     Class
                                                       EventUnitEntry (0,N)
                                                                     Туре
```





# 2.3.4.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /ExtendedInfos /UnitDateTime (0,1) Actual times. Include when the unit starts.						
Attribute M/O Value Description						
StartDate	М	DateTime	Actual start date and time.			
EndDate	0	DateTime	Actual end date-time.			
Duration	0	mm:ss	Match duration. This is the total duration of the bout (in individual & individual bouts within a team match) or all bouts in team events match results.			

Elem	Element: Competition /ExtendedInfos /ExtendedInfo (0,N)							
	Туре	Type Code		Description				
UI		RES_CODE	N/A	Element Expected: When available in individual contests (including within the team competition).				
	Attribute	M/O	Value	Description				
	Value	М	SC @ResultCode	Decision for how the contest was won. If it is a gold score send the result after that.				
UI		GOLD_SCORE	N/A	Element Expected: If applicable in individual contests (including within the team competition).				
	Attribute M/O		Value	Description				
	Value	М	S(1)	Gold Score flag Send Y If in Golden Score else do not send.				



	Attribute	Value	Description	
	Code	DURATION	Besonption	
	Pos	Numeric	Sand 1 for the Popula	r time in the hout
	FOS	0	Send 1 for the Regula Send 2 for Golden Sc	
	Value	mm:ss	Duration of regular/go	ld score time in the bout
UI		TECH_CODE	N/A Element Expected: As appropriate in individual contests (including within the team competition).	
	Attribute	M/O	Value	Description
	Value	М	SC @Technique	Send the Winning Technique's Code. If ir Golden Score send the result after that.
UI		TECH_DESCRIPTION	N/A	Element Expected: As appropriate in individual contests (including within the team competition).
	Attribute	M/O	Value	Description
	Value	M	String	Send the Winning Technique Description Use the description column from CC @Technique. If in Golden Score send the result after that
TEA	M	COMP	Numeric #	Pos Description: Sequential number to indicate the contest number/order between each member of one team against each from the other one.  Element Expected: Always, when this information is available (just for Team unit [not team subunits])
	Attribute	M/O	Value	Description
			00.011.11	Full RSC of the subunit
	Value	M	CC @Unit	I dii 1300 di the subunit
	Sub Element: Cor	M mpetition /ExtendedInfos /Exter , when this information is availa	ndedInfo /Extension	
	Sub Element: Cor	mpetition /ExtendedInfos /Exter	ndedInfo /Extension	
	Sub Element: Cor Expected Always,	mpetition /ExtendedInfos /Exter , when this information is availa	ndedInfo /Extension able (just for Team unit	
	Sub Element: Cor Expected Always, Attribute	mpetition /ExtendedInfos /Exter , when this information is availa Value	ndedInfo /Extension able (just for Team unit	
	Sub Element: Cor Expected Always, Attribute  Code	mpetition /ExtendedInfos /Exter , when this information is availant Value WEIGHT_CATEGORY	ndedInfo /Extension able (just for Team unit Description	
	Sub Element: Cor Expected Always, Attribute Code Pos Value Sub Element: Cor	mpetition /ExtendedInfos /Exter , when this information is availa Value  WEIGHT_CATEGORY  N/A	Description  Full RSC (34) at even	t level for this bout within the team match
	Sub Element: Cor Expected Always, Attribute Code Pos Value Sub Element: Cor	mpetition /ExtendedInfos /Exter, when this information is availated WeIGHT_CATEGORY  N/A  CC @Unit  mpetition /ExtendedInfos /Exter	Description  Full RSC (34) at even	t level for this bout within the team match
	Sub Element: Cor Expected Always, Attribute  Code  Pos  Value  Sub Element: Cor Expected Always,	when this information is availated Weight_Category N/A CC @Unit when this information is availated with the company of the com	Description  Full RSC (34) at even able (just for Team unit	t level for this bout within the team match
	Sub Element: Cor Expected Always, Attribute  Code  Pos  Value  Sub Element: Cor Expected Always, Attribute	mpetition /ExtendedInfos /Exter, when this information is availated Value  WEIGHT_CATEGORY  N/A  CC @Unit  mpetition /ExtendedInfos /Exter, when this information is availated Value	Description  Full RSC (34) at even able (just for Team unit	t level for this bout within the team match
	Sub Element: Cor Expected Always, Attribute  Code  Pos  Value  Sub Element: Cor Expected Always, Attribute  Code	mpetition /ExtendedInfos /Exter, when this information is availated WeIGHT_CATEGORY N/A CC @Unit mpetition /ExtendedInfos /Exter, when this information is availated Value HOME	Description  Full RSC (34) at even addedinfo /Extension able (just for Team unit Description	t level for this bout within the team match  s)  ify an athlete) that competes in this bout as a
	Sub Element: Cor Expected Always, Attribute Code Pos Value Sub Element: Cor Expected Always, Attribute Code Pos Value Sub Element: Cor Expected Always, Attribute Code Pos Value Sub Element: Cor	mpetition /ExtendedInfos /Exter, when this information is availated WeIGHT_CATEGORY N/A CC @Unit mpetition /ExtendedInfos /Exter, when this information is availated Walue HOME N/A S(20) with no leading	representation able (just for Team unit Description  Full RSC (34) at even able (just for Team unit Description  Description  Athlete's ID (to ident member from the HOlindedInfo /Extension	t level for this bout within the team match  s)  ify an athlete) that competes in this bout as a ME team.



Code	AWAY			
Pos	N/A			
Value	S(20) with no leading zeroes	Athlete's ID (to identify an athlete) that competes in this bout as a member from the AWAY team.		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always, when this information is available (just for Team events)				
Attribute	Value	Description		
Code	DURATION			
Pos	S(3)	Send 1 for the Regular time in the bout Send 2 for Golden Score time in the bout if applicable Send TOT for Total time in the bout		
Value	mm:ss	Duration of the Bout (within the match, for team events), including any overtime.		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always, when this information is available (just for Team units)				
Attribute	Value	Description		
Code	GOLD_SCORE			
Pos	N/A			
Value	S(1)	Gold Score flag Send Y If in Golden Score in the bout else do not send.		
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When team match is in progress				
Attribute	Value	Description		
Code	STATUS			
Pos	N/A			
Value	CC @ScheduleStatus	Send applicable status, only options as below: SCHEDULED RUNNING		

## Sample (Individual Unit or Team Subunit))

<ExtendedInfos>

- <Extendedfilios>
  <UnitDateTime StartDate="2012-08-03T16:10:00+01:00" Duration="3:12" />
  <ExtendedInfo Type="UI" Code="RES\_CODE" Value="WAZ" />
  <ExtendedInfo Type="UI" Code="TECH\_CODE" Value="P29" />

- <ExtendedInfo Type="UI" Code="TECH\_DESCRIPTION" Value="Non-Combatively" /> </ExtendedInfos>

## Sample (Team Unit)



## <ExtendedInfos>

- - <Extension Value=" JUDW44KG------" Code="WEIGHT\_CATEGORY"/> <Extension Value="5285271" Code="HOME"/>

  - <Extension Value="5285128" Code="AWAY"/>
  - <Extension Value="Y" Code="GOLD\_SCORE"/>
- </ExtendedInfo>
- <ExtendedInfo Value="JUDXTEAM5------8FNL00010002" Pos="2" Code="COMP" Type="TEAM">
- <Extension Value="JUDWO70KG-------" Code="WEIGHT\_CATEGORY"/>
- <Extension Value="5285269" Code="HOME"/>
  <Extension Value="5285116" Code="AWAY"/>
- <Extension Value="4:00" Code="DURATION"/>
- <Extension Value="Y" Code="GOLD\_SCORE"/>
- <Extension Value="FINISHED" Code="STATUS"/>

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Attribute	M/O	Value	Description	
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.	
Gender	М	CC @SportGender	Gender code for the event unit	
SubEventName	М	S(40)	EventUnit ENG Description (not code) from Common Codes	
UnitNum	0	S(6)	Contest number	

Element: Competition /ExtendedInfos /VenueDescription (0,1)				
Venue Names in Text.				
Attribute	M/O	Value	Description	
Venue	М	CC @VenueCode	Venue Code	
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes	
Location	M	CC @Location	Location code	
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes	

Element: Competition /Officials /Official (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	М	CC @ResultsFunction	Official's function (example: referee, etc.).  Can be different from the function sent in the DT_PARTIC message.
Order	М	Numeric 0	Official's order. Send by order for each official in each function, example: 1 for Referee
Bib	0	S(4)	Referee Bib

#### Element: Competition /Officials /Official /Description (1,1)



Officials extended information.					
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the official		
Organisation	М	CC @Organisation	Official's organisation		
IFId	0	S(16)	International Federation ID		

- <Officials>
- <Official Code="7350035" Order="1" Function="RE" Bib="12" >
- <Description GivenName="Alexander" FamilyName="Zverkov" Gender="M" Organisation="RUS" />
- </Official>
- <Official Code="7350063" Order="2" Function="JU" Bib="33" >
- <Description GivenName="Artur" FamilyName="Bazaev" Gender="M" Organisation="RUS" />
- </Official>

Element: Competition /Result (1,N)				
Attribute	M/O	Value	Description	
Result	0	String	The result of the competitor in the event unit. Indicates the score of the competitor. This can be sent in Golden Score as applicable.  Penalties are not included.	
IRM	0	SC @IRM	The invalid rank mark, if applicable. IRM of the competitor for the particular event unit. Send if DNS before competition also.	
WLT	0	SC @WLT	The code whether a competitor won (W) or lost (L) the bout. Send L just in case of no winner.	
SortOrder	M	Numeric	Used to sort all the results of an event unit.  This attribute is a sequential number with the order of the competitor.  Send 1 for White competitor and 2 for Blue competitor	
StartSortOrder	M	Numeric	Used to sort all start list competitors in an event unit. Send 1 for White competitor and 2 for Blue competitor	
ResultType	0	SC @ResultType	Type of the @Result attribute.  Result type, either points or IRM for the corresponding event unit.	
Pty	0	SC @PenaltyType	Penalty codes associated to the score in individual contests.	

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)					
Туре	Code	Pos	Description		
ER	OUTCOME		Element Expected: Send if available		



	Attribute	M/O	Value	Description
	Value	М	SC @Outcome	Progression of the athlete in the competition
ER		y Where y = CC @PenaltyType	S(3)	Code Description: Send the code for each type of penalty (see codes section)  Pos Description: Send 1 for Regular time Send 2 for Golden Score time Send TOT for Total  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	М	Numeric #	Number of penalties obtained by competitor during the contest for given CC @PenaltyType.  Send value 0 and PenaltyType ='S' when there are no penalties for this competitor. These values should be sent when the match starts.
ER		z Where z = CC @PointsType	S(3)	Code Description: Send the code for each CC @PointsType  Pos Description: Send 1 for Regular time Send 2 for Golden Score time Send TOT for Total  Element Expected: As soon as it is known
	Attribute	M/O	Value	Description
	Value	М	Numeric 0	Number of scores obtained by competitor during contest for given CC @PointsType  Should be 0 for those PointsType without scoring. These values should be sent when the match started.

#### Sample (Individual)

```
<Result ResultType="POINTS" Result="11" WLT="W" SortOrder="1" StartOrder="1" StartSortOrder="1">
<ExtendedResults>
<ExtendedResult Type="ER" Code="S3" Pos="1" Value="1"/>
<ExtendedResult Type="ER" Code="IPP" Pos="1" Value="1" />
<ExtendedResult Type="ER" Code="WAZ" Pos="1" Value="1" />
<ExtendedResult Type="ER" Code="OUTCOME" Value="ABC" />
</ExtendedResults>
```

#### Sample (Team Match)

Olympic Data Feed - © IOC
Technology and Information Department



<Result ResultType="POINTS" Result="1" SortOrder="1" StartOrder="1" StartSortOrder="1">

Element: Competition /Result /Competitor (1,1)					
Attribute	M/O	Value	Description		
Code	M	S(20) with no leading zeroes SC @CompetitorPlace	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available.  Send NCT in the case of No Contestant		
Туре	M	S(1)	A for athlete or T for Team		
Organisation	0	CC @Organisation	Competitor's organisation		

Element: Competition /R	Element: Competition /Result /Competitor /Description (0,1)					
Competitors extended in	Competitors extended information.					
Attribute	M/O	Value	Description			
TeamName	М	S(73)	Name of the team.			

Element: Competition /Result /Competitor /Composition /Athlete (0,N)				
Attribute	M/O	Value	Description	
Code	M		Athlete's ID. Send NCT in the case of No Contestant.	
Order	М	Numeric	Order attribute used to sort. Send 1 if Competitor @Type="A".	

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)					
Athletes extended info	Athletes extended information.				
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	M	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	M	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		
Class	0	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games).		
			This attribute is optional because it is not used in events without such athletes.		

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) Individual athletes entry information.

Olympic Data Feed - © IOC
Technology and Information Department



	Туре	Code	Pos	Description
EUE		BODYWEIGHT	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0.0	Bodyweight value
EUE		COLOUR	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	SC @Colour	Athlete's colour
EUE		RANK_WLD	N/A	Element Expected: Send if available
	Attribute	M/O	Value	Description
	Value	M	S(3)	World Ranking
EUE		RESULT_BEST	N/A	Element Expected: Send if available
	Attribute	M/O	Value	Description
	Value	М	S(30)	Best achievement prior to the Olympic.
				Same information like the one provided in the dt_partic message.

```
<EventUnitEntry Type="EUE" Code="COLOUR" Value="WHITE" />
<EventUnitEntry Type="EUE" Code="BODYWEIGHT" Value="105.7" />
<EventUnitEntry Type="EUE" Code="RESULT_BEST" Value="2008 Olympic Games 3rd" />
<EventUnitEntry Type="EUE" Code="RANK_WLD" Value="7" />
```

Element: Competition	ement: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult (1,N)					
Team members extend	am members extended result. Only send in team events.					
Type	Code	Pos	Description			
ER	CONTEST	Numeric #	Pos Description: The number that identifies the Bout number (within the match, as in ExtendedInfos), in which this athlete fights as a team member.  Element Expected: Only for Team events Send only for the current and completed bouts			
Attribute	M/O	Value	Description			
Value	М	String	Send the team member result in this contest. Not cumulative.			
	Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extension Expected Only for Team events (for any team member)					
Attribute	Value	Description				



Code	IRM	
Pos	N/A	
Value	SC @IRM	Send the IRM granted in the related bout.
Sub Element: Competition /Result /Competitor /Composition /Athlete /ExtendedResults /ExtendedResult /Extens Expected Only for Team events. When changes and after each bout.		
Attribute	Value	Description
Attribute Code	WLT WLT	Description
		Description

# 2.3.4.6 Message Sort

Sort by Result @SortOrder



#### 2.3.5 Play by Play

#### 2.3.5.1 Description

The Play by Play is a message containing official raw data from the results provider for each action.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

#### 2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Unit	Send Full RSC for each contest	
DocumentSubcode	N/A	N/A	
DocumentType	DT_PLAY_BY_PLAY	Play by Play message	
DocumentSubtype	S(8)	Send "ACTION"	
Version	1V	Version number associated to the message's content. Ascending number	
ResultStatus	CC @ResultStatus	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) INTERMEDIATE UNOFFICIAL OFFICIAL (when results official) PROVISIONAL	
FeedFlag	"P" - Production "T" - Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

## 2.3.5.3 Trigger and Frequency

This message is sent:

- START\_LIST: Only sent if there is an action before the start of the unit
- LIVE: When the contest starts
- LIVE: After every action
- INTERMEDIATÉ: For interruption.
- UNOFFICIAL/OFFICIAL: After the contest (unit)



# 2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	of the messag Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,							
	Gen						
	Sport						
	Codes						
	ExtendedInfos (	(0,1)					
		SportDescription	on (0,1)				
		•	DisciplineName				
			EventName				
			SubEventName				
			Gender				
		VenueDescripti	on (0,1)				
			Venue				
			VenueName				
			Location				
	_		LocationName				
	Actions (0,1)	1					
		Home					
		Away					
		Action (1,N)	I				
			ld				
			Period				
			Order				
			Action				
			ActionAdd				
			When				
			Result				
			Competitor (0,N)				
				Code			
				Type Order			
				Organisation			
				Composition (0,	1)		
				COMPOSITION (U,	Athlete (1,N)		
					Aunere (1'11)	Code	
						Order	
						Description (1,1)	



GivenName
FamilyName
Gender
Organisation
BirthDate
IFId
Class

# 2.3.5.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /E	xtendedInfo		
Attribute	M/O	Value	Description
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.
SubEventName	М	S(40)	EventUnit ENG Description (not code) from Common Codes
Gender	М	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)				
Attribute	M/O	Value	Description	
Venue	М	CC @VenueCode	Venue Code	
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes	
Location	М	CC @Location	Location code	
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes	

Element: Competition /Actions (0,1)						
Attribute	M/O		Val	lue		Description
Home	0	S(20) zeroes	with	no	leading	Home Competitor ID
Away	0	S(20) zeroes	with	no	leading	Away Competitor ID

Element: Competition /A	actions /Action (1	I,N)	
Attribute	M/O	Value	Description



Id	M	S(36)	Unique identifier for the action within the message.  When the identifier is assigned for an action in a unit then it must not change within the same unit in subsequent messages.
Period	М	SC @Period	Period of the action within the match
Order	М	Numeric	Unique sequential number for all the incidents and actions, from 1 to n' It is used to sort Action
Action	М	SC @PointsType or SC @PenaltyType or SC @Action	Points or Penalty, send one code  @Action is required at the start and end of the contest
ActionAdd	М	S(12)	Send ACTION, POINTSTYPE or PENALTYTYPE to know the type of action
When	0	mm:ss	Action's time in minutes and seconds Example (2:05)  Time of the action. Ascending from the beginning (0:00) to the end of one Period.
Result	0	SC @Technique	Send the Technique Code

Element: Competition /Actions /Action /Competitor (0,N)  Competitor participating in the Action. Used when the Action is related to a competitor.					
Attribute	M/O	Value	Description		
Code	M	S(20) with no leading zeroes	Competitor's ID		
Туре	М	S(1)	T for Team and A for Athlete		
Order	0	Numeric	Order in which the competitor should appear for the action, if there is more than one competitor		
Organisation	М	CC @Organisation	Competitors' organisation		

Element: Competition /	Element: Competition /Actions /Action /Competitor /Composition /Athlete (1,N)					
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID (individual athlete or team member) related to the action			
Order	0	Numeric	Order of the athletes. Used to order the athletes when there are more than one athlete related to the action.			

Element: Competition	Element: Competition /Actions /Action /Competitor /Composition /Athlete /Description (1,1)					
Athletes extended info	Athletes extended information					
Attribute	M/O	Value	Description			
GivenName	0	S(25)	Given name in WNPA format (mixed case)			
FamilyName	М	S(25)	Family name in WNPA format (mixed case)			
Gender	М	CC @PersonGender	Gender of the athlete			
Organisation	М	CC @Organisation	Athletes' organisation			
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is			



			available
IFId	0	S(16)	International Federation ID
Class	0	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games). This attribute is optional because it is not used in events without such athletes.

# 2.3.5.6 Message Sort

Actions /Action @Order.



#### 2.3.6 Brackets

#### 2.3.6.1 Description

The brackets message contains the brackets information for one particular event. It is used in events where there is a necessity to know in advance how successive event units will be filled as the competition progresses. In the early stages of the competition, it indicates how each of the event units will be built from the winners/losers, or other competition rules of the previous event units.

#### 2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Event	Full RSC of the Event		
DocumentType	DT_BRACKETS	Brackets message		
Version	1V	Version number associated to the message's content. Ascending number		
ResultStatus	CC @ResultStatus	Status of the message. Expected statuses are: START_LIST (when the draw initially made) INTERMEDIATE (during the competition) OFFICIAL (when all matches official)		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

#### 2.3.6.3 Trigger and Frequency

This message should be sent at the very beginning of a competition, as soon as brackets are available after the draw.

Send when a match (in teams) and bout (in individual) is completed, including Official status. Therefore it is triggered up to two times (with both status) for each event unit but only if there is a change from the previous version. The message should be updated including information on each competitor in the different bracket items.

The @ResultStatus attribute will vary depending on the competition status.

- Send with ResultStatus = 'START\_LIST' before the competition starts
- Send with ResultStatus = 'INTERMEDIATE' until the last event unit (Gold Medal Match) is Unofficial (i.e. for all event units up until the Gold Medal match is completed for an event)
- Send with ResultStatus = 'OFFICIAL' when the last event unit for an event (Gold Medal match) has Official status.

Olympic Data Feed - © IOC


Brackets




Trigger also after any change.

## 2.3.6.4 Message Structure

The following table defines the structure of the message.







## 2.3.6.5 Message Values

Element: Competition (0,1)											
Attribute	M/O	Value				ı	Descri	ption			
Gen	0	S(20)	Version	of	the	General	Data	Dictionary	applicable	to	the



			message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Description in Text				
Attribute	M/O	Value	Description	
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.	
Gender	М	CC @SportGender	Gender code for the event unit	

Element: Competition /ExtendedInfos /VenueDescription (0,1)					
Venue Names in text.					
Attribute	M/O	Value	Description		
Venue	М	CC @VenueCode	Venue code		
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes		

Element: Competition /Bracket (1,N)					
Attribute	M/O	Value	Description		
Code	M	SC @Bracket	Bracket code to identify a bracket item (finals). There should be a different code for each bracket based on sport/ORIS presentation of the bracket.		

Element: Competition /Bracket /BracketItems (1,N)				
Attribute	M/O	Value	Description	
Code	М	SC @BracketItems	Each BracketItems should include all BracketItem grouped by their SC @BracketItems.	

Element: Competition /	Element: Competition /Bracket /BracketItems /BracketItem (1,N)				
Attribute	M/O	Value	Description		
Code	0	S(3)	In general, this is the contest number for each bracket item as a unique identifier. (e.g.: 17, 18, 19, 20). However, it may include "TBD" for to be defined, if the contest number is not known.		
Order	M	Numeric ##0	Sequential number inside of BracketItems to indicate the order, always start at 1		
Position	M	Numeric ##0	Bracket position when drawing the bracket. For example a quarter final has 4 items, with positions 1, 2, 3 and 4 from the top. Use the appropriate number to draw the position. If there is only 3 items in a quarterfinal and the fourth is not displayed and would logically be the first then the positions are 2, 3, 4.		
Date	0	Date	Date of match (example: YYYY-MM-DD). Must be filled if known.		
Unit	0	CC @Unit	Full RSC of the unit for the BracketItem		



final result with the ORIS format.	Result	О	S(50)	Result of the contest for the particular event unit. Indicates the final result with the ORIS format.
------------------------------------	--------	---	-------	---

	Element: Competition /Bracket /BracketItems /BracketItem /ExtBracketItems /ExtBracketItem (1,N)  ExtBracketItems /ExtBracketItem are optional elements according to competitors' rules.					
	Type	Code	Pos	Description		
EBI		DECISION	N/A	Element Expected: When available in individual.		
	Attribute	M/O	Value	Description		
	Value	M	SC @ResultCode	Decision of the contest		
EBI		TECH_CODE	N/A	Element Expected: Element Expected: When available in individual.		
	Attribute	M/O	Value	Description		
	Value	M	SC @Technique	Send the Winning Technique's Code.		
EBI		LOCATION	N/A	Element Expected: Send it always when available.		
	Attribute	M/O	Value	Description		
	Value	M	CC @Location	Location Code		

#### Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace (1,N)

- If the competitors are known, this element is used to place the competitors in the bracket. - If they are not yet known, it contains some information (on the rule to access to this bracket...)

- if they are not yet known, it contains some information (on the rule to access to this bracket)				
M/O	Value	Description		
M	Numeric ##0	This attribute is a sequential number to place the different competitors in the bracket (1, 2).		
0	SC @CompetitorPlace	Send when there is no competitor (BYE) or when it is not known yet (TBD).		
0	SC @WLT	Indicates the winner or loser of the bracket item. Always send when known		
0	S(10)	The result of the competitor in the event unit. For individual: PP format (IPP and WAZ) For teams: a simple numeric of the sub matches won.		
0	SC @ResultType	Type of the @Result attribute.		
0	SC @IRM	The invalid rank mark, if applicable		
0	S(1)	If the competitor should be struck out in this bracket item send Y, usually only used for DQB.		
	M/O  M  O  O  O  O  O	M/O         Value           M         Numeric ##0           O         SC @CompetitorPlace           O         SC @WLT           O         S(10)           O         SC @ResultType           O         SC @IRM		

Elem	Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace (1,N)					
	Туре	Code	Pos	Description		
ER		PENALTY	N/A	Element Expected: Send if applicable		
	Attribute	M/O	Value	Description		
	Value	M	SC @PenaltyType	Penalty codes associated to the score in individual contests.		



Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /PreviousUnit (0,1)

Previous event unit related to the CompetitorPlace@Pos competitor of the current bracket item. It is always informed except for the bracket items whose CompetitorPlace@Pos competitor do not have preceding event units in the bracket graph unless coming from a pool.

CompetitorPlace /PreviousUnit should be informed in case of finals, semi-finals, quarterfinals, round of 16 and round of 32.

Attribute	M/O	Value	Description	
Unit	0	CC @Unit	Full RSC code of the previous event unit for the CompetitorPlace@Pos competitor of the bracket item. Must send if a winner/loser from a single unit.	
Value	0	S(2)	If the competitor in the current unit is unknown due to comin from previous matches then fill this field with the match number as appropriate.	
WLT	0	SC @WLT	If the competitor in the current unit is unknown and cor from an earlier bracketitem then fill this field with the W indication winner or loser of the previous unit if the informatis known. Do not send if competitor comes from a pool.	

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor (0,1)

CompetitorPlace @Pos competitor related to the bracket item. Only include if the competitor is known.

50po				
Attribute	M/O	Value	Description	
Code	M	S(20) with no leading zeroes	Competitor's ID	
Туре	M	S(1)	A for athlete or T for Team	
Organisation	0	CC @Organisation	Competitors' organisation if known.	

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Description (0,1)				
Attribute M/O Value Description				
TeamName	M	S(73)	Name of the team. Only applies for teams / groups.	
IFId	0	S(16)	Team IF number, send if available	

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete (1,N)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Athlete's ID	
Order	М	Numeric	Order attribute use 1 if Competitor @Type="A".	

Element: Competition /Bracket /BracketItems /BracketItem /CompetitorPlace /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	М	CC @Organisation	Athletes' organisation

Olympic Data Feed - © IOC



BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	0	S(16)	International Federation ID
Class	0	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games). This attribute is optional because it is not used in events without such athletes.

## 2.3.6.6 Message Sort

Bracket @Code (using order in sport codes) then Bracket/BracketItems @Code (descending, using order in sport codes) then Bracket/BracketItems/BracketItem @Position.



#### 2.3.7 Statistics

## 2.3.7.1 Description

The Statistics message contains a list of statistics for a competitor (could be an individual athlete or a team), that applies at a DocumentCode level.

There will be a separate message (identified by the header's DocumentSubtype and DocumentSubcode) for every table where multiple statistics apply.

#### 2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Discipline CC @DisciplineGender CC @Event	Sent at three different levels: - Full RSC at discipline level - Full RSC at discipline gender level - Full RSC at event level		
DocumentSubcode	N/A	N/A		
DocumentType	DT_STATS	Statistics message		
DocumentSubtype	TOU	TOU: tournament statistics.		
Version	1V	Version number associated to the message's content. Ascending number		
ResultStatus	CC @ResultStatus	It indicates whether the result is official or intermediate etc). OFFICIAL (after the last unit which effects the statistics is official)		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

#### 2.3.7.3 Trigger and Frequency

Sent at event level after all units are complete in an event Sent at discipline gender and discipline level after all individual events are complete.

### 2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			



Sport			
Codes			
ExtendedInfos (0,1)			
'	SportDescription (0,1)		
		DisciplineName	
	VenueDescription (0,1)	'	
		Venue	
		VenueName	
Stats (1,1)		'	
, '	Code		
	StatsItems (0,1)		
	•	StatsItem (1,N)	
			Туре
			Code
			Pos
			Value
			Percent

# 2.3.7.5 Message Values

Element: Competition (0	Element: Competition (0,1)				
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Description in Text				
Attribute	M/O	Value	Description	
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes	

Element: Competition /ExtendedInfos /VenueDescription (0,1)				
Attribute	M/O	Value	Description	
Venue	М	CC @VenueCode	Venue code	
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes	

Element: Competition /	Stats (1,1)		
Attribute	M/O	Value	Description



Code	М	SC @Statistics	A code to identify the statistics being listed.
			It must be the same as the DocumentSubtype attribute in the header.

	stics for the event			
	Туре	Code	Pos	Description
ST		COMPETITION_TOTAL	Numeric 0	Pos Description: Send 1 for all the contests Send 2 for Golden Score time
				Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Send the total number of contests completed.
ST		CONTEST_LONGEST	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	М	S(34)	Send RSC for the longest contest for that event
ST		CONTEST_SHORTEST	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	M	S(34)	Send RSC for the shortest contest for that event
ST		DURATION_CUM	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	M	mm:ss	Cumulative time to win the gold medal
ST		PARTIC_NUM	N/A	Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Send the total of competitors for that event.
ST		y Where y = @ResultCode or CC@Technique		Code Description: Where y = @ResultCode or CC@Technique (only the technique used during the competition)
				Element Expected: Always, if the information is available for the DocumentSubtype=TOU



	Attribute	M/O	Value	Description
	Value	М	Numeric #0	The number of times this code was realised in the competition. Use y for the winning scores or techniques.
	Percent	0	Numeric ##0.00	Send the percentage for that result code or technique
ST		у_тот	N/A	Code Description: Where y = CC@Technique ((only the technique used during the competition)) or CC@PenaltyType or CC@PointsType  Element Expected: Always, if the information is available for the DocumentSubtype=TOU
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	The number of times this code was realised in the competition.  Use y_TOT for all scores or penalties or techniques.
	Percent	0	Numeric ##0.00	Send the percentage for that technique or score or penalty

#### 2.3.7.6 Message Sort

Sort according to the @Order attributes.



### 2.3.8 Event Final Ranking

### 2.3.8.1 Description

The event final ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

#### 2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Event	Full RSC of the Event	
DocumentType	DT_RANKING	Event Final ranking message	
Version	1V	Version number associated to the message's content. Ascending number	
ResultStatus	CC @ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL PROVISIONAL	
FeedFlag	"P" - Production "T" - Test	Test message or production message.	
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.	
Time	Time	Time up to milliseconds when the message is generated, expressed the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

#### 2.3.8.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change. For the lower ranked athletes it can be sent after the morning session and then each match in the afternoon.


Trigger also after any change.

#### 2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)			•			
	Gen					





## 2.3.8.5 Message Values



Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /ExtendedInfos /SportDescription (0,1)							
Sport Description in text							
Attribute	M/O	Value	Description				
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes				
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event				
Gender	М	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender				

Element: Competition /ExtendedInfos /VenueDescription (0,1)						
Venue Names in text						
Attribute M/O Value Description						
Venue	М	CC @VenueCode	Venue code			
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes			

Element: Competition /Result (1,N)							
For any event final ranking message, there should be at least one competitor being awarded a result for the event.							
Attribute	M/O	Value	Description				
Rank	0	Text	Final rank of the competitor in the corresponding event.				
RankEqual	0	S(1)	Identifies if a rank has been equalled. Only send if applicable				
Played	0	Numeric #0	Send number of contests for the competitor (not within a team)				
Won	0	Numeric #0	Send number of contests won by the competitor (not within a team)				
Lost	0	Numeric #0	Send number of contests lost by the competitor (not within a team)				
IRM	0	SC @IRM	The invalid rank mark, send if applicable.				
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.				

Element: Competition /Result /Competitor (1,1) Competitor related to one final event result.							
Attribute	M/O		Value			Description	
Code	М	S(20) w zeroes @Compe	with etitorF	no or Place		Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.	



Туре	М	S(1)	A for athlete or T for Team
Organisation	0	CC @Organisation	Competitor's organisation if known

Element: Competition /Result /Competitor /Description (0,1)							
Attribute	M/O	Value	Description				
TeamName	М	S(73)	Name of the team. Only applies for teams / groups.				

Element: Competition /Result /Competitor /Composition /Athlete (0,N)				
Attribute	M/O	Value	Description	
Code	М	S(20) with no leading zeroes	Athlete's ID	
Order	М	Numeric	Order attribute. Send 1 when Competitor @Type="A".	

Element: Competition	Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)						
Attribute	M/O	Value	Description				
GivenName	0	S(25)	Given name in WNPA format (mixed case)				
FamilyName	М	S(25)	Family name in WNPA format (mixed case)				
Gender	М	CC @PersonGender	Gender of the athlete				
Organisation	М	CC @Organisation	Athletes' organisation				
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available				
IFId	0	S(16)	International Federation ID				
Class	0	CC @SportClass	Code to identify the sport class in the case of events with athletes with a disability (e.g. Paralympic Games).  This attribute is optional because it is not used in events without such athletes but is mandatory where applicable.				



```
<Result Rank="1" SortOrder="1">
 <Competitor Code="1106858" Type="A" Organisation="SUI" >
   <Composition>
     <Athlete Code="1106858" Order="1" >
       <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI" BirthDate="1994-12-15" />
     </Athlete>
   </Composition>
 </Competitor>
</Result>
<Result SortOrder="2" IRM="DQB" >
 <Competitor Code="1090697" Type="A" Organisation="ESP" >
   <Composition>
     <Athlete Code="1090697" Order="1">
       <Description GivenName="James" FamilyName="Black" Gender="M" Organisation="ESP" BirthDate="1994-12-16" />
   </Composition>
 </Competitor>
</Result>
```

## 2.3.8.6 Message Sort

Sort by Result @SortOrder



## 2.3.9 Configuration

#### 2.3.9.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition. Send one message per event.

#### 2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Event	Full RSC at event level
DocumentType	DT_CONFIG	Configuration message
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

#### 2.3.9.3 Trigger and Frequency

Follow the general definition, taking also into account the following:

- As soon as the data is known send the message for that event, before sending any DT\_RESULT.

Trigger also after any change, but considering that, if possible, the configuration for one particular event, phase or event unit must be provided before the start list. If the message is sent after any DT\_RESULT then those DT\_RESULT messages must be sent again with the next version.

#### 2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Configs (1,1)			



Config (1,N)		
·	Unit	
	ExtendedConfig (1,N)	
	·	Туре
		Code
		Pos
		Value

# 2.3.9.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			
Codes	0	S(20)	Version of the Codes applicable to the message			

Element: Competition /Configs /Config (1,N)				
Attribute	M/O	Value	Description	
Unit	0	CC @Unit	Full RSC at event level.	

Ele	Element: Competition /Configs /Config /ExtendedConfig (1,N)								
	Type	Code	Pos	Description					
EC		BRACKET_SIZE	N/A	Element Expected: When available					
	Attribute	M/O	Value	Description					
	Value	М	SC @BracketItems	Send the code for the first phase of the event					

#### Sample (General)

# 2.3.9.6 Message Sort

There is no general message sorting rule.





# 3 Message Timeline

# 3.1 Preparation Phase

Trigger	Message	Status	D	Ε	P	s	U
As soon as ODF operations start	DT_CODES						
Periodically as soon as ODF operations start	DT_SCHEDULE		х				
	DT_PARTIC		х				
	DT_PARTIC_TEAMS		х				

# 3.2 Before competition

Trigger	Message	Status	D	Ε	Р	s	U
When INFO goes live	DT_PDF C08 Competition Schedule		х				
	DT_PDF C35 Competition Officials		х				
After Initial Download, if any change	DT_PDF C08 Competition Schedule		х				
As soon as Participant verification process finish (ORIS C38 process)	DT_PARTIC_UPDATE		x				
	DT_PDF C30 Number of Entries by NOC		х				
When athlete's data is confirmed	DT_PDF C32A Entry List by NOC		х				
When event's data is confirmed	DT_PDF C32C Entry List by Event (Individual)			х			
	DT_PDF C32C2 Entry List by Event (Team) - without team members			x			
As soon as any competition schedule change is known	DT_SCHEDULE_UPDATE		x				О
	DT_PDF C08 Competition Schedule		х				
After changes of athlete data	DT_PARTIC_UPDATE		х				
After the draw	DT_CONFIG		х				
	DT_RESULT	START_LIST					х
	DT_BRACKETS	START_LIST		x			
	DT_PDF C75I Draw Sheet (Individual) - without contest numbers	START_LIST		х			
15 minutes after the draw	DT_PDF B51 Start List Package - without contest numbers		x				
30 minutes after the draw (in case of changes)	DT_PDF C30 Number of Entries by NOC		x				
	DT_PDF C32A Entry List by NOC		х				
	DT_PDF C32C Entry List by Event (Individual)			х			
	DT_PDF C32C2 Entry List by Event (Team) - without team members			x			



	DT_PDF C35B Referees		х			
2 hours after the draw	DT_PDF C75I Draw Sheet (Individual) - with contest/match numbers	START_LIST		x		
	DT_PDF C75T Draw Sheet (Team) - with match numbers	START_LIST		x		
	DT_PDF C58AI Contest Order (Individual) - preliminary rounds				х	
	DT_PDF C58AT Match Order (Team) - preliminary rounds				х	
	DT_PDF B51 Start List Package - with contest/match numbers		x			
30 minutes after the Team Manager's Meeting	DT_PDF C32C2 Entry List by Event (Team) - with team members			x		
30 minutes after the Team Manager's Meeting (team members confirmation)	DT_RESULT	START_LIST				x
30 minutes after the Team Manager's Meeting (team members confirmation)	DT_BRACKETS	START_LIST		х		

# 3.3 During competition

Trigger	Message	Status	D	E	Р	S	U
Only if there are actions before the start	DT_PLAY_BY_PLAY	START_LIST					х
When competition is ready to start	DT_SCHEDULE_UPDATE	GETTING_READY	х				0
When competition starts	DT_SCHEDULE_UPDATE	RUNNING	х				0
	DT_RESULT	LIVE					х
If any match/contest action	DT_PLAY_BY_PLAY	LIVE					х
If interruption	DT_SCHEDULE_UPDATE	INTERRUPTED	х				0
If interruption	DT_RESULT	INTERMEDIATE					х
If interruption	DT_PLAY_BY_PLAY	INTERMEDIATE					х

# 3.4 After competition

Trigger	Message	Status	D	Ε	Р	s	U
When the match/contest finishes	DT_SCHEDULE_UPDATE	FINISHED	х				0
	DT_RESULT	UNOFFICIAL					х
	DT_PLAY_BY_PLAY	UNOFFICIAL					х
	DT_RESULT	OFFICIAL					х
	DT_PLAY_BY_PLAY	OFFICIAL					х
	DT_BRACKETS	INTERMEDIATE		х			
After Bronze medal matches/contests	DT_MEDALLISTS	PARTIAL		х			
2 minutes after the match	DT_PDF C73T Draw Sheet (Team) - with results	OFFICIAL					х



For all contests of the match	DT_PDF C73TC Contest Results (Team)	OFFICIAL				х
	DT_PDF C75T Draw Sheet (Team) - with results	INTERMEDIATE		х		
When a competition round finishes	DT_RANKING	PARTIAL		х		
5 minutes after the round finishes	DT_PDF C58Al Contest Order (Individual) - subsequent round				х	
	DT_PDF C58AT Match Order (Team) - subsequent round				х	
	DT_PDF C75x Draw Sheet - with results	INTERMEDIATE		х		
	DT_PDF C73x Contest Results - for all contests	OFFICIAL				х
	DT_PDF C73TM Match Sheet (Team)	OFFICIAL				х
	DT_BRACKETS	OFFICIAL		х		
	DT_MEDALLISTS	OFFICIAL		х		
	DT_MEDALLISTS_DISCIPLINE		х			
	DT_MEDALS		х			
	DT_RANKING	OFFICIAL		х		
2 minutes after the results of the final are approved	DT_PDF C92A Medallists (Individual)	OFFICIAL		х		
	DT_PDF C92B Medallists (Team)	OFFICIAL		х		
	DT_PDF C75x Draw Sheet - with results	OFFICIAL		х		
	DT_PDF C93 Medallists by Event		х			
	DT_PDF C95 Medal Standings		х			
	DT_PDF C74Al Results Summary (Individual)	OFFICIAL		х		
	DT_PDF C74B Results Summary by NOC	OFFICIAL	x			
	DT_PDF C74AT Results Summary (Team)	OFFICIAL		х		
	DT_PDF C74B Results Summary by NOC	OFFICIAL	х			
	DT_STATS	OFFICIAL		х		
	DT_PDF C83A Competition Statistics by Weight Category	OFFICIAL		х		
	DT_PDF C83B Competition Statistics by Gender	OFFICIAL	x			
	DT_PDF C83C Overall Competition Statistics	OFFICIAL	х			

## Legend:

**D** Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit **x** Sent on that level; **o** Includes info from that level



# **4 Document Control**

	Version history				
Version	Date	Comments			
v1.0	15 Sep 2017	First version			
V1.1	3 Jan 2018	Updated			
V1.2	22 Apr 2018	Updated			
V1.3	15 Jun 2018	Updated			
V2.0	8 Aug 2018	Updated			
V2.1	7 Sep 2018	Updated with updated ORIS			
V2.2	25 Oct 2018	Updated			
V2.3	24 Jan 2019	Updated			
V2.4	25 Feb 2019	Updated			
V2.5	30 May 2019	Updated			
V2.6	14 Aug 2019	Updated			
V2.7	11 Nov 2019	Updated			
V2.8	14 Feb 2020	Updated			
V2.9	8 May 2020	Update from PRIS Validation			
V3.0	7 Jan 2022	First version for Paris 2024			
V3.01	20 May 2022	Updated			
V3.02	23 Sep 2022	Updated			
V3.1	28 Oct 2022	Approved			
V3.2	17 Feb 2023	CR025472 & CR025457			

File Reference: SOG-2024-JUD-3.2 APP

	Change Log				
Version	Status	Changes on version			
v1.0	SFR	First version			
V1.1	SFA	DT_PARTIC: Updated to add Passport names (CR15219)			
V1.2	SFA	Minor updates to always allow team and individual in DT_RESULT, DT_BRACKETS, DT_RANKING Include DT_PLAY_BY_PLAY as not applicable in YOG.			
V1.3	SFA	DT_RESULTS: Update ExtendedInfos to clarify team units and subunits. DT_RESULTS: Results/ExtendedResults, added TOT_SCORE			
V2.0	SFA	CR 15039: Add DT_PARTIC_NAME to applicable messages. CR 16671: Add TVFamilyName in DT_PARTIC message. CR 16628: DT_BRACKETS: Add attributes to remove some extensions. Clarify previous unit.			
V2.1	SFA	DT_PARTIC_TEAMS: Add World Rank DT_RANKING: Add Played, Won, Lost at element Result DT_STATS: Update to provide data at discipline, gender and events levels.			
V2.2	APP	DT_PARTIC: Remove best result, data to be added locally in OVR.			
V2.3	APP	CR16928: Delete Extensions for PERCENT and use Percent Attribute DT_BRACKETS: Correct Result @ Bracket /BracketItems /BracketItem /CompetitorPlace to explain team matches.			



		Corrected typographical error in WLT.	
V2.4	APP	CR17198: DT_RESULT: Add scores/penalties for @Pos TOT Typographical corrections without changing the intent.	
V2.5	APP	CR16640: Add ODF Version @Competition DT_RESULT: Update duration information to provide more data and increase clarity.	
V2.6	APP	CR17739: Change Name and TVTeamName to mandatory in DT_PARTIC_TEAMS CR17970: In PLAY_BY_PLAY Add ActionAdd update When (remove leading 0) @Actions/Action CR17809: Change Participant/OlympicSolidarity to disallow N	
V2.7	APP	CR18395: Increase size of SessionCode in DT_SCHEDULE DT_RESULT: Update Code @Result/Competitor DT_RESULT: Update Code @Result/Competitor/Composition/Athlete Typographical corrections	
V2.8	APP	CR18565 DT_PARTIC: Update the description of Participant/Weight DT_BRACKETS: Remove Date and Time at Bracket /BracketItems /BracketItem (185775) DT_BRACKETS: Add EBI/TECH_CODE at Bracket /BracketItems /BracketItem /ExtBracketItems /ExtBracketItem (175698)	
V2.9	APP	DT_PARTIC: Add ENTRY/DEAF at Participant /Discipline /RegisteredEvent /EventEntry [CR19836]	
V3.0	SFA	DT_SCHEDULE: Update Unit/Medal description DT_SCHEDULE: Clarifications at Unit [CR024248] DT_SCHEDULE: Add Session/Medal and Session/FOP [CR023122] DT_SCHEDULE: Update Unit /StartText /Value to reference codes DT_PARTIC_TEAMS: Remove Team /TeamOfficials /Official DT_PARTIC_TEAM: Add Team/TeamType & Team/ShortName [CR019497] DT_RESULT: Add ExtendedInfos /UnitDateTime/EndTime DT_RESULT: Update ER/OUTCOME at Result /ExtendedResults /ExtendedResult to use code DT_RESULT: Update Resylt/Result DT_RESULT: Update Resylt/Result DT_RESULT: Add Result/Pty DT_PLAY_BY_PLAY: Update triggering DT_STATS: Update ResyltStatus DT_STATS: Update ResyltStatus DT_STATS: Update ResyltStatus DT_BRACKETS: Add ResultType at Bracket /BracketItems /BracketItem /CompetitorPlace [CR23121] DT_BRACKETS: Update Bracket /BracketItems /BracketItem /CompetitorPlace /Result/Pty DT_BRACKETS: Add Bracket /BracketItems /BracketItem /CompetitorPlace /ExtCompPlaces /ExtCompPlace DT_BRACKETS: Clarify Bracket /BracketItems /BracketItem /Position (editorial)	
V3.01	SFA	DT_RESULT: Update Value at ExtendedInfos /UnitDateTime /Duration DT_RESULT: Update Value at UI/GOLD_SCORE/DURATION at ExtendedInfos /ExtendedInfo DT_RESULT: Update Value at TEAM/COMP/DURATION at ExtendedInfos /ExtendedInfo DT_RESULT: Delete ER/TOT_SCORE at Result /ExtendedResults /ExtendedResult DT_PLAY_BY_PLAY: Update Value at Actions/Action/When DT_STATS: Update Value of ST/PARTIC_NUM at Stats /StatsItems /StatsItem DT_STATS: Update Value of ST/y_TOT at Stats /StatsItems /StatsItem DT_STATS: Update Value of ST/DURATION_CUM at Stats /StatsItems /StatsItem	
V3.02	SFA	DT_RESULT: Update ResultStatus DT_BRACKETS: Update Message Sort Typographical error, SC @Penalty should be SC @PenaltyType	
V3.1	APP	Changed to approved	
V3.2	APP	DT_PLAY_BY_PLAY: Update Actions/Action/Action [CR025472] DT_PLAY_BY_PLAY: Update Actions/Action/ActionAdd [CR025472] DT_BRACKETS: Add EBI/LOCATION at Bracket /BracketItems /BracketItem /ExtBracketItem [CR025457] DT_BRACKETS: Add Bracket /BracketItems /BracketItem /Date [CR025457]	

17 February 2023