

Olympic Data Feed



Modern Pentathlon ODF Data Dictionary

Technology and Information Department
© International Olympic Committee

SOG-2024-MPN-3.4 APP 3 November 2023



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

- 1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
- 2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
- 3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
- 4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

- 5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
- 6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction	<u>5</u>
1.1 This document	
1.2 Objective	<u>5</u>
1.3 Main Audience	<u>5</u>
1.4 Glossary	<u>5</u>
1.5 Related Documents	<u>5</u>
2 Messages	
2.1 Modern Pentathlon Overview	6
2.2 Applicable Messages	
2.3 Messages	
2.3.1 List of participants by discipline / List of participants by discipline update	8
2.3.1.1 Description	8
2.3.1.2 Header Values	8
2.3.1.3 Trigger and Frequency	
2.3.1.4 Message Structure	
2.3.1.5 Message Values	
2.3.1.6 Message Sort	
2.3.2 List of horses / List of horses update	
2.3.2.1 Description	
2.3.2.2 Header Values	
2.3.2.3 Trigger and Frequency	
2.3.2.4 Message Structure	
2.3.2.5 Message Values	
2.3.2.6 Message Sort	
2.3.3 Event Unit Start List and Results	
2.3.3.1 Description	
2.3.3.2 Header Values	18
2.3.3.3 Trigger and Frequency	
2.3.3.4 Message Structure	
2.3.3.5 Message Values	
2.3.3.6 Message Sort	
2.3.4 Phase Results	
2.3.4.1 Description	
2.3.4.2 Header Values	
2.3.4.3 Trigger and Frequency	<u>35</u>
2.3.4.4 Message Structure	
2.3.4.5 Message Values	
2.3.4.6 Message Sort	
2.3.5 Cumulative Results	<u>41</u>
2.3.5.1 Description	<u>41</u>
2.3.5.2 Header Values	<u>41</u>
2.3.5.3 Trigger and Frequency	
2.3.5.4 Message Structure	
2.3.5.5 Message Values	
2.3.5.6 Message Sort	<u>49</u>
2.3.6 Image	<u>50</u>



2.3.6.1 Description	<u>50</u>
2.3.6.2 Header Values	<u>50</u>
2.3.6.3 Trigger and Frequency	<u>50</u>
2.3.6.4 Message Structure	<u>51</u>
2.3.6.5 Message Values	
2.3.6.6 Message Sort	<u>53</u>
2.3.7 Records	
2.3.7.1 Description	<u>54</u>
2.3.7.2 Header Values	<u>54</u>
2.3.7.3 Trigger and Frequency	<u>54</u>
2.3.7.4 Message Structure	<u>55</u>
2.3.7.5 Message Values	<u>56</u>
2.3.7.6 Message Sort	<u>59</u>
2.3.8 Event Final Ranking	<u>60</u>
2.3.8.1 Description	
2.3.8.2 Header Values	
2.3.8.3 Trigger and Frequency	<u>60</u>
2.3.8.4 Message Structure	
2.3.8.5 Message Values	<u>61</u>
2.3.8.6 Message Sort	<u>64</u>
2.3.9 Configuration	
2.3.9.1 Description	<u>65</u>
2.3.9.2 Header Values	<u>65</u>
2.3.9.3 Trigger and Frequency	<u>65</u>
2.3.9.4 Message Structure	<u>65</u>
2.3.9.5 Message Values	
2.3.9.6 Message Sort	
2.3.10 Weather conditions	
2.3.10.1 Description	<u>71</u>
2.3.10.2 Header Values	<u>71</u>
2.3.10.3 Trigger and Frequency	<u>71</u>
2.3.10.4 Message Structure	
2.3.10.5 Message Values	<u>72</u>
2.3.10.6 Message Sort	
3 Message Timeline	
3.1 Preparation Phase	
3.2 Before competition	
3.3 During Competition - Ranking Round	<u>75</u>
3.4 During Competition - Semifinals and Finals	76
3.5 After competition	<u>78</u>
4 Document Control	



1 Introduction

1.1 This document

This document includes the ODF Modern Pentathlon Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Modern Pentathlon Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description		
IF	International Federation		
IOC	International Olympic Committee		
NOC	ational Olympic Committee		
ODF	Olympic Data Feed		
RSC	Results System Codes		
WNPA	World News Press Agencies		

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



2 Messages

2.1 Modern Pentathlon Overview

MESSAGES

- * All events have a single DT_RESULT for each unit (fencing ranking round, fencing bonus round, swimming heats, jumping and laser run).
- * DT PHASE RESULT is also sent for swimming where there are multiple heats.
- * DT_CUMULATIVE_RESULTS are sent in fencing to provide the overall fencing score and also for the phase (semifinal and final) for the modern pentathlon points.

SCHEDULE

* The DT_SCHEDULE/DT_SCHEDULE_UPDATE message will be sent for all units (with schedule=Y) except swimming where the schedule is sent at phase level (multiple heats), this aligns with DT_RESULT except in swimming. The schedule in swimming, is also sent with (schedule=S) which aligns with the DT_RESULT messages.

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column "Message type" indicates the DocumentType that identifies a message
- The column "Message name" is the message name identified by the message type
- The column "Message extended" indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- · Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\ nextended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_HORSES / DT_PARTIC_HORSES_UPDATE	List of horses / List of horses update	X
DT_RESULT	Event Unit Start List and Results	X
DT_PHASE_RESULT	Phase Results	X
DT_CUMULATIVE_RESULT	Cumulative Results	X
DT_IMAGE	Image	X
DT_PRESSPHOTOFINISH_LK	Press Photofinish	
DT_RECORD	Records	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	



DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_WEATHER	Weather conditions	X
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	

7



2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline update

2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline message
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). HISTORICAL if the message is from the historical results provider and only includes historic athletes (else not included). Neither are ever included in _UPDATE messages. HISTORICAL is not



		sent to external clients.		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
	•	Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			



LocalGivenName Gender Organisation BirthDate PlaceofBirth CountryofBirth PlaceofResidence CountryofResidence Nationality MainFunctionId Current OlympicSolidarity ModificationIndicator Discipline (1,1) Code IFId RegisteredEvent (0,N) Event EventEntry (0,N) Туре Code Pos Value

2.3.1.5 Message Values

Element: Competition (0,1)				
Attribute	M/O	Value	Description	
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message	
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message	
Codes	0	S(20)	Version of the Codes applicable to the message	

Sample (General)

<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-MPN-1.10" Codes="SOG-2020-1.20" >

Element: Competition /	Participant (1,N)		
Attribute	M/O	Value	Description

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline

Technology and Information Department

3 November 2023



Code	M	S(20) with no leading	Participant's ID.
		zeroes	It identifies an athlete or an official and the holding participant's valid information for one particular period of time.
			It is used to link other messages to the participant's information.
			Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.
			When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.
Parent	M	S(20) with no leading zeroes	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.
			The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".
Status	0	CC @ParticStatus	Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".
			To delete a participant, a specific value of the Status attribute is used.
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	0	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	0	S(25)	Passport Family Name (Uppercase).
PrintName	М	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	М	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	М	S(35)	TV name
TVInitialName	М	S(18)	TV initial name
TVFamilyName	М	S(25)	TV family name
LocalFamilyName	0	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	0	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	М	CC @PersonGender	Participant's gender

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline



Organisation	М	CC @Organisation	Organisation ID	
BirthDate	0	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.	
PlaceofBirth	0	S(75)	Place of Birth	
CountryofBirth	0	CC @Country	Country ID of Birth	
PlaceofResidence	0	S(75)	Place of Residence	
CountryofResidence	0	CC @Country	Country ID of Residence	
Nationality	0	CC @Country	Participant's nationality.	
			Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.	
MainFunctionId	0	CC @ResultsFunction	Main function	
			In the Case of Current="true" this attribute is Mandatory.	
Current	М	boolean	It defines if a participant is participating in the games (true) of is a Historical participant (false).	
OlympicSolidarity	0	S(1)	Send Y if the participant is a member of the Solidarity of Scholarship Program else not sent.	
ModificationIndicator	М	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only	
			N-New participant (in the case that this information comes as a late entry) U-Update participant	
			If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants	
			If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants	
			To delete a participant, a specific value of the Status attribute is used.	

Element: Competition / Participant / Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	М	CC @Discipline	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	0	S(16)	Federation ID (competitor's federation number for the discipline).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute M/O Value Description

Olympic Data Feed - © IOC

List of participants by discipline / List of participants by discipline update



Event	М	CC @Event	Full RSC of the Event

	Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N) Send if there are specific athlete's event entries.				
Type Code Pos Description					
ENTRY		RANK_WLD	N/A	Element Expected: Always, as soon as this information is known and this athlete has ranking. This information can be sent in both messages.	
	Attribute	M/O	Value	Description	
	Value	M	Numeric ##0	World Ranking	

2.3.1.6 Message Sort

The message is sorted by Participant @Code



2.3.2 List of horses / List of horses update

2.3.2.1 Description

The List of horses is a bulk message containing a complete list of horses and provided only for equestrian (not for the horses in modern pentathlon). The arrival of this message resets all the previous equestrian horses' information.

List of horses update (DT_PARTIC_HORSES_UPDATE) is not a complete list, it only contains the data that has been modified and it is available for both equestrian and modern pentathlon.

The key of the information updated consists of the following attribute: Horse @Code. Therefore, any new or updated Horse will be identified by all these attributes.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment	
CompetitionCode	CC @Competition	Unique ID for competition	
DocumentCode	CC @Discipline	Full RSC at the discipline level	
DocumentType	DT_PARTIC_HORSES_UPDAT	List of horses update message	
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic horses else the attribute is not included. Never included in _UPDATE message.	
Version	1V Version number associated to the message's content. number		
FeedFlag	"P" - Production "T" - Test	Test message or production message.	
Date	Date When the message is generated, expressed in the local tir where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.	
LogicalDate	Date	Logical Date of events. This is the same as the physical day exce when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.	
Source	SC @Source	Code indicating the system which generated the message.	

2.3.2.3 Trigger and Frequency

- Before the horse Jumping Test
- One (1) hour after completion of the horse Jumping Test
- One (1) hour before the Technical Meeting
- After the first event, when the assigned discipline gender is known, as well as for changes that may happen in reserve horses



2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4
Competition (0,1)	•	•	
	Gen		
	Sport		
	Codes		
	Horse (1,N)		
		Code	
		Name	
		Sex	
		YearBirth	
		ColourCode	
		BreedCode	
		Owner	
		ModificationIndicator	
		Entry (0,N)	
			Туре
			Code
			Pos
			Value

2.3.2.5 Message Values

Element: Competition (0,1)				
Attribute	M/O	Value	Description	
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message	
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message	
Codes	0	S(20)	Version of the Codes applicable to the message	

Element: Competition /Horse (1,N)						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Horse's ID			
Name	М	S(25)	Horse's name in upper case.			
Sex	0	CC @HorseSex	Horse's sex. Send when information is available			
YearBirth	0	Numeric ####	Horse's year of birth. Send when information is available			
ColourCode	0	CC @HorseColour	Horse's colour code. Send when information is available			
BreedCode	0	CC @HorseBreed	Horse's breed code. Send when information is available			



Owner	О	S(35)	Horse's primary (first) owner. Send when information is available.
			The content is expected in upper case.
ModificationIndicator	M	N, U, D	Attribute is mandatory in the DT_PARTIC_HORSES_UPDATE message only N - New horse (any horse but particularly for modern pentathlon when it is sent the first time) U - Update horse D - Delete horse
			If ModificationIndicator='N', then adds the new horse to the previous bulk-loaded list of horses If ModificationIndicator='U', then updates the horse information to the existing one If ModificationIndicator='D', then deletes the horse

Elem	Element: Competition /Horse /Entry (0,N)					
Only	Only when there are entries specific for the horse.					
	Туре	Code	Pos	Description		
ENTF	RY	HORSE_NUM	N/A	Element Expected: Always, as soon as this information is known.		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Horse Number		
ENTF	RY	DESC	N/A	Element Expected: As soon as this information is known and if the data exists.		
	Attribute	M/O	Value	Description		
	Value	М	S(1000)	Horse's description. Example: "6 year old dark brown gelding. Very big stride. Very sensitive ride", "Lean jumper and very willing",		
ENTF	RY	SPURS	N/A	Element Expected: Always, as soon as this information is known.		
	Attribute	M/O	Value	Description		
	Value	M	S(1)	Spurs indicator ("Y" or "N")		
ENTF	RY	WHIP	N/A	Element Expected: Always, as soon as this information is known.		
	Attribute	M/O	Value	Description		
	Value	M	S(1)	Whip indicator ("Y" or "N")		
ENTF	RY	MARTINGALE	N/A	Element Expected: Always, as soon as this information is known.		
	Attribute	M/O	Value	Description		
	Value	M	S(1)	Martingale indicator ("Y" or "N")		
ENTF	RY	GENDER_ASSIGN	Numeric 0	Pos Description: Order number of the event (i.e.: 1 for Men, and, 2 for Women).		



				Element Expected: As soon as this information is known (after the Jumping Test event) if it applies (for the selected horses).
	Attribute	M/O	Value	Description
	Value	M	CC @DisciplineGender	Events to which the selected horse is assigned (a horse can participate to both events).
ENTR	RY	RESERVE	Numeric 0	Pos Description: Order number of the event (i.e.: 1 for Men, and, 2 for Women). Element Expected: As soon as this information is known (after the Jumping Test event) if it applies.
	Attribute	M/O	Value	Description
	Value	М	S(1)	Send "Y" if the horse is a Reserve, else do not send
ENTF	Υ	SELECTED	N/A	Element Expected: As soon as this information is known (after the Jumping Test event) if it applies.
	Attribute	M/O	Value	Description
	Value	M	S(1)	Send "Y" if the horse is a selected horse (as a competition or reserve) or "N" if not selected

2.3.2.6 Message Sort

The message will be sorted by Horse @Code



2.3.3 Event Unit Start List and Results

2.3.3.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment			
CompetitionCode	CC @Competition	Unique ID for competition			
DocumentCode	CC @Unit	Send for each unit			
DocumentSubcode	N/A	N/A			
DocumentType	DT_RESULT	Event Unit Start List and Results message			
DocumentSubtype	N/A	N/A			
Version	1V	Version number associated to the message's content. Ascending number			
ResultStatus	CC @ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST: As soon as the start list is known and with any changes / IRMs before the start. LIVE (used during the competition when nothing else applies). INTERMEDIATE (used after the competition has started and is not finished but not currently live) UNOFFICIAL OFFICIAL			
FeedFlag	"P" - Production "T" - Test	Test message or production message.			
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.			
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.			
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.			
Source	SC @Source	Code indicating the system which generated the message.			

2.3.3.3 Trigger and Frequency

For Fencing, Swimming (Heat), Riding & Laser-Run phases:

- As soon as the start list is available and all updates (START_LIST)
- As soon as the competition starts (LIVE)
- During competition as data is available (LIVE)

Olympic Data Feed - © IOC



- After each unit (UNOFFICIAL / OFFICIAL).

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0	<u>.1)</u>				
		UnitDateTime (0	<u>,1)</u>			
			StartDate			
		ExtendedInfo (0,	<u>N)</u>			
			Туре			
			Code			
			Pos			
			Value			
		1	Extension (0,N)			
		SportDescription	1			
			DisciplineName			
			EventName			
			Gender			
		l.,	SubEventName			
		VenueDescriptio	1			
			Venue			
			VenueName			
			Location LocationName			
	Result (1,N)		Locationname			
	Kesuit (1,1V)	Rank				
		RankEqual				
		Result				
		IRM				
		SortOrder				
		StartOrder				
		StartSortOrder				
		ResultType				
		ExtendedResults	s (0,1)			
		1	ExtendedResult (1,	<u>N)</u>		



		Туре		
		Code		
		Pos		
		Value		
		Value2		
		IRM		
		Rank		
		RankEqual		
		SortOrder		
		Diff		
		Pty		
1		Extension (0,N)		
RecordIndicators (I.			
	RecordIndicator (1	,N)		
		Order		
		Code		
		RecordType		
		Equalled		
Competitor (1,1)		1		
'	Code			
	Туре			
	Organisation			
	Composition (0,1)			
		Athlete (0,N)		
			Code	
			Order	
			Bib	
			Description (1,1)	
			Document (1,1)	GivenName
				FamilyName
				Gender
				Organisation
				BirthDate
				IFId
			Eventile#Entry (0)	I
			EventUnitEntry (0,	I .
				Туре
				Code
				Pos
				Value



2.3.3.5 Message Values

Element: Competition (0,1)					
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /ExtendedInfos /UnitDateTime (0,1)					
Actual times. Include wh	Actual times. Include when the unit starts.				
Attribute	M/O	Value Description			
StartDate	М	DateTime	Actual start date and time.		

Eleme	ent: Competition /Extend	edInfos /ExtendedInfo (0,I	N)	
	Туре	Code	Pos	Description
BOUT		BONUS	Numeric ###	Pos Description: Bout number of each one of the different bouts of Fencing Bonus Round. Element Expected: Always, when this information is available (only for Fencing Bonus Round)
	Attribute	M/O	Value	Description
	Value	0	N/A	Do not send anything
		ion /ExtendedInfos /Extend this information is availal		us Round)
	Attribute	Value	Description	
	Code	ID		
	Pos	Numeric 0	Position of the competitor in the bout 1 or 2	
	Value	zeroes	Competitor's ID (to identify an athlete) that competes in this bout. Note that Pos="2" will not be available at the start of the Bonus Roul or when it has only one athlete in this bout. Use @CompetitiorPlace when one competitor is not known.	
DISPL	_AY	LAST_COMP	Numeric 0	Pos Description: Sent INTERMEDIATE @Pos for the last intermediate passed by the most recent competitor(s) to pass any intermediate point (only in Swimming). Do not send @Pos for Riding. Element Expected: When available and only when the unit is LIVE in swimming and riding. Send all changes since last message.
	Attribute	M/O	Value	Description
	Value	M	S(20) with no leading zeroes	Send the competitor ID of the most recent competitor to pass the intermediate point @Pos (including finish) in Swimming.



				In Riding send the most recent competitor to finish the course.
DISPL	AY	CURRENT	N/A	Element Expected: Only in Riding when is a competitor riding (for the first rider) or soon to ride (remaining riders). Send as soon as previous rider finishes and has a score (except if last rider and therefore no new CURRENT)
	Attribute	M/O	Value	Description
	Value	М	S(20) no leading zeros	Send the ID for the current competitor in Riding discipline.
DISPL	.AY	ROUND_CURRENT	N/A	Element Expected: In Fencing Ranking Round when LIVE
	Attribute	M/O	Value	Description
	Value	М	Numeric #0	Number of the current Round of the Fencing discipline that is in progress at this time or the last completed round if between rounds
DISPL	AY	BOUT_CURRENT	Numeric #0	Pos Description: Sequential number, from 1 for each current bout. Do not send for Bonus Round. Element Expected: In Fencing (Ranking Round, and Bonus Round) when LIVE
	Attribute	M/O	Value	Description
	Value	М	Numeric ###	Bout number of the current Bouts of the Fencing discipline that is in progress at this time in every piste.
DISPL	AY	LEADER	Numeric #0	Pos Description: Send number of the intermediate point. Only one intermediate point is expected in each message. Element Expected: In swimming and laser run when the unit is LIVE.
	Attribute	M/O	Value	Description
	Value	М	S(20) no leading zeros	Competitor's ID, to identify an athlete, for the leader at this split point.

Sample (Fencing Ranking Round)

Sample (Fencing Bonus Round)

Olympic Data Feed - © IOC
Technology and Information Department



```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-11T08:45:00+01:00" />
<ExtendedInfo Type="DISPLAY" Code="BOUT_CURRENT" Value="3" />
  <ExtendedInfo Type="BOUT" Code="BONUS" Pos="1" >
    <Extension Code="ID" Pos="1" Value="1123054" />
<Extension Code="ID" Pos="2" Value="1056610" />
  </ExtendedInfo>
  <ExtendedInfo Type="BOUT" Code="BONUS" Pos="2" >
    <Extension Code="ID" Pos="1" Value="1086721" />
<Extension Code="ID" Pos="2" Value="1123054" />
  </ExtendedInfo>
  <ExtendedInfo Type="BOUT" Code="BONUS" Pos="3" >
    <Extension Code="ID" Pos="1" Value="1066055" />
<Extension Code="ID" Pos="2" Value="1086721" />
  </ExtendedInfo>
  <ExtendedInfo Type="BOUT" Code="BONUS" Pos="16" >
    <Extension Code="ID" Pos="1" Value="1097068" />
    <Extension Code="ID" Pos="2" Value="WIN15" />
  </ExtendedInfo>
  <ExtendedInfo Type="BOUT" Code="BONUS" Pos="17" >
    <Extension Code="ID" Pos="1" Value="1097096" />
<Extension Code="ID" Pos="2" Value="WIN16" />
  </ExtendedInfo>
```

Element: Competition /ExtendedInfos /SportDescription (0,1)				
Sport Descriptions in T	ext.			
Attribute	M/O	Value	Description	
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes	
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.	
Gender	M	CC @SportGender	Gender code for the event unit	
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes	

Element: Competition /ExtendedInfos /VenueDescription (0,1)					
Venue Names in Text.					
Attribute	M/O	Value	Description		
Venue	M	CC @VenueCode	Venue Code		
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes		
Location	М	CC @Location	Location code		
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes		

Element: Competition /F	Element: Competition /Result (1,N)				
For each Event Unit Res	For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.				
Attribute	M/O	Value	Description		
Rank	0	Text	Rank of the competitor in the corresponding unit. This attribute is optional because the competitor could get an IRM, and it is not used in the Jumping test.		

Olympic Data Feed - © IOC



			In the Fencing Bonus Round there is no rank.
			For Swimming (Heat) LIVE messages: Rank of the competitor at each new split (i.e.: the position based on the most recent split, cleaned when the leader completes a new split), and the final rank (in the heat).
RankEqual	0	S(1)	Identifies if a rank has been equalled (Y). Only send if applicable
Result	0	Numeric ###0 or m:ss.ff (for Swimming unit) or ss.ff (for Jumping Test)	Result of the competitor in the particular unit, i.e. Modern Pentathlon points achieved in the corresponding discipline phase except swimming (heat) where time is sent. Only send only in the case @ResultType is Time, Points or IRM with points. Or (for Jumping Test event): Time result achieved by the horse in the Jumping Test. Send only in the case @ResultType is TIME.
IRM	0	SC @IRM	Invalid Result Mark for the particular unit, in case it is assigned. Send only in the case @ResultType is IRM or both IRM and points.
SortOrder	М	Numeric	Used to sort all the results of an event unit
			This attribute is a sequential number with the order of the results for the particular unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out ties as well as results without rank.
			Before the start of any event unit this will be the same as the StartSortOrder and is used as the primary sort.
			During the event unit any sort order change from the initial start list order for any competitor will be provided in this attribute regardless the competitor is ranked or not.
			For the Jumping Test event it is the Horse number.
StartOrder	0	Numeric	Competitor's start order.
			-Fencing Ranking Round: send sequence number as appears ORIS C76Fencing Bonus Round: send Ranking Round Rank appears ORIS C75ASwimming: send the lane -Riding: send the Start Order -Laser-Run: send the Start Order/Bib number (sequential number starting by 1 according to the total number of competitors)
StartSortOrder	М	Numeric	Used to sort all start list competitors in an event unit.
			Sort by StartOrder beginning at 1.
ResultType	0	SC @ResultType	Result type for the corresponding unit. May be IRM / IRM_POINTS, or in normal circumstances use: Jumping Test & Swimming = TIME Fencing = POINTS Riding = POINTS Laser-Run = POINTS



Туре	Code	Pos	Description
R_FE	VIC	N/A	Element Expected: Only for Fencing discipline phase
Attribute	M/O	Value	Description
Value	М	Numeric #0	Cumulative number of victories (number of bouts won) that this competitor has within the Fencing discipline.
R_FE	DEF	N/A	Element Expected: Only for Fencing discipline phase
Attribute	M/O	Value	Description
Value	М	Numeric #0	Cumulative number of defeats (number of bouts lost) that this competitor has within the Fencing discipline.
:R_FE	DBL_DEF	N/A	Element Expected: Only for Fencing discipline phase
Attribute	M/O	Value	Description
Value	М	Numeric #0	Cumulative number of double defeats that this competitor has within the Fencin discipline.
R_FE	PTY	N/A	Element Expected: Only for Fencing discipline phase (in case of penalties)
Attribute	M/O	Value	Description
Value	М	Numeric ##0	Number of penalties (MP Points) within th Fencing discipline. Do not send if n penalties.
:R_FE	VIC_TIED	N/A	Element Expected: In Fencing if score is tied.
Attribute	M/O	Value	Description
Value	M	Numeric ##0	Number of victories within the tied group i Fencing.
R_FE	BOUTS	Numeric #0	Pos Description: Sequence Number to indicate the number of bouts in which the athlete competes in Fencing, from 1 to the total number of bouts for the athlete. The total number of bouts for the athlete is the number of athletes competing - 1. For example, if there are 36 athletes in the competition, each athlete has 35 bouts in Ranking Round. In the Bonus Round is less. Element Expected: Only for Fencing discipline phase
Attribute	M/O	Value	Description
Value	0	S(1)	Bout Result of each one of the different bout for this athlete in the Fencing discipline. Send "V" for Victory, "D" for Defeat and "N for Double defeat, or blank for no result (du to an IRM for example).
	1		



		##0	bouts of Fencing where this athlete competes.
IRM	0	SC @IRM	Send in the case the result has an IRM (invalid result mark) at this bout, besides the result.
PROGRESS	INTERMEDIATE	Numeric #0	Pos Description: The number that identifies the split point, from 1 to F where F is the finishing point. Element Expected: When available in Swimming and Laser-Run
Attribute	M/O	Value	Description
Value	M	mm:ss.ff	Time from the start of the race up to this split point. It is a cumulative result time. Do not send minutes if zeros.
Value2	0	m:ss.ff	In the Laser-Run and swimming, include time from the previous intermediate point (or start point for the first intermediate) to this intermediate point (or finish). This is the section time, not cumulative. (does not consider handicap)
Rank	0	Numeric #0	Send the cumulative rank of the competitor at the intermediate point
RankEqual	0	S(1)	Send "Y" if rank is equalled, otherwise do not send
SortOrder	M	Numeric #0	Send the order of the competitor at this intermediate, usually the same as rank but also considering IRMs.
Diff	0	+ss.ff	Send the time behind the leader at the corresponding intermediate point (+ss.ff or 0.00 for leader). Only in Laser-Run.
PROGRESS	CLOCK	Numeric #0	Pos Description: The number that identifies the split point, from 1 to F where F is the finishing point. Element Expected: Laser-Run
Attribute	M/O	Value	Description
Value	М	mm:ss.ff	Time from the start of the race up to this split point. It is a cumulative time and includes the handicap (clock time). Do not send minutes if zeros.
Rank	0	Numeric #0	Send the cumulative rank of the competitor at the intermediate point during the race considering the handicap (clock rank).
RankEqual	0	S(1)	Send "Y" if rank is equalled, otherwise do not send.
SortOrder	M	Numeric #0	Send the order of the competitor at this intermediate, usually the same as rank but also considering IRMs.
		. "	Send the time behind the MP leader at the
Diff	0	+ss.ff	corresponding intermediate point (+ss.ff or 0.00 for leader).
Diff	O SHOOT	+ss.ff Numeric	corresponding intermediate point (+ss.ff of

Olympic Data Feed - © IOC
Technology and Information Department



		#	The shooting point from 1 to n for the total number of shoots. Element Expected: Only for Laser-Run discipline phase
Attribute	M/O	Value	Description
Value	M	Numeric #0	Send the Intermediate number (DT_CONFIG) which matched this show point.
Value2	О	mm:ss.ff	Cumulative split time -shooting and run time- at the exit of the shooting range of split.
SortOrder	0	Numeric #0	Sort Order according to the cumulative time -shooting and running time- at shooting range of this split.
Diff	0	+mm:ss.ff	Difference of the cumulative split tim shooting and running time- with the first p (delta) at the exit of the shooting range of split).
	petition /Result /Extende Laser-Run discipline pha	dResults /ExtendedResu ise	Ilt /Extension
Attribute	Value	Description	
Code	BY_SHOT		
Pos	Numeric ##	The number that id at the shooting ran	dentifies the shot, from 1 to the total number of s
		Shot status at this shot of the split. Send "M" for Missed shot, or "V" for a valid one.	
Value	S(1)		shot of the split.
Sub Element: Com		Send "M" for Misse	shot of the split. ed shot, or "V" for a valid one.
Sub Element: Com	petition /Result /Extende	Send "M" for Misse	shot of the split. ed shot, or "V" for a valid one.
Sub Element: Com Expected Only for	petition /Result /Extende Laser-Run discipline pha	Send "M" for Misse dResults /ExtendedResu ase	shot of the split. ed shot, or "V" for a valid one.
Sub Element: Com Expected Only for Attribute	petition /Result /Extende Laser-Run discipline pha	Send "M" for Misse dResults /ExtendedResu ase	shot of the split. ed shot, or "V" for a valid one.
Sub Element: Com Expected Only for Attribute	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS	Send "M" for Missed dResults /ExtendedResults ase	shot of the split. ed shot, or "V" for a valid one.
Sub Element: Com Expected Only for Attribute Code Pos Value	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0	Send "M" for Misse dResults /ExtendedResults Description Send the total num dResults /ExtendedResu	shot of the split. ed shot, or "V" for a valid one. slt /Extension sber of missed shots at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende	Send "M" for Misse dResults /ExtendedResults Description Send the total num dResults /ExtendedResu	shot of the split. ed shot, or "V" for a valid one. slt /Extension sber of missed shots at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha	Send "M" for Missed dResults /ExtendedResults /ExtendedResults /ExtendedResults / Send the total number of the send of the total number of the send of the total number of the send of the	shot of the split. ed shot, or "V" for a valid one. slt /Extension sber of missed shots at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value	Send "M" for Missed dResults /ExtendedResults /ExtendedResults /ExtendedResults / Send the total number of the send of the total number of the send of the total number of the send of the	shot of the split. ed shot, or "V" for a valid one. slt /Extension sber of missed shots at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value SHOT_TIME	Send "M" for Missed dResults /ExtendedResults /ExtendedResults /ExtendedResults / Send the total num dResults /ExtendedResults / Description	shot of the split. ed shot, or "V" for a valid one. slt /Extension sber of missed shots at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value SHOT_TIME N/A ss.f	Send "M" for Misse dResults /ExtendedResults Description Send the total num dResults /ExtendedResults Description Send the total time dResults /ExtendedResults	shot of the split. ed shot, or "V" for a valid one. silt /Extension siber of missed shots at this shooting point. silt /Extension e at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value SHOT_TIME N/A ss.f petition /Result /Extende	Send "M" for Misse dResults /ExtendedResults Description Send the total num dResults /ExtendedResults Description Send the total time dResults /ExtendedResults	shot of the split. ed shot, or "V" for a valid one. silt /Extension siber of missed shots at this shooting point. silt /Extension e at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Expected Only for	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value SHOT_TIME N/A ss.f petition /Result /Extende Laser-Run discipline pha	Send "M" for Missed dResults /ExtendedResults /ExtendedRe	shot of the split. ed shot, or "V" for a valid one. silt /Extension siber of missed shots at this shooting point. silt /Extension e at this shooting point.
Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Code Pos Value Sub Element: Com Expected Only for Attribute Attribute Sub Element: Com Expected Only for Attribute	petition /Result /Extende Laser-Run discipline pha Value SHOT_MISS N/A Numeric #0 petition /Result /Extende Laser-Run discipline pha Value SHOT_TIME N/A ss.f petition /Result /Extende Laser-Run discipline pha Value Value Value Value Value Value Value	Send "M" for Missed dResults /ExtendedResults /ExtendedRe	shot of the split. ed shot, or "V" for a valid one. silt /Extension siber of missed shots at this shooting point. silt /Extension e at this shooting point.



	Attribute	Value	Description	
	Code	SHOT_VALID		
	Pos	N/A		
	Value	Numeric #0	Send the total number of	valid shots at this shooting point.
	Sub Element: Competiti Expected Only for Laser		ults /ExtendedResult /Exte	ension
	Attribute			
	Code	TIME		
	Pos	Numeric ##	The number that identifies at the shooting range of the	s the shot, from 1 to the total number of shots nis shoot.
	Value	ss.f	Shot time at this shot of th	ne shoot.
	Sub Element: Competiti Expected Only for Laser		ults /ExtendedResult /Exte	ension
	Attribute	Value	Description	
	Code	TIME_CUM		
	Pos	Numeric ##	The number that identifies at the shooting range of the	s the shot, from 1 to the total number of shots his shoot.
	Value	sss.f	Cumulative shot time at the	nis shooting of the split.
ER_S	SW .	PTY	N/A	Element Expected: Only for Swimming discipline phase (in case of penalties)
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Number of penalties (MP Points) within the Swimming discipline. Do not send if no penalties.
ER_E	EQ.	TIME	N/A	Element Expected: Only for Riding discipline phase
	Attribute	M/O	Value	Description
	Value	М	sss.ff	Time result in the Riding discipline.
ER_E	EQ.	PTY_WARMUP	N/A	Element Expected: Only for Riding discipline phase (in case of warm-up penalties)
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Number of Warm-up penalties (MP Points) within the Riding discipline. Do not send if no penalties.
ER_E	Q.	PTY_TIME	N/A	Element Expected: Only for Riding discipline phase (in case of time penalties) after the rider has started (zero if applicable)
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Number of Time penalties (MP Points) within the Riding discipline.
ER_E	EQ.	PTY_OBS	N/A	Element Expected: Only for Riding discipline phase (in case of obstacle penalties) after the rider has started (zero if applicable)



	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Number of Obstacle penalties (MP Points) within the Riding discipline.		
ER_E	Q	PTY_OTH	N/A	Element Expected: Only for Riding discipline phase (in case of other penalties)		
	Attribute	M/O	Value	Description		
	Value	М	Numeric ##0	Number of Other penalties (MP Points) within the Riding discipline. Do not send if no penalties. Include horse tap penalties here.		
ER_L	R	LASER_RUN	N/A	Element Expected: Only for Laser-Run discipline phase		
	Attribute	M/O	Value	Description		
	Value	М	mm:ss.ff	Final Time result in the Laser-Run discipline (net time).		
	Diff	0	+m:ss.ff	Send the time behind the leader (+m:ss.ff or 0.00 for leader). Do not send minutes if zero.		
	Pty	0	Numeric ##0	Number of unpaid penalties (penalty points in seconds) within the Laser-Run discipline. Do not send if no penalties.		
	Sub Element: Competiti Expected Only for Laser		n /Result /ExtendedResults /ExtendedResult /Extension Run discipline phase			
	Attribute	Value	Description			
	Code	SHOT_MISS				
	Pos	N/A	Number of the total missed shots in the Laser-Run discipline. sults /ExtendedResult /Extension			
	Value	Numeric #0				
	Sub Element: Competiti Expected Only for Laser					
	Attribute	Value	Description			
	Code	SHOT_MISS_AVG				
	Pos	N/A				
	Pos Value	N/A ss.ff	Average time of the misse	d shots in the Laser-Run discipline		
	Value	ss.ff on /Result /ExtendedResu	Average time of the misse	·		
	Value Sub Element: Competiti	ss.ff on /Result /ExtendedResu		·		
	Value Sub Element: Competiti Expected Only for Laser	ss.ff on /Result /ExtendedResu -Run discipline phase	ults /ExtendedResult /Exte	·		
	Value Sub Element: Competiti Expected Only for Laser Attribute	ss.ff on /Result /ExtendedResu Run discipline phase Value	ults /ExtendedResult /Exte	·		
	Value Sub Element: Competiti Expected Only for Laser Attribute Code	ss.ff on /Result /ExtendedResur-Run discipline phase Value SHOT_TOTAL	ults /ExtendedResult /Exte	·		
	Value Sub Element: Competiti Expected Only for Laser Attribute Code Pos Value	ss.ff on /Result /ExtendedResur-Run discipline phase Value SHOT_TOTAL N/A Numeric #0 on /Result /ExtendedResu	ults /ExtendedResult /Exte	in the Laser-Run discipline.		
	Value Sub Element: Competiti Expected Only for Laser Attribute Code Pos Value Sub Element: Competiti	ss.ff on /Result /ExtendedResur-Run discipline phase Value SHOT_TOTAL N/A Numeric #0 on /Result /ExtendedResu	Description Number of the total shots	in the Laser-Run discipline.		



	Pos	N/A				
	Value	ss.ff	Average time by	total shots in the Laser-Run discipline.		
		etition /Result /ExtendedR aser-Run discipline phase	esults /ExtendedRes	sults /ExtendedResult /Extension		
	Attribute	Value	Description			
	Code	SHOT_VALID				
	Pos	N/A				
	Value	Numeric #0	Number of the to	al valid shots in the Laser-Run discipline.		
		etition /Result /ExtendedR aser-Run discipline phase	esults /ExtendedRes	sult /Extension		
	Attribute	Value	Description			
	Code	SHOT_VALID_AVG				
	Pos	N/A				
	Value	ss.ff	ss.ff Average time of the valid shots in the Laser-Run discipline			
		etition /Result /ExtendedR aser-Run discipline phase	esults /ExtendedResult /Extension			
	Attribute	Value	Description			
	Code	TIME_RUN				
	Pos	N/A				
	Value	mm:ss.ff	Total Running Tir	ne result in the Laser-Run discipline.		
		etition /Result /ExtendedR aser-Run discipline phase	esults /ExtendedRes	sult /Extension		
	Attribute	Value	Description			
	Code	TIME_SHOOT				
	Pos	N/A				
	Value	sss.ff	Total Shooting Ti	ne result in the Laser-Run discipline.		
ER_L	.R	РНОТО	N/A	Element Expected: Only if applies, for Laser-Run discipline phase only		
	Attribute	M/O	Value	Description		
	Value	М	S(1)	To know if the competitor's result was decided by photo. Send "P" for Pending Status for the Photo finish, send "E" when Evaluated Status.		

Sample (Fencing Ranking Round)



Sample (Fencing Bonus Round)

```
<Result SortOrder="34" Rank="34" Result="289" ResultType="POINTS" StartOrder="35" StartSortOrder="35" >
    <ExtendedResults>
    <ExtendedResult Type="ER_FE" Code="BOUTS" Pos="1" Value="V" Value2="2" />
    <ExtendedResult Type="ER_FE" Code="BOUTS" Pos="2" Value="V" Value2="3" >
    ...
```

Sample (Swimming)

Sample (Riding)

```
<Result SortOrder="1" Rank="1" Result="1200" ResultType="POINTS">
    <ExtendedResults>
    <ExtendedResult Type="ER_EQ" Code="TIME" Value="74.57" />
    <ExtendedResult Type="ER_EQ" Code="PTY_OBS" Value="4" />
    </ExtendedResults>
```

Sample (Laser-Run)



```
<Result SortOrder="2" Rank="2" Result="2536" ResultType="POINTS">
  <ExtendedResults>
  <ExtendedResult Type="ER_LR" Code="LASER_RUN" Value="10:16.92" Diff="+0.52">
    <Extension Code="TIME_RUN" Value="9:23.63" />
    <Extension Code="TIME_SHOOT" Value="53.29" /> <Extension Code="SHOT_VALID" Value="15" />
    <Extension Code="SHOT_MISS" Value="7" />
    <Extension Code="SHOT_TOTAL" Value="22" />
<Extension Code="SHOT_VALID_AVG" Value="2.57" />
    <Extension Code="SHOT_MISS_AVG" Value="2.11" />
    <Extension Code="SHOT_TOTAL_AVG" Value="2.42" />
  </ExtendedResult>
  <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="3:08.38" Value2="3:08.38" Diff="+1.20"</pre>
Rank="2" SortOrder="2"/>
  <ExtendedResult Type="PROGRESS" Code="SHOOT" Pos="1" Value="2" >
    <Extension Code="SHOT_VALID" Value="5" />
<Extension Code="SHOT_MISS" Value="2" />
    <Extension Code="SHOT_TOTAL" Value="7" />
    <Extension Code="SHOT_TIME" Value="16.49" /> <Extension Code="TOTAL_TIME" Value="16.49" />
    <Extension Code="TOTAL_TIME_DIFF" Value="+0.26" />
<Extension Code="TOTAL_TIME_IDX" Value="5" />
    <Extension Code="BY SHOT" Pos="1" Value="M" />
    <Extension Code="TIME_CUM" Pos="1" Value="0.00" />
<Extension Code="TIME" Pos="1" Value="0.00" />
    <Extension Code="BY_SHOT" Pos="2" Value="V" />
    <Extension Code="TIME_CUM" Pos="2" Value="2.63" />
<Extension Code="TIME" Pos="2" Value="2.63" />
    <Extension Code="BY_SHOT" Pos="7" Value="V" />
    <Extension Code="TIME CUM" Pos="7" Value="16.49" />
    <Extension Code="TIME" Pos="7" Value="2.76" />
```

Element: Competition	Element: Competition /Result /RecordIndicators /RecordIndicator (1,N)						
Result's record indicat	Result's record indicator.						
Attribute	M/O	Value	Description				
Order	М	Numeric	The hierarchy (priority) for types of record from 1 to n. Can use the Order column from CC @RecordType for reference). @Order=1 is the most important one.				
Code	М	CC @RecordCode	Code which describes the record broken by the discipline phase result value (for disciplines of Fencing, Swimming and Laser-Run).				
RecordType	М	CC @RecordType	Code which specifies the level at which the record is broken.				
Equalled	0	S(1)	Send "Y" in the case that the record has been equalled else do not send.				

Element: Competition	Element: Competition /Result /Competitor (1,1)					
Competitor related to	Competitor related to the result of one event unit.					
Attribute	M/O	Value	Description			
Code	M	S(20) with no leading zeroes	Competitor's ID (athlete's ID for Competitor @Type=A). Horse's ID (ONLY for Jumping Test event)			
Туре	М	S(1)	H for horse (ONLY for Jumping Test event),			

Olympic Data Feed - © IOC



			A for athlete
Organisation	0	CC @Organisation	Competitor's organisation (do not send for Jumping Test)

Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description		
Code	М	S(20) with no leading zeroes	Athlete's ID.		
Order	М	Numeric 0	Send 1 if Competitor @Type="A".		
Bib	0	S(4)	Bib number		

Element: Competition	Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)					
Athletes extended in	Athletes extended information.					
Attribute	M/O	Value	Description			
GivenName	0	S(25)	Given name in WNPA format (mixed case)			
FamilyName	М	S(25)	Family name in WNPA format (mixed case)			
Gender	М	CC @PersonGender	Gender of the athlete			
Organisation	М	CC @Organisation	Athletes' organisation			
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available			
IFId	0	S(16)	International Federation ID			

	Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N) Individual athletes entry information						
(for a	(for all discipline phases/units, except Fencing Ranking Round)						
	Туре	Code	Pos	Description			
EUE		ROUND	N/A	Element Expected: Always, when this information is known (only for Riding phase).			
	Attribute	M/O	Value	Description			
	Value	М	Numeric 0	Round number in the Riding phase.			
EUE		MNT_TIME	N/A	Element Expected: Always, when this information is known (only for Riding phase).			
	Attribute	M/O	Value	Description			
	Value	M	hh:mm:ss	Mounting Time for the athlete in the Riding phase.			
EUE		START_TIME	N/A	Element Expected: Always, when this information is known (only for Riding phase).			
	Attribute	M/O	Value	Description			
	Value	М	hh:mm:ss	Start Time for the athlete in the Riding phase.			
EUE		HORSE_ID	N/A	Element Expected:			



				Always, when this information is known (only for Riding phase).
	Attribute	M/O	Value	Description
	Value	М	S(20) with no leading zeroes	Horse's ID assigned to the athlete in Riding discipline phase.
EUE		HORSE_NUM	N/A	Element Expected: Always, when this information is known (only for Riding phase).
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Horse Number
EUE		HCP_TIME	N/A	Element Expected: Always, when the information is known (only for Laser-Run phase).
	Attribute	M/O	Value	Description
	Value	М	m:ss	Handicap Time for the athlete in the Laser-Run discipline phase.
EUE		FE_RR	N/A	Element Expected: Only in Fencing Bonus Round
	Attribute	M/O	Value	Description
	Value	М	Numeric ##0	Send the athletes score from the ranking round without Fencing Penalties.
EUE		WAVE	N/A	Element Expected: If the athlete is in a wave/group start in the laser run.
	Attribute	M/O	Value	Description
	Value	М	m:ss	Time of the wave start for the competitor if applicable.

Sample (Riding)

```
<EventUnitEntry Type="EUE" Code="ROUND" Value="1" />
<EventUnitEntry Type="EUE" Code="MNT_TIME" Value="15:34:00" />
<EventUnitEntry Type="EUE" Code="START_TIME" Value="15:55:00" />
<EventUnitEntry Type="EUE" Code="HORSE_ID" Value="H200043" />
<EventUnitEntry Type="EUE" Code="HORSE_NUM" Value="43" />
```

Sample (Laser-Run)

<EventUnitEntry Type="EUE" Code="HCP_TIME" Value="0:01" />

2.3.3.6 Message Sort

Sort by Result @SortOrder

Olympic Data Feed - © IOC
Technology and Information Department



2.3.4 Phase Results

2.3.4.1 Description

The Phase Results is a message containing the results for the competitors in a particular phase.

The phase message is used to compare competitors from different units within a phase where the competitors usually participate once in the phase.

In modern pentathlon the message is only applicable in swimming.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the group of swimming races MPNMINDIVIDFNL-0001SW00 MPNMINDIVIDSFNL0001SW00 MPNMINDIVIDSFNL0002SW00 MPNWINDIVIDFNL-0001SW00 MPNWINDIVIDSFNL0001SW00 MPNWINDIVIDSFNL0002SW00
DocumentSubcode	N/A	N/A
DocumentType	DT_PHASE_RESULT	Phase Results message
DocumentSubtype	N/A	N/A
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	It indicates the status of the results INTERMEDIATE (used after each unit in the phase) OFFICIAL UNOFFICIAL PROTESTED
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

Send as follows:

- Send after every heat in swimming (INTERMEDIATE).
- Do not send data for units which have not started.

Olympic Data Feed - © IOC

Phase Results




- Send as UNOFFICIAL / OFFICIAL when all units are complete.

2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	ne structure of the Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1))					
	Gen					
	Sport					
	Codes					
	ExtendedInfos	(0,1)				
		Progress (0,1)				
			LastUnit			
		SportDescription	n (0,1)			
			DisciplineName			
			EventName			
			SubEventName			
			Gender			
		VenueDescription	on (0,1)			
			Venue			
			VenueName			
			Location			
	\neg		LocationName			
	Result (1,N)	ı				
		Rank				
		RankEqual				
		Result				
		IRM				
		SortOrder				
		ResultType				
		ExtendedResult	i i			
			ExtendedResult (1			
				Туре		
				Code		
				Pos		
		ls	(0.4)	Value		
		RecordIndicator	ND			
			RecordIndicator (1			
				Order		
				Code		





2.3.4.5 Message Values

Element: Competition (0	Element: Competition (0,1)				
Attribute	M/O	Value	Description		
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message		
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message		
Codes	0	S(20)	Version of the Codes applicable to the message		

Element: Competition /ExtendedInfos /Progress (0,1)				
Attribute	M/O	Value	Description	
LastUnit	М	CC @Unit	Full RSC of the first unit (if not started) or most recent unit information included in the message	

Element: Competition /ExtendedInfos /SportDescription (0,1)					
Sport Descriptions in	Sport Descriptions in Text.				
Attribute	M/O	Value	Description		
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes		
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.		
SubEventName	0	S(40)	Phase ENG Description (not code) from Common Codes		
Gender	М	CC @SportGender	Gender code for the event unit		

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Olympic Data Feed - © IOC

Technology and Information Department

Phase Results



Venue Names in Text.	Venue Names in Text.				
Attribute	M/O	Value	Description		
Venue	М	CC @VenueCode	Venue Code		
VenueName	М	S(25)	Venue ENG Description (not code) from Common Codes		
Location	М	CC @Location	Location code		
LocationName	М	S(30)	Location ENG Description (not code) from Common Codes		

Element: Competition /Result (1,N)				
•			one competitor being awarded a result for the phase.	
Attribute	M/O	Value	Description	
Rank	0	Text	Rank of the competitor in the corresponding phase of swimming. This attribute is optional because the competitor could get an invalid rank mark.	
RankEqual	0	S(1)	Identifies if a rank has been equalled. Send "Y" if applicable else do not send	
Result	0	Numeric ###0	Result for the particular phase. Send Only in the case @ResultType is Points or IRM with points.	
IRM	0	SC @IRM	The invalid result mark, if applicable. Send in the case @ResultType is IRM or both IRM and points.	
SortOrder	М	Numeric	This attribute is a sequential number with the order of the results for the particular phase, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.	
ResultType	0	SC @ResultType	Result type, either POINTS or IRM / IRM_POINTS for the corresponding phase.	

Elem	Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
	Туре	Code	Pos	Description	
ER		TIME	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description	
	Value	M	m:ss.ff	Send the time	
ER		UNIT_NUM	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description	
	Value	М	Numeric 0	Send the heat number	
ER		UNIT_LANE	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description	
	Value	М	Numeric #0	Send the lane/order number for the athlete in the unit.	
ER		PTY	N/A	Element Expected: If applicable	



Attribute	M/O	Value	Description
Value	М	Numeric ##0	Send the penalties in swimming if applicable else do not send.

Element: Competition	Element: Competition /Result /RecordIndicators /RecordIndicator (1,N)				
Phase result's record	l indicator.				
Attribute	M/O	Value	Description		
Order	M	Numeric	The hierarchy (priority) for types of record from 1 to n with WR being the highest. (Can use the Order column from CC @RecordType for reference).		
Code	M	CC @RecordCode	Code which describes the record broken by the result value.		
RecordType	М	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "WR"). Must always send the highest or most relevant record type. For example if WR and OR then send WR.		
Equalled	0	S(1)	Send "Y" in the case that the record has been equalled else do not send.		

Element: Competition	Element: Competition /Result /Competitor (1,1)					
Competitor related to	Competitor related to one phase result.					
Attribute	M/O	Value	Description			
Code	M	S(20) with no leading zeroes	Competitor's ID			
Туре	М	S(1)	A for athlete			
Organisation	М	CC @Organisation	Competitor's organisation			

Element: Competition /Result /Competitor /Composition /Athlete (0,N)					
Attribute	M/O	Value	Description		
Code	M	S(20) with no leading zeroes	Athlete's ID		
Order	M	Numeric	Order attribute used. Send 1 if Competitor @Type="A"		

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)					
Athletes extended in	Athletes extended information.				
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	M	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		

Sample (General)

Olympic Data Feed - © IOC
Technology and Information Department

Phase Results



2.3.4.6 Message Sort

Result @SortOrder followed by Athlete @Order.



2.3.5 Cumulative Results

2.3.5.1 Description

The Cumulative Results is a message containing the cumulative results for the competitors in a group of units either in a single phase or over a number of phases. This message is used when the competitor scores accumulate over the different units.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Phase CC @Unit	Full RSC of the event and fencing, depending on the message contents. For Final: MPNMINDIVIDFNL MPNWINDIVIDSFNL MPNMINDIVIDSFNL MPNMINDIVIDSFNL000100 MPNMINDIVIDSFNL000200 MPNWINDIVIDSFNL000200 MPNWINDIVIDSFNL000200 For Fencing: MPNMINDIVIDSFNL0001FE MPNMINDIVIDSFNL0001FE MPNMINDIVIDSFNL0001FE MPNMINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0002FE MPNWINDIVIDSFNL0002FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE MPNWINDIVIDSFNL0001FE
DocumentSubcode	N/A	N/A
DocumentType	DT_CUMULATIVE_RESULT	Cumulative Results message
DocumentSubtype	N/A	N/A
Version	1V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	It indicates the status of the results START_LIST LIVE INTERMEDIATE UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.



LogicalDate		Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

For the fencing message:

- Before the semifinals and final (START_LIST). This includes the ranking round scores for upcoming semifinals/final.
- After each bout in Bonus Round (LIVE)
- After the last bout in Bonus Round, after the fencing results are approved (UNOFFICIAL / OFFICIAL)

For the MP points message (same in semifinals and final)

- After fencing ranking round (START_LIST)
- For riding:
- At the beginning of riding, and after each rider has completed their round only include rank for those who have a riding result (only comparing like competitors) (LIVE)
- When all riding results are approved (INTERMEDIATE)

For fencing bonus round:

- After each bout in Bonus Round but only include rank for those with the with the same number of event components completed. (LIVE)
- After the last bout in Bonus Round, after the fencing results are approved (INTERMEDIATE).

For swimming:

- After each swimming heat (LIVE) but only include rank for those who have a swim result (only comparing like competitors)
- When all swimming results are approved (INTERMEDIATE)

For laser-run:

- After each athlete completes the course only include rank for those who have a run result (only comparing like competitors) (LIVE)
- When the event has finished (after all phases), after the laser-run running/shooting results are approved (UNOFFICIAL)

For semifinal summary:

The message covering both semifinals is only sent after the both semifinals are OFFICIAL and the message is sent as OFFICIAL.

2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0	<u>,1)</u>	•		,	•	•	•
	Gen						
	Sport						
	Codes						
	ExtendedInfos	(0,1)					
		Progress (0,1)					
		•	LastUnit				
		SportDescription	<u>1 (0,1)</u>				

Olympic Data Feed - © IOC

Cumulative Results



DisciplineName EventName Gender Result (1,N) Rank RankEqual Result ResultType IRM QualificationMark SortOrder Diff ExtendedResults (0,1) ExtendedResult (1,N) Туре Code Pos Value RecordIndicators (0,1) RecordIndicator (1,N) Order Code RecordType Equalled ResultItems (0,1) ResultItem (1,N) Unit Order Result (1,1) Rank RankEqual ResultType Result ResultPoints IRM SortOrder RecordIndicators (0,1) RecordIndicator (1,N) Order



Code RecordType Equalled Competitor (1,1) Code Туре Organisation Composition (1,1) Athlete (0,N) Code Order Bib Description (1,1) GivenName FamilyName Gender Organisation BirthDate IFId

2.3.5.5 Message Values

Element: Competition (Element: Competition (0,1)						
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /	ExtendedInfo	s /Progress (0,1)	
Attribute	M/O	Value	Description
LastUnit	М	CC @Unit	Send the full RSC of the most recently completed unit or current unit if in progress included in the message.

Element: Competition /ExtendedInfos /SportDescription (0,1)						
Sport Descriptions in	Sport Descriptions in Text.					
Attribute	M/O	Value	Description			
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes			
EventName	М	S(40)	Event ENG Description (not code) from Common Codes.			
Gender	М	CC @SportGender	Gender code for the event unit			



Element: Competition /Result (1,N)

For any cumulative results message, there should be at least one competitor being awarded a cumulative result after one event unit or phase.

event unit or phase.			
Attribute	M/O	Value	Description
Rank	0	Text	Rank of the competitor in the cumulative result. For the overall message this value is first included with the ranking round results but is only included in subsequent messages for those athletes with the same number of subevents complete (for example during riding only include for those who have completed the ride or has an IRM), similarly in subsequent sub-events. For Fencing, it should be sent as soon as the competition
			starts.
RankEqual	О	S(1)	Identifies if a rank has been equalled. Only send if applicable, in that case send "Y".
Result	0	Numeric ###0	The cumulative result of the competitor, i.e. Modern Pentathlon points achieved. Send in the case @ResultType is Points or IRM with points.
ResultType	0	SC @ResultType	Type of the @Result attribute. Result type, either POINTS or IRM without/with points for the cumulative result
IRM	0	SC @IRM	The invalid result mark for the cumulative result, in case it is assigned. Send Only in the case @ResultType is IRM or both IRM and points.
QualificationMark	0	SC @QualificationMark	Qualification mark if applicable
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the cumulative result, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.
Diff	0	mm:ss	Time behind leader. Send 0:00 for the leader Not applicable in Fencing Cumulative message. As defined in Foundation, remove leading zeros.

Elem	ment: Competition /Result /ExtendedResults /ExtendedResult (1,N)							
Comp	Competitor's extended results.							
	Туре	Code	Pos	Description				
ER_F	E	PTY	N/A	Element Expected: Only for Fencing discipline phase (in case of penalties).				
	Attribute	M/O	Value	Description				
	Value	М	Numeric ##0	Number of penalties (MP Points) within the Fencing discipline. Do not send if no penalties.				
ER		GROUP	N/A	Element Expected: Always in semifinals				
	Attribute	M/O	Value	Description				
	Value	M	S(1)	Send A or B to indicate the semifinal for this				



				athlete.
ER		FENCING_RR	N/A	Element Expected: Only for MP message
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0	Points for fencing RR
ER		FENCING_BR	N/A	Element Expected: Only for MP message
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Points for fencing BR

Element: Competition /F	Element: Competition /Result /RecordIndicators /RecordIndicator (1,N)							
Cumulative result's reco	Cumulative result's record indicator.							
Attribute	M/O	Value	Description					
Order	М	Numeric	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @RecordType for reference). @Order=1 is the most important one.					
Code	М	CC @RecordCode	Code which describes the record broken by the Result /Result value (for Overall).					
RecordType	М	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "WR"). Must always send the highest or most relevant record type. For example if WR and OR then send WR.					
Equalled	0	S(1)	Send "Y" in the case that the record has been equalled else do not send.					

Element: Competition /Result /ResultItems /ResultItem (1,N) Identifier of the unit which is included the result summary. ResultItem /Result will be for one particular previous unit.						
Attribute M/O Value Description						
Unit	М	CC @Unit	MP message: This is the unit level RSC Fencing message: Unit level RSC			
Order	М	Numeric #0	Logical order of the units, usually schedule order.			

Element: Competition	Element: Competition /Result /ResultItems /ResultItem /Result (1,1)					
For any Event Unit R	esults messag	e, there should be at lea	st one competitor being awarded a result for the event unit.			
Attribute	M/O	Value	Description			
Rank	0	Text	Rank of the competitor in the result for the phase identified by @Unit at /ResultItems /ResultItem. For the fencing phase in the overall message this value is included after the ranking round is completed and updated during the bonus round.			
RankEqual	0	S(1)	Identifies if a rank has been equalled. Send "Y" if applicable or do not send.			



ResultType	0	SC @ResultType	Result type for the corresponding discipline phase. Do not send in fencing only message.
Result	0	String	Result of the competitor in the particular discipline phase (not points) In the case of Fencing this will be the number of victories/number of defeats in Fencing RR + Bonus pts as in ORIS; e.g.: "24V/7D + 1" Do not send in Fencing only message.
ResultPoints	0	Numeric ###0	Convert the performance to points. For fencing it is all of fencing in the overall message. In the fencing message it is the points in each part.
IRM	0	SC @IRM	The invalid result mark (IRM) for the particular discipline phase, in case it is assigned. Only send in the case @ResultType is IRM or both IRM and points.
SortOrder	М	Numeric	Used to sort all results in the phase identified by phase identified by @Unit at /ResultItems /ResultItem.

Element: Competition	Element: Competition /Result /ResultItems /ResultItem /Result /RecordIndicators /RecordIndicator (1,N)						
Result's record indic	ator.						
Attribute	M/O	Value	Description				
Order	М	Numeric 0	The hierarchy (priority) for types of record from 1 to n. Can use the Order column from CC @RecordType for reference).				
Code	М	CC @RecordCode	Code which describes the record broken by the result value.				
RecordType	М	CC @RecordType	Code which specifies the level at which the record is broken (e.g. "OR"). Must always send the highest or most relevant record type. For example, if WR and OR then send WR.				
Equalled	0	S(1)	Send "Y" in the case that the record has been equalled else do not send.				

Element: Competition /Result /Competitor (1,1)							
Competitor related to o	Competitor related to one cumulative result.						
Attribute	M/O	Value	Description				
Code	М	S(20) with no leading zeroes	Competitor's ID				
Туре	М	S(1)	A for athlete				
Organisation	M	CC @Organisation	Competitor's organisation				

Element: Competition /Result /Competitor /Composition /Athlete (0,N)						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric	Send 1 if the competitor is an athlete.			
Bib	0	S(4)	Bib number			

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)

Olympic Data Feed - © IOC
Technology and Information Department

Cumulative Results



Athletes extended information.					
Attribute	M/O	Value	Description		
GivenName	0	S(25)	Given name in WNPA format (mixed case)		
FamilyName	М	S(25)	Family name in WNPA format (mixed case)		
Gender	М	CC @PersonGender	Gender of the athlete		
Organisation	М	CC @Organisation	Athletes' organisation		
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available		
IFId	0	S(16)	International Federation ID		

Sample (Overall)

```
<Result SortOrder="1" Rank="1" Result="1144" ResultType="POINTS" Diff="0.00">
 <RecordIndicators>
 <RecordIndicator Order="1" Code="MPNINDIVID-----" RecordType="OR" />
 </RecordIndicators>
 <ResultItems>
 <ResultItem Unit="MPNMINDIVID-------FE-----" Order="1" >
  <Result SortOrder="32" Rank="32" ResultPoints="154" Result="9V/22D + 0" ResultType="POINTS" />
 </ResultItem>
 <ResultItem Unit="MPNMINDIVID------" Order="2" >
  <Result SortOrder="2" Rank="2" ResultPoints="376" Result="1:48.29" ResultType="TIME" />
 </ResultItem>
 <ResultItem Unit="MPNMINDIVID------ " Order="3" >
   <Result SortOrder="23" Rank="23" ResultPoints="296" Result="64.29" ResultType="TIME" />
 </ResultItem>
 </ResultItem>
 </ResultItems>
 <Competitor Code="1109018" Type="A" Organisation="NZL" >
 <Composition>
  <Athlete Code="1109018" Order="1" Bib="118" >
         <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="NZL" BirthDate="1994-12-15"</pre>
IFId="M001778" />
   </Athlete>
 </Composition>
 </Competitor>
</Result>
```

Sample (Fencing)



```
<Result SortOrder="1" Rank="1" Result="259" ResultType="POINTS" >
  <ExtendedResults>
 <ExtendedResult Type="ER_FE" Code="PTY" Value="11" />
  </ExtendedResults>
  <ResultItems>
 <ResultItem Unit="MPNMINDIVID-----FE--000100--" Order="1" >
   <Result SortOrder="1" Rank="1" ResultPoints="257" />
 </ResultItem>
 <ResultItem Unit="MPNMINDIVID-----FE--000200--" Order="2" >
   <Result SortOrder="1" ResultPoints="2" />
 </ResultItem>
  </ResultItems>
  <Competitor Code="1109018" Type="A" Organisation="NZL" >
 <Composition>
   <Athlete Code="1109018" Order="1" Bib="118" >
          <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="NZL" BirthDate="1994-12-15"</p>
IFId="M001778" />
   </Athlete>
 </Composition>
  </Competitor>
</Result>
```

2.3.5.6 Message Sort

Sort by Result @SortOrder then Result /ResultItems /ResultItem /Result @SortOrder



2.3.6 Image

2.3.6.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

In modern pentathlon the message is only applicable in laser-run.

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit (in laser run)
DocumentSubcode	Numeric #0	Picture number This value is a sequential number for each picture provided in a unit (RSC). The value will be 1, 2, 3 Where there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send PHOTOFINISH
Version	1V	Version number associated to the message's content. Ascending number. Values beyond 1 are only used if a message needs to be resent for a second or subsequent image/result with the same DocumentSubcode to replace the original image (to resolve the same rank).
ResultStatus	CC @ResultStatus	Only applicable status is OFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.6.3 Trigger and Frequency

Trigger when image available and after any change.



2.3.6.4 Message Structure

The following table defines the structure of the message.

i ne tollowing	g table defines	s the structure	of the messa	ge.			
Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,	<u>.1)</u>						
	Gen						
	Sport						
	Codes						
	Image (1,N)						
		Pos					
		Version					
		Revision					
		ImageType					
		Result (0,N)					
		•	Result				
			Rank				
			StartOrder				
			SortOrder				
			Competitor (1,1)			
				Code			
				Туре			
				Organisation			
				Composition (0	<u>,1)</u>		
					Athlete (1,N)	ĺ	
						Code	
						Order	
						Bib	
						Description (1,	<u>1)</u>
							GivenName
		T					FamilyName
		ImageData (1,1)				
			-				

2.3.6.5 Message Values

Element: Competition (0,1)						
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			



Codes	0	S(20)	Version of the Codes applicable to the message
		` '	1.1

Element: Competition /Image (1,N)						
Always only one ima	ge per messag	je				
Attribute	M/O	Value	Description			
Pos	М	Numeric #0	Always send 1			
Version	М	Numeric #0	Document Version			
Revision	М	Numeric #0	Document Revision			
ImageType	М	S(3)	Image type extension, jpg or png			

·	Element: Competition /Image /Result (0,N) This element should always appear and must only include the information of those competitors appearing in the image.					
Attribute	M/O	Value	Description			
Result	0	S(20)	Result of the competitor in the image at the end of the unit. Formatted in the same was as associated DT_RESULT. Use IRM code if appropriate.			
Rank	0	Text	Rank of the competitor at the end of the unit			
StartOrder	0	S(4)	Start or lane position This value is expected if it is included in DT_RESULT			
SortOrder	М	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.			

Element: Competition	/Image /Resu	t /Competitor (1,1)	
Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Competitor's ID. (individual)
Туре	М	S(1)	A for athlete.
Organisation	М	CC @Organisation	Competitor's organisation

Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N) Only sent in the case of individual events. Team members are not sent in team events.						
Attribute M/O Value Description						
Code	М	S(20) with no leading zeroes	Athlete's ID.			
Order	M	Numeric 0	Value is 1			
Bib	0	S(4)	Bib number			

Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)						
Attribute M/O Value Description						
GivenName	0	S(25)	Given name			



FamilyName	М	S(25)	Family name
'		` '	

Element: Competition /Image /ImageData (1,1)							
	Attribute	M/O	Value	Description			
-		М	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)			

Sample (General)

```
<Competitor Code="1109018" Type="A" Organisation="NZL" >
   <Composition>
     <a href="1"><Athlete Code="1109018" Order="1" Bib="118" ></a>
      <Description GivenName="John" FamilyName="Smith" />
     </Athlete>
   </Composition>
 </Competitor>
  </Result>
  <Result Result="3:26.26" Rank="2" StartOrder="3" SortOrder="2" >
 <Competitor Code="1109033" Type="A" Organisation="AUT" >
   <Composition>
     <Athlete Code="1109018" Order="1" Bib="118" >
      <Description GivenName="John" FamilyName="Brown" />
    </Athlete>
   </Composition>
 </Competitor>
  </Result>
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAA ETC ETC //2Q==</ImageData>
</lmage>
```

2.3.6.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



2.3.7 Records

2.3.7.1 Description

The message contains the list of all records from the start of the Games (events depending on header).

Special Situations - Not Established Records:

There are some situations where there are no records for a particular event. This can happen, for example, when the sport rules change (different weights or distances) or new events are introduced.

If this occurs then the NotEstablished flag is used to indicate this situation.

If a record is established for this event in the current competition then the NotEstablished flag and description will not be sent when a new record is established.

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC of the Discipline
DocumentSubcode	CC @RecordCode	If the message is sent as a result of a record being modified (broken, equalled or re-instated) then this attribute will be included and is the Record Event for the modification.
DocumentType	DT_RECORD	Records message
DocumentSubtype	FULL, PARTIAL	Send "FULL" if all records included. Send "PARTIAL" if only one record code is included.
Version	1V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

The DT_RECORD (without DocumentSubcode) message is sent as a bulk message (all records in a discipline) prior to the competition. Any new version of the DT_RECORD message should replace all previous record information, either for the RecordCode specified in DocumentSubcode or all if no DocumentSubcode is specified.

Note: It is sent by central systems before the competition with the historical records and by OVR after competition starts with each new record set or equalled.

Olympic Data Feed - © IOC

Records



2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0,1	<u>1)</u>	•						
	Gen							
S	Sport							
	Codes							
<u>E</u>	ExtendedInfos	s (0,1)						
<u>'</u>		SportDescript	ion (0,1)					
			DisciplineNa	me				
<u> E</u>	Record (1,N)							
		Code						
		Description (1	<u>,1)</u>					
		ı	Name					
		RecordType (1					
			Order					
			RecordType					
			Shared					
			NotEstablish					
			NotEstablish					
			RecordData	1				
				Order				
				ResultType				
				Result				
				Unit				
				Country				
				Date				
				Time				
				Equalled				
				Competition				
				Historical				
				Current				
				ModificationIn	dicator			
				Competitor (0				
				,	Code			
					Туре			
					Organisation			
					Composition (0	<u>),1)</u>		



Athlete (1.N)

Code
Order
Description (0.1)

GivenName
FamilyName
Gender
Organisation
BirthDate
IFId

2.3.7.5 Message Values

Element: Competition (0,1)							
Attribute	M/O	Value	Description				
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message				
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message				
Codes	0	S(20)	Version of the Codes applicable to the message				

Element: Competition /ExtendedInfos /SportDescription (0,1)						
Sport Description in Text						
Attribute	M/O	Value	Description			
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes			

Element: Competition /Record (1,N)								
Attribute	M/O	Value	Description					
Code	M	CC @RecordCode	Record code. Send all record codes in the bulk message else this must match the DocumentSubcode, that is, only one per message.					

Element: Competition /Record /Description (1,1)						
Attribute	M/O	Value	Description			
Name	М	S(40)	Record description (not code) from Common Codes			

Element: Competition /R	Element: Competition /Record /RecordType (1,N)					
It is possible to have mo	re than one	element with the same type	(as in the case of National Records).			
Attribute M/O Value Description						
Order	М	Numeric #0	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @RecordType to assist in case several records are broken, from high priority to low priority but must still use 1 to n).			
RecordType	М	CC @RecordType	Record type.			



Shared	М	S(1)	Y-There is more than one competitor sharing the record N-There is just one competitor holding the record
NotEstablished	0	S(1)	Send "Y" in the case there is no record in this category else do not send.
NotEstablishedLabel	0	SC @NoRecord	The code to be used in the case that NotEstablished="Y".

Element: Competition /Record /RecordType /RecordData (0,N)						
RecordData is not se	RecordData is not sent for NotEstablished Records unless a "standard" applies					
Attribute	M/O	Value	Description			
Order	М	Numeric #0	In the case that a record (RecordType) is provided several times in the message, then Order is the chronological order for the records (1,N). 1 will be usually the historical record and for each record broken during the competition a new order value will be provided. Usually first time the record is broken will have Order="2", second time Order="3" etc. Send 1 for records (RecordType) not shared (historical records)			
ResultType	М	SC @ResultType	"POINTS", "TIME" Indicate that the result type for the record is points, or time (according to the result related to the record (code and type).			
Result	M	Numeric ###0 or mm:ss.ff	Send always unless the record is not established (can be sent for not established if there is a standard). The result of the competitor for the record, according to the			
		or S(15)	expected result (@ResultType) in this record (code and type):			
			-For "POINTS" (in "MP Overall" and in "Fencing" discipline -for World and Olympic records): numeric with a maximum of 4 digits (e.g.: "1400") -For "POINTS" in Laser Run send the concatenation of time and points, for example 11:02.50/639For "TIME" (in "Swimming" discipline -for World and Olympic records), (e.g.: "2:06.59" in Swimming)			
Unit	0	CC @Unit	Include the event unit in the current competition where the record was broken. It is the full RSC			
			Send always (Mandatory) in the case Historical="N".			
Country	0	CC @Country	Always send for new records and where known for historical records. Not applicable for not established records. Country code where the record was broken			
Place	0	S(40)	Always send for new records and where known for historical records. Not applicable for not established records. Place (town or city) where the record was broken (example: "Salt Lake City").			
Date	0	YYYY-MM-DD	Always send for new records and where known for historical records. Not applicable for not established records. Date when the record was broken (for the current competition, the date will be assumed to be the date scheduled for the @Unit attribute)			
Time	0	Time	Time the record was set. Send always (Mandatory) in the case of Historical="N".			
Equalled	0	S(1)	Send "Y" if the existing record is equalled.			



			Do not send if the record is not equalled.	
Competition	0	S(40)	Send the text of the competition name where the record was broken (example: "2013 World Championships", "2012 Olympic Games", etc.).	
Historical	М	S(1)	Send "Y" if the record for competitor was not achieved during the current competition. Send "N" if the record for the competitor was achieved during the current competition.	
Current	0	S(1)	Send "Y" in the case that this is the current record else do not send (may be multiple in the case of a shared record).	
ModificationIndicator	0	S(1)	The possible values are: "N" = New broken record (not provided in a previous message) "R" = This record is re-instated/re-established as the current record in this message (following an invalidation or similar). Do not send this attribute for other records included in the message (not broken or not re-instated)	

Element: Competition /Record /RecordType /RecordData /Competitor (0,1)

Competitor to whom the record is assigned.

Athlete's or team's information should be in DT_PARTIC (Historic) if Competitor @Type="A" or DT_PARTIC_TEAMS (Historic) if Competitor @Type="T".

Attribute	M/O	Value	Description
Code	М	S(20) with no leading zeroes	Competitor's ID
Туре	М	S(1)	"A" for athlete
Organisation	М	CC @Organisation	Competitors' organisation

Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete (1,N)						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric #0	Send 1 if Competitor @Type="A".			

Element: Competition	Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete /Description (0,1)						
Athletes extended in	Athletes extended information.						
Attribute M/O Value Description							
GivenName	0	S(25)	Given name in WNPA format (mixed case)				
FamilyName	М	S(25) Family name in WNPA format (mixed case)					
Gender	М	CC @PersonGender	Gender of the athlete				
Organisation	М	CC @Organisation Athletes' organisation					
BirthDate	0	Date Birth date (example: YYYY-MM-DD). Must include i available					
IFId	0	S(16)	International Federation ID				

Sample (Swimming)

Olympic Data Feed - © IOC

Records



2.3.7.6 Message Sort

The following order applies:

- Record @Code
- RecordType @Order
- RecordData @Order



2.3.8 Event Final Ranking

2.3.8.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Result Mark (disqualified, etc.), or both.

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Event	Full RSC of the Event		
DocumentType	DT_RANKING	Event Final ranking message		
Version	1V	Version number associated to the message's content. Ascending number		
ResultStatus	CC @ResultStatus	Result status, indicates whether the data is official or partial. OFFICIAL		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zor where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day excell when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.8.3 Trigger and Frequency


This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change. Effectively this means the message is only sent as official after the Laser-Run. Trigger also after any change.

2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,	,1)		•			
	Gen					
	Sport					





2.3.8.5 Message Values

Element: Competition (0,1)		
Attribute	M/O	Value	Description



Gen	0	S(20)	Version of the General Data Dictionary applicable to the message
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	0	S(20)	Version of the Codes applicable to the message

Element: Competition	Element: Competition /ExtendedInfos /SportDescription (0,1)						
Sport Description in	Sport Description in text						
Attribute	M/O	Value	Description				
DisciplineName	М	S(40)	Discipline ENG Description (not code) from Common Codes				
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event				
Gender	М	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender				

Element: Competition /	Element: Competition /Result (1,N)					
For any event final rank	ing message	, there should be at least on	e competitor being awarded a result for the event.			
Attribute	M/O	Value	Description			
Rank	0	Text	Final rank of the competitor in the corresponding event.			
RankEqual	0	S(1)	Identifies if a rank has been equalled. Send "Y" only if applicable.			
ResultType	М	SC @ResultType	Result type, either points or IRM without points for the corresponding event.			
Result	0	Numeric ###0	Result of the competitor, only sent in the case the competitor participated in the final. Send in the case @ResultType is Points or IRM with points.			
IRM	0	SC @IRM	The invalid result mark, in case it is assigned. Send in the case @ResultType is IRM or both IRM and points.			
SortOrder	M	Numeric #0	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.			

Elem	lement: Competition /Result /ExtendedResults /ExtendedResult (1,N)						
	Туре	Code	Pos	Description			
ER		RECORD	N/A	Element Expected: If applicable in the final			
	Attribute	M/O	Value	Description			
	Value	М	CC @RecordType	Indicates if the result of the competitor is a record (highest only)			
ER		SEMIFINAL	S(1)	Pos Description: Send the semifinal for this athlete (A or B). Element Expected: Always			
	Attribute	M/O	Value	Description			
	Value	М	Numeric ###0	Score of the competitor in the semifinal			
	Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension						



Expected If the competitor received an IRM in this round					
Attribute Value		Description			
Code	IRM				
Pos	N/A				
Value	SC @IRM	IRM of the competitor if applicable in this round.			
Sub Element: Con Expected If applie		edResults /ExtendedResult /Extension			
Attribute	Value	Description			
Code	RANK				
Pos	N/A				
Value	S(2)	The rank of the competitor in their unit in this semifinal			
Sub Element: Con Expected If applic		edResults /ExtendedResult /Extension			
Attribute	Value	Description			
Code	RECORD				
Pos	N/A				
Value	S(2)	Indicates if the result of the competitor in the semifinal is a record (highest only)			

Element: Competition /Result /Competitor (1,1) Competitor related to one final event result.						
Attribute M/O Value Description						
Code	М	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.			
Туре	М	S(1)	A for athlete			
Organisation	0	CC @Organisation	Competitor's organisation if known			

Element: Competition /Result /Competitor /Composition /Athlete (0,N)						
Attribute	M/O	Value	Description			
Code	М	S(20) with no leading zeroes	Athlete's ID			
Order	М	Numeric	Send 1 when Competitor @Type="A".			

Attribute	M/O	Value	Description
GivenName	0	S(25)	Given name in WNPA format (mixed case)
FamilyName	М	S(25)	Family name in WNPA format (mixed case)
Gender	М	CC @PersonGender	Gender of the athlete
Organisation	М	CC @Organisation	Athletes' organisation
BirthDate	0	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	0	S(16)	International Federation ID



Sample (General)

2.3.8.6 Message Sort

Sort by Result @SortOrder



2.3.9 Configuration

2.3.9.1 Description

The Configuration is a message containing general configuration.

Ideally the configuration should be provided before competition. However it may be possible that the configuration for one particular event, phase or event unit is not known in advance. In that case send the unknown attributes blank (Value=").

Send before the competition for each unit/phase in separate messages as described.

2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Phase	Sent this message for each phase (ranking round, semifinal and final)		
DocumentType	DT_CONFIG	Configuration message		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.9.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each phase (ranking round, semifinal and final) except in swimming where it is one message for the phase.


Trigger also after any change, but considering that, if possible, the configuration for one particular phase must be provided before the start list. If this message is resent after any DT_RESULT message then the next version of DT_RESULT must be sent ASAP.

2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1	1)				
	Gen				





2.3.9.5 Message Values

Element: Competition	Element: Competition (0,1)					
Attribute	M/O	Value	Description			
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message			
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message			
Codes	0	S(20)	Version of the Codes applicable to the message			

Element: Competition /Configs /Config (1,N)					
Attribute	M/O	Value	Description		
Unit	М	CC @Phase	RSC in the following way: Fencing Ranking Round: Full RSC at phase level (RANK) Swimming: Full RSC at phase level Riding: Full RSC at phase level Laser-Run: Full RSC at phase level		

Elem	Element: Competition /Configs /Config /ExtendedConfig (1,N)						
	Type	Code	Pos	Description			
EC		NUM_GROUPS	N/A	Element Expected: Swimming and Fencing Ranking Round.			
	Attribute	M/O	Value	Description			
	Value	М	Numeric ##	Total number of groups, based on number of competitors, per discipline phase (except for phase of Laser-Run), i.e.: -for Fencing Ranking Round: the total number of rounds, -for Swimming phase: the total number of heats per semifinal,			
EC		NUM_PISTES	N/A	Element Expected: In Fencing Ranking Round.			
	Attribute	M/O	Value	Description			
	Value	M	Numeric	Total number of pistes for Fencing Ranking			



			##	Round.
EC		LAST_PISTE	N/A	Element Expected:
				In Fencing Ranking Round.
	Attribute	M/O	Value	Description
	Value	М	SC @Piste	Piste identification to designate the last piste used in Fencing discipline. Do not send "R" as it doesn't make sense. (e.g.: I for "Piste I")
QUAL	IFICATION	QUAL_RULE	N/A	Element Expected: Semifinal phase
	Attribute	M/O	Value	Description
	Value	M	SC @QualRule	Qualification rule code
SWIM		INTERMEDIATE	S(2)	Pos Description: Send the number that identifies each one of the split points (from 1 to F, where "F" is when the race finishes (e.g.: for Swimming -200m events-, 4 splits: (1): 50m, (2): 100m, (3): 150m, (F): 200m). Element Expected: Swimming
	Attribute	M/O	Value	Description
	Value	М	Numeric ###0	Send distance in metres at this intermediate point (from start to this split point).
LR		INTERMEDIATE	S(2)	Pos Description: Send the number that identifies each one of the split points (from 1 to F, where "F" is when the race finishes Element Expected: Laser-Run
	Attribute	M/O	Value	Description
	Value	M	Numeric ###0	Send distance in metres at this intermediate point (from start to this split point).
	Sub Element: Compete Expected In Laser-Ru	tition /Configs /Config /E n where name exists	xtendedConfig /Extended	ConfigItem
	Attribute	Value	Description	
	Code	NAME		
	Pos	Numeric #0		ermediate point types 1n including run and shoot display. When co-located the run split is usually ot.
	Value	SC @IntPtType	Code for this intermedi	ate point if it exists.
GROU	JPS	GROUP	Numeric #0	Pos Description: Send the group number in order, 1
				Element Expected: Always in Fencing Ranking Round.
	Attribute	M/O	Value	Description
	Value	M	S(5) Or CC @Organisation	Send the code of the group: "MIXn" for a mixed group or, the organisation code if both athletes from the same organisation.



	Attribute	Value	Description		
	Code	ID			
	Pos	Numeric 0	Position of the athle	ete in the group 1 or 2	
	Value	S(20) with no leading zeroes	Athlete's ID (to ider	ntify an athlete) corresponding to @Pos	
ROUND		Round Number	Numeric ##0	Code Description: The number that identifies each round, from 0 to the total number of rounds defined, e.g. from 0 to 17, for 36 competitors. Pos Description: Sequential number to indicate the bouts between different fencing pairs in all rounds There will be eighteen rounds and different bouts for each one (depending on the number of competitors and pistes). Element Expected: Send by unit. Always in Fencing Ranking Round	
	Attribute	M/O	Value	Description	
	Value	М	SC @Piste	Piste identification for the bout (e.g.: A for "Piste A", B for "Piste B")	
		mpetition /Configs /Config /Exter y unit. Always in Fencing Rankin	ndedConfig /ExtendedConfigItem ng Round		
	Attribute	Value	Description		
	Code	GROUP			
	Pos	Numeric 0	Position of the pair,	either 1 or 2	
	Value	S(5) Or CC@Organisation	Send the code of the group: "MIXn" for a mixed group or, organisation code if both athletes from the same organisation.		
зоит		Round Number	Numeric ###	Code Description: The number that identifies each round, from 0 to the total number of rounds defined, e.g. from 0 to 17, for 36 competitors. Pos Description: Bout number of each one of the different bouts of Fencing RR	
				Element Expected: Always in Fencing Ranking Round	
	Attribute	M/O	Value	Description	
	Value	M	SC @Piste	Piste identification for the bout	



Expected Always in Fencing Ranking Round					
Attribute Value		Description			
Code	ID				
Pos	Numeric 0	Position of the athlete in the bout 1 or 2			
Value	S(20) with no leading zeroes	Athlete's ID (to identify an athlete) that competes in this bout.			

Sample (Fencing Ranking Round)

```
<Configs>
  <Config Unit="MPNMINDIVID----------" >
 <ExtendedConfig Type="EC" Code="NUM_GROUPS" Value="18" />
<ExtendedConfig Type="EC" Code="NUM_PISTES" Value="9" />
<ExtendedConfig Type="EC" Code="LAST_PISTE" Value="I" />
 </ExtendedConfig>
 <ExtendedConfig Type="GROUPS" Code="GROUP" Pos="2" Value="RUS" >
    <ExtendedConfigItem Code="ID" Pos="1" Value="1066055" />
    <ExtendedConfigItem Code="ID" Pos="2" Value="1065570" />
 </ExtendedConfig>
 <ExtendedConfig Type="ROUND" Code="0" Pos="1" Value="A" >
   <ExtendedConfigItem Code="GROUP" Pos="1" Value="MIX3" />
    <ExtendedConfigItem Code="GROUP" Pos="2" Value="MIX2" />
 </ExtendedConfig>
 <ExtendedConfig Type="ROUND" Code="0" Pos="2" Value="B" >
    <ExtendedConfigItem Code="GROUP" Pos="1" Value="MIX4" />
    <ExtendedConfigItem Code="GROUP" Pos="2" Value="MIX1" />
 </ExtendedConfig>
 <ExtendedConfig Type="ROUND" Code="17" Pos="161" Value="H">
    <ExtendedConfigItem Code="GROUP" Pos="1" Value="CZE" />
    <ExtendedConfigItem Code="GROUP" Pos="2" Value="GER" />
 </ExtendedConfig >
 <ExtendedConfig Type="ROUND" Code="17" Pos="162" Value="I">
   <ExtendedConfigItem Code="GROUP" Pos="1" Value="EGY" />
<ExtendedConfigItem Code="GROUP" Pos="2" Value="GBR" />
 </ExtendedConfig >
 <ExtendedConfig Type="BOUT" Code="0" Pos="1" Value="A" >
    <ExtendedConfigItem Code="ID" Pos="1" Value="1123054" />
    <ExtendedConfigItem Code="ID" Pos="2" Value="1056610" />
 </ExtendedConfig >
 <ExtendedConfig Type="BOUT" Code="0" Pos="2" Value="A" >
   <ExtendedConfigItem Code="ID" Pos="1" Value="1086721" />
<ExtendedConfigItem Code="ID" Pos="2" Value="1093644" />
 </ExtendedConfig >
 <ExtendedConfig Type="BOUT" Code="17" Pos="630" Value="I" >
   <ExtendedConfigItem Code="ID" Pos="1" Value="1097096" />
<ExtendedConfigItem Code="ID" Pos="2" Value="1075697" />
 </ExtendedConfig >
  </Config>
</Configs>
```



2.3.9.6 Message Sort

There is no message sorting rule.



2.3.10 Weather conditions

2.3.10.1 Description

The weather conditions is a message containing the current weather conditions in the venue or location. The use of venue or location is dependent to the level of detail that current weather conditions refer to. If weather conditions refer to a specific sailing course, then location code should be used. If weather conditions refer to athletics stadium, then the venue code should be used.

2.3.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment		
CompetitionCode	CC @Competition	Unique ID for competition		
DocumentCode	CC @Discipline	Full RSC at discipline level		
DocumentSubcode	CC @Location	Location code (venue level)		
DocumentType	DT_WEATHER	Weather conditions in the venue or location as referred to in DocumentSubcode.		
Version	1V	Version number associated to the message's content. Ascending number		
FeedFlag	"P" - Production "T" - Test	Test message or production message.		
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.		
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.		
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.		
Source	SC @Source	Code indicating the system which generated the message.		

2.3.10.3 Trigger and Frequency

2.3.10.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)		,		
	Gen			
	Sport			
	Codes			
	Weather (1,1)			
	'	Date		

^{*} The message is sent every 30 minutes during a session, beginning approximately 30 minutes before start of session



Conditions (1,N)		
	Code	
	Humidity	
	Wind_Direction	
	Condition (0,3)	
		Code
		Value
	Precipitation (0,N)	
		Unit
		Value
	Pressure (0,N)	
		Unit
		Value
	Temperature (0,N)	
		Code
		Unit
		Value
	Wind (0,N)	
		Code
		Unit
		Value

2.3.10.5 Message Values

Element: Competition (0,1)				
Attribute	M/O	Value	Description	
Gen	0	S(20)	Version of the General Data Dictionary applicable to the message	
Sport	0	S(20)	Version of the Sport Data Dictionary applicable to the message	
Codes	0	S(20)	Version of the Codes applicable to the message	

Element: Competition /Weather (1,1)				
Attribute	M/O	Value	Description	
Date	М	DateTime	Date/time of the conditions	

Element: Competition /Weather /Conditions (1,N)					
Attribute	M/O	Value	Description		
Code	М	SC @WeatherPoint	Weather Point(s)		
Humidity	0	Numeric ##0	Humidity in %		



Element: Competition /Weather /Conditions /Condition (0,3)				
Attribute	M/O	Value	Description	
Code	M	SKY	Weather conditions type	
Value	M	CC @WeatherCondition	Code that describes the Weather Condition.	

Element: Competition /Weather /Conditions /Precipitation (0,N)					
Attribute	M/O	Value	Description		
Unit	М	SC @PrecipitationUnit	Precipitation unit		
Value	М	Numeric ###0.0	Precipitation quantity in the past 6 hours		

Element: Competition /Weather /Conditions /Pressure (0,N)				
Attribute	M/O	Value	Description	
Unit	М	S(3)	Send "hPa" as unit for pressure	
Value	М	Numeric ###0	Air pressure in hPa	

Element: Competition /Weather /Conditions /Temperature (0,N)				
Attribute	M/O	Value	Description	
Code	М	AIR, WBGT	Air and WBGT temperature	
Unit	M	SC @TemperatureUnit	Temperature unit	
Value	М	Numeric -##0.0 or ##0.0	Temperature (in case of positive temperature, do not send '+')	

Element: Competition /Weather /Conditions /Wind (0,N)				
Attribute	M/O	Value	Description	
Code	M	S(5)	Wind Speed, send SPEED	
Unit	M	SC @WindUnit	Wind unit	
Value	М	Numeric ##0	Wind speed in @Unit	

2.3.10.6 Message Sort

There is no special sort order requirement for this message.



3 November 2023



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Status	D	Ε	Р	S	U
As soon As ODF operation start	DT_CODES						
Periodically as soon as ODF operations start	DT_PARTIC		x				
Periodically as soon as ODF operations start	DT_SCHEDULE		x				
Periodically as soon as ODF operations start	DT_RECORD		x				

3.2 Before competition

Trigger	Message	Status	D	Е	Р	s	U
When INFO goes live	DT_PDF C08 Competition Schedule		х				
	DT_PDF C35 Competition Officials		х				
	DT_PDF C24 Records			х			
After initial Download, if updates	DT_PARTIC_UPDATE		х				
	DT_PARTIC_HORSES_UPDATE		х				
	DT_SCHEDULE_UPDATE		х				
	DT_PDF C08 Competition Schedule		х				
After Horse Jumping Test	DT_RESULT	UNOFFICIAL			х		
	DT_RESULT	OFFICIAL			х		
	DT_PDF C45A Horse Characteristics		х				
After Fencing Draw - Technical Meeting	DT_PDF C30 Number of Entries by NOC		x				
	DT_PDF C32A Entry List by NOC			х			
	DT_PDF C32C Entry list by Event			х			
Ranking Round Start List	DT_CONFIG				х		
	DT_RESULT	START_LIST					х
	DT_PDF C51A Fencing Pairs (Fencing Ranking Round)						х

3.3 During Competition - Ranking Round

Trigger	Message	Status	D	E	Р	S	U
Athletes line up for presentation	DT_SCHEDULE_UPDATE	GETTING_READY	х				О
	DT_SCHEDULE_UPDATE	RUNNING	х				О
As soon as the competition starts and after each update	DT_RESULT	LIVE					х



After each round	DT_PDF C73A1 Results (Fencing Ranking Round)	INTERMEDIATE			х
When finished	DT_SCHEDULE_UPDATE	FINISHED	х		0
	DT_RESULT	UNOFFICIAL			х
When Ranking Round is Official	DT_RESULT	OFFICIAL			х
MP Points (For Semifinal)	DT_CUMULATIVE_RESULT	INTERMEDIATE		х	
	DT_PDF C73A1 Results (Fencing Ranking Round)				х
	DT_PDF C76A Bout Summary (Fencing Ranking Round)				x

3.4 During Competition - Semifinals and Finals

Trigger	Message	Status	D	Е	Р	S	U
Messages order: Semifinal A, B and Finals	-						
	DT_PDF C45C Competition Horses			х			
	DT_CONFIG				х		
Riding Start List	DT_RESULT	START_LIST					х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	INTERMEDIATE			0		x
	DT_PDF C51C Start List (Riding)						х
During Riding	DT_SCHEDULE_UPDATE	GETTING_READY	х				o
	DT_SCHEDULE_UPDATE	RUNNING	х				0
As soon as the competition starts and after each update	DT_RESULT	LIVE					x
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	LIVE			0		х
When finished	DT_SCHEDULE_UPDATE	FINISHED	х				
	DT_RESULT	UNOFFICIAL					х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	INTERMEDIATE			0		x
When Riding is Official	DT_RESULT	OFFICIAL					х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	INTERMEDIATE			0		x
	DT_PDF C73C Results (Riding)						х
	DT_PDF C77B Horse Penalty Analysis		х				
	DT_PDF C74A Results Summary						х
Bonus Round Start List	DT_RESULT	START_LIST					х
	DT_PDF C51E Start List						х
Fencing Points	DT_CUMULATIVE_RESULT	START_LIST					х
During Bonus Round	DT_SCHEDULE_UPDATE	GETTING_READY	х				o
	DT_SCHEDULE_UPDATE	RUNNING	х				o
As soon as the competition starts	DT_RESULT	LIVE					х



and after each update						
Fencing Points	DT_CUMULATIVE_RESULT	LIVE				х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	LIVE			0	х
When finished	DT_SCHEDULE_UPDATE	FINISHED	х			o
	DT_RESULT	UNOFFICIAL				х
Fencing Points	DT_CUMULATIVE_RESULT	UNOFFICIAL				х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	INTERMEDIATE			0	х
When Bonus Round is Official	DT_RESULT	OFFICIAL				х
Fencing Points	DT_CUMULATIVE_RESULT	OFFICIAL				х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	INTERMEDIATE			0	х
	DT_PDF C75 Results					x
	DT_PDF C73A2 Final Fencing Results					х
If broken or equalled record	DT_RECORD	PARTIAL	х			
	DT_PDF C81 Records Broken/Equalled	OFFICIAL		х		
Swimming Start List (SubUnit Level)	DT_RESULT	START_LIST				х
	DT_PDF C51B Start List					x
During Swimming	DT_SCHEDULE_UPDATE	GETTING_READY	x			О
	DT_SCHEDULE_UPDATE	RUNNING	х			o
As soon as the competition starts and after each update	DT_RESULT	LIVE				x
After each Heat	DT_SCHEDULE_UPDATE	FINISHED	х			o
	DT_RESULT	UNOFFICIAL				x
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	LIVE			О	x
When Heat is Official	DT_RESULT	OFFICIAL				х
	DT_PHASE_RESULT	INTERMEDIATE				x
	DT_PDF C73B Results					x
If broken or equalled record	DT_RECORD	PARTIAL	x			
	DT_PDF C81 Records Broken/Equalled	OFFICIAL		х		
When Swimming is finished	DT_PHASE_RESULT	UNOFFICIAL				x
	DT_PHASE_RESULT	OFFICIAL				x
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	OFFICIAL			o	х
	DT_PDF C74A Results Summary					х
Laser Run Start List	DT_RESULT	START_LIST				х
	DT_PDF C51D Start List					х
	DT_SCHEDULE_UPDATE	GETTING_READY	х			o
	DT_SCHEDULE_UPDATE	RUNNING	x			О



As soon as the competition starts and after each update	DT_RESULT	LIVE				x
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	LIVE			0	х
When Finished	DT_SCHEDULE_UPDATE	FINISHED	x			О
	DT_RESULT	UNOFFICIAL				х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	UNOFFICIAL			0	х
When Laser Run is Official	DT_RESULT	OFFICIAL				х
MP Points (During Finals only at Phase Level)	DT_CUMULATIVE_RESULT	OFFICIAL			0	х
Semifinals Summary - When both Semifinals are official	DT_SCHEDULE_UPDATE	OFFICIAL			x	
	DT_C73F Arrival Order					х
	DT_PDF C73D Results					х
After Semifinal A and B	DT_PDF C74A Results Summary					х
	DT_PDF C74B Event Results Summary				х	
	DT_PDF C77A Results Analysis					х
If broken or equalled record	DT_RECORD	PARTIAL	х			
	DT_PDF C81 Records Broken/Equalled	OFFICIAL		х		

3.5 After competition

Trigger	Message	Status	D	E	Р	S	U
	DT_PDF C74B Event Results Summary				х		
	DT_PDF C76B Event Classification			х			
	DT_RANKING	OFFICIAL		х			
	DT_MEDALLISTS	OFFICIAL		х			
	DT_MEDALLISTS_DISCIPLINE		х				
	DT_MEDALS		х				
	DT_PDF C92A - Medallists	OFFICIAL		х			
	DT_PDF C93 - Medallists by Event		х				
	DT_PDF C95 - Medal Standings		х				

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit **x** Sent on that level; **o** Includes info from that level



4 Document Control

		Version history
Version	Date	Comments
V1.0	15 Sep 2017	First version
V1.1	08 Oct 2017	Updated
V1.2	03 Jan 2018	Updated (CR)
V1.3	20 Feb 2018	Updated
V1.4	22 Apr 2018	Updated
V1.5	02 Jul 2018	Updated
V2.0	08 Aug 2018	Updated, CRs
V2.1	21 Sep 2018	Updated
V2.2	25 Oct 2018	Approved
V2.3	30 May 2019	Updated, CR
V2.4	14 Aug 2019	Updated. First version as a full document
V2.5	11 Nov 2019	Updated, ORIS change
V2.6	21 Feb 2020	Updated
V3.0	1 Jul 2022	First version for Paris 2024
V3.01	17 Mar 2023	Updated
V3.1	5 May 2023	Approved
V3.2	14 Jul 2023	CR026038
V3.3	1 Sep 2023	CR026409
V3.4	3 Nov 2023	CR026780

File Reference: SOG-2024-MPN-3.4 APP

		Change Log
Version	Status	Changes on version
V1.0	SFR	First version
V1.1	SFR	Updated to refer to Laser-Run and not Combined, change CO extensions to LR. DT_CUMULATIVE_RESULTS: Added ExtendedResults for separate RR and BR results.
V1.2	SFA	DT_PARTIC: Updated to add Passport names (CR15219)
V1.3	SFA	DT_PARTIC: Delete Participant /OfficialFunction (not required). DT_PARTIC_HORSES_UPDATE: Clarify that only the update message is used. DT_RESULT: Correct minor typos in samples. DT_RESULT: Add handicap time for teams & average swim time for teams. DT_PHASE_RESULT: Remove LIVE @ResultStatus (incorrect). DT_CUMULATIVE_RESULT: Added some missing data in samples. DT_CONFIG: Added codes for two bouts in a round for teams. Other minor typographical corrections without changing meaning.
V1.4	SFA	DT_RESULT: Add ExtendedInfo DISPLAY/LEADER for the swim (consistency with SWM).
V1.5	SFA	DT_RESULT: Add ExtendedInfo DISPLAY/LEADER for the Laser-Run.
V2.0	SFA	CR15039: Add DT_PARTIC_NAME to applicable messages. CR16671: Add TVFamilyName in DT_PARTIC message.



		CR16537: Move LAST_UNIT to ExtendedInfos/Progress in Phase and Cumulative results.
V2.1	SFA	Corrected typographical error, extension LASER-RUN changed to LASER RUN.
V2.2	APP	Change status
V2.3	APP	DT_CONFIG: Remove Fencing Bonus Round. DT_RESULT: Add @Value2 to PROGRESS/INTERMEDIATE in Result /ExtendedResults /ExtendedResult. DT_RESULT: Add "E" for evaluated ER_LR/PHOTO in extended results and update. DT_CUMULATIVE_RESULT: Update triggering of overall message during fencing bonus round CR16640: Add ODF Version @Competition. Editorial improvements without changing the intent.
V2.4	APP	Removed DT_PARTIC_TEAM/_UPDATE and all team references/elements in the other messages as in DT_PHASE_RESULT, DT_CUMULATIVE_RESULT, DT_RANKING, CR17809: Change Participant/OlympicSolidarity to disallow N. First version as a full document.
V2.5	APP	CR18161: DT_RESULT: Add seconds to mount and start time @ Result /Competitor /Composition /Athlete /EventUnitEntry. CR18161: DT_CUMULATIVE_RESULT: Add ER_FE/PTY @ Result /ExtendedResults /ExtendedResult. Removed teams information for clarity as not application in Olympic Games.
V2.6	APP	DT_CUMULATIVE_RESULT: Update triggering of the fencing message in the ranking round. DT_CUMULATIVE_RESULT: Clarify Description at Result/Rank DT_RESULT: Clarify DISPLAY/LAST_COMP @ ExtendedInfos /ExtendedInfo
V3.0	SFA	DT_PARTIC: Remove Participant/Weight & Participant/Height DT_RESULT: Update PROGRESS/INTERMEDIATE at Result /ExtendedResults /ExtendedResult DT_RESULT: Add EUE/MAVE at Result /Competitor /Composition /Athlete /EventUnitEntry DT_RESULT: Update DocumentCode DT_RESULT: Update triggering DT_RESULT: Update ER_FE/BOUTS at Result /ExtendedResults /ExtendedResult and remove sub elements DT_RESULT: Update ER_FE/BOUTS at Result /ExtendedResults /ExtendedResult and remove some sub elements DT_RESULT: Update PROGRESS/SHOOT at Result /ExtendedResults /ExtendedResult and remove some sub elements DT_RESULT: Update ER_EQ/DBSTACLE at Result /ExtendedResults /ExtendedResult DT_RESULT: Update ER_EQ/DBSTACLE at Result /ExtendedResults /ExtendedResult DT_RESULT: Update ER_EQ/DTY_OTH at Result /ExtendedResults /ExtendedResult DT_RESULT: Update ER_LR/LASER_RUN at Result /ExtendedResults /ExtendedResult DT_RESULT: Update ER_LR/LASER_RUN at Result /ExtendedResults /ExtendedResult DT_CUMULATIVE_RESULT: Update Description DT_CUMULATIVE_RESULT: Update Description DT_CUMULATIVE_RESULT: Update DocumentCode DT_CUMULATIVE_RESULT: Update DocumentCode DT_CUMULATIVE_RESULT: Add Result/QualificationMark DT_CUMULATIVE_RESULT: Update Result /Result/ExtendedResults /ExtendedResult DT_CUMULATIVE_RESULT: Update Result /Result /ExtendedResult /ExtendedResult DT_CUMULATIVE_RESULT: Update Result /Result /ExtendedResult /ExtendedResult DT_CONFIG: Update DocumentCode DT_



V3.01	SFA	DT_PARTIC: Remove ENTRY/SWIM_BEST at Participant /Discipline /RegisteredEvent /EventEntry DT_RESULT: Remove EUE/SWIM_BEST at Result /Competitor /Composition /Athlete /EventUnitEntry DT_RESULT: Update BOUT/BONUS/ID at ExtendedInfos /ExtendedInfo DT_CUMULATIVE_RESULT: Correct typo for Expected at ER/GROUP at Result /ExtendedResults/ExtendedResult DT_RECORD: Update description DT_RECORD: Update Record /RecordType /RecordData /Result DT_WEATHER: Add message DT_CONFIG: Add @Pos for LR/INTERMEDIATE/NAME at Configs /Config /ExtendedConfig
V3.1	APP	DT_PHASE_RESULT: Update DocumentCode DT_CUMULATIVE_RESULT: Update DocumentCode DT_CUMULATIVE_RESULT: Update triggering DT_CUMULATIVE_RESULT: Update ResultStatus
V3.2	APP	DT_RESULT: Update Expected for DISPLAY/CURRENT at ExtendedInfos /ExtendedInfo [CR026038] DT_CUMULATIVE_RESULT: Update triggering [CR026038] DT_CUMULATIVE_RESULT: Remove ER/FENCING at Result /ExtendedResults /ExtendedResult [CR026038] DT_CUMULATIVE_RESULT: Add ER/FENCING_RR at Result /ExtendedResults /ExtendedResult [CR026038] DT_CUMULATIVE_RESULT: Add ER/FENCING_BR at Result /ExtendedResults /ExtendedResult [CR026038] DT_CUMULATIVE_RESULT: Add ER/FENCING_BR at Result /ExtendedResults /ExtendedResult [CR026038] DT_WEATHER: Updated to be common [CR025912] Typographical corrections in some samples
V3.3	APP	DT_CUMULATIVE_RESULT: Update Result/Rank [CR026409] DT_CUMULATIVE_RESULT: Update Result /ResultItems /ResultItem /Result /Rank [CR026409]
V3.4	APP	DT_RESULT: Update ER_EQ/PTY_TIME at Result /ExtendedResults /ExtendedResult [CR026780] DT_RESULT: Update ER_EQ/PTY_OBS at Result /ExtendedResults /ExtendedResult [CR026780] DT_RESULT: Clarify @Pos for DISPLAY/LEADER at ExtendedInfos /ExtendedInfo [CR026780] DT_PHASE_RESULT: Correct typo at DocumentCode [CR026780] DT_CUMULATIVE_RESULT: Update triggering [CR026780] Typographical corrections in FEN sample