



# Olympic Data Feed



## **Cycling Mountain Bike ODF Data Dictionary**

Technology and Information Department  
© International Olympic Committee

SOG-2024-MTB-3.2 APP  
28 July 2023



## License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



## Table of Contents

1 Introduction.....	5
1.1 This document.....	5
1.2 Objective.....	5
1.3 Main Audience.....	5
1.4 Glossary.....	5
1.5 Related Documents.....	5
2 Messages.....	6
2.1 Cycling Mountain Bike Overview.....	6
2.2 Applicable Messages.....	6
2.3 Messages.....	8
2.3.1 List of participants by discipline / List of participants by discipline update.....	8
2.3.1.1 Description.....	8
2.3.1.2 Header Values.....	8
2.3.1.3 Trigger and Frequency.....	9
2.3.1.4 Message Structure.....	9
2.3.1.5 Message Values.....	10
2.3.1.6 Message Sort.....	13
2.3.2 Event Unit Start List and Results.....	14
2.3.2.1 Description.....	14
2.3.2.2 Header Values.....	14
2.3.2.3 Trigger and Frequency.....	14
2.3.2.4 Message Structure.....	15
2.3.2.5 Message Values.....	17
2.3.2.6 Message Sort.....	26
2.3.3 Play by Play.....	27
2.3.3.1 Description.....	27
2.3.3.2 Header Values.....	27
2.3.3.3 Trigger and Frequency.....	27
2.3.3.4 Message Structure.....	27
2.3.3.5 Message Values.....	29
2.3.3.6 Message Sort.....	31
2.3.4 Image.....	32
2.3.4.1 Description.....	32
2.3.4.2 Header Values.....	32
2.3.4.3 Trigger and Frequency.....	32
2.3.4.4 Message Structure.....	32
2.3.4.5 Message Values.....	33
2.3.4.6 Message Sort.....	35
2.3.5 Event Final Ranking.....	36
2.3.5.1 Description.....	36
2.3.5.2 Header Values.....	36
2.3.5.3 Trigger and Frequency.....	36
2.3.5.4 Message Structure.....	36
2.3.5.5 Message Values.....	37
2.3.5.6 Message Sort.....	39
2.3.6 Configuration.....	40



2.3.6.1 Description.....	<a href="#">40</a>
2.3.6.2 Header Values.....	<a href="#">40</a>
2.3.6.3 Trigger and Frequency.....	<a href="#">40</a>
2.3.6.4 Message Structure.....	<a href="#">40</a>
2.3.6.5 Message Values.....	<a href="#">41</a>
2.3.6.6 Message Sort.....	<a href="#">44</a>
2.3.7 Weather conditions.....	<a href="#">45</a>
2.3.7.1 Description.....	<a href="#">45</a>
2.3.7.2 Header Values.....	<a href="#">45</a>
2.3.7.3 Trigger and Frequency.....	<a href="#">45</a>
2.3.7.4 Message Structure.....	<a href="#">45</a>
2.3.7.5 Message Values.....	<a href="#">46</a>
2.3.7.6 Message Sort.....	<a href="#">47</a>
3 Message Timeline.....	<a href="#">49</a>
3.1 Preparation Phase.....	<a href="#">49</a>
3.2 Before competition.....	<a href="#">49</a>
3.3 During competition.....	<a href="#">49</a>
3.4 After competition.....	<a href="#">50</a>
4 Document Control.....	<a href="#">51</a>



# 1 Introduction

## 1.1 This document

This document includes the ODF Cycling Mountain Bike Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

## 1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Cycling Mountain Bike Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

## 1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

## 1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

## 1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



## 2 Messages

### 2.1 Cycling Mountain Bike Overview

#### MESSAGES IN EACH EVENT

All events have a single DT\_RESULT and DT\_PLAY\_BY\_PLAY for each unit and DT\_IMAGE if appropriate.

#### SCHEDULE

The DT\_SCHEDULE/DT\_SCHEDULE\_UPDATE message will include each unit (schedule=Y) only which is aligned with the same RSC for DT\_RESULT.

#### CONFIGURATION

The course will not be available until after the start list is available. As a result the DT\_RESULT/START\_LIST will be send the day before competition and the DT\_CONFIG will be sent in the morning of the competition immediately followed by DT\_RESULT/START\_LIST.

### 2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message\nextended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_RESULT	Event Unit Start List and Results	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_IMAGE	Image	X
DT_PRESSPHOTOFINISH_LK	Press Photofinish	
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_WEATHER	Weather conditions	X



DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	



## 2.3 Messages

### 2.3.1 List of participants by discipline / List of participants by discipline update

#### 2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message.

List of participants by discipline (DT\_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT\_PARTIC\_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

#### 2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Discipline</a>	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
DocumentSubtype	S(20)	SYNC if the message is for re-synchronisation for ODF clients. Only sent after control is transferred to the venue (else not included). HISTORICAL if the message is from the historical results provider and only includes historic athletes (else not included). Neither are ever included in _UPDATE messages. HISTORICAL is not sent to external clients.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.





Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.1.3 Trigger and Frequency

The DT\_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT\_PARTIC\_UPDATE messages are sent.

The DT\_PARTIC\_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

### 2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0.1)</a>	Gen Sport Codes				
	<a href="#">Participant (1.N)</a>	Code Parent Status GivenName FamilyName PassportGivenName PassportFamilyName PrintName PrintInitialName TVName TVInitialName TVFamilyName LocalFamilyName LocalGivenName Gender Organisation BirthDate			



### 2.3.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Sample (General)

```
<Competition Gen="SOG-2020-1.10" Sport="SOG-2020-MTB-1.10" Codes="SOG-2020-1.20" >
```

Element: Competition /Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time.



			<p>It is used to link other messages to the participant's information.</p> <p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	<a href="#">CC @ParticStatus</a>	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Participant's gender
Organisation	M	<a href="#">CC @Organisation</a>	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.



PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	<a href="#">CC @Country</a>	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	<a href="#">CC @Country</a>	Country ID of Residence
Nationality	O	<a href="#">CC @Country</a>	Participant's nationality.  Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	<a href="#">CC @ResultsFunction</a>	Main function  In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only  N-New participant (in the case that this information comes as a late entry) U-Update participant  If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants  If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants  To delete a participant, a specific value of the Status attribute is used.

**Element: Competition /Participant /Discipline (1,1)**

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	<a href="#">CC @Discipline</a>	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	O	S(16)	UCI code (competitor's federation number for the discipline).

**Element: Competition /Participant /Discipline /RegisteredEvent (0,N)**

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	<a href="#">CC @Event</a>	Full RSC of the Event
Bib	O	S(4)	Race number.  Although this attribute is optional, it will be updated and informed as soon as this information is known (example: 8,



			10,..).
			Send only in the Case of Current="true".

Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)				
Send if there are specific athlete's event entries.				
Type	Code	Pos	Description	
ENTRY	RANK_WLD	N/A	Element Expected: As soon as the venue results has this information (this information can be sent in both messages)	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(4)	Send the UCI ranking for the competitor.

### 2.3.1.6 Message Sort

The message is sorted by Participant @Code



## 2.3.2 Event Unit Start List and Results

### 2.3.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

### 2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC @ResultStatus</a>	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST LIVE (used during the competition when nothing else applies) UNOFFICIAL OFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.2.3 Trigger and Frequency

This message is sent with ResultStatus 'START\_LIST' as soon as the expected information is available and any changes to the information. Possible information is:

- \* As soon as the start list is available and any changes [inc. IRMs] (START\_LIST)

This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates.



\* When the competition starts and all changes/additions in data (LIVE)

This message is also sent when the event unit finishes, and the results are still unofficial. Also, this message is expected when the results become official. The official/unofficial status is included in the ODF headers (ResultStatus attribute).

\* When the last competitor finish (UNOFFICIAL)


\* After the results for the race are approved (OFFICIAL)

Trigger also after any change.

### 2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0.1)</a>						
	Gen					
	Sport					
	Codes					
	<a href="#">ExtendedInfos (0.1)</a>					
		<a href="#">UnitDateTime (0.1)</a>				
			StartDate			
			EndDate			
		<a href="#">ExtendedInfo (0.N)</a>				
			Type			
			Code			
			Pos			
			Value			
			<a href="#">Extension (0.N)</a>			
		<a href="#">SportDescription (0.1)</a>				
			DisciplineName			
			EventName			
			Gender			
			SubEventName			
		<a href="#">VenueDescription (0.1)</a>				
			Venue			
			VenueName			
			Location			
			LocationName			
	<a href="#">Result (1.N)</a>					
		Rank				
		RankEqual				
		Result				







	Pos Value
--	--------------

### 2.3.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)			
Actual times. Include when the unit starts.			
Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date and time.
EndDate	O	DateTime	Actual end date-time. Do not fill before.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
DISPLAY	INT_x (x = overall Intermediate Point)	Numeric #0	Pos Description: Send a unique number for each competitor included (that is if two competitors updated send 1 & 2)  Element Expected: When available and only when the unit is LIVE or UNOFFICIAL. This is used to show the most recent competitors arriving at this intermediate point included in this message. Effectively it is saying who is updated in this message.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) without leading zeroes	Send the competitor ID of the last competitor(s) to reach the intermediate point (including F).
DISPLAY	AFTER_INT	S(2)	Pos Description: Intermediate point (1,2..F) Element Expected: Always for all intermediate points after the first person has passed that intermediate.	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Send the number of competitors who have passed the intermediate point. Do not include IRMs who did not reach this point.
UI	AFTER_N	N/A	Element Expected: When was available, for all riders who have	



				passed the same intermediate as the leader.
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	String	Athletes passed point In the format "x riders have completed y km" e.g.: "29 riders have completed 27 km"
UI		STARTERS	N/A	Element Expected: When was available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0	Sent the number of competitors on the start list
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	COMPLETE		
	Pos	N/A		
	Value	Numeric ##0	Send the number of competitors whose event unit is completed (includes IRMs)	
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	ORG		
	Pos	N/A		
	Value	Numeric ##0	Send the number of organisations in the unit	
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	y Where y=CC@IRM		
	Pos	N/A		
	Value	Numeric ##0	Send number of riders who have an IRM.	
UI		FASTEST	Numeric #0	Pos Description: Send the lap's number in which the competitor had the best time.  Element Expected: Send only at the end of the race
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(20) with no leading zeroes	To know the fastest competitor and in which lap happened. Send the ID of the competitor with the fastest lap.
LEADER		CURRENT	S(2)	Pos Description: Send the intermediate point where the current leader has most recently passed. Element Expected: When it is available



Attribute	M/O	Value	Description
Value	M	S(20) with no leading zeroes	Send the Current Leader ID at the intermediate point
LEADER	INTERMEDIATE	S(2)	Pos Description: The number that identifies the intermediate result point, from 1 to F intermediate result points. Where F is when finish the race. Element Expected: When it is available
Attribute	M/O	Value	Description
Value	M	h:mm:ss	Time up to that point of athlete who is leader at the intermediate point. Without leading zeros
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>			
Attribute	Value	Description	
Code	LAP_SPEED_AVG		
Pos	N/A		
Value	Numeric ##0.000	Average Speed of rider leader at last lap (km/h)	
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>			
Attribute	Value	Description	
Code	SPEED_AVG		
Pos	N/A		
Value	Numeric ##0.000	Average Speed, from the start, for athlete leader at each point.	
LEADER	SECTION	Numeric #0	Pos Description: The number that identifies the lap, from 1 to the total number (n) of laps. According to the @Pos of the INTERMEDIATE code. Element Expected: When it is available
Attribute	M/O	Value	Description
Value	M	h:mm:ss	Time for that lap. Do not send h if it is zero.
<b>Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected When it is available</b>			
Attribute	Value	Description	
Code	SPEED_AVG		
Pos	N/A		
Value	Numeric ##0.000	Leader Average Speed in that section	

**Sample (General)**



```

...
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-11T12:30:00+01:00" />
  <ExtendedInfo Type="UI" Code="STARTERS" Value="30" />
  <Extension Code="COMPLETE" Value="28" />
  <Extension Code="ORG" Value="17" />
  <Extension Code="DNF" Value="1" />
  </ExtendedInfo>
  <ExtendedInfo Type="UI" Code="AFTER_N" Value="30 riders completed 10Km" />
  <ExtendedInfo Type="UI" Code="FASTEST" Pos="1" Value="1076556" />
  <ExtendedInfo Type="LEADER" Code="CURRENT" Pos="13" Value="1106825" >
  <ExtendedInfo Type="LEADER" Code="INTERMEDIATE" Pos="1" Value="0:55">
  <Extension Code="SPEED_AVG" Value="28.800" />
  </ExtendedInfo>
  ...
  <ExtendedInfo Type="LEADER" Code="INTERMEDIATE" Pos="13" Value="1:30:52">
  <Extension Code="SPEED_AVG" Value="19.320" />
  <Extension Code="LAP_SPEED_AVG" Value="19.131" />
  </ExtendedInfo>
  <ExtendedInfo Type="LEADER" Code="SECTION" Pos="3" Value="14:46">
  <Extension Code="SPEED_AVG" Value="19.178" />
  </ExtendedInfo>
  ...
  <ExtendedInfo Type="LEADER" Code="SECTION" Pos="13" Value="15:05">
  <Extension Code="SPEED_AVG" Value="19.173" />
  </ExtendedInfo>
  <ExtendedInfo Type="DISPLAY" Code="INT_2" Pos="1" Value="1234567" />
  <ExtendedInfo Type="DISPLAY" Code="INT_2" Pos="2" Value="1234444" />
  ...
</ExtendedInfos>

```

**Element: Competition /ExtendedInfos /SportDescription (0,1)**

**Sport Descriptions in Text.**

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes

**Element: Competition /ExtendedInfos /VenueDescription (0,1)**

**Venue Names in Text.**

Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

**Element: Competition /Result (1,N)**

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
-----------	-----	-------	-------------



Rank	O	Text	Rank of the competitor in the corresponding event unit.
RankEqual	O	S(1)	Identifies if a rank has been equalled (Y). Only send if applicable.
Result	O	h:mm:ss	The result of the competitor in the event unit. Do not include h if it is zero.
Unchecked	O	S(1)	Send "Y" if time is a transponder time or similar and needs to be validated by reading photo. Do not send if not "Y".
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned.  Send just in the case @ResultType is IRM or RANK.
SortOrder	M	Numeric	Used to sort all the results of an event unit. This attribute is a sequential number with the order of the results for the particular event unit.  Before the race start, content is the same than StartSortOrder. After the first split data arrives, Results are sorted by split rank. For those athletes without rank (first split) then the sort is the same as before the race, but following athletes with split rank. At the end Results are sorted by Rank.  The rank sort is, all those athletes at the forward most split are ranked 1 - x, adding those athletes that have not arrived to this split, which are sorted according position in previous split etc. back through each split (or start order). Resort as each new data item arrives. Athletes who are disqualified or are notified as "did not finish" during the race must be dropped to the bottom with no rank. DNF, DSQ and DNF will be grouped separately in the order defined by the international federation. Overlapped (LAP) riders must be dropped to the bottom also but above the DNF/DSQ/DNS riders.
StartOrder	M	Numeric	Line-up (Line number).
StartSortOrder	M	Numeric	Order in the Start_list. Used to sort all start list competitors in an event unit.
ResultType	O	<a href="#">SC @ResultType</a>	Type of the @Result attribute.
Diff	O	String	Time behind at finish only (for leader is +0:00)

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Type		Code	Pos	Description
ER		NEXT	N/A	Element Expected: Always after the first intermediate point
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(2)	Next intermediate point for the athlete.  Only included after the first intermediate point for the competitor and until finished.
ER		IRM_LAP	N/A	Element Expected: Only If the @IRM=LAP or @IRM=DNF
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric #0	If the @IRM=LAP Send the laps remaining to finish the race. If the @IRM=DNF



				<p>Send the lap when the competitor left the race. Example: If the rider abandoned in lap 0 @IRM="DNF" IRM@Value=0</p> <p>If the rider abandoned in lap 3 @IRM="DNF" IRM@Value=3</p> <p>If the rider lapped with 4 laps remaining @IRM="LAP" IRM@Value=4</p>
ER		PHOTO	N/A	<p>Element Expected: At the end of the race. Only send for competitor who needs a photo to determine the rank.</p>
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	S(1)	<p>To know if the competitor's final result is awaiting a photo. Send P for Pending Status. Send Y when evaluated Otherwise do not send.</p> <p>If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7</p>
PROGRESS		INTERMEDIATE	S(2)	<p>Pos Description: Intermediate point where the competition has taken place (1,2..F)</p> <p>Element Expected: Send each intermediate point for ALL competitors as soon as the first competitor crosses each intermediate point. (either all competitors have the intermediate point or none).</p>
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	h:mm:ss	<p>Cumulative time after the intermediate point (@Pos) Do not send leading zeros. Send when this competitor passes the intermediate point.</p>
	Rank	O	Text	<p>Send the cumulative rank of the competitor at the intermediate point. Do not send if no value.</p>
	RankEqual	O	S(1)	<p>Send 'Y' if rank is equalled, otherwise do not send.</p>
	SortOrder	M	Numeric	<p>Send the order of the competitor at the corresponding point.</p> <p>Order based on whole list (with the ones who have not passed yet are ordered as well - after the ones who have finished, but before the IRMs. Sorted by the intermediate passed most recently and by order there (if none,</p>



				<p>then by start order)). Overlapped (LAP) riders must be dropped to the bottom but above the DNF/DSQ/DNS riders. For tied athletes, the rider with the lowest bib number is listed first.</p> <p>E.g.: If the leader (AT1) is in the intermediate point 3 and the Athlete AT2 just to pass that point so the values for these athletes are:</p> <p>AT1 @SortOrder 1 INTERMEDIATE 3</p> <p>AT2 @SortOrder 2 INTERMEDIATE 3</p> <p>Then If the Athlete AT2 is the first to pass the intermediate point 4, he will be the new leader in that point so the values for these athletes are:</p> <p>AT2 INTERMEDIATE 3 / SortOrder 2 INTERMEDIATE 4 / SortOrder 1</p> <p>AT1 INTERMEDIATE 3 / SortOrder 1 INTERMEDIATE 4 / SortOrder 2</p>
	Diff	O	+h:mm:ss or +0:00 (leader)	Send the time behind the leader at the corresponding point. Do not send leading zeros.
	Speed	O	Numeric ##0.000	Send the average speed of the competitor up to that point.
	Move	O	+/- Numeric	Send the rank progression in the current intermediate compared to the previous intermediate (i.e.: "+2", "0", "-1", etc.) + means moved nearer to the leader.
<b>Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected When it is available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	LAST		
	Pos	N/A		
	Value	S(1)	Send 'Y' if this is the last (most recent) intermediate passed by the competitor).	
PROGRESS	SECTION	S(2)	<p>Pos Description: Section between the intermediate points delimiting a Lap. The section 1 is the first SECTION (usually Start Loop).</p> <p>Element Expected: Send each section point for ALL competitors as soon as the first competitor crosses each point. (either all competitors have the section point or none)</p>	



Attribute	M/O	Value	Description
Value	O	h:mm:ss	Time for that section. Do not send h if it is zero. Send when this competitor completes the section.
Rank	O	Text	Rank of the competitor in the section.
RankEqual	O	S(1)	Send 'Y' if rank is equalled, otherwise do not send.
SortOrder	M	Numeric	Index based on whole list (with the ones who have not completed the SECTION as well - after the ones who have finished, but before the IRMs. Sorted by the intermediate passed most recently and by order there (if none, then by start order)). Overlapped (LAP) riders must be dropped to the bottom but above the DNF/DSQ/DNS riders. For tied athletes, the rider with the lowest bib number is listed first.
Diff	O	Time	Send the time behind the fastest in the corresponding SECTION. (Format +h:mm:ss or + 0:00 for the leader. Do not send h if zero)
Speed	O	Numeric ##0.000	Send the average speed of the competitor in the SECTION.

**Sample (General)**





```

...
<Result Rank="3" ResultType="TIME" Result="1:32:00" SortOrder="3" StartOrder="1" StartSortOrder="2" Diff="+3:23">
  <ExtendedResults>
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="7:39" Rank="16" SortOrder="16" Diff="+0:23"
    Speed="21.568" Move="-1"/>
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="6" Value="37:26" Rank="3" SortOrder="3" Diff="+0:02"
    Speed="19.859" Move="+3"/>
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="F" Value="1:34:51" Rank="3" SortOrder="3" Diff="+1:23"
    Speed="21.950" Move="0">
      <Extension Code="LAST" Value="Y" />
    </ExtendedResult>
    ...
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="2" Value="14:57" Rank="1" SortOrder="1" Diff="+0:00"
    Speed="19.344"/>
    ...
    <ExtendedResult Type="PROGRESS" Code="SECTION" Pos="8" Value="13:17" Rank="5" SortOrder="5" Diff="+0:04"
    Speed="21.681" />
  </ExtendedResults>
  <Competitor Code="1132993" Type="A" Organisation="SUI">
    <Composition>
      <Athlete Code="1132993" Order="1" Bib="11">
        <Description GivenName="Jane" FamilyName="Smith" Gender="F" Organisation="SUI" BirthDate="1994-12-15"
        IFId="123042378"/>
        <EventUnitEntry Type="EUE" Code="RANK" Value="123" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
...

```

**Element: Competition /Result /Competitor (1,1)**

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or TBD	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available.
Type	M	S(1)	A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation

**Element: Competition /Result /Competitor /Composition /Athlete (0,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric	Send 1 if Competitor @Type="A".
Bib	O	S(4)	Bib number

**Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)**

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)



FamilyName	M	S(25)	Family name in WNP format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)**

Individual athletes entry information.

Type	Code	Pos	Description
EUE	RANK	N/A	Element Expected: Always when available
<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
Value	M	Numeric ###0	UCI Ranking

**Sample (General)**

```

...
<Competitor Code="1106825" Type="A" Organisation="SUI">
  <Composition>
    <Athlete Code="1106825" Order="1" Bib="4">
      <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="SUI" BirthDate="1996-12-12"
      IFId="166042378"/>
      <EventUnitEntry Type="EUE" Code="RANK" Value="9" />
    </Athlete>
  </Composition>
</Competitor>
...

```

**2.3.2.6 Message Sort**

Sort by Result @SortOrder



## 2.3.3 Play by Play

### 2.3.3.1 Description

The Play by Play is a message containing official raw data from the results provider.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

### 2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit
DocumentSubcode	N/A	N/A
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	INCIDENT	
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC @ResultStatus</a>	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.3.3 Trigger and Frequency


Messages will be generated with this frequency and status

- \* After every race incident (LIVE)(UNOFFICIAL if any new incident after race and before results be official).
- \* After the race (unit) (OFFICIAL).

### 2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
<a href="#">Competition (0.1)</a>							
	Gen						





	BirthDate
	IFId

### 2.3.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)			
Type	Code	Pos	Description
EI	AFTER_DIST	N/A	Element Expected: When available
Attribute	M/O	Value	Description
Value	M	String	The race distance completed so far Example: Lap 4, 56km or just 56km

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes.
SubEventName	O	S(40)	EventUnit ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text.			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	<a href="#">CC @Location</a>	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Actions /Action (1,N)			
Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message. When the identifier is assigned for an action in a unit then it must not change within the same unit in subsequent messages.
Period	M	S(20)	When in race, lap number or at start, etc.



Order	M	Numeric	Unique sequential number for all the incidents and actions, from 1 to n' It is used to sort Action
ActionDesc	O	S(200)	Action/Incident description

**Element: Competition /Actions /Action /Competitor (0,N)**

**Competitor participating in the Action. Used when the Action is related to a competitor.**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Order	M	Numeric	Order in which the competitor should appear for the action, if there is more than one competitor. Send 1 if only competitor.
Organisation	M	<a href="#">CC @Organisation</a>	Competitors' organisation

**Element: Competition /Actions /Action /Competitor /Composition /Athlete (1,N)**

Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Order of the athletes. Used to order the athletes when there are more than one athlete related to the action. Send 1 if only 1 competitor.
Bib	O	S(4)	Bib number

**Element: Competition /Actions /Action /Competitor /Composition /Athlete /Description (1,1)**

**Athletes extended information**

Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

**Sample (General)**



```
...
<ExtendedInfos>
  <ExtendedInfo Type="EI" Code="AFTER_DIST" Value="28km" />
  <SportDescription DisciplineName="Cycling Mountain Bike" EventName="Women's Cross-country" SubEventName="Women's
Cross-country" Gender="F" />
  <VenueDescription Venue="HLL" VenueName="The Hill" Location="MLL" LocationName="The Hill"/>
</ExtendedInfos>
<Actions>
  ...
  <Action Id="123456" Period="Lap 3" Order="3" ActionDesc="Riders 56 and 58 involved in minor crash at 22 km. No serious
injuries.">
    <Competitor Code="1008743" Type="A" Organisation="SUI" Order="1">
      <Composition>
        <Athlete Code="1008743" Order="1" Bib="2">
          <Description GivenName="Jane" FamilyName="Smits" Gender="F" Organisation="SUI" BirthDate="1994-12-15"
IFId="2206521212"/>
        </Athlete>
      </Composition>
    </Competitor>
    <Competitor Code="1008223" Type="A" Organisation="SUI" Order="2">
      <Composition>
        <Athlete Code="1008223" Order="1" Bib="4">
          <Description GivenName="Mary" FamilyName="Jones" Gender="F" Organisation="FRA" BirthDate="1992-12-15"
IFId="3306521212"/>
        </Athlete>
      </Composition>
    </Competitor>
  ...

```

### 2.3.3.6 Message Sort

Actions /Action @Order.



## 2.3.4 Image

### 2.3.4.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

### 2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC.@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC.@Unit</a>	Full RSC of the unit
DocumentSubcode	Numeric #0	Picture number This value is a sequential number for each picture provided in a unit (RSC). The value will be 1, 2, 3 ... Where there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	S(20)	Send PHOTOFINISH
Version	1..V	Version number associated to the message's content. Ascending number. Values beyond 1 are only used if a message needs to be resent for a second or subsequent image/result with the same DocumentSubcode to replace the original image (to resolve the same rank).
ResultStatus	<a href="#">CC.@ResultStatus</a>	Only applicable status is OFFICIAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC.@Source</a>	Code indicating the system which generated the message.


### 2.3.4.3 Trigger and Frequency

Trigger when image available and after any change.

### 2.3.4.4 Message Structure

The following table defines the structure of the message.





### 2.3.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

#### Element: Competition //Image (1,N)



Always only one image per message			
Attribute	M/O	Value	Description
Pos	M	Numeric #0	Always send 1.
Version	M	Numeric #0	Document Version
Revision	M	Numeric #0	Document Revision
ImageType	M	S(3)	Image type extension, jpg or png

Element: Competition /Image /Result (0,N)			
This element should always appear and must only include the information of those competitors appearing in the image.			
Attribute	M/O	Value	Description
Result	O	S(20)	Result of the competitor in the image. Formatted in the same way as associated DT_RESULT. Use IRM code if appropriate.
Rank	O	Text	Rank of the competitor at the end of the unit
StartOrder	O	S(4)	Start position
SortOrder	M	Numeric ###0	This attribute is a sequential number with the order of the competitors in the image.

Element: Competition /Image /Result /Competitor (1,1)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID.
Type	M	S(1)	A for athlete.
Organisation	M	<a href="#">CC @Organisation</a>	Competitor's organisation

Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N)			
Only sent in the case of individual events.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	Value is 1
Bib	O	S(4)	Bib number

Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name (Photofinish Name)
FamilyName	M	S(25)	Family name

Element: Competition /Image /ImageData (1,1)			
Attribute	M/O	Value	Description



-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)
---	---	-----------	---

### Sample (General)

```

<Image Pos="1" Version="1" Revision="0" ImageType="jpg" >
  <Result Result="3:26.23" Rank="1" StartOrder="5" SortOrder="1" >
    <Competitor Code="1234567" Type="A" Organisation="GBR" >
      <Composition>
        <Athlete Code="1234567" Order="1" Bib="1234" >
          <Description GivenName="John" FamilyName="Smith" />
        </Athlete>
      </Composition>
    </Competitor>
  </Result>
  ...
  <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC //2Q==</ImageData>
</Image>

```

### 2.3.4.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



## 2.3.5 Event Final Ranking

### 2.3.5.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Result Mark (disqualified, etc.), or both.

### 2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC_@Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC_@Event</a>	Full RSC of the Event
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	<a href="#">CC_@ResultStatus</a>	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL PROVISIONAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC_@Source</a>	Code indicating the system which generated the message.

### 2.3.5.3 Trigger and Frequency


This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

Trigger also after any change.

### 2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
<a href="#">Competition (0..1)</a>						
	Gen					
	Sport					



### 2.3.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message



Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	<a href="#">CC @VenueCode</a>	Venue code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes

Element: Competition /Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Final rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send "Y" only if applicable.
IRM	O	<a href="#">SC @IRM</a>	The invalid result mark, in case it is assigned.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.
Type	M	S(1)	A for athlete
Organisation	O	<a href="#">CC @Organisation</a>	Competitor's organisation if known

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID
Order	M	Numeric	Send 1 when Competitor @Type="A".
Bib	O	S(4)	Athlete Bib

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
---	--	--	--



Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	<a href="#">CC @PersonGender</a>	Gender of the athlete
Organisation	M	<a href="#">CC @Organisation</a>	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

### 2.3.5.6 Message Sort

Sort by Result @SortOrder



## 2.3.6 Configuration

### 2.3.6.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit in separate messages.

### 2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Unit</a>	Full RSC of the unit
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.6.3 Trigger and Frequency

In the special case of mountain bike, the DT\_RESULT/START\_LIST will be sent before DT\_CONFIG. When DT\_CONFIG is available and sent then DT\_RESULT/START\_LIST will be sent again.

If for any reason the DT\_CONFIG is sent again for a race, then a DT\_RESULT will immediately follow.

### 2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
<a href="#">Competition (0,1)</a>	Gen				
	Sport				
	Codes				
	<a href="#">Configs (1,1)</a>				
		<a href="#">Config (1,N)</a>			
					Unit





	<a href="#">ExtendedConfig (1,N)</a> Type Code Pos Value <a href="#">ExtendedConfigItem (0,N)</a>
--	--

### 2.3.6.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	<a href="#">CC @Unit</a>	Full RSC of the Unit.

Element: Competition /Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
COURSE	LENGTH	N/A	Element Expected: Always	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0#	Send the total length of the race in km.
COURSE	LAP	N/A	Element Expected: Always	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0#	Send the lap length in km.
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem</b> Expected Always when applicable				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	NUM		
	Pos	N/A		
	Value	Numeric 0	Total number of laps in the race (full laps)	
COURSE	FINISH_LOOP	N/A	Element Expected: Always if finish loops exist	
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric	Send the finish loop length in km.



			##0.0#	
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	NUM		
	Pos	N/A		
	Value	Numeric 0	Total number of Finish Loops in the race. Send if any Finish Loops exist.	
COURSE		START_LOOP	N/A	Element Expected: Always if start loops exist
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	Numeric ##0.0#	Send the start loop length in km.
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Always when applicable</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	NUM		
	Pos	N/A		
	Value	Numeric 0	Total number of Start Loops in the race. Send if any Start Loops exist.	
EC		FED_RANKING_DATE	N/A	Element Expected: As soon as the venue results has this information
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	M	YYYY-MM-DD	Send the date for UCI Ranking
EC		INTERMEDIATE	S(2)	Pos Description: Each intermediate point in the race where results are taken (Example: after start loop, after each lap or within a lap, after the finish loop, at the end of the race, ..), from 1 to F. Where 1 is the first intermediate point and F is the finish the race.  Element Expected: When available
	<b>Attribute</b>	<b>M/O</b>	<b>Value</b>	<b>Description</b>
	Value	O	Numeric #0.0#	Send distance in km at this intermediate point.
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected When available</b>				
	<b>Attribute</b>	<b>Value</b>	<b>Description</b>	
	Code	TYPE		
	Pos	N/A		
	Value	SC @IntPtType	Send an indication of whether the timing point is the start loop or in a lap etc.	
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected If it applies</b>				



	Attribute	Value	Description	
	Code	TYPE_DISTANCE		
	Pos	N/A		
	Value	Numeric #0.0	Send an indication of the timing point.  Where the TYPE is SL (Start Loop) or FL (Finish Loop) then do not send the TYPE_DISTANCE attribute, for the INLAP points the value is "x.y" where x is the number of completed laps and y is the nearest 1/10 point (for example 3.5 = 3 and a half laps), and for the 'Lap' the value is "x.0" where x is the number of completed laps.	
EC		INTERMEDIATES_NUM	N/A Element Expected: When available	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the total number of intermediate points including the finish.
EC		SECTION	Numeric 0	Pos Description: The number that identifies the section. A section is between two intermediate points, from 1 and n. Example: Section 1 is the section between start the race and intermediate point 1, in general the Section n is the section between Point n-1 and n), from 2 to the total number of sections.  Element Expected: When available
	Attribute	M/O	Value	Description
	Value	O	Numeric ##0.0#	Send distance in km.
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected When available</b>				
	Attribute	Value	Description	
	Code	BEGIN		
	Pos	N/A		
	Value	S(2)	Send the intermediate point for the start of the section.	
<b>Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected When available</b>				
	Attribute	Value	Description	
	Code	END		
	Pos	N/A		
	Value	S(2)	Send the intermediate point which is the end of the section (usually same a SECTION @Pos). For last section, send 'F'.	

**Sample (General)**



```
...
<Configs>
  <Config Unit="MTBMXCTRY-----FNL-000100--">
    <ExtendedConfig Type="EC" Code="FED_RANKING_DATE" Value="2012-08-25" />
    <ExtendedConfig Type="COURSE" Code="LENGTH" Value="29.26">
      <ExtendedConfig Type="COURSE" Code="LAP" Value="6.25">
        <ExtendedConfigItem Code="NUM" Value="4" />
      </ExtendedConfig>
    <ExtendedConfig Type="COURSE" Code="START_LOOP" Value="1.53">
      <ExtendedConfigItem Code="NUM" Value="2" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="0.4" >
      <ExtendedConfigItem Code="TYPE" Value="SL" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="2.7">
      <ExtendedConfigItem Code="TYPE" Value="INLAP" />
      <ExtendedConfigItem Code="TYPE_DISTANCE" Value="0.3" />
    </ExtendedConfig>
    ...
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="29.26" >
      <ExtendedConfigItem Code="TYPE" Value="LAP" />
      <ExtendedConfigItem Code="TYPE_DISTANCE" Value="6.0" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="12" />
    <ExtendedConfig Type="EC" Code="SECTION" Pos="1" Value="4.7" >
      <ExtendedConfigItem Code="BEGIN" Value="1" />
      <ExtendedConfigItem Code="END" Value="3" />
    </ExtendedConfig>
    ...
    <ExtendedConfig Type="UI" Code="SECTION" Pos="10" Value="4.8" >
      <ExtendedConfigItem Code="BEGIN" Value="12" />
      <ExtendedConfigItem Code="END" Value="F" />
    </ExtendedConfig>
  </Config>
</Configs>
```

### 2.3.6.6 Message Sort

There is no message sorting rule.



## 2.3.7 Weather conditions

### 2.3.7.1 Description

The weather conditions is a message containing the current weather conditions in the venue or location. The use of venue or location is dependent to the level of detail that current weather conditions refer to. If weather conditions refer to a specific sailing course, then location code should be used. If weather conditions refer to athletics stadium, then the venue code should be used.

### 2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	<a href="#">CC @Competition</a>	Unique ID for competition
DocumentCode	<a href="#">CC @Discipline</a>	Full RSC at discipline level
DocumentSubcode	<a href="#">CC @Location</a>	Location code (venue level)
DocumentType	DT_WEATHER	Weather conditions in the venue or location as referred to in DocumentSubcode.
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	<a href="#">SC @Source</a>	Code indicating the system which generated the message.

### 2.3.7.3 Trigger and Frequency

The message is sent:

- \* Once per session (approximately 30 minutes before start of session)
- \* When conditions change significantly during the session

### 2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
<a href="#">Competition (0,1)</a>	Gen Sport Codes			
	<a href="#">Weather (1,1)</a>			



Date			
<a href="#">Conditions (1,N)</a>			
	Code		
	Humidity		
	Wind_Direction		
	<a href="#">Condition (0,3)</a>		
		Code	
		Value	
	<a href="#">Precipitation (0,N)</a>		
		Unit	
		Value	
	<a href="#">Pressure (0,N)</a>		
		Unit	
		Value	
	<a href="#">Temperature (0,N)</a>		
		Code	
		Unit	
		Value	
	<a href="#">Wind (0,N)</a>		
		Code	
		Unit	
		Value	

### 2.3.7.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Weather (1,1)			
Attribute	M/O	Value	Description
Date	M	DateTime	Date/time of the conditions

Element: Competition /Weather /Conditions (1,N)			
Attribute	M/O	Value	Description
Code	M	<a href="#">SC @WeatherPoint</a>	Weather Point(s)
Humidity	O	Numeric	Humidity in %



		##0	
Wind_Direction	O	<a href="#">CC @WindDirection</a>	Wind direction

Element: Competition /Weather /Conditions /Condition (0,3)			
Attribute	M/O	Value	Description
Code	M	SKY	Weather condition type
Value	M	CC @WeatherCondition	Codes that describe the Weather Condition.

Element: Competition /Weather /Conditions /Precipitation (0,N)			
Attribute	M/O	Value	Description
Unit	M	<a href="#">SC @PrecipitationUnit</a>	Precipitation unit
Value	M	Numeric ###0.0	Precipitation quantity in the past 6 hours

Element: Competition /Weather /Conditions /Pressure (0,N)			
Attribute	M/O	Value	Description
Unit	M	S(3)	Send "hPa" as unit for pressure
Value	M	Numeric ###0	Air pressure in hPa

Element: Competition /Weather /Conditions /Temperature (0,N)			
Attribute	M/O	Value	Description
Code	M	AIR, WBGT	Air and WBGT temperature.
Unit	M	<a href="#">SC @TemperatureUnit</a>	Temperature unit
Value	M	Numeric ##0.0 or ##0.0	Temperature (in case of positive temperature, do not send '+')

Element: Competition /Weather /Conditions /Wind (0,N)			
Attribute	M/O	Value	Description
Code	M	S(5)	Wind Speed, send SPEED
Unit	M	<a href="#">SC @WindUnit</a>	Wind unit
Value	M	Numeric ##0	Wind speed in @Unit

### 2.3.7.6 Message Sort

There is no special sort order requirement for this message.



International  
Olympic  
Committee

SOG-2024-MTB-3.2 APP





### 3 Message Timeline

#### 3.1 Preparation Phase

Trigger	Message	Status	D	E	P	S	U
As soon as ODF operations start	DT_CODES						
Periodically as soon as ODF operations start	DT_PARTIC		x				
	DT_SCHEDULE	SCHEDULED	x				

#### 3.2 Before competition

Trigger	Message	Status	D	E	P	S	U
As soon as Participant verification process finishes (ORIS C38A process) or after any other change in participant's data	DT_PARTIC_UPDATE		x				
If there are changes in Officials data	DT_PDF C35 Competition Officials		x				
After any competition schedule change	DT_SCHEDULE_UPDATE	SCHEDULED	x				o
	DT_PDF C08 Competition Schedule		x				
After Riders' Confirmation (Race numbers, start order and UCI Ranking known)	DT_PARTIC_UPDATE		x				
	DT_PDF C30 Number of Entries by NOC		x				
	DT_PDF C32C Entry list by Event			x			
In the special case of Mountain Bike, the DT_RESULT/START_LIST will be sent before DT_CONFIG	DT_RESULT	START_LIST					x
	DT_PDF C51 Start List	START_LIST					x
Team Manager's Meeting (in the morning)	DT_COMMUNICATION		x				
	DT_PDF C68 Sport Communication		x				
After Team Manager's Meeting (Course configuration known)	DT_CONFIG						x
DT_RESULT/START_LIST will be sent again after DT_CONFIG	DT_RESULT	START_LIST					x
Play by Play START_LIST If any actions before the start	DT_PLAY_BY_PLAY	START_LIST					x

#### 3.3 During competition

Trigger	Message	Status	D	E	P	S	U
When Competition is ready to start	DT_SCHEDULE_UPDATE	GETTING_READY	x				o



When Competition starts	DT_SCHEDULE_UPDATE	RUNNING	x					o
When the unit starts and after every update	DT_RESULT	LIVE						x
After every race incident	DT_PLAY_BY_PLAY	LIVE						x
When the TD allows the release of the medallists (before results are official, or even not all competitors have finished yet)	DT_MEDALLISTS	UNOFFICIAL		x				
	DT_MEDALLIST_DISCIPLINE		x					
	DT_MEDALS		x					

### 3.4 After competition

Trigger	Message	Status	D	E	P	S	U
When the race finishes	DT_SCHEDULE_UPDATE	FINISHED	x				o
Last competitor finishes	DT_RESULT	UNOFFICIAL					x
If any incident after race and before results are official	DT_PLAY_BY_PLAY	UNOFFICIAL					x
Results are approved	DT_RESULT	OFFICIAL					x
	DT_PLAY_BY_PLAY	OFFICIAL					x
Multiple messages may be sent for the same race	DT_IMAGE	OFFICIAL					x
	DT_PDF C73 Results	OFFICIAL					x
When the medallists are officially known (even if not all competitors are finished)	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLIST_DISCIPLINE		x				
	DT_MEDALS		x				
	DT_RANKING	OFFICIAL		x			
	DT_PDF C92A Medallists	OFFICIAL		x			
	DT_PDF C69 Race Facts						x
	DT_PDF C77 Race Analysis	OFFICIAL					x
	DT_PDF C93 Medallists by Event		x				
	DT_PDF C95 Medal Standings		x				
(Use CYC - Cycling sport code)	DT_PDF C97 Cycling Medal Standings		x				
If there are any new multi-medallists (Use CYC - Cycling sport code)	DT_PDF C99 Cycling Multi-Medallists		x				

Legend:

**D** Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit  
**x** Sent on that level; **o** Includes info from that level



## 4 Document Control

Version history		
Version	Date	Comments
V1.0	15 Oct 2016	First version
V1.1	09 Jan 2017	Updated from Feedback
V1.2	02 Mar 2017	Updated
V1.3	22 Apr 2018	Updated, CR
V2.0	08 Aug 2018	Updated, CRs
V2.1	24 Jan 2019	Updated, CR
V2.2	14 Aug 2019	Updated, CRs. First version as a full document
V2.3	20 Mar 2020	Updated after Homologation
V3.0	10 Dec 2021	First version for Paris 2024
V3.1	28 Oct 2022	Approved
V3.2	28 Jul 2023	CR025912

### File Reference: SOG-2024-MTB-3.2 APP

Change Log		
Version	Status	Changes on version
V1.0	SFR	First version
V1.1	SFA	Minor typographical errors. DT_RESULT: Clarify the use of DISPLAY extension in ExtendedInfos. DT_CONFIG: Corrected typos in the sample.
V1.2	APP	DT_RESULT: Remove StartListMod in the header. DT_IMAGE: Added elements and attributes.
V1.3	APP	DT_IMAGE: Update sample. DT_PARTIC: Updated to add Passport names (CR15219). Removed reference to 2018 Commonwealth Games.
V2.0	SFA	DT_PARTIC: Remove LICENCE. CR15039: Add DT_PARTIC_NAME to applicable messages. CR16671: Add TVFamilyName in DT_PARTIC message.
V2.1	APP	CR16914: Change DT_WEATHER message to venue level. Remove ValueType throughout document. DT_RESULT: Correct typo in ExtendedInfos LEADER/CURRENT. DT_RESULT: Add Move @ExtendedResults INTERMEDIATE. DT_RESULT: Add ER/NEXT @ExtendedResults. DT_PLAY_BY_PLAY: Actions/Action increase size of Period. DT_CONFIG: Update INTERMEDIATE points to be more generic allowing for more split points within a lap.
V2.2	APP	CR16640: Add ODF Version @Competition. CR17516: DT_RESULT: Update DISPLAY/INT_x @ExtendedInfos to send until OFFICIAL. CR17809: Change Participant/OlympicSolidarity to disallow N. First version as a full document.
V2.3	APP	DT_PARTIC: Update the description of Participant/Weight [CR18565] DT_RESULT: Update Element Expected and Value at PROGRESS/INTERMEDIATE @Result /ExtendedResults /ExtendedResult DT_RESULT: Update Element Expected and Value at PROGRESS/SECTION @Result /ExtendedResults /ExtendedResult



		DT_CONFIG: Update triggering [188158]
V3.0	SFA	DT_PARTIC: Remove Participant/Height and Participant/Weight DT_RESULT: Add DISPLAY/AFTER_INT at ExtendedInfos /ExtendedInfo DT_RESULT: Add DISPLAY/AFTER_INT at ExtendedInfos /ExtendedInfo DT_IMAGE: Update throughout the message for global change [CR022136] DT_CONFIG: Update triggering DT_CONFIG: Update EC/INTERMEDIATE/TYPE information to extend the code list
V3.1	APP	Changed to approved
V3.2	APP	DT_WEATHER: Updated to be common [CR025912]