



Olympic Data Feed



Marathon Swimming ODF Data Dictionary

Technology and Information Department
© International Olympic Committee

SOG-2024-OWS-3.0 SFA
4 November 2022



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



Table of Contents

1 Introduction.....	5
1.1 This document.....	5
1.2 Objective.....	5
1.3 Main Audience.....	5
1.4 Glossary.....	5
1.5 Related Documents.....	5
2 Messages.....	6
2.1 Marathon Swimming Overview.....	6
2.2 Applicable Messages.....	6
2.3 Messages.....	8
2.3.1 List of participants by discipline / List of participants by discipline update.....	8
2.3.1.1 Description.....	8
2.3.1.2 Header Values.....	8
2.3.1.3 Trigger and Frequency.....	9
2.3.1.4 Message Structure.....	9
2.3.1.5 Message Values.....	10
2.3.1.6 Message Sort.....	13
2.3.2 Event Unit Start List and Results.....	14
2.3.2.1 Description.....	14
2.3.2.2 Header Values.....	14
2.3.2.3 Trigger and Frequency.....	14
2.3.2.4 Message Structure.....	15
2.3.2.5 Message Values.....	17
2.3.2.6 Message Sort.....	22
2.3.3 Play by Play.....	23
2.3.3.1 Description.....	23
2.3.3.2 Header Values.....	23
2.3.3.3 Trigger and Frequency.....	23
2.3.3.4 Message Structure.....	23
2.3.3.5 Message Values.....	25
2.3.3.6 Message Sort.....	26
2.3.4 Event Final Ranking.....	27
2.3.4.1 Description.....	27
2.3.4.2 Header Values.....	27
2.3.4.3 Trigger and Frequency.....	27
2.3.4.4 Message Structure.....	28
2.3.4.5 Message Values.....	29
2.3.4.6 Message Sort.....	30
2.3.5 Configuration.....	31
2.3.5.1 Description.....	31
2.3.5.2 Header Values.....	31
2.3.5.3 Trigger and Frequency.....	31
2.3.5.4 Message Structure.....	31
2.3.5.5 Message Values.....	32
2.3.5.6 Message Sort.....	33
3 Message Timeline.....	35



4 Document Control.....[36](#)



1 Introduction

1.1 This document

This document includes the ODF Marathon Swimming Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Marathon Swimming Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



2 Messages

2.1 Marathon Swimming Overview

MESSAGES IN EACH EVENT

All events have a single DT_RESULT and DT_PLAY_BY_PLAY for each unit.

SCHEDULE

The DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include each unit (schedule=Y) only which is aligned with the same RSC for DT_RESULT.

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message extended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_RESULT	Event Unit Start List and Results	X
DT_PLAY_BY_PLAY	Play by Play	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	
DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	



DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_PIC	Pictures	
DT_PDF	PDF Message	



2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline update

2.3.1.1 Description

A participant is considered to be any individual (type athlete, participating or not in the current games) or any official in one or several disciplines or a competitor being part of a team (team member).

Although the participant may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the information of all the events for that discipline.

This message includes historical athletes that do not participate in the current competition. Historical athletes will not be registered to any event.

It is important to note that all the sport messages that make references to athletes (event unit start list and results, phase results, medallists etc.) will always match the athlete ID with the athlete ID in this message. The historical athletes will be used to match historical athlete information as it appears in the records message when sending the previous record information and this previous record was an historical record not being broken in the current competition.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one particular discipline. The arrival of this message resets all the previous participants' information for one particular discipline. This message includes a list of current athletes, officials, coaches, guides, technical officials, reserves and historical athletes regardless of their status.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list of participants' information by discipline message, only the participant data being modified, i.e. if some data of one participant changes, the element Participant for it with all its children and attributes must be sent.

The key of the information updated consists of the following attribute: Participant @Code. Therefore, any new or updated Participant Discipline-Event will be identified by all these attributes.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Discipline	Full RSC at the discipline level
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	/ List of participants by discipline message
DocumentSubtype	S(20)	HISTORICAL if the message is from the historical results provider and only includes historic athletes else the attribute is not included. Never included in _UPDATE message.
Version	1..V	Version number associated to the message's content. Ascending



		number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.1.3 Trigger and Frequency


The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent.

The DT_PARTIC_UPDATE message is triggered when there is a modification in the data for any individual after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0..1)	Gen Sport Codes				
	Participant (1..N)	Code Parent Status GivenName FamilyName PassportGivenName PassportFamilyName PrintName PrintInitialName TVName TVInitialName TVFamilyName LocalFamilyName LocalGivenName Gender			



2.3.1.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Participant (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time. It is used to link other messages to the participant's information.



			<p>Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.</p> <p>When the participant is an historical one, then this ID will start with "A" when it is an Athlete, "C" when Coach and "O" when Official.</p>
Parent	M	S(20) with no leading zeroes	<p>Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent.</p> <p>The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant.</p> <p>The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different if Current = "false".</p>
Status	O	CC @ParticStatus	<p>Participant's accreditation status this attribute is Mandatory in the case of @Current="true" and it is optional in the case that @Current="false".</p> <p>To delete a participant, a specific value of the Status attribute is used.</p>
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
PassportGivenName	O	S(25)	Passport Given Name (Uppercase).
PassportFamilyName	O	S(25)	Passport Family Name (Uppercase).
PrintName	M	S(35)	Print name (family name in upper case + given name in mixed case)
PrintInitialName	M	S(18)	Print Initial name (for the given name it is sent just the initial, without dot)
TVName	M	S(35)	TV name
TVInitialName	M	S(18)	TV initial name
TVFamilyName	M	S(25)	TV family name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
Gender	M	CC @PersonGender	Participant's gender
Organisation	M	CC @Organisation	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC @Country	Country ID of Birth



PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC @Country	Country ID of Residence
Nationality	O	CC @Country	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC @ResultsFunction	Main function In the Case of Current="true" this attribute is Mandatory.
Current	M	boolean	It defines if a participant is participating in the games (true) or is a Historical participant (false).
OlympicSolidarity	O	S(1)	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.
ModificationIndicator	M	S(1)	'N' or 'U' Attribute is mandatory in the DT_PARTIC_UPDATE message only N-New participant (in the case that this information comes as a late entry) U-Update participant If ModificationIndicator='N', then include new participant to the previous bulk-loaded list of participants If ModificationIndicator='U', then update the participant to the previous bulk-loaded list of participants To delete a participant, a specific value of the Status attribute is used.

Element: Competition /Participant /Discipline (1,1)

All participating athletes will be assigned at least one discipline, it could be more. Each accredited official will be assigned at least one discipline, but it could be more. If an athlete or official is assigned to more than one discipline, it will be included in the participant message of both disciplines.

Attribute	M/O	Value	Description
Code	M	CC @Discipline	Full RSC of the Discipline. It is the discipline code used to fill the OdfBody @DocumentCode attribute.
IFId	O	S(16)	IF ID (competitor's federation number for the discipline).

Element: Competition /Participant /Discipline /RegisteredEvent (0,N)

All accredited athletes will be assigned to one or more events. There is one exception: in some sports, substitutes may be accredited without any associated event. Historical athletes are not registered to any event.

Attribute	M/O	Value	Description
Event	M	CC @Event	Full RSC of the Event
Bib	O	S(4)	Athlete's Bib number. Send only in the Case of Current="true".

Element: Competition /Participant /Discipline /RegisteredEvent /EventEntry (0,N)

Send if there are specific athlete's event entries.



Type	Code	Pos	Description	
ENTRY	QUAL_TYPE	N/A	Element Expected: Always, as soon as this information is known (it can be sent in both messages).	
	Attribute	M/O	Value	Description
	Value	M	SC @QualifyingType	Qualification type (method)

2.3.1.6 Message Sort

The message is sorted by Participant @Code



2.3.2 Event Unit Start List and Results

2.3.2.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports. The definition includes as much generic information as possible due to the fact that each discipline and event has its own format for the results information (example: score of a match, time in a race, distance in a throw...).

This is always a full message and all applicable elements and attributes are always sent.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC.@Competition	Unique ID for competition
DocumentCode	CC.@Unit	Full RSC of the unit (race)
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC.@ResultStatus	It indicates whether the result is official or unofficial (or intermediate etc). START_LIST: As soon as the start list is known and with any changes / IRMs before the start. LIVE (used during the competition when nothing else applies). UNCONFIRMED (if results cannot immediately be unofficial) UNOFFICIAL OFFICIAL PROTESTED
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC.@Source	Code indicating the system which generated the message.

2.3.2.3 Trigger and Frequency

- This message is sent with ResultStatus 'START_LIST' as soon as the start list is available and any changes to the information. Do not include IRMs in this status.
- This message is then sent with ResultStatus 'LIVE' as soon as the unit starts and continues to be triggered on all updates.




- UNCONFIRMED: From when the last athlete finishes the race and until all ties which require the review system are resolved.
- UNOFFICIAL: From when all ties are resolved until race results are signed. If there are no ties to be broken, as soon as the last athlete finish the race.
- OFFICIAL: When the results are approved.
- **PROTESTED: In protested situation**

Trigger also after any change.

2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					
		UnitDateTime (0,1)				
			StartDate			
		ExtendedInfo (0,N)				
			Type			
			Code			
			Pos			
			Value			
		SportDescription (0,1)				
			DisciplineName			
			EventName			
			Gender			
			SubEventName			
		VenueDescription (0,1)				
			Venue			
			VenueName			
			Location			
			LocationName			
	Officials (0,1)					
		Official (1,N)				
			Code			
			Function			
			Order			
			Description (1,1)			
						GivenName





	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFId
	EventUnitEntry (0,N)
	Type
	Code
	Pos
	Value

2.3.2.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)			
Actual times. Include when the unit starts.			
Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date and time.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)				
Type	Code	Pos	Description	
DISPLAY	LEADER	S(2)	Pos Description: Send number of the intermediate point. Element Expected: When available and only when the unit is LIVE, UNCONFIRMED or UNOFFICIAL for every split point passed by any competitor to know the leader at each split point at all times. Included continuously after the leader passes the first intermediate.	
	Attribute	M/O	Value	Description
	Value	M	S(20) with no leading zeroes	Competitor's ID, to identify an athlete, for the leader at the split point @Pos.
DISPLAY	LAST_COMP	S(2)	Pos Description: Sent INTERMEDIATE @Pos for the last intermediate passed by the most recent competitor(s) to pass any intermediate point. Element Expected: When available and only when the unit is	



				LIVE, UNCONFIRMED or UNOFFICIAL. Send all changes since last message.
	Attribute	M/O	Value	Description
	Value	M	S(20) with no leading zeroes	Send the competitor ID of the last competitor to pass the intermediate point @Pos
DISPLAY		CURRENT_INTERMEDIATE	N/A	Element Expected: When LIVE
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the intermediate point that the current leader most recently passed (according to the INTERMEDIATE @Pos)
UI		STARTERS	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Send the number of competitors on the start list
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always				
	Attribute	Value	Description	
	Code	COMPLETE		
	Pos	N/A		
	Value	Numeric ##0	Send the number of competitors whose event unit is completed (includes IRMs). For number without IRMs see AFTER_INT	
UI		AFTER_INT	S(2)	Pos Description: Intermediate point (1,2..F) Element Expected: Always for all intermediate points after the first person has passed that intermediate.
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0	Send the number of competitors who have passed the intermediate point. Do not include IRMs who did not reach this point.

Element: Competition /ExtendedInfos /SportDescription (0,1)

Sport Descriptions in Text.

Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit
SubEventName	M	S(40)	EventUnit ENG Description (not code) from Common Codes

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Venue Names in Text.

Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code



VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Officials /Official (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Official's code
Function	M	CC @ResultsFunction	Official's function.
Order	M	Numeric #0	Sort order of officials as on start list/results

Element: Competition /Officials /Official /Description (1,1)			
Officials extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the official
Organisation	M	CC @Organisation	Official's organisation
IFId	O	S(16)	International Federation ID

Element: Competition /Result (1,N)			
For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.			
Attribute	M/O	Value	Description
Rank	O	Text	Rank of the competitor in the corresponding event unit.
RankEqual	O	S(1)	Identifies if a rank has been equaled (Y). Only send if applicable
Result	O	h:mm:ss.f	Total result for the particular event unit. Only send in the case @ResultType is TIME or IRM_TIME. Do not include leading zeros.
Unchecked	O	S(1)	Send with ="Y" in the case that there is a value which needs to be validated. For example by reading photo to change from transponder times. Do not send if not ="Y"
IRM	O	SC @IRM	The invalid result mark, if assigned Send just in the case @ResultType is IRM or IRM_TIME after the race starts.
SortOrder	M	Numeric	This attribute is a sequential number with the order of the results for the particular event unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Before and at the beginning of the race, sorted by athlete's number. For athletes who have completed at least one split, sort by the split rank at the completion of the last split until the first competitor finishes the race. By Rank once the first competitor finishes and for those that have finished the race also. At the end, those without ranks are sorted by the rank of the last completed split or by athlete's number, as appropriate.



			<p>The rank sort is, all those athletes at the forward most split are ranked 1 - x, adding those athletes that have not arrived to this split, which are sorted according position in previous split etc. back through each split (or start order). Resort as each new data item arrives.</p> <p>OTL riders must be dropped to the bottom. Athletes who are notified as "did not finish" during the race, are notified as "did not start" or disqualified, must be dropped to the bottom with no rank in the order defined by the international federation.</p>
StartOrder	O	Numeric	Lane assignment of the competitor in the start list.
StartSortOrder	M	Numeric	Order by lane order starting from 1 Used to sort all start list competitors in an event unit.
ResultType	O	SC @ResultType	Type of the @Result attribute. Send IRM_TIME in the case of OTL.
Diff	O	+m:ss.f	Time behind leader or blank for leader. Do not send m if no minutes apply.

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)				
Type	Code	Pos	Description	
PROGRESS	INTERMEDIATE	S(2)	Pos Description: The number that identifies the split point, from 1 to F where F is the finishing point. Element Expected: All event units	
	Attribute	M/O	Value	Description
	Value	O	h:mm:ss.f or -	Time from the start of the race up to this split point. It is a cumulative result time. Do not send hours if zeros. Send "-" in the case that the competitor has passed this point but no time is known.
	Value2	O	mm:ss.f or -	Send the split time (from the previous intermediate point to current one). Not cumulative time. Don't send for the first split. Send "-" in the case that the competitor has passed this point but no time is known.
	Rank	O	Text	Rank of the competitor for this specific ExtendedResult. Send "-" in the case that the competitor has passed this point but no rank is known.
	RankEqual	O	S(1)	Send "Y" where Rank at this specific ExtendResult is equalled, else do not send.
	SortOrder	M	Numeric #0	Index based on those who have passed this intermediate point only. If using this for sorting for an intermediate point the secondary sort order must be Result/SortOrder to cover the full list. For tied athletes, follow sport rules.
	Diff	O	+m:ss.f or -	Send the time behind the leader at the corresponding intermediate point or blank for leader. Do not send m if no minutes apply. Send "-" in the case that the competitor has



			passed this point but no time is known.
Speed	O	Numeric #0.0	Strokes per minute
Move	O	Numeric +#0, 0 or -#0	Send the rank progression in the current intermediate compared to the previous intermediate where + means improved position. (i.e: "+2", "0", "-1", etc) Do not send if not known.
Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected If applicable			
Attribute	Value	Description	
Code	FLAG		
Pos	Numeric 0	Sequential number (1, 2...), always included to allow for multiple flags in same intermediate. Start at 1 in each intermediate.	
Value	S(1)	Flag indication to be sent when an incident occurred in the split. Send "R" for the Red flag (disqualification) and "Y" for the Yellow flag (warning).	
ER	PHOTO	N/A	Element Expected: If applicable
Attribute	M/O	Value	Description
Value	M	S(1)	Send when a photo is required to determine any result for this competitor. Send "P" for Pending Status. Send "E" for Evaluated Status. Otherwise do not send. If PHOTO is sent as pending then those pending competitors will not have rank but will still be sorted in the correct place (as well as is known). For example: Rank = 1,2,,,5,6,7... and SortOrder = 1,2,3,4,5,6,7 Used when two or more athletes finish close to each other and photofinish is required to determine Race Rank. PHOTO is different to UNCHECKED.

Sample (individual)

```

...
<Result Rank="1" ResultType="TIME" Result="1:56.32.1" SortOrder="1" StartOrder="23" StartSortOrder="23">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" SortOrder="13" Rank="12" Value="30:53.1"
    Speed="30.2" RankEqual="Y" Diff="+1.5" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" SortOrder="6" Rank="6" Value="1:01:00.2"
    Value2="30:07.1" Speed="30.2" Diff="+0.9" Move="6" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" SortOrder="5" Rank="5" Value="1:29:29.5"
    Value2="28:29.3" Speed="30.2" Move="1" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="4" SortOrder="1" Rank="1" Value="1:56:32.1"
    Value2="27:02.6" Speed="30.2" Move="4" />
  </ExtendedResults>
...

```



Element: Competition /Result /Competitor (1,1)			
Competitor related to the result of one event unit.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID.
Order	M	Numeric 0	1 if Competitor @Type="A".
Bib	O	S(4)	Bib number

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information.			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)			
Individual athletes entry information.			
Type	Code	Pos	Description
EUE	FEED	N/A	Element Expected: If applicable
Attribute	M/O	Value	Description
Value	M	Numeric #0	Send the feeding position for this competitor

2.3.2.6 Message Sort

Sort by Result @SortOrder



2.3.3 Play by Play

2.3.3.1 Description

The Play by Play is a message containing the actions in an open water swimming unit. This message is not used in still water swimming.

The message contains a generic definition that can be used to provide results data of different nature as well as all of the actions in a unit.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit (race)
DocumentSubcode	N/A	N/A
DocumentType	DT_PLAY_BY_PLAY	Play by Play message
DocumentSubtype	INCIDENT	Attribute used to extend DocumentType for some messages.
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC @ResultStatus	Status of the message. Possible values are: START_LIST (only used if there are actions before the start) LIVE (used during the competition when nothing else applies) UNOFFICIAL OFFICIAL (when results official)
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.3.3 Trigger and Frequency

Messages will be generated with this frequency and status


* After every race incident (LIVE or UNOFFICIAL if any new incident after race and before results be official)

* After the race (unit) (OFFICIAL).

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0.1)							





2.3.3.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Descriptions in Text.			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes
SubEventName	O	S(40)	EventUnit ENG Description (not code) from Common Codes
Gender	M	CC @SportGender	Gender code for the event unit

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in Text.			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue Code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes
Location	M	CC @Location	Location code
LocationName	M	S(30)	Location ENG Description (not code) from Common Codes

Element: Competition /Actions /Action (1,N)			
Attribute	M/O	Value	Description
Id	M	S(36)	Unique identifier for the action within the message. When the identifier is assigned for an action in a unit then it must not change within the same unit in subsequent messages.
Period	M	S(2)	When in race (lap), 0 for incidents before race starts.
Order	M	Numeric	Unique sequential number for all the incidents in the race, from 1 to n
ActionDesc	O	S(200)	Action/Incident description
When	O	h:mm:ss	Race time when the incident occurred. Do not send leading zeros.

Element: Competition /Actions /Action /Competitor (0,N)			
Competitor participating in the Action. Used when the Action is related to a competitor.			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Competitor's ID



Type	M	S(1)	A for athlete
Order	M	Numeric	Order in which the competitor should appear for the action, if there is more than one competitor. Send 1 if only 1 competitor.
Organisation	M	CC @Organisation	Competitors' organisation

Element: Competition /Actions /Action /Competitor /Composition /Athlete (1,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID related to the action
Order	O	Numeric	Order of the athletes. Used to order the athletes when there are more than one athlete related to the action. Send 1 if only 1 competitor.
Bib	O	S(4)	Bib number

Element: Competition /Actions /Action /Competitor /Composition /Athlete /Description (1,1)			
Athletes extended information			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample (Action)

```
<Actions>
...
<Action ID="3132" Period="5" Order="3" When="1:45:30" ActionDesc="Yellow Flag">
<Competitor Code="1008743" Type="A" Organisation="SUI" Order="1">
  <Composition>
    <Athlete Code="1008743" Order="1" Bib="51">
      <Description GivenName="Jane" FamilyName="Smits" Gender="F" Organisation="SUI" BirthDate="1994-12-15" />
    </Athlete>
  </Composition>
</Competitor>
</Action>
...
```

2.3.3.6 Message Sort

Actions /Action @Order.



2.3.4 Event Final Ranking

2.3.4.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

Depending on the sport rules include all competitors in the competition as all can be ranked (as in Marathon) or only include those with a final ranking as other are unranked (as in tennis).

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC_@Competition	Unique ID for competition
DocumentCode	CC_@Event	Full RSC of the Event
DocumentType	DT_RANKING	Event Final ranking message
Version	1..V	Version number associated to the message's content. Ascending number
ResultStatus	CC_@ResultStatus	Result status, indicates whether the data is official or partial. PARTIAL OFFICIAL PROVISIONAL
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC_@Source	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

Usually only send after the competition with status OFFICIAL though PARTIAL may be used in marathon swimming.

Trigger also after any change.



2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)	Gen Sport Codes					
	ExtendedInfos (0,1)					
		SportDescription (0,1)	DisciplineName EventName Gender			
		VenueDescription (0,1)	Venue VenueName			
	Result (1,N)					
		Rank RankEqual ResultType Result IRM SortOrder				
		Competitor (1,1)	Code Type Organisation			
			Composition (1,1)			
				Athlete (0,N)		
					Code Order	
					Description (1,1)	
						GivenName FamilyName Gender Organisation BirthDate IFId



2.3.4.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)			
Sport Description in text			
Attribute	M/O	Value	Description
DisciplineName	M	S(40)	Discipline ENG Description (not code) from Common Codes
EventName	M	S(40)	Event ENG Description (not code) from Common Codes. Must be included if it is a single event
Gender	M	CC @SportGender	Gender code for the event unit. Must be included if it is a single gender

Element: Competition /ExtendedInfos /VenueDescription (0,1)			
Venue Names in text			
Attribute	M/O	Value	Description
Venue	M	CC @VenueCode	Venue code
VenueName	M	S(25)	Venue ENG Description (not code) from Common Codes

Element: Competition /Result (1,N)			
For any event final ranking message, there should be at least one competitor being awarded a result for the event.			
Attribute	M/O	Value	Description
Rank	O	Text	Final Rank of the competitor in the corresponding event.
RankEqual	O	S(1)	Identifies if a rank has been equalled. Send "Y" if applicable
ResultType	O	SC @ResultType	Type of the @Result attribute
Result	O	h:mm:ss.f	The result of the competitor in the event Send if ResultType is not IRM
IRM	O	SC @IRM	The invalid rank mark, send if applicable.
SortOrder	M	Numeric	Unique sort order for all results based on rank to break rank ties. This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /Competitor (1,1)			
Competitor related to one final event result.			
Attribute	M/O	Value	Description



Code	M	S(20) with no leading zeroes or SC @CompetitorPlace	Competitor's ID or another indicator (SC @CompetitorPlace) in the case where there is no competitor in the rank due to IRM. NOAWARD if the place is not awarded.
Type	M	S(1)	A for athlete
Organisation	O	CC @Organisation	Competitor's organisation if known

Element: Competition /Result /Competitor /Composition /Athlete (0,N)			
Attribute	M/O	Value	Description
Code	M	S(20) with no leading zeroes	Athlete's ID, corresponding to an individual athlete.
Order	M	Numeric #0	1 if Competitor @Type="A".

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)			
Attribute	M/O	Value	Description
GivenName	O	S(25)	Given name in WNPA format (mixed case)
FamilyName	M	S(25)	Family name in WNPA format (mixed case)
Gender	M	CC @PersonGender	Gender of the athlete
Organisation	M	CC @Organisation	Athletes' organisation
BirthDate	O	Date	Birth date (example: YYYY-MM-DD). Must include if the data is available
IFId	O	S(16)	International Federation ID

2.3.4.6 Message Sort

Sort by Result @SortOrder



2.3.5 Configuration

2.3.5.1 Description

The Configuration is a message containing general configuration.

Send before the competition for each unit in separate message in marathon swimming.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC @Competition	Unique ID for competition
DocumentCode	CC @Unit	Full RSC of the unit (race)
DocumentType	DT_CONFIG	Configuration message
Version	1..V	Version number associated to the message's content. Ascending number
FeedFlag	"P" - Production "T" - Test	Test message or production message.
Date	Date	Date when the message is generated, expressed in the local time zone where the message was produced.
Time	Time	Time up to milliseconds when the message is generated, expressed in the local time zone where the message was produced.
LogicalDate	Date	Logical Date of events. This is the same as the physical day except when the unit or message transmission extends after midnight. See full explanation in ODF Foundation.
Source	SC @Source	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

The message is sent prior to any ODF Sports message sending one message for each unit.

Trigger also after any change, but considering that, if possible, the configuration for one particular unit must be provided before the start list. If this message changes after any DT_RESULT has been sent then a new version of DT_RESULT must be immediately sent.

2.3.5.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0..1)	Gen Sport Codes				
	Configs (1..1)				
		Config (1..N)			



Unit	ExtendedConfig (1,N)	Type
		Code
		Pos
		Value
		ExtendedConfigItem (0,N)

2.3.5.5 Message Values

Element: Competition (0,1)			
Attribute	M/O	Value	Description
Gen	O	S(20)	Version of the General Data Dictionary applicable to the message
Sport	O	S(20)	Version of the Sport Data Dictionary applicable to the message
Codes	O	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)			
Attribute	M/O	Value	Description
Unit	M	CC @Unit	Full RSC of the Unit

Element: Competition /Configs /Config /ExtendedConfig (1,N)				
Type	Code	Pos	Description	
EC	INTERMEDIATE	S(2)	Pos Description: Send the value that identifies each of the split points (according to the event distance, from 1 to F, where F is when the race finishes), (send F for finish) Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0#	Send distance in km at this intermediate point.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected When applicable				
	Attribute	Value	Description	
	Code	NAME		
	Pos	N/A		
	Value	SC @IntPtType	Code for this intermediate point	
EC	INTERMEDIATES_NUM	N/A	Element Expected: Always	
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the total number of intermediate points including the finish.



EC		DISTANCE	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric ##0.0	Send the total distance for the race in kilometers.
EC		LAPS_NUM	N/A	Element Expected: Always
	Attribute	M/O	Value	Description
	Value	M	Numeric #0	Send the total number of laps.

Sample (Splits)

```
<Configs>
  <Config Unit="OWSM10KM-----FNL-000100--">
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="2.5" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="5.0" >
      < ExtendedConfigItem Code="NAME" Value="LAP1" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="7.5" />
    <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="10.0" >
      < ExtendedConfigItem Code="NAME" Value="LAP1.5" />
    </ExtendedConfig>
    <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="4" />
    <ExtendedConfig Type="EC" Code="LAPS_NUM" Value="2" />
    <ExtendedConfig Type="EC" Code="DISTANCE" Value="10.0" />
  </Config>
</Configs>
```

2.3.5.6 Message Sort

There is no message sorting rule.



International
Olympic
Committee

SOG-2024-OWS-3.0 SFA



3 Message Timeline

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit
x Sent on that level; **o** Includes info from that level



4 Document Control

Version history		
Version	Date	Comments
V1.0	14 Jan 2018	First version as stand-alone document
V1.1	02 Jul 2018	Updated
V2.0	08 Aug 2018	Updated, CRs
V2.1	25 Oct 2018	Updated. First version as a full document
V2.2	24 Jan 2019	Updated, CR
V2.3	18 Apr 2019	Updated
V2.4	14 Aug 2019	Updated, CRs
V2.5	10 Dec 2019	Updated after HT
V2.6	6 Feb 2020	Updated
V3.0	4 Nov 2022	First version for Paris 2024

File Reference: SOG-2024-OWS-3.0 SFA

Change Log		
Version	Status	Changes on version
V1.0	SFR	First version (separated from swimming)
V1.1	SFA	DT_RESULT: Result /ExtendedResults /ExtendedResult add SPM and STC
V2.0	SFA	CR15039: Add DT_PARTIC_NAME to applicable messages. CR16671: Add TVFamilyName in DT_PARTIC message.
V2.1	APP	DT_RESULT: Removed the sub-extension SPM (from PROGRESS/INTERMEDIATE code), and the SPM and STC codes as well (at Result /ExtendedResults /ExtendedResult). DT_RESULT: In extension ER/PHOTO added E as a possible value. DT_RESULT: Clarified ExtendedResult Move to use + for improved position. First version as a full document Editorial improvements without changing the intent
V2.2	APP	CR16928: Move ExtendedResults SECTION to use Attribute Value2 to simplify the message and reduce size.
V2.3	APP	DT_CONFIG: Add lap name and number of laps
V2.4	APP	CR16640: Add ODF Version @Competition CR17516: DT_RESULT: Update DISPLAY/LAST_COMP @ExtendedInfos to be sent until the result is OFFICIAL CR17809: Change Participant/OlympicSolidarity to disallow N
V2.5	APP	DT_RESULT: Update PROGRESS/INTERMEDIATE @Result /ExtendedResults /ExtendedResult DT_CONFIG: Update Value at EC/INTERMEDIATE @Configs /Config /ExtendedConfig DT_RESULT: Clarify Expected at DISPLAY/LEADER @ExtendedInfos /ExtendedInfo DT_RESULT: Do not send IRMs when ResultStatus = START_LIST CR18565 DT_PARTIC: Update the description of Participant/Weight
V2.6	APP	DT_RESULT: Update the Result Element in the case of OTL to send time [CR186997]
V3.0	SFA	DT_PARTIC: Remove Participant/Height DT_PARTIC: Remove Participant/Weight DT_PARTIC: Remove ENTRY/QUAL_RANK at Participant /Discipline /RegisteredEvent /EventEntry DT_RESULT: Add UI/STARTERS at ExtendedInfos /ExtendedInfo DT_RESULT: Add UI/AFTER_INT at ExtendedInfos /ExtendedInfo DT_RESULT: Add Result /Competitor /Composition /Athlete /EventUnitEntry



		<p>DT_RESULT: Update @Pos for PROGRESS/INTERMEDIATE/FLAG at Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Add Speed for PROGRESS/INTERMEDIATE at /Result /ExtendedResults /ExtendedResult</p> <p>DT_RESULT: Add Officials /Official</p> <p>DT_RESULT: Officials /Official /Description</p> <p>DT_RESULT: Update triggering</p> <p>DT_RESULT: Update DISPLAY/LEADER for @Pos and Expected at ExtendedInfos /ExtendedInfo</p> <p>DT_RESULT: Update DISPLAY/LAST_COMP for @Pos at ExtendedInfos /ExtendedInfo</p> <p>DT_RESULT: Update SortOrder for PROGRESS/INTERMEDIATE at Result /ExtendedResults /ExtendedResult to only include those passed this point.</p> <p>DT_RESULT: Update PROGRESS/INTERMEDIATE for @Pos at Result /ExtendedResults /ExtendedResult</p> <p>DT_CONFIG: Update EC/INTERMEDIATE at Configs /Config /ExtendedConfig</p> <p>DT_CONFIG: Update EC/INTERMEDIATE/NAME at Configs /Config /ExtendedConfig</p>
--	--	---