



Olympic Data Feed



Speed Skating

ODF Data Dictionary

Technology and Information Department
© International Olympic Committee

OWG2026-SSK-1.3, APP
31 October 2025



License

The document accompanying this license and the information contained therein (the Document), whether in a paper or electronic format, is made available to you subject to the terms stated below. By using and/or copying all or part of the Document, you (the licensee) agree that you will comply with the following terms and conditions.

1. You may, on a non-exclusive basis, use the Document only on the condition that you abide by the terms of this license. Subject to this condition and other terms and restrictions contained herein, the Document and the information contained therein may be used (i) to further develop the standards described in the Document for use in relation with the Olympic and Paralympic Games and/or (ii) to develop similar standards for other events than the Olympic and Paralympic Games (both (i) and (ii) are hereinafter designated as the Permitted Use, and works further developing these standards for the Olympic and Paralympic Games or developing similar standards for other events are hereinafter referred to as Derivative Works), and copies of the Document or of Derivative Works may be made and distributed for the purpose of the Permitted Use, PROVIDED THAT the COPYRIGHT and references to the IOC appearing in the Document and the TERMS OF THIS LICENSE are included on ALL such COPIES, and further PROVIDED THAT you do not charge any fee or any other monetary compensation for the distribution of the Document to others. The copyright and other intellectual property rights in the Document remain vested in the IOC and the IOC remains entitled to assert his copyright or other intellectual property rights in the Document against any person or entity who does not comply with the terms of this License.
2. A copy of any Derivative Work shall be provided to the IOC free of charge. Moreover, the IOC is granted a worldwide, perpetual, unrestricted, royalty-free non-exclusive license to use any Derivative Work for the further development of the standards made by or for the IOC in relation to the Olympic and Paralympic Games (these standards and the documents describing them are hereinafter referred to as Further Standards) and to make or have made all kinds of exploitation of the Further Standards, with the right to grant sub-licenses.
3. Except if reproduced in the Document, the use of the name and trademarks of the IOC is strictly prohibited, including, without limitation, for advertising, publicity, or in relation to products or services and their names. Any use of the name or trademarks of the IOC, whether registered or not, shall require the specific written prior permission of the IOC.
4. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THE DOCUMENT. The Document and the information contained herein are provided on an "as is" basis. THE IOC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL THE IOC BE LIABLE TO ANYONE FOR DAMAGES OF ANY KIND ARISING FROM OR RELATING TO YOUR ACQUISITION, USE, DUPLICATION, DISTRIBUTION, OR EXPLOITATION OF THE DOCUMENT OR ANY PORTION THEREOF, INCLUDING BUT NOT LIMITED TO, COMPENSATORY DAMAGES, LOST PROFITS, LOST DATA OR ANY FORM OF SPECIAL, INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHETHER BASED ON BREACH OF CONTRACT OR WARRANTY, TORT OR OTHERWISE. THE IOC FURTHER DISCLAIMS ANY LIABILITY FOR ANY DAMAGE CAUSED WHEN THE DOCUMENT IS USED IN A DERIVATIVE WORK. The IOC further disclaims any liability regarding the existence or inexistence of any intellectual property or other rights that might be claimed by third parties with respect to the implementation or use of the technology or information described in the Document.

The same conditions as those described in this Section shall apply mutatis mutandis to the license granted to the IOC on the Derivative Works in Section 2 above.

5. This License is perpetual subject to your conformance to its terms and conditions. The IOC may terminate this License immediately upon your breach of any of its terms and, upon such termination you will cease all use, duplication, distribution, and/or exploitation in any manner of the Document.
6. This License is governed by the laws of Switzerland. You agree that any disputes arising from or relating to this License will be resolved in the courts of Lausanne, Switzerland.

IF YOU DO NOT AGREE TO THESE TERMS YOU MUST CEASE ALL USE OF THE DOCUMENT NOW.



1	Introduction	6
1.1	This document	6
1.2	Objective	6
1.3	Main Audience	6
1.4	Glossary	6
1.5	Related Documents	6
2	Messages	7
2.1	Speed Skating Overview	7
2.2	Applicable Messages	7
2.3	Messages	9
2.3.1	List of participants by discipline / List of participants by discipline update	9
2.3.1.1	Description	9
2.3.1.2	Header Values	9
2.3.1.3	Trigger and Frequency	10
2.3.1.4	Message Structure	10
2.3.1.5	Message Values	11
2.3.1.6	Message Sort	13
2.3.2	List of teams / List of teams update	14
2.3.2.1	Description	14
2.3.2.2	Header Values	14
2.3.2.3	Trigger and Frequency	14
2.3.2.4	Message Structure	15
2.3.2.5	Message Values	15
2.3.2.6	Message Sort	16
2.3.3	List of Entries by Event	17
2.3.3.1	Description	17
2.3.3.2	Header Values	17
2.3.3.3	Trigger and Frequency	17
2.3.3.4	Message Structure	17
2.3.3.5	Message Values	18
2.3.3.6	Message Sort	20
2.3.4	Event Unit Start List and Results	20
2.3.4.1	Description	20
2.3.4.2	Header Values	20
2.3.4.3	Trigger and Frequency	21
2.3.4.4	Message Structure	22
2.3.4.5	Message Values	24
2.3.4.6	Message Sort	32
2.3.5	Current Information	33
2.3.5.1	Description	33
2.3.5.2	Header Values	33
2.3.5.3	Trigger and Frequency	33
2.3.5.4	Message Structure	33
2.3.5.5	Message Values	35



2.3.5.6	Message Sort	38
2.3.6	Image	39
2.3.6.1	Description	39
2.3.6.2	Header Values	39
2.3.6.3	Trigger and Frequency	39
2.3.6.4	Message Structure	39
2.3.6.5	Message Values	40
2.3.6.6	Message Sort	42
2.3.7	Records	43
2.3.7.1	Description	43
2.3.7.2	Header Values	43
2.3.7.3	Trigger and Frequency	43
2.3.7.4	Message Structure	43
2.3.7.5	Message Values	45
2.3.7.6	Message Sort	48
2.3.8	Event Final Ranking	49
2.3.8.1	Description	49
2.3.8.2	Header Values	49
2.3.8.3	Trigger and Frequency	49
2.3.8.4	Message Structure	50
2.3.8.5	Message Values	50
2.3.8.6	Message Sort	52
2.3.9	Configuration	53
2.3.9.1	Description	53
2.3.9.2	Header Values	53
2.3.9.3	Trigger and Frequency	53
2.3.9.4	Message Structure	53
2.3.9.5	Message Values	54
2.3.9.6	Message Sort	56
2.3.10	Weather conditions	57
2.3.10.1	Description	57
2.3.10.2	Header Values	57
2.3.10.3	Trigger and Frequency	57
2.3.10.4	Message Structure	57
2.3.10.5	Message Values	58
2.3.10.6	Message Sort	59
3	Message Timeline	60
3.1	Preparation Phase	60
3.2	Before competition	60
3.3	During Competition - Individual	60
3.4	After Competition - Individual	61
3.5	During Competition - Team Pursuit	61
3.6	After Competition - Team Pursuit	62
3.7	During Competition - Mass Start	62



3.8	After Competition - Mass Start	63
3.9	Exceptional Situations.....	63
4	Document Control.....	65



1 Introduction

1.1 This document

This document includes the ODF Speed Skating Data Dictionary. This Data Dictionary refines the messages described in the ODF General Messages Interface Document specifically for this discipline.

1.2 Objective

The objective of this document is to provide a complete and formal definition of the ODF Speed Skating Data Dictionary, with the intention that the information message producer and the message consumer can successfully interchange the information as the competition is run.

1.3 Main Audience

The main audience of this document is the IOC as the ODF promoter, ODF users such as the World News Press Agencies, Rights Holding Broadcasters and International Sports Federations.

1.4 Glossary

The following abbreviations are used in this document.

Acronym	Description
IF	International Federation
IOC	International Olympic Committee
NOC	National Olympic Committee
ODF	Olympic Data Feed
RSC	Results System Codes
WNPA	World News Press Agencies

1.5 Related Documents

Document Title	Document Description
ODF Foundation Principles	The document explains the environment & general principles for ODF
ODF General Messages Interface	The document describes the ODF General Messages
Language Guidelines and Participant Names	The document describes the different Name formats
ODF Common Codes	The document describes the ODF Common codes
ODF Header Values	The document details the header values which shows which RSCs are used in which messages.
ORIS Sports Document	The document details the sport specific requirements



2 Messages

2.1 Speed Skating Overview

MESSAGES IN EACH EVENT

- Individual Events (except Mass Start): DT_RESULT for the start list and results with DT_CURRENT sent for each pair.
- Mass Start: DT_RESULT for each race only.
- Team Pursuit: DT_RESULT for each race in the semifinals and finals. One DT_RESULT for the unit in the quarterfinals (the result is taken over all pairs) as well as DT_CURRENT for the unit containing the current pairs.

SCHEDULE

The DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include:

- For Individual Events: the DT_SCHEDULE/DT_SCHEDULE_UPDATE will include the schedule of the unit (Y)
- For Mass Start Events: the DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include each unit (race) (S in SF and Y in Final) and the semifinal phase (Y).
- For Team Pursuit Events: the DT_SCHEDULE/DT_SCHEDULE_UPDATE message will include the quarterfinal (single unit, Y), each unit (race, S) in the semifinals as well as the phase (Y) and only the individual units in the finals phase (Y).

2.2 Applicable Messages

The following table is a full list of all ODF messages and describes the list of messages used in this discipline.

- The column “Message type” indicates the DocumentType that identifies a message
- The column “Message name” is the message name identified by the message type
- The column “Message extended” indicates whether a particular message has extended definition in regards to those that are general for all sports. If one particular message is not extended, then it follows the general definition rules.
- Message responsibilities appears in the ODF General Document.

Message Type	Message Name	Message extended
DT_SCHEDULE / DT_SCHEDULE_UPDATE	Competition schedule / Competition schedule update	
DT_PARTIC / DT_PARTIC_UPDATE	List of participants by discipline / List of participants by discipline update	X
DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	/ List of teams / List of teams update	X
DT_ENTRIES	List of entries by Event	X
DT_RESULT	Event Unit Start List and Results	X
DT_CURRENT	Current Information	X
DT_IMAGE	Image	X
DT_PRESSPHOTOFINISH_LK	Press Photofinish	
DT_RECORD	Records	X
DT_RANKING	Event Final Ranking	X
DT_MEDALLISTS	Event's Medallists	
DT_MEDALLISTS_DISCIPLINE	Medallists by discipline	



DT_MEDALS	Medal standings	
DT_CONFIG	Configuration	X
DT_COMMUNICATION	Communication	
DT_WEATHER	Weather conditions	X
DT_PRESENTER	Medal Presenters	
DT_LOCAL_ON	Discipline/venue start transmission	
DT_LOCAL_OFF	Discipline/venue stop transmission	
DT_KA	Keep Alive	
DT_ALERT	Alert	
DT_BCK	Background Document	
DT_BIO_PAR	Participant Biography	
DT_NEWS	News Document	
DT_ESL	Extended Start List	
DT_PIC	Pictures	
DT_PDF	PDF Message	
DT_AUDIO	Audio Message	
DT_ACHIEVEMENT	Achievements	
DT_ACTIVITY	Activity Message	



2.3 Messages

2.3.1 List of participants by discipline / List of participants by discipline update

2.3.1.1 Description

A participant is any individual athlete (participating or not in the current games) or any official or a competitor being part of a team (team member).

Although the athlete or official may participate in more than one event or more than one discipline, this message just contains the information for the discipline of the message, listing the personal information of the participant and along with discipline related information.

This message includes, when applicable, historical athletes that do not participate in the current competition. These participants are distinguished by the status value. The historical athletes will be used to match historical information as in the records message.

It is important to note that all the sport messages that make references to athletes (entries, start list, event unit results, etc.) has always to match the Participant @Code in this message.

This message includes the different name types/formats of the participant. The definition of all these types is available in the Global Document “Language Guidelines & Participant Names”.

List of participants by discipline (DT_PARTIC) is a bulk message, provided for each discipline. It is a complete participant information message for one discipline. The arrival of this message resets all the previous participants' information for one discipline.

List of participants by discipline update (DT_PARTIC_UPDATE) is an update message. It is not a complete list but only the data being modified.

2.3.1.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@DISCIPLINE Code	Discipline RSC
DocumentSubcode	N/A	N/A
DocumentType	DT_PARTIC DT_PARTIC_UPDATE	List of participants by discipline message
DocumentSubtype	SYNC HISTORICAL N/A	SYNC if the message is for re-synchronisation for ODF clients. Only sent once the control is transferred to OVR. HISTORICAL if the message is from the historical results provider and includes only historic data. The message is not sent to external clients. DocumentSubtype is not applicable for _UPDATE messages.
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A



FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.1.3 Trigger and Frequency

The DT_PARTIC message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_UPDATE messages are sent for any modification in the data. DT_PARTIC with DocumentSubtype SYNC may be distributed as a bulk message generated by the central systems after the transfer of control to OVR.

2.3.1.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Participant (1,N)				
		Code			
		Parent			
		Status			
		GivenName			
		FamilyName			
		PassportGivenName			
		PassportFamilyName			
		PrintName			
		PrintInitialName			
		TVName			
		TVInitialName			
		TVFamilyName			
		LocalFamilyName			
		LocalGivenName			
		PSCBName			
		PSCBShortName			
		PSCBLongName			
		Gender			
		Organisation			
		BirthDate			
		PlaceofBirth			



	CountryofBirth
	PlaceofResidence
	CountryofResidence
	Nationality
	MainFunctionId
	OlympicSolidarity
	Discipline (1,1)
	Code
	IFId

2.3.1.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Sample (Versions)

<Competition Gen="OWG2026-1.10" Sport="OWG2026-SSK-1.10" Codes="OWG2026-1.20" >

Element: Competition /Participant (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Participant's ID. It identifies an athlete or an official and the holding participant's valid information for one particular period of time. It is used to link other messages to the participant's information. Participant's information (example @Organisation) will not be the latest for the athlete/official, unless the @Code attribute is the same as the @Parent attribute. However, this information could be the one being valid in the particular moment of a start list, event unit results, etc.
Parent	M	S(20) without leading zeros	Participant's parent ID, which is used to link to the latest valid information for one participant. @Parent attribute should be linked to the latest participant's information, by retrieving that Athlete/Official whose @Code attribute is the same as @Parent. The participant containing @Code attribute being the same as the @Parent attribute will be the one with the latest information for the participant. The @Parent attribute will only be different from @Code in the case that critical personal information has changed from previous competitions. The typical examples are Organisation (for change of country) or Name (particularly for women changing their name at marriage). Further to be clear, @Parent and @Code can only be different in the case of Historical participants (status)



Status	M	CC@PARTICIPANT_STATUS Id	Participant's sport entry status. To delete a participant, a specific value of the Status attribute is used.
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
PassportGivenName	O	S(25)	Passport Given Name
PassportFamilyName	O	S(25)	Passport Family Name
PrintName	M	S(35)	Print Name
PrintInitialName	M	S(18)	Print Initial Name
TVName	M	S(35)	TV Name
TVInitialName	M	S(18)	TV Initial Name
TVFamilyName	M	S(18)	TV Family Name
LocalFamilyName	O	S(25)	Family name in the local language in the appropriate case for the local language (usually mixed case)
LocalGivenName	O	S(25)	Given name in the local language in the appropriate case for the local language (usually mixed case)
PSCBName	O	S(50)	Public Scoreboard Name created by OVR.
PSCBShortName	O	S(50)	Public Scoreboard Short Name created by OVR.
PSCBLongName	O	S(50)	Public Scoreboard Long Name created by OVR.
Gender	M	CC@PERSON_GENDER ID	Participant's gender
Organisation	M	CC@ORGANISATION Id	Organisation ID
BirthDate	O	YYYY-MM-DD	Date of birth. Expected for athletes, not expected for all groups of officials.
PlaceofBirth	O	S(75)	Place of Birth
CountryofBirth	O	CC@COUNTRY Id	Country ID of Birth
PlaceofResidence	O	S(75)	Place of Residence
CountryofResidence	O	CC@COUNTRY Id	Country ID of Residence
Nationality	O	CC@COUNTRY Id	Participant's nationality. Although this attribute is optional, in very exceptional situations it will not be known, and for this reason not ready to be sent.
MainFunctionId	O	CC@DISCIPLINE_FUNCTION Id	Main function
OlympicSolidarity	O	Y	Send Y if the participant is a member of the Solidarity / Scholarship Program else not sent.

Element: Competition /Participant /Discipline (1,1)

All participating athletes or officials will be assigned at least one discipline, it could be more. If an athlete or official are assigned to more than one discipline, it will be included in the participant message of each discipline.

Attribute	M/O	Value	Description
Code	M	CC@DISCIPLINE Code	Discipline RSC, expected to be the same as the one used in OdfBody @DocumentCode.
IFId	O	S(16)	International Federation Id



2.3.1.6 Message Sort

The message is sorted by Participant @Code

2.3.2 List of teams / List of teams update

2.3.2.1 Description

DT_PARTIC_TEAMS contains the list of teams related to the current competition.

A team is a type of competitor, being a group of two or more individual athletes participating together in one event. One team participates in one event of one discipline. When one team participates in multiple events, there will be one team for each event for the same group. Also, when the same organisation participates in the same event twice, there will be different teams.

List of teams (DT_PARTIC_TEAMS) is a bulk message by discipline. The list is always complete. The arrival of this message resets all the previous participant teams' information for that discipline. It is assumed that all teams appearing in this list are valid and their participation is defined by the status attribute.

List of teams update (DT_PARTIC_TEAMS_UPDATE) is an update message. It is not a complete list of teams' information message. It only contains the data of a team being modified.

2.3.2.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@DISCIPLINE Code	Discipline RSC
DocumentSubcode	N/A	N/A
DocumentType	DT_PARTIC_TEAMS DT_PARTIC_TEAMS_UPDATE	List of participant teams message
DocumentSubtype	SYNC HISTORICAL N/A	SYNC if the message is for re-synchronisation for ODF clients. Only sent once the control is transferred to OVR. HISTORICAL if the message is from the historical results provider and includes only historic data. The message is not sent to external clients. DocumentSubtype is not applicable for _UPDATE messages.
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.2.3 Trigger and Frequency

The DT_PARTIC_TEAMS message is sent as a bulk message before the Games. It is sent several times up to the date of transfer of control to OVR after which only DT_PARTIC_TEAMS_UPDATE messages are sent.

The DT_PARTIC_TEAMS_UPDATE message is triggered when there is a modification data for any team after the transfer of control to OVR.



DT_PARTIC_TEAMS with DocumentSubtype SYNC may be distributed as a bulk message generated by the central systems after the transfer of control to OVR.

2.3.2.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Team (1,N)				
		Code			
		Status			
		Organisation			
		Name			
		ShortName			
		TVTeamName			
		PSCBName			
		PSCBShortName			
		PSCBLongName			
		Gender			
		TeamType			
		Discipline (0,1)			
			Code		
			IFId		

2.3.2.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /Team (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Team's ID
Status	M	CC@PARTICIPANT_STATUS Id	Team's entry status. This attribute is Mandatory always. To delete a team, a specific value of the Status attribute is used.
Organisation	M	CC@ORGANISATION Id	Team organisation's ID



Name	M	S(73)	Team Name
ShortName	M	S(40)	Team Short Name
TVTeamName	M	S(21)	TV Team Name
PSCBName	O	S(50)	Public Scoreboard Name created by OVR.
PSCBShortName	O	S(50)	Public Scoreboard Short Name created by OVR.
PSCBLongName	O	S(50)	Public Scoreboard Long Name created by OVR.
Gender	M	CC@DISCIPLINE_GENDER Gender	Gender Code of the Team
TeamType	M	SCGEN @TeamType Code	Send the team type. ORG is expected. This is how the name is constructed to allow clients to build in other languages.

Element: Competition /Team /Discipline (0,1)

Attribute	M/O	Value	Description
Code	M	CC@DISCIPLINE Code	Full RSC of the Discipline
IFId	O	S(16)	IF Id for the discipline if it is assigned.

2.3.2.6 Message Sort

The message is sorted by Team @Code.

```
<Team Code="SSKMTEAMPU-CHN01" Organisation="CHN" Name="People's Republic of China" ShortName="China"
TVTeamName="China" Gender="M" Current="true" TeamType="ORG" >
  <Discipline Code="SSK-----" IFId="1234566" />
```



2.3.3 List of Entries by Event

2.3.3.1 Description

The participant may participate in one or more than one event of a discipline. This message just contains the entry information for the specific event of the message, listing the specific event entry information of the participant.

List of entries by event (DT_ENTRIES) is provided for each event within a discipline. It is a complete event entry information message for one event. The arrival of this message resets all the previous participants' entry information for one event. This message includes the list of athletes, guides, reserves, teams including the team composition (if known) that have been entered to an event.

2.3.3.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@EVENT Code	Event RSC
DocumentSubcode	N/A	N/A
DocumentType	DT_ENTRIES	List of entries by event message
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.3.3 Trigger and Frequency

The DT_ENTRIES message is sent as a bulk message prior to the Games. It is sent several times up to the date of transfer of control to OVR after which the entries information is updated in the venue and the bulk message is triggered by the OVR.

For the Team events, the DT_ENTRIES message will be sent prior the Games and will be triggered when there is any modification in the event entry or the team composition data after the transfer of control to OVR.

2.3.3.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0,1)								
	Gen							
	Sport							



Codes	
Entry (1,N)	
	Code
	Type
	Organisation
	SortOrder
	EntryStatus
	Description (0,1)
	TeamName
	ExtendedEntry(0,N)
	Type
	Code
	Pos
	Value
	Composition(0,1)
	Athlete(0,N)
	Code
	Order
	EntryStatus
	Substitute
	Description(1,1)
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFid
	ExtendedEntry(0,N)
	Type
	Code
	Pos
	Value

2.3.3.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message



Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /Entry (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Competitor ID.
Type	M	A, T	A for athlete, T for team
Organisation	M	CC@ORGANISATION Id	Competitor's organisation
SortOrder	M	Positive Integer	Order used to sort the competitors within an event (by NOC, Gender, Name etc).
EntryStatus	O	SC@AthleteStatus Code	Team's Event participation status (Reserve). Send only if the team is a reserve else do not send.

Element: Competition /Entry /Description (0,1)

Used in Team event only

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team

Element: Competition /Entry /ExtendedEntry (0,N)

Type	Code	Pos	Description
ENTRY	SB	N/A	Element Expected: when available.
	Attribute	M/O	Value
	Value	M	mm:ss.FF
	Season best time		
IFRANK	SC@IFRank	N/A	Element Expected: when available.
	Attribute	M/O	Value
	Value	M	Positive Integer
	Rank of the competitor for the specific event.		

Element: Competition /Entry /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Athlete's ID
Order	M	Positive Integer	1 in individual events (if Competitor @Type="A"), or athlete starting order (1..n) within the team (if Competitor @Type="T").
EntryStatus	O	SC@AthleteStatus Code	Athlete's Event participation status, if applicable
Substitute	O	Y	Send Y if the athlete is a substitute else do not send.

Element: Competition /Entry /Composition /Athlete /Description (1,1)



Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
Gender	M	CC@PERSON_GENDER Id	Gender of the athlete
Organisation	M	CC@ORGANISATION Id	Athletes' organisation
BirthDate	O	YYYY-MM-DD	Date of Birth, must be included if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Entry /Composition /Athlete /ExtendedEntry (0,N)

Type	Code	Pos	Description
ENTRY	PB	N/A	Element Expected: when known in individual distance events
	Attribute	M/O	Value
	Value	M	mm:ss.FF Personal best time.
ENTRY	SB	N/A	Element Expected: when known in individual distance events
	Attribute	M/O	Value
	Value	M	mm:ss.FF Season best time
IFRANK	SC@IFRank Code	N/A	Element Expected: when available
	Attribute	M/O	Value
	Value	M	Positive Integer Rank of the competitor for the specific event.

2.3.3.6 Message Sort

Sort by Entry @SortOrder

2.3.4 Event Unit Start List and Results

2.3.4.1 Description

The Event Unit Start List and Results is a message containing both the start list and results information of the competitors in one (individual or team) event unit.

The Event Unit Start List and Results is a mandatory message for all sports.

This is always a full message and all applicable elements and attributes are always sent.

2.3.4.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE	Competition ID



	Id	
DocumentCode	CC@EVENT_UNIT Code	Event Unit RSC
DocumentSubcode	N/A	N/A
DocumentType	DT_RESULT	Event Unit Start List and Results message
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	CC@RESULTSTATUS Code	Expected statuses are: START_LIST LIVE INTERMEDIATE UNCONFIRMED UNOFFICIAL OFFICIAL PROTESTED PROVISIONAL
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.4.3 Trigger and Frequency

This message is sent:

- As soon as the start list is available and any changes [inc. IRMs] (START_LIST)
- In the case of Team Pursuit & Mass Start
 - When the unit starts and after every update (intermediates etc.) (LIVE)
- In the case of individual (except mass start) events and Team Pursuit quarterfinals
 - When the unit starts and during each pair for each update with splits (LIVE)
 - After each pair during the unit (INTERMEDIATE)
- After the race is finished (UNCONFIRMED / UNOFFICIAL / OFFICIAL) as applicable.
- If there is any pending decision by IOC, CAS, IF(PROVISIONAL)
- After any change

Note: In the case of Team Pursuit semifinals and finals there can only be one record of each type set per phase (the last best time). If the previous record is surpassed multiple times in a phase then some units may need to be updated and re-sent to reflect this requirement.

Management of Reskate in individual events (not Mass Start) and Team Pursuit quarterfinals:

- In the case of a reskate a new "competitor" is added to the message with the competitor code "RS+competitor ID" for example RS1234567. Code "RS+competitor ID" should be send in the Competitor element.
- The new "pair", if a new pair is needed will use "a" after the order for example if after pair 10 then 10a. (startorder attribute).
- If a Reskate is needed on another pair then letter "a" will be used, for example if Reskate is scheduled on pair 12 then the new "pair" is 12a. If a new re-skate is scheduled after pair 13 the new "pair" is 13a. If a second re-skate is scheduled after pair 13 the new "pair" will be 13b. in individual or a new QF (for example QF5 or QF6...) in Team Pursuit quarterfinals. The StartSortOrder and SortOrder will provide the ordering on the pairs (the re-skate pairs may not necessarily be last)
- After the reskate this competitor is removed, and the original time updated if applicable.



Management of Re-Run in Team Pursuit semifinals and finals:

- In the case of a re-run the unit is set to its initial state and DT_RESULT(START_LIST) without any result is sent.
- Then the unit runs normally again.

2.3.4.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					
	UnitDateTime (0,1)					
	StartDate					
	ExtendedInfo (0,N)					
	Type					
	Code					
	Pos					
	Value					
	Extension (0,N)					
	Code					
	Pos					
	Value					
	SportDescription (0,1)					
	DisciplineName					
	EventName					
	Gender					
	SubEventName					
	UnitNum					
	VenueDescription (0,1)					
	Venue					
	VenueName					
	Location					
	LocationName					
	Attendance					
	Officials (0,1)					
	Official (1,N)					
	Code					
	Function					
	Order					
	Description (1,1)					



		GivenName
		FamilyName
		Gender
		Organisation
	Result (1,N)	
		Rank
		RankEqual
		Result
		Unchecked
		IRM
		QualificationMark
		WLT
		SortOrder
		StartOrder
		StartSortOrder
		ResultType
		Diff
		PhotoFinish
		ExtendedResults (0,1)
		ExtendedResult (1,N)
		Type
		Code
		Pos
		Value
		Value2
		Rank
		RankEqual
		Diff
		Extension (0,N)
		Code
		Pos
		Value
	RecordIndicators (0,1)	
		RecordIndicator (1,N)
		Order
		Code
		RecordType
		Equalled
	Competitor (1,1)	
		Code
		Type



	Organisation
	Description (0,1)
	TeamName
	EventUnitEntry (0,N)
	Type
	Code
	Pos
	Value
	Composition (0,1)
	Athlete (0,N)
	Code
	Order
	Bib
	Description (1,1)
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFid
	EventUnitEntry (0,N)
	Type
	Code
	Pos
	Value

2.3.4.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /UnitDateTime (0,1)

Attribute	M/O	Value	Description
StartDate	M	DateTime	Actual start date-time. Do not include until unit starts.

Element: Competition /ExtendedInfos /ExtendedInfo (0,N)



Type	Code	Pos	Description
UI	STARTERS	N/A	Element Expected: always
Attribute	M/O	Value	Description
Value	M	Positive Integer	Send the number of competitors on the start list
Sub Element: Competition /ExtendedInfos /ExtendedInfo /Extension Expected Always if the status is not START_LIST and at least one competitor has completed the unit without IRM			
Attribute	Value	Description	
Code	COMPLETE		
Pos	N/A		
Value	Positive Integer	Send the number of competitors whose event unit is completed (includes IRMs)	
UI	LEADER	N/A	Element Expected: when known in individual events (not mass start)
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeros	Send the ID of the leading competitor.
UI	BREAK_PAIR	Positive Integer	Pos Description: order of the 'Ice preparation' in the event. Element Expected: when known in individual events (not mass start)
Attribute	M/O	Value	Description
Value	M	Positive Integer	The number of the last pair before the ice preparation's break.
DISPLAY	LAST_COMP	1, 2 (individual, team) Positive Integer (mass)	Pos Description: send a unique number for each competitor Individual events: 1 for inner lane, 2 for outer lane. Team: 1 for crossing straight starting team, 2 for finishing straight starting team. Mass start: 1..N for each participant modified in the message. Element Expected: when available and only when the unit is LIVE, INTERMEDIATE, UNCONFIRMED or UNOFFICIAL.
Attribute	M/O	Value	Description
Value	M	S(20) without leading zeros	Send the competitor ID of the last competitor(s) to compete and receive result data.

Sample (Individual)

```
<ExtendedInfos>
  <UnitDateTime StartDate="2012-08-07T11:01:00+01:00" />
  <ExtendedInfo Type="UI" Code="LEADER" Value="123456" />
  <ExtendedInfo Type="UI" Code="BREAK_PAIR" Pos="1" Value="4" />
  <ExtendedInfo Type="UI" Code="BREAK_PAIR" Pos="2" Value="8" />
  <ExtendedInfo Type="UI" Code="STARTERS" Value="27" />
  <Extension Code="COMPLETE" Value="9" />
</ExtendedInfos>
```

Element: Competition /ExtendedInfos /SportDescription (0,1)

Attribute	M/O	Value	Description
DisciplineName	M	CC@DISCIPLINE ENG Description	Discipline ENG Description (not code) from Common Codes



EventName	M	CC@EVENT ENG Description	Event ENG Description
Gender	M	CC@DISCIPLINE_GENDER Gender	Gender code for the event unit
SubEventName	M	CC@EVENT_UNIT ENG ShortDescription	EventUnit ENG ShortDescription
UnitNum	O	SC@Final Code	Race number. Send as applicable for Team Pursuit and Mass start

Element: Competition /ExtendedInfos /VenueDescription (0,1)

Attribute	M/O	Value	Description
Venue	M	CC@VENUE Id	Venue Code
VenueName	M	CC@VENUE ENG Description	Venue ENG Description (not code) from Common Codes
Location	M	CC@LOCATION Id	Location code
LocationName	M	CC@LOCATION ENG Description	Location ENG Description (not code) from Common Codes
Attendance	O	Positive Integer	Total attendance (do not send if unknown)

Element: Competition /Officials /Official (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Official's code
Function	M	CC@DISCIPLINE_FUNCTION Id	Official's function (example: referee, etc.). Can be different from the function sent in the DT_PARTIC message.
Order	O	Positive Integer	Order of officials.

Element: Competition /Officials /Official /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
Gender	M	CC@PERSON_GENDER Id	Gender of the official
Organisation	M	CC@ORGANISATION Id	Official's organisation

Element: Competition /Result (1,N)

For each Event Unit Results message, there must be at least one competitor with a result element in the event unit.

Attribute	M/O	Value	Description
Rank	O	Positive Integer	Rank of the competitor in the event unit.



			For Individual events and Team Pursuit Quarterfinals and Semifinals units: - Send Rank of the competitor in the event unit For Team Pursuit Final units: - Send Rank of the competitor in the event Not expected while PhotoFinish pending
RankEqual	O	Y	'Y' if the rank is equaled, else is not expected. Not expected while PhotoFinish pending
Result	O	mm:S.S.FF mm:S.S.FFF #0 SC@ResultMark Code	Result for the competitor. Time is always sent to hundreds of a second unless if tied to the hundredth of a second and thousands of a second is used. In mass start send the points. Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
Unchecked	O	Y	Send "Y" if this result needs to be validated else do not send.
IRM	O	SC@IRM Code	The invalid result mark, if applicable
QualificationMark	O	SC@QualificationMark Code	Send just in the case the competitor has qualified.
WLT	O	SC@WLT Code	The code whether a competitor won or lost the heat. Send only in Team Pursuit Semifinals and Finals units Not expected while PhotoFinish pending
SortOrder	M	Positive Integer	This attribute is a sequential number with the order of the results for the unit, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank. Prior to the unit the order is the same as StartSortOrder. Updated during the race with the current order.
StartOrder	O	S(3)	For individual events and Team Pursuit Quarterfinals: Pair number (1,2,.. in individual, QF1, QF2 ... in Team Pursuit QF) in the start list. There will be two competitors with the same number. For Team Pursuit Semifinals and Finals: Use 1 for 'Crossing straight' and 2 for 'Finishing straight' Update if re-skate is required in Team Pursuit. - For mass start simply the start order.
StartSortOrder	M	Positive Integer	Unique number for sorting. To sort out competitors from its @StartOrder attribute, however - For individual events: placing first the inner lane skater, and afterwards the outer lane skater - For team events: Order by pair and then the crossing straight starting team, and afterwards the finishing straight starting team - For mass start: Same as StartOrder
ResultType	O	SC@ResultType Code	Type of the @Result attribute. In case of Results Mark use ResultType=Time Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
Diff	O	+mm:S.S.FF	Time behind the leader. 0.00 for the leader. Do not send in mass start Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
PhotoFinish	O	E, P	In case the competitor result is decided by photo finish: E: Photofinish evaluated. P: Photofinish evaluation pending While pending, the competitors involved will be sorted according to the theoretical rank before the evaluation. Attributes related to the not confirmed result are not expected. Clarification: When the skater/team just finished then send the following:



			<p>- For the skater(s)/team(s) from current heat send PHOTO=P and Unchecked=Y</p> <p>- For the skater/team from any previous heat (for Team Pursuit QF and Individual Events except Mass Start) send PHOTO=P but not Unchecked</p> <p>After the photo is evaluated then send PHOTO=E for all involved and no more Unchecked attribute and include Rank and for Mass Start and Team Pursuit Semifinals/Finals also include Result, ResultType and Diff</p>
--	--	--	---

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)

Type	Code	Pos	Description
PROGRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). Element Expected: when data is available except for @Pos F while @PhotoFinish is P in Result element for Mass Start and Team Pursuit Semifinals/Finals
	M/O	Value	Description
	Value	M	mm:sS.FF mm:sS.FFF Cumulative time at the intermediate point in the current race. Time is always sent to hundreds of a second unless if tied to the hundredth of a second in pos=F and thousands of a second is used
	Value2	O	mm:sS.FF Time for the section ending at the intermediate point @Pos.
	Rank	O	Positive Integer Send the rank of the competitor at the intermediate point.
	RankEqual	O	Y 'Y' if the rank is equaled, else is not expected.
	Diff	O	+/-mm:sS.FF Send the time behind the leader in the unit at the split. Negative if faster than leader or + for slower than leader. 0.00 for the leader.
Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected In individual events except mass start and in Team Pursuit if more than one pair in the unit (Quarterfinals).			
	Attribute	Value	Description
	Code	PAIR_DIFF	
	Pos	N/A	
	Value	+mm:sS.FF	Time behind the leader in the pair. 0.00 for the leader
PROGRESS	SPRINT	SC@Sprint Code	Pos Description: Sprint point name (S1, S2, S3, F) Element Expected: If sprint points awarded for the competitor (in Mass Start)
	Attribute	M/O	Value
	Value	M	#0 The sprint points awarded at this @Pos
ER	RE_RUN	N/A	Element Expected: if applicable.
	Attribute	M/O	Value
	Value	M	Y, P, M Send "Y" if the competitor (for the original competitor) is awarded a reskate.



				Send "P" for the newly added duplicate competitor in the start list. Send "M" if the result for the competitor is modified as a result of the re-skate else do not send after the re-skate.
Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension Expected If the athlete has a reskate in the future.				
	Attribute	Value	Description	
	Code	PAIR		
	Pos	N/A		
	Value	S(3)	Pair number of the reskate. For example, if the reskate is after pair 10 then send 10a. Remove after reskate is complete.	
ER		WARNING	N/A	Element Expected: If applicable.
	Attribute	M/O	Value	Description
	Value	M	Y	Y if the competitor received a referee warning.
ER		TIME	N/A	Element Expected: Send in Mass Start for competitors with same points or without points or for competitors who have earned points at intermediate sprints but did not complete all laps of the race (LAPPED) and in other events if the competitor time is evaluated to 3 decimals to break a tie.
	Attribute	M/O	Value	Description
	Value	M	mm:sS.FF mm:sS.FFF	Race time. Mass Start: two decimals if total time is different or three decimals if total time with two decimals is the same, all other Events three decimals. Only send if applicable.
ER		LAPS	N/A	Element Expected: Mass start only and only when this competitor has completed at least one lap and does not have an IRM.
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Number of laps completed.
ER		SPEED	N/A	Element Expected: When the competitor has completed the unit.
	Attribute	M/O	Value	Description
	Value	M	#0.0	Average speed in km/h

Element: Competition /Result /RecordIndicators /RecordIndicator (1,N)

Attribute	M/O	Value	Description
Order	M	Positive Integer	The hierarchy (priority) for types of record from 1 to n. (Can use the Order column from CC @Record_Type for reference for the order, not value).
Code	M	CC@RECORD Id	Code which describes the record broken by the result value.
RecordType	M	CC@RECORD_TYPE recordtype	Code which specifies the level at which the record is broken.



Equalled	O	Y	Send "Y" in the case that the record has been equalled else do not send.
----------	---	---	--

Element: Competition /Result /Competitor (1,1)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros or SC@CompetitorPlace Code	Competitor's ID or TBD in case that the competitor is unknown at this time but will be available NOCOMP is sent when there is no competitor (and will not come later) Send "RS+competitor ID" for those competitors with a reskate. (individual and Team Pursuit Quarterfinals only)
Type	M	A, T	A for athlete, T for team
Organisation	O	CC@ORGANISATION Id	Competitor's organisation

Element: Competition /Result /Competitor /Description (0,1)

Competitors extended information.

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team

Element: Competition /Result /Competitor /EventUnitEntry (0,N)

For team event information

Type	Code	Pos	Description
EUE	COLOUR	N/A	Element Expected: when available in team events
	Attribute	M/O	Value
	Value	M	SC@Colour Code
	Description		Designated team colour, relating to starting position.
EUE	LANE	N/A	Element Expected: Team Pursuit
	Attribute	M/O	Value
	Value	M	SC@Lane Code
	Description		C – For Crossing Straight F – For Finishing Straight

Element: Competition /Result /Competitor /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Athlete's ID
Order	M	Positive Integer	Order attribute used to sort team members in a team (if Competitor @Type="T") on the results or 1 if Competitor @Type="A".
Bib	O	S(5)	In Mass Start the helmet number.

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)



Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
Gender	M	CC@PERSON_GENDER Id	Gender of the athlete
Organisation	M	CC@ORGANISATION Id	Athletes' organisation
BirthDate	O	YYYY-MM-DD	Date of Birth. Must include if the data is available
IFId	O	S(16)	International Federation ID

Element: Competition /Result /Competitor /Composition /Athlete /EventUnitEntry (0,N)

Individual athletes entry information.

Type	Code	Pos	Description
EUE	LANE	N/A	Element Expected: Individual (not mass start) events.
	Attribute	M/O	Value
	Value	M	SC@Lane Code I – For Inner lane skater O – For outer lane skater
EUE	COLOUR	N/A	Element Expected: Individual (not mass start) events
	Attribute	M/O	Value
	Value	M	SC@Colour Code Athlete colour relating to starting position
EUE	ARMBAND	Positive Integer	Pos Explanation: Arm Band Number Example: Pos 1 is attached to White Colour etc.. Element Expected: Team Pursuit
	Attribute	M/O	Value
	Value	M	SC@Armband Code Athlete armband colour

Sample (individual, not Mass Start)



```
<Result Rank="1" Result="12:18.76" Unchecked="Y" SortOrder="1" StartOrder="6" StartSortOrder="11" ResultType="TIME" Diff="0.00">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="30.52" Value2="30.52" Rank="7" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="59.59" Value2="29.07" Rank="6" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="3" Value="1:30.06" Value2="30.47" Rank="7" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="4" Value="1:59.08" Value2="29.02" Rank="4" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="5" Value="2:29.62" Value2="30.54" Rank="8" Diff="0.00">
      <Extension Code="PAIR_DIFF" Value="+1.07"/>
    </ExtendedResult>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="6" Value="2:59.37" Value2="29.75" Rank="6" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="7" Value="3:27.98" Value2="28.61" Rank="6" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="8" Value="3:58.56" Value2="30.58" Rank="5" Diff="0.00"/>
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="24" Value="11:47.89" Value2="27.91" Rank="1" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="F" Value="12:18.76" Value2="30.87" Rank="1" Diff="0.00"/>
    <ExtendedResult Type="ER" Code="SPEED" Value="48.7"/>
  </ExtendedResults>
  <RecordIndicators>
    <RecordIndicator Order="1" Code="SSKM10000M-----" RecordType="WR"/>
    <RecordIndicator Order="2" Code="SSKM10000M-----" RecordType="OR"/>
  </RecordIndicators>
  <Competitor Code="8630596" Type="A" Organisation="CRO">
    <Composition>
      <Athlete Code="8630596" Order="1" Bib="77">
        <Description GivenName="Kenneth" FamilyName="Sartain" Gender="M" Organisation="CRO" BirthDate="1981-03-
10" IFId="SSCRO11003198101"/>
        <EventUnitEntry Type="EUE" Code="COLOUR" Value="W"/>
        <EventUnitEntry Type="EUE" Code="LANE" Value="I"/>
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

Sample (Mass Start)

```
<Result Rank="1" Result="6" SortOrder="1" StartOrder="4" StartSortOrder="4" ResultType="POINTS">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="27.67" Value2="27.67" Rank="4" Diff="+1.43"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="2" Value="58.09" Value2="30.42" Rank="8" Diff="+3.45"/>
    ...
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="15" Value="6:54.71" Value2="29.90" Rank="2" Diff="+0.58"/>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="F" Value="7:20.19" Value2="25.48" Rank="1" Diff="0.00"/>
    <ExtendedResult Type="PROGRESS" Code="SPRINT" Pos="S1" Value="1"/>
    <ExtendedResult Type="PROGRESS" Code="SPRINT" Pos="S2" Value="2"/>
    <ExtendedResult Type="PROGRESS" Code="SPRINT" Pos="S3" Value="3"/>
    <ExtendedResult Type="ER" Code="LAPS" Value="16"/>
    <ExtendedResult Type="ER" Code="SPEED" Value="46.6"/>
  </ExtendedResults>
  <Competitor Code="8630601" Type="A" Organisation="CZE">
    <Composition>
      <Athlete Code="8630601" Order="1" Bib="4">
        <Description GivenName="Emil" FamilyName="Monge" Gender="M" Organisation="CZE" BirthDate="1989-05-
10" IFId="SSCZE11005198901"/>
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

2.3.4.6 Message Sort

Sort by Result @SortOrder



2.3.5 Current Information

2.3.5.1 Description

The Current message is a message containing the current information for a competition which is live. The message is used to send the latest applicable information.

This message should only be used to build a standalone current table and not used to merge data with the DT_RESULT message. If the message is merged there can be conflicts where multiple people can have the same intermediate rank and the full DT_RESULT is only updated after each athlete.

2.3.5.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@EVENT_UNIT Code	Event Unit RSC of the unit.
DocumentSubcode	N/A	N/A
DocumentType	DT_CURRENT	Current message
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.5.3 Trigger and Frequency

This message is sent:

- At any time a competitor/ pair/ heat starts. After the first competitor/ pair/ heat, when the competitor/pair/heat is about to start. This/these athlete(s) will be considered current) and there will be a new “next” (unless the current is the last pair) and the previous athlete(s) as “last”.
- Immediately after every addition/change in data during the race.
- Immediately after each competitor completes the race and the data is available. (must be sent so a new leader can receive a negative time relative to current leader).

Each message will only include the athletes currently racing, the ones just finished and the one to follow (“Next”); this is not more than six competitors. Next is to inform end users who is next.

Management of Reskate: See explanation in the Trigger and Frequency section of the DT_RESULT message of this document.

2.3.5.4 Message Structure

The following table defines the structure of the message.



Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	ExtendedInfos (0,1)				
	ExtendedInfo (1,N)				
		Type			
		Code			
		Pos			
		Value			
	Result (0,N)				
		Rank			
		RankEqual			
		Result			
		IRM			
		SortOrder			
		StartOrder			
		StartSortOrder			
		ResultType			
		Diff			
		PhotoFinish			
		ExtendedResults (0,1)			
		ExtendedResult (1,N)			
		Type			
		Code			
		Pos			
		Value			
		Value2			
		Rank			
		RankEqual			
		Diff			
		Extension (0,N)			
			Code		
			Pos		
			Value		
		Competitor (1,N)			
			Code		
			Type		
			Organisation		
			Composition (0,1)		



	Athlete (0,N)
	Code
	Order
	Bib

2.3.5.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /ExtendedInfo (1,N)

Type	Code	Pos	Description
DISPLAY	HEATS	N/A	Element Expected: when available
	Attribute	M/O	Value
	Value	M	Positive Integer Send the number of pairs (or partial pairs in the event) The number does not change in the case of re-skate as the total pairs at the end is unchanged.
DISPLAY	LAST_COMP	1, 2 (individual, team) Positive Integer (mass)	Pos Description: send a unique number for each competitor Individual events: 1 for inner lane, 2 for outer lane. Team: 1 for crossing straight starting team, 2 for finishing straight starting team. Element Expected: when available
	Attribute	M/O	Value
	Value	M	S(20) without leading zeros Send the competitor ID of the last competitor(s) to compete and receive result data.
DISPLAY	CURRENT	N/A	Element Expected: when available
	Attribute	M/O	Value
	Value	M	S(3) Send the pair number (StartOrder) of the current pair.
DISPLAY	NEXT	N/A	Element Expected: when available
	Attribute	M/O	Value
	Value	M	S(3) Send the pair number (StartOrder) of the next pair to start.
DISPLAY	STARTED	N/A	Element Expected: Send only once for each pair (assuming no false start)
	Attribute	M/O	Value
	Value	M	S(3) Send the pair number (StartOrder) of the pair most recently started.



DISPLAY	LAST_INTERMEDIATE	S(20) without leading zeros	Pos Description: competitor ID Element Expected: after each competitor passes an intermediate point. Only for individual events (not mass start) and Pursuit QF.
Attribute	M/O	Value	Description
Value	M	S(3)	Last intermediate point reached by the competitor (0,1,2,3,..F). For the DNF competitor, the last point is considered the split where the competitor fell/stopped.

Sample (Individual)

```
<ExtendedInfos>
<ExtendedInfo Type="DISPLAY" Code="HEATS" Value="6"/>
<ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Pos="1" Value="8630596"/>
<ExtendedInfo Type="DISPLAY" Code="LAST_COMP" Pos="2" Value="8630702"/>
<ExtendedInfo Type="DISPLAY" Code="CURRENT" Value="6a"/>
<ExtendedInfo Type="DISPLAY" Code="LAST_INTERMEDIATE" Pos="RS8630712" Value="24"/>
<ExtendedInfo Type="DISPLAY" Code="LAST_INTERMEDIATE" Pos="RS8630554" Value="24"/>
</ExtendedInfos>
```

Element: Competition /Result (0,N)

Attribute	M/O	Value	Description
Rank	O	Positive Integer	Rank of the competitor in the event unit Not expected while PhotoFinish pending
RankEqual	O	Y	'Y' if the rank is equaled, else is not expected. Not expected while PhotoFinish pending
Result	O	mm:sS.FF mm:sS.FFF (in case of ties)	Time for the competitor. Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
IRM	O	SC@IRM Code	The invalid result mark, if applicable
SortOrder	M	Positive Integer	Order by StartSortOrder for the competitors in the file (1, 2, 3..).
StartOrder	O	S(3)	Pair number in the start list. There will be two competitors with the same number.
StartSortOrder	M	Positive Integer	Unique number for sorting. To sort out competitors from its @StartOrder attribute however placing first the inner lane skater, and afterwards the outer lane skater. For team pursuit it should be crossing straight followed by finishing straight.
ResultType	O	SC@ResultType Code	Type of the @Result attribute. Not expected while PhotoFinish pending Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
Diff	O	+/-mm:sS.FF	Time behind the leader. 0.00 for the leader. Can be negative if faster than current leader or + if slower than the leader pending Not expected while PhotoFinish pending for Mass Start and Team Pursuit Semifinals/Finals
PhotoFinish	O	E, P	In case the competitor result is decided by photo finish: E: Photofinish evaluated. P: Photofinish evaluation pending



			<p>While pending, the competitors involved will be sorted according to the theoretical rank before the evaluation. Attributes related to the not confirmed result are not expected.</p> <p>Clarification: When the skater/team just finished then send the following: - For the skater(s)/team(s) from current heat send PHOTO=P and Unchecked=Y and no Rank - For the skater/team from any previous heat (for Team Pursuit QF and Individual Events except Mass Start) send PHOTO=P but not Unchecked and no Rank After the photo is evaluated then send PHOTO=E for all involved and no more Unchecked attribute and include Rank, After the photo is evaluated then send PHOTO=E for all involved and no more Unchecked attribute and include Rank, and for Mass Start and Team Pursuit Semifinals/Finals also include Result, ResultType and Diff.</p>
--	--	--	--

Element: Competition /Result /ExtendedResults /ExtendedResult (1,N)

Type	Code	Pos	Description	
PROGRESS	INTERMEDIATE	S(2)	Pos Description: Intermediate point where the intermediate time is recorded (1, 2...F). Element Expected: when data is available except for @Pos F while @PhotoFinish is P in Result element for Mass Start and Team Pursuit Semifinals/Finals	
	Attribute	M/O	Value	Description
	Value	M	mm:sS.FF mm.ss.FFF (in case of ties)	Cumulative time at the intermediate point in the current race (not over multiple races).
	Value2	O	m:sS.FF	Time for the section ending at the intermediate point @Pos.
	Rank	O	Positive Integer	Send the rank of the competitor at the intermediate point.
	RankEqual	O	Y	'Y' if the rank is equaled, else is not expected.
	Diff	O	+/-mm:sS.FF	Time behind/ahead the leader in the unit at the split. Negative if faster than the leader or + if slower than the leader. 0.00 for the leader
Sub Element: Competition /Result /ExtendedResults /ExtendedResult /Extension				
Expected In individual events except mass start plus team pursuit quarterfinals.				
	Attribute	Value	Description	
	Code	PAIR_DIFF		
	Pos	N/A		
	Value	+mm:sS.FF		Time behind the leader in the pair. 0.00 for leader
ER	RE_RUN	N/A		Element Expected: If applicable. as soon as known.
	Attribute	M/O	Value	Description
	Value	M	Y	Send "Y" if the competitor received a reskate.
ER	WARNING	N/A		Element Expected: if applicable, as soon as known.
	Attribute	M/O	Value	Description
	Value	M	Y	Send "Y" if the competitor received a referee warning.



ER		TIME	N/A	Element Expected: Send if the competitor time is evaluated to 3 decimals to split tie
	Attribute	M/O	Value	Description
	Value	M	mm:ss.FFF	Race time

Element: Competition /Result /Competitor (1,N)

Competitor related to the result of one event unit.

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Competitor's ID or TBD in case that the competitor is unknown. Send "RS+competitor ID" for those competitors with a reskate. (individual and Team Pursuit quarterfinals)
Type	M	A, T	A for athlete; T for team
Organisation	M	CC@ORGANISATION Id	Competitor's organisation

Element: Competition /Result /Competitor /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Athletes ID
Order	M	Positive Integer	1 if Competitor @Type="A".
Bib	O	S(5)	Bib number

Sample (Individual)

```
<Result SortOrder="2" Rank="2" ResultType="TIME" Result="34.63" Diff="+0.04" StartOrder="6" StartSortOrder="8">
  <ExtendedResults>
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="1" Value="9.58" Value2="9.58" Diff="+0.05" Rank="3"
SortOrder="3" />
    <ExtendedResult Type="PROGRESS" Code="INTERMEDIATE" Pos="F" Value="34.63" Value2="25.05" Diff="+0.04" Rank="2"
SortOrder="2" />
  </ExtendedResults>
  <Competitor Type="A" Code="2039710" Organisation="NED" >
    <Composition>
      <Athlete Code="2039710" Bib="63" Order="1" />
    </Composition>
  </Competitor>
</Result>
```

2.3.5.6 Message Sort

Sort by Result @SortOrder.



2.3.6 Image

2.3.6.1 Description

The Image message is a message containing an image or images file(s) in .jpg or .png format encapsulated in a XML message.

Each message contains only one photofinish picture.

Multiple messages may be sent for the same DocumentCode (a single race [RSC]) when more than one photofinish cases/photos occur in the same race depending on the circumstances of the unit/race.

2.3.6.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@EVENT_UNIT Code	Event Unit RSC
DocumentSubcode	Positive Integer	Picture number If there is only one image related to the DocumentCode then the value 1 is sent. 2, 3 etc. are used if additional images (ranks to be resolved) are sent for the same DocumentCode.
DocumentType	DT_IMAGE	Image message
DocumentSubtype	PHOTOFINISH	Document Subtype
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	CC@RESULTSTATUS Code	Expected status is: OFFICIAL
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.6.3 Trigger and Frequency

Trigger when image available and after any change.

2.3.6.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8
Competition (0,1)							
	Gen						
	Sport						
	Codes						
	Image (1,N)						
		Pos					



	Version
	Revision
	ImageType
	Result (0,N)
	Result
	Rank
	StartOrder
	SortOrder
	ResultType
	IRM
	Competitor (1,1)
	Code
	Type
	Organisation
	Description (0,1)
	TeamName
	Composition (0,1)
	Athlete (1,N)
	Code
	Order
	Bib
	Description (1,1)
	GivenName
	FamilyName
	ImageData (1,1)
	-

2.3.6.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /Image (1,N)

Always only one image per message

Attribute	M/O	Value	Description
Pos	M	1	Used as differentiator if there are multiple images in the message.
Version	M	Positive Integer	Document Version



Revision	M	#0	Document Revision
ImageType	M	jpg, png	Image type extension

Element: Competition /Image /Result (0,N)

Expected only if DocumentSubtype is PHOTOFINISH, only include the information of those competitors in the image

Attribute	M/O	Value	Description
Result	O	mm:S.S.FF mm:S.S.FFF (in case of ties) #0 (mass start) SC@ResultMark Code	Result of the competitor
Rank	O	Positive Integer	Rank of the competitor at the end of the unit except in events where competitors compete in pairs
StartOrder	O	S(3)	Start or lane position This value is expected if it is included in DT_RESULT
SortOrder	M	Positive Integer	This attribute is a sequential number with the order of the competitors in the image.
ResultType	O	SC@ResultType Code	Result Type as appropriate
IRM	O	SC@IRM Code	IRM in case @ResultType is IRM

Element: Competition /Image /Result /Competitor (1,1)

Attribute	M/O	Value	Description
Code	O	S(20) without leading zeros	Competitor's ID (Team or individual) If it is possible to send the ID it should be included.
Type	O	A, T	A for athlete or T for team. If it is possible to send the type it should be included.
Organisation	O	CC@ORGANISATION Id	Competitor's organisation

Element: Competition /Image /Result /Competitor /Description (0,1)

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the Team.

Element: Competition /Image /Result /Competitor /Composition /Athlete (1,N)

Only sent in the case of individual events. Team members are not sent in team events.

Attribute	M/O	Value	Description
Code	O	S(20) without leading zeros	Athlete's ID. If it is possible to send the ID it should be included.
Order	M	1	Value is 1
Bib	O	S(5)	Bib number



Element: Competition /Image /Result /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given name
FamilyName	M	S(25)	Preferred Family name

Element: Competition /Image /ImageData (1,1)

Attribute	M/O	Value	Description
-	M	Free Text	The ImageData element has a body consisting of one Base64-encoded report (a jpeg or png file)

Sample (Team Pursuit)

```
<Image Pos="1" Version="1" Revision="0" ImageType="jpg" >
  <Result Result="3:26.23" Rank="1" StartOrder="5" SortOrder="1" >
    <Competitor Code="1234567" Type="T" Organisation="GBR" >
      <Description TeamName="Great Britain"/>
    </Result>
    <Result Result="3:26.26" Rank="2" StartOrder="3" SortOrder="2" >
      <Competitor Code="1234444" Type="T" Organisation="ESP" >
        <Description TeamName="Spain"/>
      </Result>
    <ImageData>/9j/4AAQSkZJRgABAQEAAAAAAAAA ETC ETC //2Q==</ImageData>
  </Image>
```

2.3.6.6 Message Sort

Sort by Competition /Image /Pos and SortOrder within image.



2.3.7 Records

2.3.7.1 Description

This message applies for all records depending on the sport.
The message contains the list of all records from the start of the Games (events depending on header).

2.3.7.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@DISCIPLINE Code	Discipline RSC
DocumentSubcode	CC@RECORD Id	If the message is sent because of a record being modified (broken, equaled or re-instated) then this attribute will be included and is the Record Event for the modification.
DocumentType	DT_RECORD	Records message
DocumentSubtype	FULL, PARTIAL	FULL if all records included. PARTIAL if only one record code is included.
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.7.3 Trigger and Frequency

The DT_RECORD (without DocumentSubcode) message is sent as a bulk message (all records in a discipline) prior to the competition. Any new version of the DT_RECORD message should replace all previous record information, either for the RecordCode specified in DocumentSubcode or all if no DocumentSubcode is specified.

Note: It is sent by central systems before the competition with the historical records and by OVR for any updates to the initial data prior competition and after competition starts with each new record set or equaled.

2.3.7.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	Level 8	Level 9
Competition (0,1)								
	Gen							
	Sport							
	Codes							
	ExtendedInfos (0,1)							
		SportDescription (0,1)						



		DisciplineName
Record (1,N)		
		Code
		Description (1,1)
		Name
RecordType (1,N)		
		Order
		RecordType
		Shared
		NotEstablished
		NotEstablishedLabel
		RecordData (0,N)
		Order
		ResultType
		Result
		Unit
		Country
		Place
		Date
		Time
		TimeStamp
		Equalled
		Unconfirmed
		Competition
		Historical
		Current
		Reinstated
		Extension (0,N)
		Type
		Code
		Pos
		Value
Competitor (0,1)		
		Code
		Type
		Organisation
		Description (0,1)
		TeamName
		IFid
		Composition (0,1)
		Athlete (1,N)



	Code
	Order
	Description (0,1)
	GivenName
	FamilyName
	Gender
	Organisation
	BirthDate
	IFld

2.3.7.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)

Attribute	M/O	Value	Description
DisciplineName	M	CC@DISCIPLINE ENG Description	Discipline ENG Description (not code) from Common Codes

Element: Competition /Record (1,N)

Attribute	M/O	Value	Description
Code	M	CC@RECORD Id	Record code. Send all record codes in the bulk message else this must match the DocumentSubcode, that is, only one per message.

Element: Competition /Record /Description (1,1)

Attribute	M/O	Value	Description
Name	M	CC@RECORD ENG Description	Record description (not code) from Common Codes

Element: Competition /Record /RecordType (1,N)

It is possible to have more than one element with the same type (as in the case of National Records).

Attribute	M/O	Value	Description
Order	M	Positive Integer	The hierarchy (priority) for types of record from 1 to n.



			(Can use the Order column from CC @RecordType to assist in case several records are broken, from high priority to low priority but must still use 1 to n).
RecordType	M	CC@RECORD_TYPE recordtype	Record type.
Shared	M	Y, N	Y-There is more than one competitor sharing the record N-There is just one competitor holding the record
NotEstablished	O	Y	Send "Y" in the case there is no record in this category else do not send.
NotEstablishedLabel	O	SC@NotEstablished Code	The description to be used in the case that NotEstablished="Y".

Element: Competition /Record /RecordType /RecordData (0,N)

RecordData is not sent for NotEstablished Records unless a "standard" applies

Attribute	M/O	Value	Description
Order	M	Positive Integer	In the case that a record (RecordType) is provided several times in the message, then Order is the chronological order for the records (1,N). 1 will be usually the historical record and for each record broken during the competition a new order value will be provided. Usually first time the record is broken will have Order="2", second time Order="3" etc. Send 1 for records (RecordType) not shared (historical records)
ResultType	M	SC@ResultType Code	"TIME", indicating that the result type for the record is a time.
Result	M	mm:ss.FF	Send always unless the record is not established. (though can be sent if a standard applies) The performance of the competitor for the record.
Unit	O	CC@EVENT_UNIT Code	The full RSC of the unit in the current competition where the record was broken. Send always (Mandatory) in the case Historical="N".
Country	O	CC@COUNTRY Id	Send always unless the record is not established. Country code where the record was broken
Place	O	S(40)	Send always (when known) unless the record is not established. Place (town or city) where the record was broken (example: "Salt Lake City").
Date	O	YYYY-MM-DD	Send always unless the record is not established. Date when the record was broken (for the current competition, the date will be assumed to be the date scheduled for the @Unit attribute)
Time	O	HH:MM	Time the record was set. Send always (Mandatory) in the case of Historical="N".
TimeStamp	O	DateTime	Date and Time the record was set including timezone. Send always (Mandatory) in the case of Historical="N".
Equalled	O	Y	Y if the existing record is equalled.
Unconfirmed	O	Y	Send only in the case that Historical="Y" and if it is required in the specific discipline, since some historical records / record types may not be confirmed. Send "Y" if the record is Unconfirmed else do not send. The normal situation is do not send.



Competition	O	S(40)	Send the text of the competition name where the record was broken (example: "2013 World Championships", "2012 Olympic Games", etc.).
Historical	M	Y, N	Send "Y" if the record for competitor was not achieved during the current competition. Send "N" if the record for the competitor was achieved during the current competition.
Current	O	Y	Send "Y" in the case that this is the current record else do not send (may be multiple in the case of a shared record).
Reinstated	O	Y	"Y" if this record is re-instated/re-established as the current record in this message (following an invalidation or similar).

Element: Competition /Record /RecordType /RecordData /Extension (0,N)

Type	Code	Pos	Description
ER	INTERMEDIATE	S(2)	Pos Description: Sequential number from 1, 2...F for each intermediate point in the record, to indicate its number (DT_CONFIG). It can be one or more (depending on the distance of the event unit). Element Expected: When available for each intermediate
	Attribute	M/O	Value
	Value	M	mm:sS.FF
			Description Split time in the record
ER	SECTION	S(2)	Pos Description: Intermediate point at the end of the section where section time is taken (1, 2... F). For example 1 is the section from the start to 1 and F is the last intermediate to the finish. Element Expected: when available
	Attribute	M/O	Value
	Value	M	m:sS.FF
			Description Time for the section ending at the intermediate point @Pos.

Element: Competition /Record /RecordType /RecordData /Competitor (0,1)

Competitor to whom the record is assigned.

Athlete's or team's information should be in DT_PARTIC (Historic) if Competitor @Type="A" or DT_PARTIC_TEAMS (Historic) if Competitor @Type="T".

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Competitor's ID
Type	M	A, T	A for athlete, T for team
Organisation	O	CC@ORGANISATION Id	Competitors' organisation if known

Element: Competition /Record /RecordType /RecordData /Competitor /Description (0,1)

Competitors extended information.



Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams
IFId	O	S(16)	Team IF number, send if available.

Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete (1,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Athlete's ID, corresponding to either a team member or an individual athlete
Order	M	Positive Integer	Order attribute used to sort team members in a team if Competitor @Type="T" or 1 if Competitor @Type="A".

Element: Competition /Record /RecordType /RecordData /Competitor /Composition /Athlete /Description (0,1)

Athletes extended information.

Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
Gender	M	CC@PERSON_GENDER Id	Gender of the athlete
Organisation	M	CC@ORGANISATION Id	Athletes' organisation
BirthDate	O	YYYY-MM-DD	Date of Birth, must be included if the data is available
IFId	O	S(16)	International Federation ID

Sample (Records)

```
<Record Code="SSKM1000M-----">
  <RecordType Order="1" Code="WR" Shared="N">
    <RecordData Order="1" ResultType="TIME" Result="1:07.18" Country="USA" Place="Salt Lake City, UT" Date="2002-02-16"
    Competition="Olympic Games" Historical="Y" Current="Y" >
      <Extension Type="ER" Pos="1" Code="INTERMEDIATE" Value="16.33"/>
      <Extension Type="ER" Pos="2" Code="INTERMEDIATE" Value="41.00"/>
      <Extension Type="ER" Pos="F" Code="INTERMEDIATE" Value="1:07.18"/>
      <Extension Type="ER" Pos="1" Code="SECTION" Value="16.33"/>
      <Extension Type="ER" Pos="2" Code="SECTION" Value="24.67"/>
      <Extension Type="ER" Pos="F" Code="SECTION" Value="26.18"/>
      <Competitor Code="1098720" Type="A" Organisation="NZL" >
        <Composition>
          <Athlete Code="1098720" Order="1">
            <Description FamilyName="John" GivenName="Smith" Gender="M" Organisation="NZL" BirthDate="1983-12-15" />
          </Athlete>
        </Composition>
      </Competitor>
    </RecordData>
  </RecordType>
```

2.3.7.6 Message Sort

The following order applies:

- Record @Code
- RecordType @Order
- RecordData @Order

Olympic Data Feed - © IOC

Records



2.3.8 Event Final Ranking

2.3.8.1 Description

The Event Final Ranking is a message containing the final results and ranking at the completion of one particular event, either for individual athletes or for aggregated athletes.

The final ranking message is a generic message for all sports, including the full event final result for all competitors who were either ranked, got an Invalid Rank Mark (disqualified, etc.), or both.

The mandatory attributes and mandatory elements defined in this message will have to be used by all the sports, although each ODF Sport Data Dictionary will have to explain with further detail the optional attributes or optional elements of the message.

Depending on the sport rules include all competitors in the competition as all can be ranked (as in Marathon) or only include those with a final ranking as other are unranked (as in tennis).

2.3.8.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@EVENT Code	Event RSC
DocumentSubcode	N/A	N/A
DocumentType	DT_RANKING	Event Final ranking message
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	CC@RESULTSTATUS Code	Expected statuses are: PARTIAL OFFICIAL PROVISIONAL
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.8.3 Trigger and Frequency

This message is only triggered after a unit which affects the final ranking is official and that particular ranking is not subject to change or some ranking in that unit are not subject to change.

The message is expected at the end of each unit during finals along with each change.
Send as "PROVISIONAL" if there is pending decision by IOC, CAS, IF.



2.3.8.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
Competition (0,1)						
	Gen					
	Sport					
	Codes					
	ExtendedInfos (0,1)					
	SportDescription (0,1)					
	DisciplineName					
	EventName					
	Gender					
	Result (1,N)					
	Rank					
	RankEqual					
	ResultType					
	Result					
	IRM					
	SortOrder					
	Competitor (1,1)					
	Code					
	Type					
	Organisation					
	Description (0,1)					
	TeamName					
	Composition (1,1)					
	Athlete (0,N)					
	Code					
	Order					
	Bib					
	Description (1,1)					
	GivenName					
	FamilyName					
	Gender					
	Organisation					
	BirthDate					
	IFId					

2.3.8.5 Message Values

Element: Competition (0,1)



Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /ExtendedInfos /SportDescription (0,1)

Attribute	M/O	Value	Description
DisciplineName	M	CC@DISCIPLINE ENG Description	Discipline ENG Description (not code) from Common Codes
EventName	M	CC@EVENT ENG Description	Event ENG Description (not code) from Common Codes
Gender	M	CC@DISCIPLINE_GENDER Gender	Gender code for the event unit

Element: Competition /Result (1,N)

For any event final ranking message, there should be at least one competitor being awarded a result for the event.

Attribute	M/O	Value	Description
Rank	O	Positive Integer	Final rank of the competitor in the corresponding event. This attribute is optional because the competitor could get an empty rank in the case of a red card, for example.
RankEqual	O	Y	Send Y if the rank is equaled, else do not send.
ResultType	O	SC@ResultType Code	Result type, for the corresponding event, mandatory if Result or IRM is included. (TIME/POINTS not included for mass start or team pursuit)
Result	O	mm:sS.FF mm:sS.FFF (in case of ties) SC@ResultMark Code	Time of the athlete in individual. Not included in mass start or team pursuit.
IRM	O	SC@IRM Code	The invalid result mark, if applicable.
SortOrder	M	Positive Integer	This attribute is a sequential number with the order of the results for the particular event, if they were to be presented. It is mostly based on the rank, but it should be used to sort out rank ties as well as results without rank.

Element: Competition /Result /Competitor (1,1)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros SC@CompetitorPlace Code	Competitor's ID. "NOCOMP" in the case where there is no competitor in the rank due to IRM.
Type	M	A, T	A for athlete, T for team
Organisation	O	CC@ORGANISATION Id	Competitor's organisation if known



Element: Competition /Result /Competitor /Description (0,1)

Attribute	M/O	Value	Description
TeamName	M	S(73)	Name of the team. Only applies for teams

Element: Competition /Result /Competitor /Composition /Athlete (0,N)

Attribute	M/O	Value	Description
Code	M	S(20) without leading zeros	Athlete's ID, corresponding to an individual athlete or a team member. Team members should be participating in the event.
Order	M	Positive Integer	Order attribute used to sort team members in a team (if Competitor @Type="T") or 1 if Competitor @Type="A".
Bib	O	S(5)	Bib number in individual events not applicable in mass start In Team Pursuit it is the arm band number.

Element: Competition /Result /Competitor /Composition /Athlete /Description (1,1)

Attribute	M/O	Value	Description
GivenName	O	S(25)	Preferred Given Name
FamilyName	M	S(25)	Preferred Family Name
Gender	M	CC@PERSON_GENDER Id	Gender of the athlete
Organisation	M	CC@ORGANISATION Id	Athletes' organisation
BirthDate	O	YYYY-MM-DD	Date of Birth. Must include if the data is available
IFId	O	S(16)	International Federation ID

Sample (Individual)

```
<Result Rank="3" SortOrder="3" ResultType="TIME" Result="69.46">
  <Competitor Type="A" Code="2039711" Organisation="GER" >
    <Composition>
      <Athlete Code="2039711" Order="1" >
        <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

Sample (Mass Start)

```
<Result Rank="3" SortOrder="3" >
  <Competitor Type="A" Code="2039711" Organisation="GER" >
    <Composition>
      <Athlete Code="2039711" Order="1" >
        <Description GivenName="John" FamilyName="Smith" Gender="M" Organisation="GER" BirthDate="1994-12-15" />
      </Athlete>
    </Composition>
  </Competitor>
</Result>
```

2.3.8.6 Message Sort

Sort by Result @SortOrder



2.3.9 Configuration

2.3.9.1 Description

The configuration is a message containing general parameters.

2.3.9.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@EVENT Code CC@PHASE Code	Event RSC for individual (not mass start) events Phase RSC for mass start and team pursuit events
DocumentSubcode	N/A	N/A
DocumentType	DT_CONFIG	Configuration message
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.9.3 Trigger and Frequency

The message is sent prior to any ODF results message and in case of any change. Generally the configuration must be provided before the start list of the event unit. If a DT_CONFIG message is sent after a DT_RESULT then a new version of DT_RESULT must be sent immediately.

2.3.9.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Competition (0,1)					
	Gen				
	Sport				
	Codes				
	Configs (1,1)				
		Config (1,N)			
			Unit		
			ExtendedConfig (1,N)		
				Type	
				Code	
				Pos	



	Value
	ExtendedConfigItem (0,N)
	Code
	Pos
	Value

2.3.9.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /Configs /Config (1,N)

Attribute	M/O	Value	Description
Unit	M	CC@EVENT Code CC@PHASE Code	Event RSC (individual not mass start) Phase RSC (mass start and team pursuit)

Element: Competition /Configs /Config /ExtendedConfig (1,N)

Type	Code	Pos	Description
EC	INTERMEDIATE	S(2)	Pos Description: send the value that identifies the intermediate point, 1 to n for intermediates along the course and F for the finish point. Do not consider start. Element Expected: always
	Attribute	M/O	Value
	Value	M	SC@Split Code or ####0
			In pursuit and mass start send the intermediate name ("Split 9" for Pursuit or "Lap 9" for Mass Start etc.). In other events send the distance from the start in metres.
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Mass Start events only			
	Attribute	Value	Description
	Code	SPRINT	
	Pos	N/A	
	Value	SC@Sprint Code	Send the sprint name if there is a sprint at this intermediate: S1, S2, S3, F
Sub Element: Competition /Configs /Config /ExtendedConfig /ExtendedConfigItem Expected Mass Start events only			
	Attribute	Value	Description
	Code	BELL	
	Pos	N/A	



	Value	Y	Send Y as an Indicator that an intermediate is the Intermediate before a sprint. Else do not send.	
EC		INTERMEDIATES_NUM	N/A	Element Expected: always
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Send the total number of intermediate points where the time or points are recorded, including F.
EC		LAPS	N/A	Element Expected: in mass start
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Send the total number of laps
EC		SPRINTS	N/A	Element Expected: in mass start
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Send the total number of sprints
QUALIFICATION		FROM_RANK	CC@PHASE Code Or CC@EVENT_UNIT Code	Pos Description: Send according to the round to progress. CC@PHASE for Mass Start Finals and Team Pursuit Semifinals CC@EVENT_UNIT for Team Pursuit Finals C and D Element Expected: When applicable only for Mass SF and Pursuit QF
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Send the qualifying rank to indicate first rank to qualify.
QUALIFICATION		TO_RANK	CC@PHASE Code Or CC@EVENT_UNIT Code	Element Expected: Send according to the round to progress. CC@PHASE for Mass Start Finals and Team Pursuit Semifinals CC@EVENT_UNIT for Team Pursuit Finals C and D Element Expected: When applicable only for Mass SF and Pursuit QF
	Attribute	M/O	Value	Description
	Value	M	Positive Integer	Send the qualifying rank to indicate last rank to qualify
QUALIFICATION		QUAL_RULE	N/A	Element Expected: when applicable
	Attribute	M/O	Value	Description
	Value	M	SC@QualRule Code	Send the code for the qualification rule.

Sample (1500m)

```
<Configs>
<Config Unit="SSKM1500M-----">
  <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="4" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="300" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="700" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="1100" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="1500" />
</Config>
```

Sample (Pursuit)



```
<Configs>
<Config Unit="SSKMTEAMPU-----SFNL-----">
  <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="12" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="Split 1" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="Split 2" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="Split 3" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="4" Value="Split 4" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="5" Value="Split 5" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="6" Value="Split 6" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="7" Value="Split 7" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="8" Value="Split 8" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="9" Value="Split 9" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="10" Value="Split 10" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="11" Value="Split 11" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="Split 12" />
</Config>
</Configs>
```

Sample (Mass Start)

```
<Configs>
<Config Unit="SSKMMS-----FNL-----">
  <ExtendedConfig Type="EC" Code="LAPS" Value="16" />
  <ExtendedConfig Type="EC" Code="SPRINTS" Value="10" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATES_NUM" Value="16" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="1" Value="Split 1" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="2" Value="Split 2" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="3" Value="Split 3" >
    <ExtendedConfigItem Code="SPRINT" Value="S1" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="4" Value="Split 4" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="5" Value="Split 5" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="6" Value="Split 6" />
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="7" Value="Split 7" >
    <ExtendedConfigItem Code="SPRINT" Value="S2" />
  </ExtendedConfig>
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="8" Value="Split 8" />
  ...
  <ExtendedConfig Type="EC" Code="INTERMEDIATE" Pos="F" Value="Split 16" >
    <ExtendedConfigItem Code="SPRINT" Value="S4" />
  </ExtendedConfig>
</Config>
```

2.3.9.6 Message Sort

There is no message sorting rule.



2.3.10 Weather conditions

2.3.10.1 Description

The Weather Conditions is a message containing the current weather conditions in the venue.

2.3.10.2 Header Values

The following table describes the message header attributes.

Attribute	Value	Comment
CompetitionCode	CC@COMPETITION_CODE Id	Competition ID
DocumentCode	CC@DISCIPLINE Code	Discipline RSC
DocumentSubcode	CC@LOCATION Id	Location ID
DocumentType	DT_WEATHER	Weather conditions in the venue or location
DocumentSubtype	N/A	N/A
Version	Positive Integer	Version number (ascending) associated to the message content.
ResultStatus	N/A	N/A
FeedFlag	P, T	P – Production / T - Test
Date	Date	Refer to ODF header definition
Time	Time	Refer to ODF header definition
LogicalDate	Date	Refer to ODF header definition
Source	SCGEN@Source Code	Code indicating the system which generated the message.

2.3.10.3 Trigger and Frequency

The message is sent for each session: before the start of the session and then periodically (greater than 15 minute interval) during the session.

2.3.10.4 Message Structure

The following table defines the structure of the message.

Level 1	Level 2	Level 3	Level 4	Level 5
Competition (0,1)				
	Gen			
	Sport			
	Codes			
	Weather (1,1)			
		Date		
		Conditions (1,N)		
			Code	
			Humidity	
			Condition (0,3)	
				Code



	Value
Pressure (0,N)	
	Unit
	Value
Temperature (0,N)	
	Code
	Unit
	Value
Wind (0,N)	
	Code
	Unit
	Value
	Type

2.3.10.5 Message Values

Element: Competition (0,1)

Attribute	M/O	Value	Description
Gen	M	S(20)	Version of the General Data Dictionary applicable to the message
Sport	M	S(35)	Version of the Sport Data Dictionary applicable to the message
Codes	M	S(20)	Version of the Codes applicable to the message

Element: Competition /Weather (1,1)

Attribute	M/O	Value	Description
Date	M	DateTime	Date/time of the conditions

Element: Competition /Weather /Conditions (1,N)

Attribute	M/O	Value	Description
Code	M	SC@WeatherPoint Code	GEN for general only
Humidity	O	##0	Humidity in %

Element: Competition /Weather /Conditions /Condition (0,3)

Send three times in the case of Winter conditions.

Attribute	M/O	Value	Description
Code	M	ICE	Weather condition type
Value	M	CC@Weather_COND_SNOW Id	CC@WEATHER_COND_SNOW for ICE



Element: Competition /Weather /Conditions /Pressure (0,N)

Attribute	M/O	Value	Description
Unit	M	SCGEN@PressureUnit	Unit for pressure
Value	M	###0	Air pressure

Element: Competition /Weather /Conditions /Temperature (0,N)

Send with different @Code in the case of winter conditions as needed.

Attribute	M/O	Value	Description
Code	M	AIR, ICE	Temperature type
Unit	M	SCGEN@TemperatureUnit Code	Metric system unit for temperature
Value	M	[-]#0.0	Temperature of the @Code.

Element: Competition /Weather /Conditions /Wind (0,N)

Attribute	M/O	Value	Description
Code	M	SPEED	Wind Speed (Air flow speed range)
Unit	M	SCGEN@WindUnit Code	Unit for Wind. Expected: Metres per second
Value	M	##0.0	Wind speed in @Unit
Type	O	SCGEN@WindSpeedType Code	Maximum and Min wind speed to calculate the wind speed range

Sample (General)

```
<Weather Date="2006-02-06T13:00:00+01:00" >
  <Conditions Code="GEN" Humidity="31" >
    <Condition Code="ICE" Value="nor" />
    <Pressure Unit="HPA" Value="1005" />
    <Temperature Code="AIR" Unit="C" Value="15" />
    <Temperature Code="ICE" Unit="C" Value="-5" />
    <Wind Code="SPEED" Unit="MS" Value= 2.0 Type= "MAX" />
    <Wind Code="SPEED" Unit="MS" Value= 0.5 Type= "MIN" />
  </Conditions>
</Weather>
```

2.3.10.6 Message Sort

There is no special sort order requirement for this message.



3 Message Timeline

3.1 Preparation Phase

Trigger	Message	Status	D	E	P	S	U
As soon as ODF operations start	DT_CODES						
Periodically as soon as ODF operations start	DT_SCHEDULE		x		o		o
	DT_PARTIC		x				
	DT_ENTRIES			x			
	DT_RECORD (Full)		x				
	DT_PDF C08 Schedule (by VRM)		x				
	DT_PDF C35 Competition Officials (by VRM)		x				

3.2 Before competition

Trigger	Message	Status	D	E	P	S	U
After Initial Download, if any change (by OVR)	DT_PDF C08 Schedule (by OVR)		x				
After changes of athlete data	DT_PARTIC_UPDATE		x				
After changes of team data	DT_PARTIC_TEAMS_UPDATE		x				
	DT_ENTRIES			x			
4 days before 1st draw	DT_PDF C30 - Number of Entries by NOC		x				
4 days before 1st draw	DT_PDF C32A - Entry List by NOC		x				
24 hours before draw	DT_PDF C32C - Entry List by Event			x			
After the Draw - Individuals	DT_PDF C51A - Start List						x
After the Draw - MS and TP	DT_PDF C51X - Start List				x		
Only Team Pursuit	DT_PDF C74E - Event Summary			x			
For each individual event and for each phase in TP and MS	DT_CONFIG			x	x		
	DT_RESULT	START_LIST					x

3.3 During Competition - Individual

Trigger	Message	Status	D	E	P	S	U
Some minutes before competition starts	DT_SCHEDULE_UPDATE	GETTING_READY	x				o
When competition starts	DT_SCHEDULE_UPDATE	RUNNING	x				o
	DT_CURRENT						x
	DT_RESULT	LIVE					x
Split Time - Pair	DT_CURRENT						x
	DT_RESULT	LIVE					x
When last pair finished	DT_SCHEDULE_UPDATE	FINISHED	x				o



Finish - Pair (unofficial times, Unchecked=Y)	DT_CURRENT								x
After every pair (with results) except the last (both skaters finished)	DT_RESULT	INTERMEDIATE							x
After last pair (with results)	DT_RESULT	UNCONFIRMED							x
Finish - Pair (photofinish times)	DT_CURRENT								x
After last pair with times	DT_RESULT	UNOFFICIAL							x
If new record	DT_RECORD (PARTIAL with DocumentSubcode)		x						

3.4 After Competition - Individual

Trigger	Message	Status	D	E	P	S	U
Results confirmed	DT_RESULT	OFFICIAL					x
	DT_RANKING	OFFICIAL		x			
	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE		x				
	DT_MEDALS		x				
	DT_PDF C73A - Results	OFFICIAL					x
	DT_PDF C77A - Distance Analysis						x
Not for Individuals: 500m, 1000m	DT_PDF C77C - Distance Analysis - Graphical						x
If New Record	DT_PDF C81A - Records Broken/Equalled			x			
If New Record	DT_PDF C81C - Records Summary		x				
After competition	DT_PDF C82A - Ice & Climatic Conditions			x			
	DT_PDF C92A - Medallists			x			
	DT_PDF C93 - Medallists by Event		x				
	DT_PDF C95 Medal Standings		x				

3.5 During Competition - Team Pursuit

Trigger	Message	Status	D	E	P	S	U
3 starting members announced	DT_SCHEDULE_UPDATE	SCHEDULED	x		o		o
	DT_RESULT	START_LIST					x
	DT_PDF C51E - Start List	START_LIST			x		
Before Start QFNLS/Each Semifinal/Each Final	DT_SCHEDULE_UPDATE	GETTING_READY	x		o		o
When competition starts	DT_SCHEDULE_UPDATE	RUNNING	x		o		o
	DT_CURRENT (Only QFNL)						x
	DT_RESULT	LIVE					x
Split Time - Heat	DT_CURRENT (Only QFNL)						x
	DT_RESULT	LIVE					x
Finished unit	DT_SCHEDULE_UPDATE	FINISHED	x		o		o
Finish - Heat (unofficial times, Unchecked=Y)	DT_CURRENT						x
After each Quarterfinal Heat except last (both teams finished)	DT_RESULT	INTERMEDIATE					x



After last quarterfinal Heat and each semifinal and final (both teams finished)	DT_RESULT	UNCONFIRMED						x
Finish - Heat	DT_CURRENT							x
Finish - Heat (Photofinish times) in quarterfinal except last	DT_RESULT	INTERMEDIATE						x
After unit and with photofinish times	DT_RESULT	UNOFFICIAL						x
If new record	DT_RECORD (PARTIAL with DocumentSubcode)		x					

3.6 After Competition - Team Pursuit

Trigger	Message	Status	D	E	P	S	U
After Quarterfinals and each semifinal and final	DT_RESULT	OFFICIAL					x
After each Final	DT_RANKING			x			
After each phase	DT_PDF C73X - Results	OFFICIAL			x		
After each phase	DT_PDF C74E - Event Summary			x			
After each QFNL and SFNL	DT_PDF C51E - Start List				x		
After each phase	DT_PDF C77E - Distance Analysis				x		
After each phase	DT_PDF C77G - Distance Analysis - Graphical				x		
After each phase if new record	DT_PDF C81E - Records Broken & Equalled				x		
After each phase	DT_PDF C82E - Ice & Climatic Conditions				x		
When Results are confirmed	DT_RESULT	OFFICIAL					x
	DT_RANKING	OFFICIAL		x			
	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE		x				
	DT_MEDALS		x				
	DT_PDF C73X - Results	OFFICIAL			x		
	DT_PDF C74E - Event Summary			x			
	DT_PDF C77E - Distance Analysis				x		
	DT_PDF C77G - Distance Analysis - Graphical				x		
If New Record	DT_PDF C81E Records Broken/Equalled				x		
If New Record	DT_PDF C81C Records Summary			x			
	DT_PDF C82E Ice & Climatic Conditions				x		
	DT_PDF C92B Medallists			x			
	DT_PDF C93 Medallists by Event		x				
	DT_PDF C95 Medal Standings		x				

3.7 During Competition - Mass Start

Trigger	Message	Status	D	E	P	S	U
Some minutes before Start each Semifinal and Final	DT_SCHEDULE_UPDATE	GETTING_READY	x		o		o
When competition starts	DT_SCHEDULE_UPDATE	RUNNING	x		o		o
	DT_RESULT	LIVE					x



Split Time / Sprint points - Semifinals/Final	DT_RESULT	LIVE						x
Each Semifinal Finished	DT_SCHEDULE_UPDATE	FINISHED	x		o			o
	DT_RESULT	UNCONFIRMED						x
	DT_RESULT	UNOFFICIAL						x
Each Semifinal results confirmed	DT_RESULT	OFFICIAL						x
Both semifinals results confirmed	DT_RESULT	START_LIST						x
	DT_RANKING	PARTIAL		x				
	DT_PDF C73B - Results	OFFICIAL						x
	DT_PDF C77B - Distance Analysis							x
	DT_PDF C51B - Start List	START_LIST						x

3.8 After Competition - Mass Start

Trigger	Message	Status	D	E	P	S	U
Final results confirmed	DT_RESULT	OFFICIAL					x
	DT_RANKING	OFFICIAL		x			
	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE		x				
	DT_MEDALS		x				
	DT_PDF C73B - Results	OFFICIAL					x
	DT_PDF C74B - Event Classification			x			
	DT_PDF C77B - Distance Analysis						x
	DT_PDF C82A - Ice & Climatic Conditions			x			
	DT_PDF C92A - Medallists			x			
	DT_PDF C93 - Medallists by Event		x				
	DT_PDF C95 - Medal Standings		x				

3.9 Exceptional Situations

Trigger	Message	Status	D	E	P	S	U
If Withdrawal before the comp./Re-arrange 20 m. before	DT_PARTIC_UPDATE		x				
	DT_PARTIC_TEAMS_UPDATE		x				
	DT_ENTRIES			x			
	DT_SCHEDULE_UPDATE (Team pursuit only)		x				o
	DT_RESULT	START_LIST					X
	DT_PDF C51X - Start List	START_LIST			x		x
	DT_PDF C67 - Official Communication		x				
			x				
If Ties and Photo-Finish	DT_CURRENT						x
	DT_RESULT	UNCONFIRMED			x		x
	DT_SCHEDULE_UPDATE	FINISHED	x		o		o
	DT_CURRENT						x



	DT_RESULT	UNOFFICIAL			x		x
	DT_RESULT	OFFICIAL			x		x
	DT_IMAGE						x
	DT_PRESSPHOTOFINISH_LK						x
If DQB after event and up to the Day after the Closing Cer.	DT_RESULT	OFFICIAL			x		x
	DT_RANKING	OFFICIAL		x			
	DT_MEDALLISTS	OFFICIAL		x			
	DT_MEDALLISTS_DISCIPLINE		x				
	DT_MEDALS		x				
Send also the rest of the reports affected	DT_PDF - C73X - Results	OFFICIAL			x		x
	DT_PDF C67 - Official Communication		x				
	DT_COMMUNICATION		x				
If Change of Schedule (Postponed, Rescheduled..)	DT_SCHEDULE_UPDATE		x		o		o
After rescheduled, cancelled (but not yet once Postponed or Delayed)	DT_PDF - C08 - Competition Schedule		x				
	DT_PDF C67 - Official Communication		x				
	DT_COMMUNICATION		x				

Legend:

D Discipline; **E** Event; **P** Phase; **S** Session; **U** Unit
x Sent on that level; **o** Includes info from that level



4 Document Control

Version history		
Version	Date	Comments
V0.1	1 Nov 2023	First Version
V0.2	8 Nov 2023	After ODF review meeting
V0.3	27 Nov 2023	Applying global changes and editorial updates
V0.4	8 February 2024	Corrections and cross sport alignments
V0.5	19 April 2024	Corrections and cross sport alignments
V0.6	29 July 2024	Corrections and cross sport alignments
V0.7	29 September 2024	Updates after PT1
V1.0	31 October 2024	Approved version
V1.1	17 March 2025	CHG0034465, alignments
V1.2	31 July 2025	CHG0035839, addressing Homologation issues

File Reference: OWG2026-SSK-1.3, APP

Change Log		
Version	Status	Changes on version
V0.1	SFR	First Version
V0.2	SFR	<p>DT_ENTRIES and DT_ENTRIES_TEAMS introduced. PROVISIONAL Results Status introduced across the applicable messages. DT_BRACKETS message removed. ModificationIndicator removed across all applicable messages. DT_PARTIC/DT_PARTIC_TEAMS: Description of the messages adjusted. DocumentSubtype values updated to include SYNC. PSCB name variations included. Structure of the messages updated removing event entry specific data. DT_ENTRIES: Competition /Entry /ExtendedEntry /IFRANK introduced Competition /Entry /Bib removed DT_ENTRIES_TEAM: Competition/TeamEntry /Bib and Substitute removed Competition /TeamEntry /ExtendedEntry/SUBSTITUTE added. Competition /TeamEntry /ExtendedEntry/IFRANK added DT_RESULT: Trigger and Frequency: Management of Reskate and Message structure updated Competition/Result/Result: ResultMark added as possible value. Competition /Result /ExtendedResults /ExtendedResult /ER/WARNING added Competition /Result /Competitor /Composition /Athlete/Bib: Description updated Competition /Result /Competitor /Composition /Athlete /EventUnitEntry/EUE/ARMBAND: Pos updated. DT_CURRENT: Trigger and Frequency: Management of Reskate updated Competition /Result /ExtendedResults /ExtendedResult/ER/WARNING added DT_RECORD: Description about Not Established records removed. Trigger and Frequency: Note is pending to be confirmed once ORIS includes clarification information on the Records source in Appendix D. DT_RANKING: Competition /Result /ExtendedResults /ExtendedResult: Removed. DT_CONFIG: Competition /Configs /Config /ExtendedConfig/EC/INTERMEDIATE/BELL added Competition /Configs /Config /ExtendedConfig/QUALIFICATION/ FROM_RANK and TO_RANK added.</p>
V0.3	SFR	<p>Editorial changes: Remove highlights DT_PARTIC_TEAMS: Message description updated to clarify the approach for Historical teams and team members.</p>



		DT_TEAM_ENTRIES: Updated to the last agreed structure.(Global change) Competition /TeamEntry /ExtendedEntry/SUBSTITUTE removed
V0.4	SFR	For all messages for the element Competition the attributes Gen, Sport, Codes are set to M DT_PARTIC: Competition/Participant/MainFunctionId marked as Optional. DT_ENTRIES: Message Structure:ExtendedEntry changed to (0,N). Message Values: Competition/Entry/GivenName marked as Optional. DT_ENTRIES_TEAMS: Message structure: Competition /TeamEntry /ExtendedEntry marked as (0,N). Message Values: Competition /TeamEntry /Composition /Athlete /GivenName marked as Optional. DT_CURRENT: Message structure: Competition /Result /ExtendedResults /ExtendedResult /Extension added to match Message Values content.
V0.5	SFR	Editing updates and new values patterns applied. Sport attribute in element Competition has been changed to S(35) TVFamilyName changed to S(18) DT_CURRENT: Competition /ExtendedInfos /ExtendedInfo /DISPLAY : PAIRS Code has been renamed to HEATS
V0.6	SFR	SubEventName attribute: Changed reference to the ShortDescription in Common Codes. DT_ENTRIES: New structure applied DT_ENTRIES_TEAMS: Deleted DT_RESULT: Competition /Result PhotoFinish attribute added Competition /Result /ExtendedResults /ExtendedResult PHOTO deleted DT_CURRENT: Competition /ExtendedInfos /ExtendedInfo /DISPLAY/ LAST_COMP added. Competition /ExtendedInfos /ExtendedInfo /DISPLAY: Code LAST_COMP renamed to LAST_INTERMEDIATE Competition /Result PhotoFinish attribute added Competition /Result /ExtendedResults /ExtendedResult PHOTO deleted DT_IMAGE: Revision attribute Value updated to accept zero. Competition /Image /Result ResultType and IRM added DT_RECORD: Competition /Record /RecordType /RecordData @Time value changed to HH:MM DT_AUDIO, DT_ACHIEVEMENT, DT_ACTIVITY: Added in Applicable Messages
V0.7	SFA	Editorial updates DT_ENTRIES: Competition /Entry /ExtendedEntry /IFRANK Value format updated Competition /Entry /Composition /Athlete /ExtendedEntry Value format updated DT_RESULT: Competition /ExtendedInfos /ExtendedInfo /DISPLAY /LAST_COMP Pos value updated Competition /Result /Rank Description updated Competition /Result /WLT attribute added DT_CURRENT: Competition /Result /ExtendedResults /ExtendedResult /ER /TIME Value format updated DT_RECORD: Competition /Record /RecordType /NotEstablishedLabel Value format updated Competition /Record /RecordType /RecordData Attributes TimeStamp, Reinstated added
V1.0	APP	Editorial updates
V1.1	APP	DT_PARTIC: Competition /Participant Attribute BirthDate description updated DT_RESULT: Competition /Result /ExtendedResults /ExtendedResult Value description and valid values changed to fulfill ISU requirements in case of tie (CHG0034465)
V1.2	APP	DT_CURRENT: Trigger and Frequency updated to match current implementation (DDM-93) DT_CURRENT: Competition /Result /Photofinish description update (DDM-57) DT_WEATHER: Competition /Weather /Conditions /Pressure /Unit value updated (DDM-61) Competition /Weather /Conditions /Wind extension added (Air flow speed range) (CHG0035839) DT_RESULT: Competition /Result /RecordIndicators /RecordIndicator /Code. Value reference to Common Codes corrected (DDM-42) DT_RESULT: Competition /Result /Photofinish description update (DDM-57) DT_PARTIC: Competition /Participant Attribute Height removed (CHG0035839) Message Timeline: Correction to the reference of the DT_PRESSPHOTOFINISH_LK message.
V1.3	APP	DT_CURRENT: Competition /Result /ExtendedResults /ExtendedResult PROGRESS INTERMEDIATE value update